

Utah Hospital Inpatient Discharge Data
Standard Report I (ST-1:12)

20

**Utah Inpatient
Hospital Utilization
and Charges Profile
- Hospital Detail**

12

released by
Utah Health Data Committee

From the Office of Health Care Statistics
Utah Department of Health
288 North 1460 West
PO Box 144004
Salt Lake City, Utah 84114-4004
Voice: (801) 538-7048
Fax: (801) 237-0787
Email: healthcarestat@utah.gov

Suggested Citation:

Utah Health Data Committee. (2014). 2012 Utah Inpatient Hospital Utilization and Charges Profile-Hospital Detail. Salt Lake City, UT: Utah Health Data Committee.

TABLE OF CONTENTS

| | |
|--|-------|
| About this Report | 1 |
| Organization of This Report | 1 |
| Description of Table Entries | 1 |
| Limitations | 3 |
| Sources of Hospital Variation (in Volume and Outcome of Discharges) | 4 |
| Volume | 4 |
| Coding | 4 |
| Severity of Illness | 4 |
| Size | 4 |
| Location | 5 |
| Teaching Status | 5 |
| Strategies to Improve Comparability | 6 |
| Diagnosis Related Group (DRG)..... | 6 |
| All-Patient Refined (APR) DRG | 6 |
| Outlier Cases..... | 7 |
| Case-Mix Index | 7 |
| Hospital Peer Groups..... | 7 |
| Appendices | |
| Appendix A - Case-Mix Index..... | 8 |
| Appendix B - Definition of Terms Used in This Report..... | 9 |
| Appendix C - Electronic Resource Documents | 10 |
| Appendix D - Table of Hospital Characteristics (Ownership, Bed Size, Etc.)..... | 11 |
| Appendix E - Hospital Peer Groups & Case Mix Indices (CMI), 2002 - 2012..... | 13 |
| Utilization Profile, Statewide Tables, then by Hospital Tables, 2012 | |
| Type of Service & MDC by No. Discharges and Total Facility Charge..... | ST1-1 |
| DRG by Facility Charge and Length of Stay..... | ST1-2 |
| APRDRG by No. Discharges, Average Facility Charge & Length of Stay | ST1-3 |
| Patient Profile | ST1-4 |

About This Report

The tables contained in this report present many of the factors within a hospital which drive the costs of patient care. The major issues addressed by these documents include:

1. volume and intensity of inpatient health care,
2. differences in inpatient services,
3. differences in patient demographics and complexity among hospitals.

Consumers, employers, payers, policy-makers, and providers can utilize these documents to plan for resource allocation, identify geographic areas of public concern, weigh purchasing decisions, and make peer comparisons. Purchasers may use the information to select providers and payers, or to tailor benefit offerings.

Organization of this Report

The 62 DRGs shown in this report were selected based on the statewide volume of discharges and sum of total charges. These DRGs collectively account for at least 60% of the total inpatient volume or at least 60% of all total charges.

This report presents the distribution, composition, and outcome measures of inpatient discharges by selected characteristics. The information is broken down by hospital and arranged according to peer groups in the sequence listed above. Where appropriate, comparative statistics are shown for the hospital's peer group by state. Each hospital table is in four parts:

ST 1-1 - Hospital discharges and facility charges by type of clinical services and major diagnostic

category (MDC).

ST 1-2 - Summary statistics for facility charges and length of stay, overall and for 62 selected diagnosis related groups (DRG).

This report is designed to be a tool for analysis of health care issues, and includes a wide range of data for applications by many user groups. Consumers, employers, payers, policy makers, and providers may begin to use this type of data to make health care decisions. Health care reform policies rely heavily on the use of objective, comparable information to drive decision making by all parties.

ST 1-3 - Summary statistics for facility charges and length of stay for 27 selected all patient refined diagnosis related groups (APR-DRG) with patient severity levels.

ST 1-4 - Patient profile: gender, age, type of admission, source of admission, discharge status, primary payer category and patient origin by local health

district.

Description of Table Entries

Using health care data to impact decision making requires a commitment on the part of and type of user to understand the complex nature of health care. Decision making is not simple and cannot be reduced to a single indicator. Committee resource documents should serve as screens for the further analysis of provider selection, rather than devices that provide the final answer. The entries in the following tables will assist the users in interpreting the information. Additional definitions of terms used in this report are in Appendix B.

Discharges - Number of inpatient discharges that occurred during the period from January 1, 2012 to December 31, 2012.

Total Charges - Sum of all charges included in the billing form, including both facility charges and professional fees and patient convenience items. This is different from *cost* of treatment or *payment* received by the hospital.

Facility Charges - Sum of all charges related to using a facility. Facility charge is calculated by subtracting professional fees and patient convenience item charges from total charge.

Type of Service:

Live born infants - Patients with principal diagnosis code ICD-9 V30-V39 (Live born infants).

Obstetric - Patients assigned to Major Diagnostic Category (MDC) 14 (Pregnancy, Childbirth, & the Puerperium).

Pediatric - Patients age 0-17, excluding newborns.

Medical or Surgical - Patients are considered surgical if they had a procedure performed which would require the use of the operating room and considered medical otherwise. The classification was determined from the DRG.

Psychiatric - Patients assigned to MDC 19 (Mental Diseases and Disorders).

Rehabilitation - Patients assigned to DRG 462 (Rehabilitation).

Major Diagnostic Categories - Mutually exclusive principal diagnosis categories, from which DRGs are formed. The diagnoses in each MDC correspond to a single organ system or etiology and in general, are associated with a particular medical specialty.

Adjusted Average Charge - Average charge for a hospital divided by the hospital's case-mix index and excluding outliers.

Outlier - See "Outlier Cases" below.

Gender - Gender of patient.

Age - Derived from dates of birth and discharge.

Type of Admission:

Emergency - The patient requires immediate medical intervention as a result of severe, life threatening or potentially disabling conditions. Generally, the patient is admitted through the emergency room.

Urgent - The patient requires immediate attention for the care and treatment of a physical or mental disorder. Generally, the patient is admitted to the first available and suitable accommodation.

Elective - The patient's condition permits adequate time to schedule the availability of a suitable accommodation. An elective admission can be delayed without substantial risk to the health of the individual.

Newborn - Use of this code necessitates the use of a special source of admission codes, see Source of Admission below. Generally, the child is born within the facility.

Trauma Center - Visits to a trauma center/hospital as licensed by or authorized by the State to be a trauma center.

Sources of Admission:

Physician Referral - The patient was admitted to this facility upon the recommendation of his or her personal physician not affiliated with a health maintenance organization (HMO).

Clinic Referral - The patient was admitted to this facility upon recommendation of this facility's clinic physician.

HMO Referral - The patient was admitted to this facility upon the recommendation of an HMO physician.

Transfer from a hospital - The patient was admitted to this facility as a transfer from an acute care facility where he or she was an inpatient.

Transfer from a skilled nursing facility - The patient was admitted to this facility as a transfer from a skilled nursing facility where he or she was an inpatient.

Transfer from another health care facility - The patient was admitted to this facility as a transfer from a health care facility other than an acute care facility or skilled nursing facility.

Emergency Department - The patient was admitted to this facility upon the recommendation of this facility's emergency room physician (No longer valid starting July 2010).

Court/Law enforcement - The patient was admitted to this facility upon the direction of a court of law, or upon the request of a law enforcement agency representative.

Normal delivery - A baby delivered without complications.

Premature delivery - A baby delivered with time or weight factors qualifying it for premature status.

Sick baby - A baby delivered with medical complications, other than those relating to premature status.

Extramural birth - A baby born in a non-sterile environment.

Multi-County Local Health District:

Bear River - Including Box Elder, Cache and Rich counties

Central Utah - Including Juab, Millard, Piute, Sevier, Wayne, Sanpete counties

Southeastern Utah - Including Carbon, Emery, Grand, and San Juan counties

Southwest Utah - Including Garfield, Iron, Kane, Washington, and Beaver counties

TriCounty (Uintah Basin) - Including Daggett, Duchesne, Uintah counties

Weber-Morgan - Including Weber and Morgan counties

This report can be used to compare broad measures of utilization for all hospitals, but more detailed data are needed to look at specific performance comparisons between hospitals. It addresses inpatient utilization issues, but does not directly measure the quality of medical care. This information serves as an important first step toward consumers' taking a more active role in health care decision-making.

The price of hospital services, while important, is not the only consideration in making inpatient hospital decisions. Other factors that may influence hospital services, including: the type of condition treated, the physicians who practice at the hospital, and the insurance company's managed care policies. The subscriber should be familiar with his or her health plan long before hospital care is needed. (For additional information on managed care performance, please contact the Office of Health Care Statistics at (801) 538-7048.

Limitations

This report shows total billed charges, which includes both facility charge and professional charge. Billed charges are to be used as only one indicator of hospital performance. All patients, or insurance plans, do not pay the same amount for similar treatments, supplies, services, and procedures, even though they may be billed the same amount. Hospitals offer a variety of contracts, many with discount arrangements based on volume. Because of this, the data reflects pre-contractual prices for hospitalization and not the actual payment between providers and payers.

Sources of Hospital Variation In Volume and Outcome of Charges

Users of this report must remember that several factors such as volume of patients discharged, coding inconsistencies, and severity of patient illness can influence inter-hospital comparisons. In interpreting the information shown in this report, the reader is advised to keep in mind the following:

Volume

If a hospital discharged only a few types of certain cases, comparing data with other hospitals would not be especially meaningful because a small number of cases are not sufficient to establish a pattern of treatment. The reader must exercise caution when interpreting measures shown in this report that were based on less than five discharges.

Coding

Inter-hospital variations may be a reflection of the differences in coding practices and quality of data. From the beginning, the committee worked to assure the best data quality possible. To do so, they implemented the following:

1. The Health Data Plan provides data element definitions and standards to ensure all hospitals will report similar data.
2. Systematic edits were put in place to identify missing or invalid data fields and hospitals are required to correct these.
3. Each hospital is provided with a 35-day review period to validate the committee's data against their hospital records.

Despite the detailed edit and validation process, data quality is still an issue but is expected to improve over time as hospitals become accustomed to reporting data for public dissemination. Any comparative analysis or decision-making, based on this data, should take into account issues of data quality.

Severity of Illness

Patients entering hospitals for the same treatment and conditions often vary in the severity of their illnesses. Factors such as age, gender, and secondary illnesses account for differences in severity. Treating severely-ill patients is the most resource intensive and expensive. For instance, patients who are the sickest may need to be admitted to intensive care units, may need high-technology equipment, or may need to stay longer in hospitals than those less ill patients.

Some hospitals, especially regional referral centers such as Primary Children's Hospital and LDS Hospital, treat more acutely ill patients because of the specialized care available at their facility. The University of Utah hospital, which serves as a regional referral center as well as a major teaching hospital, treats more patients with complex medical conditions than other hospitals. Charges for patients cared for at these hospitals may be higher than at other hospitals due to the type of services offered and the type of patients served.

Rural hospitals often admit a mix of patients that may be chronically ill, uninsured, or elderly. The elderly are often more severely ill because of chronic and multiple health problems.

[The remaining sections are derived from comparative performance of U.S. Hospitals: *The Source book, 1992*, Health Care Investment Analysts, Inc. (HCIA).]

Size

Larger hospitals typically provide a more extensive array of services, including many not found in smaller hospitals, that are more sophisticated and resource-intensive, such as specialized intensive care units. The provision of more extensive and sophisticated services typically entails the need for more complex diagnostic and therapeutic equipment, which often requires additional personnel with advanced training. As a result, in

addition to the standby costs of maintaining a broader scope of services, larger hospitals generally treat a more complex and severely ill mix of patients. That is, the services that large hospitals produce are different in nature from those produced by small ones.

Furthermore, larger hospitals are more likely to be located in urban areas, which tends to increase costs. Finally, larger hospitals more frequently engage in the provision of graduate medical education and research which results in additional direct and indirect costs not incurred by smaller, nonteaching hospitals.

In contrast to the higher unit operating costs, larger hospitals do enjoy a number of advantages over smaller hospitals. As a result of their scope of services, teaching programs, and prestige, larger hospitals are better able to attract patients and physicians than smaller hospitals, and the quality of care they provide are perceived as being higher. Furthermore, the sicker patients for whom they care are less able to postpone care, compared with the patients of small hospitals. That is, a smaller proportion of their patients are elective admissions.

Location

Urban hospitals, compared with rural ones, have higher costs and revenues for a variety of reasons. The most important effect that urban or rural location has on a hospital is on the cost of labor. Hospitals in urban labor markets must typically pay more to employ nurses, administrators, hospital-based physicians, and nearly all other hospital personnel. Primarily because urban hospitals tend to be larger, but also because urban hospitals are faced with greater competition, they generally offer a broader scope of more sophisticated services than do rural hospitals. As a result, urban hospitals generally treat patients requiring more complex care, which further increases their costs compared with rural hospitals and inner-city urban hospitals tend to treat a patient mix that is disproportionately poor or elderly compared with suburban hospitals, which tends to increase their costs.

Teaching Status

Teaching hospitals are those that provide medical education, primarily graduate medical education. The commitment to providing graduate medical education can range from the maintenance of one or more

graduate residency programs approved by the American Medical Association, to the more extensive offerings of larger institutions that are either directly affiliated with a medical school or are members of the Council of Teaching Hospitals.

The most prominent differences between teaching and nonteaching hospitals occur as a result of the contemporaneous provision of teaching and patient care. Teaching hospitals incur certain costs directly associated with medical education programs, the largest category being the salary and benefits expense for interns and residents. Furthermore, the process of educating interns, residents, and other medical trainees normally results in longer lengths of stay and the use of more ancillary services, since students most often learn treatment protocols through practice. As a result, an additional category of costs incurred by teaching hospitals is the “indirect” costs of graduate medical education.

The second major difference between teaching and nonteaching facilities is the broader and more complex scope of services offered by teaching hospitals. Teaching hospitals more frequently operate several intensive care units (which are often specialized), possess the latest medical technologies, and attract a diverse group of physicians representing most specialties and many sub-specialties. Major teaching hospitals also offer many unique tertiary-care services not found in other institutions, such as burn care, shock trauma, and helicopter transport services. As a result of the sophisticated service offerings and types of physicians who practice in teaching hospitals, they attract more severely ill patients, who frequently have more complicated diagnoses or are in need of more complex procedures.

It is commonly believed that, even within fairly narrow diagnostic categories, such as the Medicare DRGs, the severity of illness of patients treated at teaching facilities is greater than that at nonteaching hospitals. As a result of the greater case mix complexity of teaching hospitals, greater amounts of resources are required to provide treatment. Moreover, the offering of many specialized services, such as neonatal intensive care and magnetic resonance imaging, necessarily entails the presence of unused and costly standby capacity.

As a result of their teaching programs, more sophisticated service offerings, more complex case mix, and other additional costs, revenues and expenses per discharge are generally significantly higher in teaching hospitals.

Strategies to Improve Comparability

Diagnosis Related Group (DRG)

The DRGs were developed for the Health Care Financing Administration as a patient classification scheme which provides a means of relating the type of patients a hospital treats (i.e., its case mix) to the costs incurred by the hospital. While all patients are unique, groups of patients have common demographic, diagnostic and therapeutic attributes that determine their resource needs. All patient classification schemes capitalize on these commonalities and utilize the same principle of grouping patients by common characteristics.

The use of DRGs as the basic unit of payment for Medicare patients represents a recognition of the fundamental role a hospital's "sicker" patients play in determining resource usage and costs, at least on average.

"The DRGs, as they are now defined, form a manageable, clinically coherent set of patient classes that relate a hospital's case mix to the resource demands and associated costs experienced by the hospital." (*Diagnosis Related Groups, Seventh Rev., Definitions Manual*, page 15.)

Each discharge in the Utah Health Discharge Database (UHDDDB) was assigned into a DRG based on the principal diagnosis, secondary diagnoses, surgical procedures, age, sex, and discharge status of the patient. This report includes 62 selected DRGs which covered about 60% of all discharges that occurred in 1996, when this report was first published.

All-patient Refined (APR)-DRG

The APR-DRGs are a patient classification scheme developed by 3M Health Information Systems that follows the basic DRG methodology of classifying patients into disease categories, but further subdivides each disease category into severity of illness classifications. With a few exceptions, a patient in each disease category (called consolidated DRG) is assigned into one of four levels of severity: no/minor complication or co-morbidity (CC), moderate CC, major CC, and extreme CC. Some of the exceptions to the four-level classification are newborns and neonates which are assigned to APR-DRGs formed with the severity of condition already built-in (e.g., APR-DRG 590: Neonate, birthweight <750g with major procedure). A significant revision of the APR-DRG classifications occurred July, 2003. This 2012 report attempts to match as closely as possible the APR-DRGs used in earlier reports.

APR-DRG categories were used to define charge and length of stay outliers and calculate the Case Mix Index (See CASE MIX INDEX). For this report, the 3M APR-DRG Grouper software Version 29.0 (October 2011) was run through Third Quarter 2012 data and Version 30.0 (October 2012) was run for Fourth Quarter 2012 data.

This report includes 27 APR-DRGs which covered about 60% of all discharges that occurred in 1996, when this report was first published.

Outlier Cases

Some patients have exceptionally low or high lengths of stay (LOS) or total facility charges. A hospital's charges can be affected by just a few unusually long (or short) or expensive (or inexpensive) cases. These high or low values could be a result of coding or data submittal errors, particularly in length of stay, total charges, or data elements that affect DRG assignments. Other reasons for exceptionally low LOS or charges could be due to death or transfer to another facility. Exceptionally high LOS or charges could be due to a catastrophic condition. Whatever the reason, these values, referred to as "outliers," distort the averages and were excluded from calculations. LOS or facility charge high outliers are defined in this and succeeding reports as values above 2.5 standard deviations from the mean. Means and standard deviations are APR-DRG specific and calculated on a statewide basis. The low outliers were defined as a non-newborn or non-normal delivery discharge with less than a \$300 charge. However, the calculations in this report do not exclude low outliers. A preliminary analysis showed that of the discharges that met this definition, a high proportion are in the DRG, "Other factors influencing health status," for which it was difficult to determine whether they were true outliers.

Case-Mix Index

An important source of variation among hospitals in summary measures of outcome - such as length of stay, total charges, and severity of illness - is the differences in the complexity of the patients they treat. To allow for a meaningful comparison of outcome measures among hospitals, an adjustment factor based on patient complexity should be applied. For this reason, four case-mix indices (all-patient, acute, obstetric, and pediatric) have been calculated for each hospital and are shown on the tables in this report. A hospital's case-mix index of 1.15 means that the overall case mix of a hospital requires 15 percent greater intensity of resource use relative to the state as a whole. See Appendix B for a description of the calculation of the case-mix indices.

Hospital Peer Groups

Comparing summary outcome measures (length of stay, total charges, readmission rates, mortality

rate) among hospitals has always been a controversial issue because of the difficulty of defining what makes hospitals comparable. As discussed previously, summary outcome measures vary among hospitals depending on various factors such as location, bed size, ownership, affiliation, and teaching status. If all these factors were to be considered in defining peer groups, each hospital might end up in a group by itself.

The question then, is why define peer groups at all? The answer is that given hospital-level data, users tend to compare hospitals. Without peer groupings to refer to, readers would compare a hospital with either the state level data or to another arbitrarily chosen hospital.

Therefore, it was decided that this report would contain summary statistics for a hospital's peer group as well as for the hospital and the state. Having decided this, the next issue was the basis for the grouping, which is discussed next.

Among various factors which affect a hospital's average charges, location and case mix indicators play important roles in determining the complexity of patients treated in the hospital. Therefore, the bases for the 1993 hospital grouping are location (urban/rural) and the all-patient case-mix index, except for psychiatric and substance abuse hospitals and non-comparable hospitals.

The hospitals are assigned to peer groups according to 1996 UHDDDB acute case-mix index (CMI). See Appendix E for hospital peer groups and CMIs for 2001 through 2012.

Some industry experts contend that hospital comparisons are meaningful only when confined to a specific treatment, service or procedure. Thus, in analyzing total charges for Coronary Artery Bypass (CAB), one would only compare among hospitals that perform CAB. Among these hospitals, a logical peer grouping would be based on the volume and severity mix of discharges associated with this procedure. While this is obviously ideal, it would not be possible in a summary report such as this to define various peer groupings according to different procedures. However, the report contains information on the top 62 DRGs which can be used by the user to form hospital groupings appropriate for a particular analysis.

Appendix A

Case-Mix Index

The case-mix indices were derived as follows:

1. Calculate relative weight for each APR-DRG i:

$$W_i = \frac{C_i}{C_s}$$

where

i = APR-DRG i

s = State level

W_i = Relative weight for APR-DRG i

C_i = Average charge for APR-DRG i

C_s = Average charge for all patients

2. Calculate case-mix index for hospital j:

$$I_j = \frac{\sum_i W_i N_{ij}}{N_j}$$

where:

j = Hospital j

I_j = Case-mix index for hospital j

N_{ij} = Number of discharges for
APR-DRG i and hospital j

N_j = Total discharges for hospital j

In the calculation of the all case-mix indices, the following were excluded: higher outliers and discharges from psychiatric and substance abuse hospitals, Cache Valley Specialty Hospital, South Davis Community Hospital, HealthSouth Rehabilitation Hospital of Utah, Promise Hospital of Salt Lake, The Orthopedic Specialty Hospital, Shriners' Hospital for Children, University of Utah Huntsman Cancer Institute, University of Utah Orthopedic Center, Utah Valley Specialty Hospital, Veterans Administration Medical Center, and Utah State Hospital. Besides the above exclusions, the discharges included in each of case-mix indices are described below:

All-Patient Case-Mix Index: All discharges

Acute Case-Mix Index: All discharges but excluding Newborns (ICD-9:V30-V39).

Obstetric Case-Mix Index: Discharges assigned Major Diagnosis Category (MDC) 14 (Pregnancy, Childbirth, & the Puerperium).

Pediatric Case-Mix Index: Patients aged 0-17, excluding newborns.

Only the All-Patient Case-Mix Index is used in this report. The Office of Health Care Statistics can provide the other indexes upon request.

Appendix B

Definition of Terms Used in This Report

To ensure a common understanding, frequently used terms and measures displayed in the resource documents, and not explained elsewhere in this report, are defined here.

Severity Adjustment: An adjustment process to control for confounding in case mix, etiology, and severity among hospital patient populations. Low values imply NOT very sick and high values imply very sick.

Length of Stay (LOS): Number of days from the date of admission to date of discharge. If a patient admitted and discharged in the same day this case will be given a length of stay of one day (LOS=1).

Average Length of Stay (ALOS): Average length of stay in days, calculated as sum of LOS divided by number of related discharges.

Average Charge: Calculated as sum of total charges divided by number of discharges. The average lends itself to further mathematical manipulation (for example, by multiplying it with a projected number of discharges to predict future resource use). Thus it was chosen over other measures, such as the median or mode, neither of which has this statistical property.

Adjusted ALOS and Charge: The adjustment process accounts for the differences in reported values among hospitals which can be attributed to the types of patients or illnesses treated at each hospital.

Chart-Based Severity System: Severity systems which use clinical data, e.g., laboratory results taken directly from patient medical records, to determine the level of severity of a patient. Clinical information required by chart-based systems is not among the data elements in the Utah Hospital Discharge Database.

Code-Based Severity System: Severity systems which utilize information are generally available in a patient's discharge abstract or uniform billing claim form (UB04) instead of using clinical data from patient medical records.

Appendix C

Electronic Resource Document

Public Data Sets (PDS) are available with minimal controls. Different data files are designed to provide general health care data to a wide spectrum of users. Although the data are at the patient level, considerable care has been taken to ensure that no individual patient could be identified from the data. The data elements included in the public use data

- 1 Provider Identifier (Hospital)
- 2 Patient's age (in 5 yr. group)
- 3 Patient's gender
- 4 Type of admission
- 5 Point of Origin
- 6 Total days stay
- 7 Patient's discharge status
- 8 Patient's postal zip code
- 9 Patient's residential county
- 10 Patient's cross-county migrant status
- 11 Patient's marital status
- 12 Patient's race
- 13 Patient's ethnicity
- 14 Principal diagnosis
- 15 Secondary diagnosis 1
- 16 Secondary diagnosis 2
- 17 Secondary diagnosis 3
- 18 Secondary diagnosis 4
- 19 Principal procedure
- 20 Secondary procedure 1
- 21 Secondary procedure 2
- 22 DRG
- 23 MDC
- 24 Total charge
- 25 Facility charge
- 26 Professional charge
- 27 Admitting physician specialty
- 28 Attending physician specialty
- 29 Consulting physician specialty
- 30 Surgeon's specialty
- 31 Primary payer category

- 32 Secondary payer category
- 33 Tertiary payer category
- 34 Patient's relationship to insured
- 35 Charge Outlier
- 36 Length of Stay Outlier
- 37 APRDRG
- 38 Patient's Severity Subclass
- 39 Patient's Risk of Mortality
- 40 Discharge Quarter
- 41 Secondary diagnosis code 5
- 42 Secondary diagnosis code 6
- 43 Secondary diagnosis code 7
- 44 Secondary diagnosis code 8
- 45 Secondary procedure code 3
- 46 Secondary procedure code 4
- 47 Secondary procedure code 5
- 48 MS-DRG
- 49 MS-MDC

Research Oriented Data Set (RODS) is available through the "Request for Data Release" process outlined in the *Privacy and Confidentiality Policies and Procedures Manual*, Appendix 4 of the *Health Data Plan*. This data set is designed for organized research of a bona fide nature in the health care areas of cost, quality, access, or prevention. The RODS will include more data elements and refined categories in detail than the PDS.

Please send requests for data to:

Office of Health Care Statistics
Utah Department of Health
288 North 1460 West
Salt Lake City, Utah 84114-4004
Phone: (801) 538-7048
Fax: (801) 237-0787
Email: healthcarestat@utah.gov

Appendix D

Hospital Characteristics: 2012

| ID ¹ | Hospital Name | Own ² | Affiliation | Type ³ | County | City | U/R ⁴ | Teach ⁵ | Beds |
|-----------------|---|------------------|----------------------------|-------------------|------------|----------------|------------------|--------------------|------|
| 118 | Alta View Hospital | N | Intermountain Health Care | Acute | Salt Lake | Sandy | U | N | 71 |
| 136 | American Fork Hospital | N | Intermountain Health Care | Acute | Utah | American Fork | U | N | 89 |
| 134 | Ashley Regional Medical Center | I | LifePoint Hospitals | Acute | Uintah | Vernal | R | N | 39 |
| 104 | Bear River Valley Hospital | N | Intermountain Health Care | Acute | Box Elder | Tremonton | R | N | 16 |
| 101 | Beaver Valley Hospital | G | Freestanding | Acute | Beaver | Beaver | R | N | 49 |
| 201 | Benchmark Behavioral Health Systems | I | Ramsey Health Care | SP/Psych | Davis | Woods Cross | U | N | 84 |
| 103 | Brigham City Community Hospital | I | MountainStar Healthcare | Acute | Box Elder | Brigham City | R | N | 49 |
| 145 | Cache Valley Specialty Hospital | I | National Surgical Hospital | SP/Surg | Cach | North Logan | R | N | 22 |
| 106 | Castleview Hospital | I | LifePoint Hospitals | Acute | Carbon | Price | R | N | 39 |
| 113 | Central Valley Medical Center-CAH | N | Rural Health Management | Acute | Juab | Nephi | R | N | 25 |
| 108 | Davis Hospital and Medical Center | I | IASIS Health Care | Acute | Davis | Layton | U | N | 220 |
| 116 | Delta Community Medical Center-CAH | N | Intermountain Health Care | Acute | Millard | Delta | R | N | 18 |
| 140 | Dixie Regional Medical Center | N | Intermountain Health Care | Acute | Washington | St. George | R | N | 245 |
| 115 | Fillmore Community Medical Center-CAH | N | Intermountain Health Care | Acute | Millard | Fillmore | R | N | 19 |
| 110 | Garfield Memorial Hospital | N | Intermountain Health Care | Acute | Garfield | Panguitch | R | N | 41 |
| 129 | Gunnison Valley Hospital - CAH | G | Rural Health Management | Acute | Sanpete | Gunnison | R | N | 25 |
| 306 | HealthSouth Rehabilitation Hospital of Utah | I | HealthSouth | SP/Rehab | Salt Lake | Sandy | U | Y | 63 |
| 139 | Heber Valley Medical Center - CAH | N | Intermountain Health Care | Acute | Wasatch | Heber | R | N | 19 |
| 302 | Highland Ridge Hospital | I | Am Intl Health Systems | SP/Psych | Salt Lake | Salt Lake City | U | N | 83 |
| 146 | Intermountain Medical Center | N | Intermountain Health Care | Acute | Salt Lake | Murray | U | Y | 472 |
| 117 | Jordan Valley Medical Center | I | IASIS Health Care | Acute | Salt Lake | West Jordan | U | N | 183 |
| 114 | Kane County Hospital | G | Freestanding | Acute | Kane | Kanab | R | N | 25 |
| 107 | Lakeview Hospital | I | MountainStar Healthcare | Acute | Davis | Bountiful | U | N | 128 |
| 121 | LDS Hospital | N | Intermountain Health Care | Acute | Salt Lake | Salt Lake City | U | Y | 240 |
| 105 | Logan Regional Hospital | N | Intermountain Health Care | Acute | Cache | Logan | R | N | 146 |
| 141 | McKay-Dee Hospital Center | N | Intermountain Health Care | Acute | Weber | Ogden | U | Y | 303 |
| 102 | Milford Valley Memorial Hospital-CAH | G | Rural Health Management | Acute | Beaver | Milford | R | N | 23 |
| 111 | Moab Regional Hospital - CAH | G | Rural Health Management | Acute | Grand | Moab | R | N | 17 |

¹Facility ID Number

²Owner: G=Government, I=Investor-Owned, N=Not for Profit

³Hospital Type: Acute=Acute Care including Critical Access Hospitals (CAH), SP/Cancer= Specialty Cancer, SP/Psych=Specialty/Psychiatric, SP/Rehab=Specialty/Rehabilitation, SP/Surg=Specialty/Surgical, SP/LT=Specialty/Long-term Care

⁴Urban or Rural Hospital Location

⁵Teaching hospital: Yes/No

⁶Hospitals which have closed but submitted data in previous years

Appendix D

Hospital Characteristics: 2012

| ID ¹ | Hospital Name | Own ² | Affiliation | Type ³ | County | City | U/R ⁴ | Teach ⁵ | Beds |
|-----------------|--|------------------|---------------------------|-------------------|-----------|----------------|------------------|--------------------|------|
| 137 | Mountain View Hospital | I | MountainStar Healthcare | Acute | Utah | Payson | U | N | 114 |
| 133 | Mountain West Medical Center | I | Community Health Sys | Acute | Tooele | Tooele | R | N | 44 |
| 142 | Ogden Regional Medical Center | I | MountainStar Healthcare | Acute | Weber | Ogden | U | N | 232 |
| 135 | Orem Community Hospital | N | Intermountain Health Care | Acute | Utah | Orem | U | N | 24 |
| 147 | Park City Medical Center | N | Intermountain Health Care | Acute | Summit | Park City | R | N | 26 |
| 126 | Pioneer Valley Hospital | I | IASIS Health Care | Acute | Salt Lake | West Valley | U | Y | 139 |
| 122 | Primary Children's Medical Center | N | Intermountain Health Care | Acute | Salt Lake | Salt Lake City | U | N | 289 |
| 308 | Promise Hospital of Salt Lake, INC West | I | Camelot Health Care | SP/LT | Salt Lake | West Valley | U | N | 41 |
| 148 | Riverton Hospital | N | Intermountain Health Care | Acute | Salt Lake | Riverton | U | N | 97 |
| 120 | Salt Lake Regional Medical Center | I | IASIS Health Care | Acute | Salt Lake | Salt Lake City | U | Y | 158 |
| 128 | San Juan Hospital-CAH | G | Managed | Acute | San Juan | Monticello | R | N | 25 |
| 130 | Sanpete Valley Hospital-CAH | N | Intermountain Health Care | Acute | Sanpete | Mt. Pleasant | R | N | 18 |
| 132 | Sevier Valley Medical Center | N | Intermountain Health Care | Acute | Sevier | Richfield | R | N | 42 |
| 305 | Shriner's Hospital for Children | N | Shriner's | SP/Child | Salt Lake | Salt Lake City | U | N | 45 |
| 301 | South Davis Community Hospital | G | Freestanding | SP/LT | Davis | Bountiful | U | N | 16 |
| 124 | St. Mark's Hospital | I | MountainStar Healthcare | Acute | Salt Lake | Salt Lake City | U | Y | 294 |
| 307 | The Orthopedic Specialty Hospital | I | Intermountain Health Care | SP/Surg | Salt Lake | Salt Lake City | U | N | 36 |
| 144 | Timpanogos Regional Hospital | I | MountainStar Healthcare | Acute | Utah | Orem | U | N | 122 |
| 109 | Uintah Basin Medical Center | G | Freestanding | Acute | Duchesne | Roosevelt | R | N | 49 |
| 125 | University Health Care/Univ. Hospitals & Clinics | G | University Healthcare | Acute | Salt Lake | Salt Lake City | U | Y | 592 |
| 310 | UHC Univ. of Utah Huntsman Cancer Hospital | G | University Healthcare | SP/Cancer | Salt Lake | Salt Lake City | U | Y | N/A |
| 309 | UHC Univ. of Utah Orthopaedic Center | G | University Healthcare | SP/Surg | Salt Lake | Salt Lake City | U | Y | N/A |
| 126 | University of Utah Neuropsychiatric Institute | G | Psych Inst Svcs | SP/Psych | Salt Lake | Salt Lake City | U | Y | 178 |
| 138 | Utah Valley Regional Medical Center | N | Intermountain Health Care | Acute | Utah | Provo | U | N | 395 |
| 311 | Utah Valley Specialty Hospital | I | Ernest Health | SP/LT | Utah | Provo | U | N | 40 |
| 112 | Valley View Medical Center | N | Intermountain Health Care | Acute | Iron | Cedar City | R | N | 48 |
| 801 | Veterans Administration Medical Center | G | Freestanding | Acute | Salt Lake | Salt Lake City | U | N | 121 |

¹Facility ID Number

²Owner: G=Government, I=Investor-Owned, N=Not for Profit

³Hospital Type: Acute=Acute Care including Critical Access Hospitals (CAH), SP/Cancer= Specialty Cancer, SP/Psych=Specialty/Psychiatric, SP/Rehab=Specialty/Rehabilitation, SP/Surg=Specialty/Surgical, SP/LT=Specialty/Long-term Care

⁴Urban or Rural Hospital Location

⁵Teaching hospital: Yes/No

⁶Hospitals which have closed but submitted data in previous years

Appendix E

Hospital Peer Groups and Case Mix Indices (CMI), 2003-2012

Sorted on Peer Group and Hospital Name, 2012

| Peer Group | Hospital | Location U/R | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|------------|-------------------------------------|--------------|--------|--------|--------|--------|--------|----------|--------|--------|--------|--------|
| 1 | Intermountain Medical Center | Urban | | | | | 1.3016 | 1.2625 | 1.2396 | 1.3003 | 1.2940 | 1.2820 |
| 1 | UHC University of Utah Hospital | Urban | 1.4729 | 1.4450 | 1.4482 | 1.4844 | 1.4913 | 1.5118 | 1.5848 | 1.4924 | 1.4919 | 1.5004 |
| 2 | McKay-Dee Hospital Center | Urban | 1.0218 | 1.0350 | 1.0617 | 1.0672 | 1.0431 | 1.0142 | 1.0091 | 1.0152 | 0.9824 | 0.9918 |
| 2 | Salt Lake Regional Medical Center | Urban | 0.8985 | 0.8895 | 0.8973 | 0.8937 | 0.9665 | 0.9818 | 1.0722 | 1.1140 | 1.2232 | 1.3156 |
| 2 | St. Mark's Hospital | Urban | 1.1058 | 1.0971 | 1.1454 | 1.1030 | 1.0997 | 1.0729 | 1.0957 | 1.1059 | 1.0944 | 1.0994 |
| 2 | Utah Valley Regional Medical Center | Urban | 1.1430 | 1.1447 | 1.1588 | 1.1421 | 1.1279 | 1.1305 | 1.1396 | 1.1349 | 1.1024 | 1.0987 |
| 3 | Cottonwood Hospital | Urban | 0.8138 | 0.8109 | 0.7897 | 0.7585 | 0.7351 | (closed) | | | | |
| 3 | Davis Hospital and Medical Center | Urban | 0.6451 | 0.6605 | 0.6678 | 0.6417 | 0.6637 | 0.6770 | 0.6870 | 0.7000 | 0.7385 | 0.7501 |
| 3 | LDS Hospital | Urban | 1.4627 | 1.4383 | 1.4598 | 1.4990 | 1.3865 | 0.9332 | 0.8918 | 1.1099 | 1.0847 | 0.9112 |
| 3 | Lakeview Hospital | Urban | 0.9328 | 1.0334 | 0.9774 | 0.9814 | 1.0429 | 1.1011 | 1.0992 | 0.9105 | 0.9225 | 1.0809 |
| 3 | Mountain View Hospital | Urban | 0.8162 | 0.7894 | 0.7934 | 0.7940 | 0.8400 | 0.7686 | 0.7951 | 0.7949 | 0.7687 | 0.7762 |
| 3 | Ogden Regional Medical Center | Urban | 0.8505 | 0.7805 | 0.7843 | 0.7861 | 0.8217 | 0.8007 | 0.8116 | 0.8155 | 0.8426 | 0.8269 |
| 3 | Pioneer Valley Hospital | Urban | 0.8221 | 0.8805 | 0.7848 | 0.7882 | 0.8008 | 0.9577 | 0.9730 | 0.9654 | 0.9509 | 0.8695 |
| 4 | Alta View Hospital | Urban | 0.6518 | 0.6578 | 0.6440 | 0.6348 | 0.6134 | 0.6387 | 0.6607 | 0.6673 | 0.6840 | 0.7248 |
| 4 | American Fork Hospital | Urban | 0.5051 | 0.5270 | 0.5234 | 0.5289 | 0.5058 | 0.5226 | 0.5183 | 0.5192 | 0.5440 | 0.5426 |
| 4 | Jordan Valley Hospital | Urban | 0.5513 | 0.5413 | 0.5459 | 0.6038 | 0.6360 | 0.6228 | 0.6522 | 0.7024 | 0.7432 | 0.7496 |
| 4 | Orem Community Hospital | Urban | 0.3102 | 0.2866 | 0.2941 | 0.2809 | 0.2940 | 0.2801 | 0.2791 | 0.2782 | 0.3051 | 0.3170 |
| 4 | Riverton Hospital | Urban | | | | | | | 0.4305 | 0.4214 | 0.4756 | 0.4825 |
| 4 | Timpanogos Regional Hospital | Urban | 0.7226 | 0.7202 | 0.7150 | 0.7397 | 0.7888 | 0.7827 | 0.8157 | 0.8166 | 0.7778 | 0.7999 |
| 5 | Ashley Valley Medical Center | Rural | 0.6668 | 0.6406 | 0.6313 | 0.6387 | 0.5723 | 0.5835 | 0.5644 | 0.5837 | 0.5307 | 0.5268 |
| 5 | Brigham City Community Hospital | Rural | 0.6020 | 0.5919 | 0.6033 | 0.6079 | 0.5974 | 0.6009 | 0.5704 | 0.5969 | 0.6029 | 0.6685 |
| 5 | Castleview Hospital | Rural | 0.7856 | 0.7603 | 0.7642 | 0.7983 | 0.7350 | 0.7272 | 0.7368 | 0.7163 | 0.7439 | 0.7325 |
| 5 | Dixie Regional Medical Center | Rural | 0.9367 | 1.0873 | 1.0746 | 1.0802 | 1.1251 | 1.1448 | 1.1491 | 1.1547 | 1.1510 | 1.1010 |
| 5 | Logan Regional Hospital | Rural | 0.6252 | 0.6261 | 0.6362 | 0.6100 | 0.6034 | 0.6371 | 0.6371 | 0.6246 | 0.6359 | 0.6354 |
| 5 | Park City Medical Center | Rural | | | | | | | 1.1731 | 1.0209 | 0.9390 | 0.9592 |
| 5 | Valley View Medical Center | Rural | 0.6889 | 0.6959 | 0.6932 | 0.6841 | 0.6707 | 0.6437 | 0.6653 | 0.6624 | 0.6724 | 0.6549 |

Appendix E

Hospital Peer Groups and Case Mix Indices (CMI), 2003-2012

Sorted on Peer Group and Hospital Name, 2012

| Peer Group | Hospital | Location U/R | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|------------|--|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 6 | Bear River Valley Hospital | Rural | 0.5185 | 0.5447 | 0.5451 | 0.4918 | 0.4978 | 0.4909 | 0.7424 | 0.5857 | 0.5756 | 0.5588 |
| 6 | Beaver Valley Hospital | Rural | 0.5619 | 0.5490 | 0.5732 | 0.5626 | 0.5441 | 0.5370 | 0.5380 | 0.5490 | 0.5223 | 0.5152 |
| 6 | Central Valley Medical Center-CAH | Rural | 0.6013 | 0.6345 | 0.6042 | 0.6130 | 0.5517 | 0.5373 | 0.5410 | 0.5682 | 0.6191 | 0.6559 |
| 6 | Delta Community Medical Center-CAH | Rural | 0.5528 | 0.4921 | 0.5459 | 0.5012 | 0.4784 | 0.4663 | 0.5048 | 0.4386 | 0.4639 | 0.4531 |
| 6 | Fillmore Community Medical Center-CAH | Rural | 0.5597 | 0.5243 | 0.5390 | 0.5085 | 0.5232 | 0.5027 | 0.4662 | 0.4682 | 0.4702 | 0.4837 |
| 6 | Garfield Memorial Hospital | Rural | 0.6597 | 0.6525 | 0.6286 | 0.5825 | 0.5748 | 0.5629 | 0.5467 | 0.5869 | 0.6277 | 0.5926 |
| 6 | Gunnison Valley Hospital | Rural | 0.5269 | 0.5160 | 0.5252 | 0.5276 | 0.4967 | 0.4957 | 0.4597 | 0.4870 | 0.4928 | 0.4961 |
| 6 | Heber Valley Medical Center | Rural | 0.5627 | 0.6301 | 0.6277 | 0.6965 | 0.6371 | 0.6786 | 0.6812 | 0.4949 | 0.5770 | 0.5354 |
| 6 | Kane County Hospital | Rural | 0.5573 | 0.5654 | 0.5198 | 0.5678 | 0.5030 | 0.4785 | 0.4382 | 0.4722 | 0.4681 | 0.4388 |
| 6 | Milford Valley Memorial Hospital-CAH | Rural | 0.3313 | 0.5961 | 0.6484 | None | None | 0.6326 | 0.5586 | 0.5514 | 0.5061 | 0.5294 |
| 6 | Moab Regional Hospital-CAH (was Allen) | Rural | 0.6683 | 0.6455 | 0.6259 | 0.6693 | 0.6037 | 0.7260 | 0.6863 | 0.7165 | 0.6361 | 0.6915 |
| 6 | Mountain West Medical Center | Rural | 0.7117 | 0.7285 | 0.6489 | 0.6317 | 0.6153 | 0.6500 | 0.6596 | 0.6851 | 0.6429 | 0.6358 |
| 6 | San Juan Hospital-CAH | Rural | 0.5504 | 0.5790 | 0.5332 | 0.5125 | 0.5190 | 0.4880 | 0.5001 | 0.5861 | 0.5740 | 0.6285 |
| 6 | Sanpete Valley Hospital-CAH | Rural | 0.5702 | 0.5804 | 0.5438 | 0.5641 | 0.5298 | 0.5305 | 0.5082 | 0.4874 | 0.4981 | 0.4781 |
| 6 | Sevier Valley Medical Center | Rural | 0.5954 | 0.5913 | 0.5635 | 0.5850 | 0.5547 | 0.5583 | 0.5127 | 0.5281 | 0.5136 | 0.6128 |
| 6 | Uintah Basin Medical Center | Rural | 0.5684 | 0.5432 | 0.6056 | 0.5842 | 0.5428 | 0.5485 | 0.5129 | 0.5316 | 0.5289 | 0.4844 |
| 7 | Benchmark Behavioral Health Systems | Urban | | | | | | | | | | |
| 7 | Highland Ridge Hospital | Urban | | | | | | | | | | |
| 7 | Univ. of UT Neuropsychiatric Institute | Urban | | | | | | | | | | |
| none | Utah Valley Specialty Hospital | Urban | | | | | | | | | | |
| none | Cache Valley Specialty Hospital | Rural | | | | | | | | | | |
| none | HealthSouth Rehab. Hospital of Utah | Urban | | | | | | | | | | |
| none | Primary Children's Medical Center | Urban | 1.6793 | 1.6547 | 1.5349 | 1.5175 | 1.5551 | 1.4593 | 1.3738 | 1.3910 | 1.3571 | 1.3451 |
| none | Promise Hospital of Salt Lake, INC West | Urban | | | | | | | | | | |
| none | South Davis Community Hospital | Urban | | | | | | | | | | |
| none | The Orthopedic Specialty Hospital | Urban | | | | | | | | | | |
| none | UHC/Univ. of UT Huntsman Cancer Hospital | Urban | | | | | | | | | | |
| none | UHC/Univ. of UT Orthopaedic Center | Urban | | | | | | | | | | |
| none | Veterans Administration Medical Center | Urban | | | | | | | | | | |

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

ALL UTAH HOSPITALS

| Type of Clinical Services | Discharges | | Facility Charges | |
|---|------------|-------|------------------|-------|
| | # | % | \$ | % |
| All Discharges | 282,169 | 100.0 | 6,125,674,703 | 100.0 |
| Liveborn Infants (ICD-9: V30-V39) | 50,349 | 17.8 | 406,365,231 | 6.6 |
| Obstetric (MDC 14) | 52,395 | 18.6 | 454,711,329 | 7.4 |
| Pediatric Medical (Age 0-17) | 14,847 | 5.3 | 242,528,148 | 4.0 |
| Pediatric Surgical (Age 0-17) | 5,581 | 2.0 | 236,308,235 | 3.9 |
| Other Medical | 80,593 | 28.6 | 1,593,324,392 | 26.0 |
| Other Surgical | 60,502 | 21.4 | 2,842,519,671 | 46.4 |
| Psychiatric (MDC 19) | 14,696 | 5.2 | 225,957,593 | 3.7 |
| Rehabilitation (DRG 462) | 3,085 | 1.1 | 122,545,261 | 2.0 |
| Unknown (DRG 469-470) | 121 | 0.0 | 1,414,843 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | |
| 1 Nervous System | 12,185 | 4.3 | 360,873,209 | 5.9 |
| 2 Eye | 231 | 0.1 | 3,559,474 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 2,683 | 1.0 | 47,153,210 | 0.8 |
| 4 Respiratory System | 19,419 | 6.9 | 466,017,978 | 7.6 |
| 5 Circulatory System | 20,732 | 7.3 | 888,197,453 | 14.5 |
| 6 Digestive System | 18,564 | 6.6 | 455,366,563 | 7.4 |
| 7 Hepatobiliary System & Pancreas | 6,144 | 2.2 | 173,570,704 | 2.8 |
| 8 Musculoskeletal System & Conn Tissue | 29,844 | 10.6 | 1,156,685,511 | 18.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 3,510 | 1.2 | 78,206,169 | 1.3 |
| 10 Endocrine, Nutritional & Metabolic | 7,005 | 2.5 | 127,902,744 | 2.1 |
| 11 Kidney & Urinary Tract | 8,166 | 2.9 | 180,001,704 | 2.9 |
| 12 Male Reproductive System | 1,019 | 0.4 | 21,953,175 | 0.4 |
| 13 Female Reproductive System | 4,610 | 1.6 | 81,240,578 | 1.3 |
| 14 Pregnancy, Childbirth & Puerperium | 52,395 | 18.6 | 454,711,329 | 7.4 |
| 15 Newborn & Other Neonates | 51,763 | 18.3 | 482,931,549 | 7.9 |
| 16 Blood and Blood-Forming Disorders | 1,929 | 0.7 | 49,932,244 | 0.8 |
| 17 Myeloproliferative; Poorly Diff. Neopl | 2,256 | 0.8 | 127,865,511 | 2.1 |
| 18 Infectious and Parasitic Diseases | 10,165 | 3.6 | 352,788,370 | 5.8 |
| 19 Mental Diseases and Disorders | 14,696 | 5.2 | 225,957,593 | 3.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 4,087 | 1.4 | 44,041,708 | 0.7 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 5,116 | 1.8 | 114,210,766 | 1.9 |
| 22 Burns | 219 | 0.1 | 23,313,491 | 0.4 |
| 23 Factors Influencing Health Status | 4,349 | 1.5 | 144,294,957 | 2.4 |
| 24 Multiple Significant Trauma | 820 | 0.3 | 57,883,269 | 0.9 |
| 25 Human Immunodeficiency Virus Infection | 123 | 0.0 | 5,206,369 | 0.1 |
| Unknown | 139 | 0.0 | 1,809,075 | 0.0 |

SOURCE: Utah Hospital Discharge Database
Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALL UTAH HOSPITALS

| | # Discharges | Charges (\$) | LOS (days) |
|--|--------------|---------------|------------|
| ----- | | | |
| SUMMARY OF CHARGES AND LENGTH OF STAY | | | |
| Total Charges & Length of Stay (total) | 282,169 | 6,149,957,327 | 1108283.00 |
| Facility Charges (total) | . | 6,125,674,703 | . |
| Facility Charges & LOS (average) | . | 22,036 | 3.93 |
| Facility Charges & LOS (adjusted average)* | . | 20,344 | 3.74 |
| | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average** | Average** |
| 001 Craniotomy age >17 with CC | 557 | 61,924 | 6.23 |
| 003 Craniotomy age 0-17 | 356 | 44,677 | 5.19 |
| 014 Intracranial hemorrhage/ cereb infarc | 2,413 | 21,703 | 3.14 |
| 075 Major chest procedures | 783 | 54,656 | 6.85 |
| 089 Simple pneumonia & pleurisy >17 w CC | 3,838 | 16,253 | 3.27 |
| 091 Simple pneumonia & pleurisy age 0-17 | 1,107 | 8,962 | 2.44 |
| 098 Bronchitis & asthma Age 0-17 | 2,973 | 8,135 | 2.20 |
| 104 Cardiac valve/cardi thor w card cath | 352 | 129,430 | 8.95 |
| 105 Cardiac valve/cardi thor w/o card cath | 668 | 111,776 | 7.74 |
| 547 Coronary bypass with card cath w/ MCV | 292 | 114,735 | 9.70 |
| 549 Coronary bypass w/o card cath w/ MCV | 112 | 103,627 | 8.41 |
| 108 Other cardiothoracic procedures | 295 | 95,439 | 9.15 |
| 110 Major cardiovascular procedures w cc | 599 | 89,148 | 7.03 |
| 555 Perc. cardiovascular procedures w MCV | 682 | 48,948 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 463 | 40,663 | 2.59 |
| 121 Circ disrd w AMI & maj comp disch aliv | 380 | 24,906 | 3.64 |
| 122 Circ disrd w AMI w/o comp disch alive | 301 | 18,812 | 2.00 |
| 124 Circ disrd exc AMI w card cath & cmplx | 954 | 26,939 | 3.55 |
| 125 Circ disrdr exc AMI w card cath w/o cx | 689 | 19,390 | 1.82 |
| 127 Heart failure & shock | 2,541 | 18,123 | 3.69 |
| 140 Angina pectoris | 101 | 11,228 | 1.28 |
| 143 Chest pain | 1,100 | 10,472 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 931 | 59,016 | 9.21 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 165 | 76,638 | 9.73 |
| 167 Appendectomy w/o compl dxl & w/o cc | 1,124 | 12,221 | 1.11 |
| 174 G.I. hemorrhage w cc | 2,004 | 18,081 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 2,303 | 14,057 | 2.63 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 816 | 11,194 | 2.09 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 103 | 37,478 | 5.30 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 49 | 22,559 | 3.04 |
| 544 Mjr jnt replace/reattach, low extrem | 10,816 | 38,516 | 2.97 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALL UTAH HOSPITALS

| | # Discharges | Charges (\$) | LOS (days) |
|--|--------------|--------------|------------|
| | | ----- | ----- |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average** | Average** |
| 210 Hip & fem proc exc maj joint >17 w cc | 1,169 | 40,096 | 4.55 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 943 | 26,904 | 2.31 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 1,611 | 13,957 | 2.78 |
| 358 Uterine & adnexa prcd nonmalig w cc | 727 | 19,442 | 2.35 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 2,775 | 14,792 | 1.58 |
| 370 Cesarean section with cc | 2,450 | 14,657 | 3.87 |
| 371 Cesarean section without cc | 8,777 | 11,759 | 3.24 |
| 372 Vaginal delivery w complicating diag | 4,736 | 8,392 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 32,817 | 6,661 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 749 | 10,362 | 2.01 |
| 383 Other antepartum diag w med complic | 1,099 | 11,039 | 2.73 |
| 385 Neonates died/transf to acute care fac | 549 | 22,453 | 3.98 |
| 386 Extreme immatur/resp dist synd/neonate | 1,731 | 105,493 | 26.73 |
| 387 Prematurity w major problems | 1,052 | 49,354 | 15.08 |
| 389 Full term neonate w major problems | 3,508 | 16,591 | 4.76 |
| 390 Neonate w other significant problems | 8,401 | 3,931 | 2.27 |
| 391 Normal newborn | 35,006 | 2,439 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 828 | 20,191 | 3.11 |
| 578 Infect/parasitic diseases with OR proc | 1,016 | 72,168 | 9.20 |
| 430 Psychoses | 11,897 | 14,303 | 6.98 |
| 521 Alc/drug abuse or depnd w cc | 1,257 | 13,386 | 4.61 |
| 462 Rehabilitation | 3,085 | 36,319 | 12.86 |
| 468 Extensive OR proc unrelated to p.d. | 690 | 56,444 | 6.92 |
| 565 Resp sys diagnos with vent supp 96+ hr | 371 | 119,101 | 18.06 |
| 481 Bone marrow transplant | 200 | 219,925 | 27.26 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 335 | 318,710 | 28.43 |
| 486 Other OR proc for mult signif trauma | 322 | 91,447 | 8.72 |
| 499 Back & neck procedures w cc | 370 | 24,962 | 2.85 |
| 500 Back & Neck Procedures w/o CC | 1,006 | 14,991 | 1.65 |
| 502 Knee procedures w/o cc | 44 | 19,344 | 2.66 |
| 470 Ungroupable | 139 | 12,424 | 3.98 |
| All Other DRGs | 112,642 | 26,090 | 3.74 |

* Adjusted by UHDDB Case Mix Index with outliers excluded.
** Excluding outliers from both Facility Charges and Length of Stay.
SOURCE: Utah Hospital Discharge Database
Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALL UTAH HOSPITALS

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | Number of Discharges | Average Charges (\$)* | Average Length of Stay (Days)* |
|--|-------------------------|--------------------------|-----------------------------------|
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | |
| Minor or Mod Severity of Illness (SOI) | 1,360 | 17,463 | 2.39 |
| Major or Extreme SOI | 823 | 30,403 | 4.35 |
| 139 OTHER PNEUMONIA | | | |
| Minor or Moderate SOI | 3,151 | 10,730 | 2.54 |
| Major or Extreme SOI | 2,058 | 20,961 | 4.03 |
| 141 ASTHMA | | | |
| Minor or Moderate SOI | 1,309 | 8,274 | 2.00 |
| Major or Extreme SOI | 171 | 16,291 | 3.47 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | |
| Minor or Moderate SOI | 1,832 | 42,985 | 1.56 |
| Major or Extreme SOI | 546 | 67,807 | 4.18 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | |
| Minor or Moderate SOI | 420 | 17,914 | 2.06 |
| Major or Extreme SOI | 275 | 28,897 | 4.15 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | |
| Minor or Moderate SOI | 720 | 17,872 | 1.57 |
| Major or Extreme SOI | 119 | 25,935 | 2.92 |
| 194 HEART FAILURE | | | |
| Minor or Moderate SOI | 1,372 | 13,960 | 2.97 |
| Major or Extreme SOI | 1,265 | 22,949 | 4.61 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | |
| Minor or Moderate SOI | 1,412 | 10,432 | 1.88 |
| Major or Extreme SOI | 641 | 17,216 | 2.99 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | |
| Minor or Moderate SOI | 1,690 | 33,160 | 4.90 |
| Major or Extreme SOI | 691 | 75,778 | 11.31 |
| 225 APPENDECTOMY | | | |
| Minor or Moderate SOI | 1,970 | 15,703 | 2.10 |
| Major or Extreme SOI | 71 | 34,046 | 4.63 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | |
| Minor or Moderate SOI | 1,170 | 9,160 | 2.01 |
| Major or Extreme SOI | 460 | 14,649 | 3.00 |
| 302 KNEE JOINT REPLACEMENT | | | |
| Minor or Moderate SOI | 7,958 | 37,402 | 2.92 |
| Major or Extreme SOI | 379 | 48,422 | 4.27 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | |
| Minor or Moderate SOI | 1,548 | 26,512 | 2.54 |
| Major or Extreme SOI | 251 | 45,450 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUT | | | |
| Minor or Moderate SOI | 131 | 10,290 | 2.83 |
| Major or Extreme SOI | 178 | 20,323 | 4.98 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALL UTAH HOSPITALS

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | Number of Discharges | Average Charges (\$)* | Average Length of Stay (Days)* |
|--|-------------------------|--------------------------|-----------------------------------|
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | |
| Minor or Mod Severity of Illness (SOI) | 2,972 | 15,224 | 1.63 |
| Major or Extreme SOI | 67 | 36,184 | 4.56 |
| 540 CESAREAN DELIVERY | | | |
| Minor or Moderate SOI | 10,385 | 11,641 | 3.21 |
| Major or Extreme SOI | 842 | 21,704 | 5.49 |
| 560 VAGINAL DELIVERY | | | |
| Minor or Moderate SOI | 36,140 | 6,731 | 1.79 |
| Major or Extreme SOI | 1,356 | 10,767 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | |
| Minor or Moderate SOI | 698 | 9,583 | 1.93 |
| Major or Extreme SOI | 51 | 21,300 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | |
| Minor or Moderate SOI | 5,638 | 11,599 | 5.80 |
| Major or Extreme SOI | 496 | 23,885 | 10.24 |
| 640 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | |
| Minor or Moderate SOI | 42,365 | 2,539 | 1.89 |
| Major or Extreme SOI | 2,025 | 8,272 | 3.19 |
| 775 ALCOHOL ABUSE & DEPENDENCE | | | |
| Minor or Moderate SOI | 1,448 | 10,226 | 3.82 |
| Major or Extreme SOI | 265 | 19,967 | 4.13 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | |
| Minor or Moderate SOI | 1,223 | 15,769 | 1.81 |
| Major or Extreme SOI | 102 | 41,864 | 5.24 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | |
| Minor or Moderate SOI | 1,588 | 18,869 | 2.08 |
| Major or Extreme SOI | 415 | 34,864 | 4.84 |
| 241 PEPTIC ULCER & GASTRITIS | | | |
| Minor or Moderate SOI | 589 | 13,278 | 2.16 |
| Major or Extreme SOI | 580 | 23,911 | 3.54 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | |
| Minor or Moderate SOI | 95 | 13,147 | 2.05 |
| Major or Extreme SOI | 126 | 23,007 | 3.38 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | |
| Minor or Moderate SOI | 714 | 12,045 | 2.47 |
| Major or Extreme SOI | 211 | 21,886 | 3.82 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | |
| Minor or Moderate SOI | 1,202 | 9,921 | 2.04 |
| Major or Extreme SOI | 455 | 21,391 | 3.83 |
| ALL OTHER APRDRGs | 136,150 | 30,480 | 4.97 |

* Excluding outliers.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ALL UTAH HOSPITALS

| Patient Profile ----- | Discharges ----- | |
|-------------------------------|---------------------|---------|
| | Number | Percent |
| GENDER | | |
| Female | 168,315 | 59.7 |
| Male | 113,843 | 40.3 |
| Unknown | 11 | 0.0 |
| Not reported | . | . |
| AGE | | |
| 1-28 days | 51,386 | 18.2 |
| 29-365 days | 5,035 | 1.8 |
| 1-4 years | 5,407 | 1.9 |
| 5-9 | 3,662 | 1.3 |
| 10-14 | 4,091 | 1.4 |
| 15-17 | 4,217 | 1.5 |
| 18-19 | 4,245 | 1.5 |
| 20-24 | 18,276 | 6.5 |
| 25-29 | 24,810 | 8.8 |
| 30-34 | 21,812 | 7.7 |
| 35-39 | 13,177 | 4.7 |
| 40-44 | 9,444 | 3.3 |
| 45-49 | 9,614 | 3.4 |
| 50-54 | 12,733 | 4.5 |
| 55-59 | 14,322 | 5.1 |
| 60-64 | 14,797 | 5.2 |
| 65-69 | 15,665 | 5.6 |
| 70-74 | 13,984 | 5.0 |
| 75-79 | 12,774 | 4.5 |
| 80-84 | 10,941 | 3.9 |
| 85-89 | 7,626 | 2.7 |
| 90 + | 4,148 | 1.5 |
| Unknown | 3 | 0.0 |
| TYPE OF ADMISSION | | |
| Emergency | 37,210 | 13.2 |
| Urgent | 113,893 | 40.4 |
| Elective | 74,258 | 26.3 |
| Newborn | 50,504 | 17.9 |
| Trauma Center | 1,797 | 0.6 |
| Unknown | 257 | 0.1 |
| Not reported | 4,250 | 1.5 |
| SOURCE OF ADMISSION | | |
| Physician referral | 132,695 | 47.0 |
| Clinic referral | 72,364 | 25.6 |
| HMO Referral | 24 | 0.0 |
| Other hospital | 17,684 | 6.3 |
| Skilled nursing facility | 1,168 | 0.4 |
| Other health care facility | 413 | 0.1 |
| Emergency room | 18 | 0.0 |
| Court/law enforcement | 695 | 0.2 |
| Normal delivery/Born Inside | 50,188 | 17.8 |
| Premature delivery | 134 | 0.0 |
| Sick baby | . | . |
| Extramural birth/Born Outside | 74 | 0.0 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ALL UTAH HOSPITALS

| Patient Profile | Discharges | |
|----------------------------------|------------|---------|
| | Number | Percent |
| Unknown | 1,515 | 0.5 |
| Not reported | 5,197 | 1.8 |
| DISCHARGE STATUS | | |
| Home self care | 156,578 | 55.5 |
| Another hospital | 2,215 | 0.8 |
| Skilled nursing facility | 14,080 | 5.0 |
| Intermediate care | 152 | 0.1 |
| Another type of institution | 7,641 | 2.7 |
| Under care of home service | 16,986 | 6.0 |
| Left against medical advice | 801 | 0.3 |
| Under care of a home iv provider | 30 | 0.0 |
| Expired | 3,175 | 1.1 |
| Not reported | 80,511 | 28.5 |
| PRIMARY PAYER | | |
| Medicare | 70,598 | 25.0 |
| Medicaid | 52,401 | 18.6 |
| Other government | 11,117 | 3.9 |
| Blue Cross/Blue Shield | 29,863 | 10.6 |
| Other commercial | 17,139 | 6.1 |
| Managed care | 85,825 | 30.4 |
| Self pay | 10,184 | 3.6 |
| Industrial/Worker's Comp | 1,259 | 0.4 |
| Charity | 3,082 | 1.1 |
| Children's Health Insurance Plan | 573 | 0.2 |
| Not reported | 128 | 0.0 |
| LOCAL HEALTH DISTRICT | | |
| Bear River | 14,862 | 5.3 |
| Central Utah | 7,619 | 2.7 |
| Davis County | 27,093 | 9.6 |
| Salt Lake County | 100,792 | 35.7 |
| Southeastern Utah | 4,971 | 1.8 |
| Southwest Utah | 20,698 | 7.3 |
| Summit County | 2,704 | 1.0 |
| Tooele County | 6,220 | 2.2 |
| Tri-County | 4,758 | 1.7 |
| Utah County | 47,414 | 16.8 |
| Wasatch County | 1,663 | 0.6 |
| Weber/Morgan | 25,238 | 8.9 |
| Unknown Utah | 38 | 0.0 |
| Outside Utah | 17,858 | 6.3 |
| Unknown | 241 | 0.1 |

SOURCE: Utah Hospital Discharge Database,
Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 71
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 5,067 | 100.0 | 100.0 | 100.0 | 58,061,436 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 1,354 | 26.7 | 31.6 | 20.1 | 4,528,437 | 7.8 | 14.6 | 7.7 |
| Obstetric (MDC 14) | 1,383 | 27.3 | 32.0 | 20.9 | 8,981,968 | 15.5 | 19.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 4 | 0.1 | 3.1 | 2.3 | 33,534 | 0.1 | 2.1 | 1.5 |
| Pediatric Surgical (Age 0-17) | 6 | 0.1 | 0.2 | 0.4 | 84,115 | 0.1 | 0.4 | 0.6 |
| Other Medical | 1,394 | 27.5 | 19.2 | 29.4 | 18,706,373 | 32.2 | 25.0 | 27.2 |
| Other Surgical | 923 | 18.2 | 13.6 | 22.0 | 25,684,271 | 44.2 | 38.0 | 49.8 |
| Psychiatric (MDC 19) | 3 | 0.1 | 0.1 | 3.9 | 42,736 | 0.1 | 0.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.6 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 81 | 1.6 | 1.3 | 4.1 | 1,207,322 | 2.1 | 1.9 | 6.0 |
| 2 Eye | 1 | 0.0 | 0.0 | 0.1 | 9,118 | 0.0 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 34 | 0.7 | 0.5 | 0.6 | 593,133 | 1.0 | 0.5 | 0.5 |
| 4 Respiratory System | 239 | 4.7 | 5.3 | 6.4 | 3,503,740 | 6.0 | 6.3 | 6.8 |
| 5 Circulatory System | 104 | 2.1 | 2.7 | 7.5 | 1,207,855 | 2.1 | 7.4 | 15.5 |
| 6 Digestive System | 314 | 6.2 | 4.9 | 6.4 | 4,936,928 | 8.5 | 7.9 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 117 | 2.3 | 1.8 | 2.3 | 1,846,845 | 3.2 | 2.9 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 538 | 10.6 | 6.1 | 10.0 | 18,159,851 | 31.3 | 19.1 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 36 | 0.7 | 0.9 | 1.1 | 528,161 | 0.9 | 1.5 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 104 | 2.1 | 1.7 | 2.4 | 1,152,558 | 2.0 | 1.6 | 2.1 |
| 11 Kidney & Urinary Tract | 138 | 2.7 | 2.1 | 2.8 | 1,924,882 | 3.3 | 2.7 | 3.0 |
| 12 Male Reproductive System | 13 | 0.3 | 0.2 | 0.3 | 192,337 | 0.3 | 0.4 | 0.3 |
| 13 Female Reproductive System | 196 | 3.9 | 3.4 | 1.7 | 2,226,834 | 3.8 | 4.0 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 1,383 | 27.3 | 32.0 | 20.9 | 8,981,968 | 15.5 | 19.3 | 8.6 |
| 15 Newborn & Other Neonates | 1,356 | 26.8 | 31.9 | 20.4 | 4,537,705 | 7.8 | 15.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 21 | 0.4 | 0.3 | 0.5 | 197,307 | 0.3 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.0 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 282 | 5.6 | 2.8 | 3.7 | 5,411,575 | 9.3 | 5.7 | 6.1 |
| 19 Mental Diseases and Disorders | 3 | 0.1 | 0.1 | 3.9 | 42,736 | 0.1 | 0.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 9 | 0.2 | 0.1 | 1.0 | 74,513 | 0.1 | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 89 | 1.8 | 1.4 | 1.8 | 1,182,854 | 2.0 | 1.6 | 1.8 |
| 22 Burns | . | . | . | 0.1 | . | . | . | 0.4 |
| 23 Factors Influencing Health Status | 8 | 0.2 | 0.5 | 1.3 | 82,057 | 0.1 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.1 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.0 | 61,157 | 0.1 | 0.1 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDBB CASE MIX INDEX = 0.7248

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.30

BED SIZE: 71
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.26

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 5,067 | 58,783,346 | 496,073,671 | 5,319,068,336 | 12610.00 | 103,041.00 | 881,886.00 |
| Facility Charges (total) | . | 58,061,436 | 494,598,429 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 11,459 | 12,997 | 21,172 | 2.49 | 2.71 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 15,767 | 19,388 | 20,004 | 3.37 | 4.32 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 24 | 14,805 | 19,807 | 21,721 | 2.13 | 2.69 | 3.12 |
| 075 Major chest procedures | . | . | 74,108 | 59,734 | . | 6.63 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 55 | 12,734 | 16,182 | 16,240 | 2.80 | 3.33 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | 7,417 | 8,064 | . | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | . | . | 6,067 | 7,590 | . | 1.79 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 236,644 | 131,342 | . | 9.00 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 137,595 | 117,359 | . | 5.00 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 166,894 | 114,735 | . | 5.67 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 123,100 | 103,627 | . | 6.00 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 62,425 | 87,590 | . | 2.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 70,511 | 48,932 | . | 2.42 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 51,192 | 39,075 | . | 2.50 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 4 | 10,299 | 25,291 | 24,880 | 2.50 | 2.54 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,987 | 18,844 | . | 2.13 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 32,896 | 26,849 | . | 3.00 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 25,660 | 19,275 | . | 1.46 | 1.78 |
| 127 Heart failure & shock | 46 | 14,105 | 17,708 | 18,033 | 3.04 | 3.38 | 3.64 |
| 140 Angina pectoris | 1 | 4,210 | 9,017 | 11,228 | 1.00 | 1.17 | 1.30 |
| 143 Chest pain | 3 | 8,855 | 9,816 | 10,491 | 1.67 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 18 | 49,693 | 47,389 | 59,626 | 7.24 | 7.32 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 2 | 31,652 | 75,675 | 77,655 | 5.50 | 8.67 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 11 | 13,166 | 15,441 | 13,530 | 1.00 | 1.14 | 1.11 |
| 174 G.I. hemorrhage w cc | 55 | 11,539 | 16,025 | 18,170 | 2.04 | 2.64 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 68 | 11,024 | 13,634 | 14,049 | 2.31 | 2.59 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 17 | 9,213 | 11,641 | 11,229 | 2.06 | 2.28 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,652 | 37,751 | . | 5.29 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,892 | 23,411 | . | 2.75 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 314 | 34,562 | 40,696 | 39,044 | 3.08 | 3.17 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDBB CASE MIX INDEX = 0.7248

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.30

BED SIZE: 71
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.26

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 28 | 33,875 | 39,471 | 40,371 | 4.89 | 4.98 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 14 | 20,362 | 27,192 | 27,138 | 2.07 | 2.11 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 33 | 10,323 | 13,572 | 13,720 | 2.36 | 2.60 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 21 | 13,245 | 17,397 | 19,434 | 1.75 | 2.12 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 152 | 10,486 | 14,215 | 14,898 | 1.34 | 1.51 | 1.57 |
| 370 Cesarean section with cc | 73 | 10,463 | 12,536 | 14,657 | 3.49 | 3.59 | 3.87 |
| 371 Cesarean section without cc | 235 | 8,689 | 11,240 | 11,759 | 3.16 | 3.29 | 3.24 |
| 372 Vaginal delivery w complicating diag | 111 | 6,624 | 7,582 | 8,392 | 1.87 | 2.02 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 909 | 5,539 | 6,458 | 6,661 | 1.78 | 1.82 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 14 | 6,822 | 9,039 | 10,362 | 2.00 | 1.89 | 2.01 |
| 383 Other antepartum diag w med complic | 10 | 7,699 | 10,026 | 10,990 | 1.80 | 2.34 | 2.71 |
| 385 Neonates died/transf to acute care fac | 26 | 2,374 | 7,828 | 19,166 | 1.27 | 1.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 4 | 5,519 | 60,249 | 101,092 | 3.50 | 16.69 | 26.08 |
| 387 Prematurity w major problems | 12 | 9,221 | 31,946 | 48,843 | 6.92 | 10.92 | 15.14 |
| 389 Full term neonate w major problems | 91 | 6,334 | 17,121 | 15,544 | 3.86 | 5.07 | 4.66 |
| 390 Neonate w other significant problems | 259 | 3,578 | 4,490 | 3,854 | 2.43 | 2.41 | 2.27 |
| 391 Normal newborn | 931 | 2,804 | 2,716 | 2,436 | 1.95 | 1.90 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | 23,836 | . | . | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 10 | 49,215 | 71,472 | 72,347 | 8.40 | 8.60 | 9.12 |
| 430 Psychoses | 3 | 14,245 | 11,837 | 14,101 | 3.33 | 2.40 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 9 | 8,279 | 12,321 | 13,612 | 1.33 | 2.14 | 3.30 |
| 462 Rehabilitation | . | . | 29,391 | 40,385 | . | 10.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 8 | 19,674 | 33,895 | 55,889 | 2.75 | 4.09 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 4 | 86,111 | 88,232 | 108,196 | 14.25 | 11.50 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 1 | 163,233 | 251,199 | 295,955 | 20.00 | 25.80 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 52,599 | 93,495 | . | 7.00 | 8.69 |
| 499 Back & neck procedures w cc | . | . | 29,012 | 25,581 | . | 2.56 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 2 | 6,535 | 17,769 | 16,304 | 1.00 | 1.60 | 1.73 |
| 502 Knee procedures w/o cc | . | . | 11,466 | 20,364 | . | 1.40 | 2.68 |
| 470 Ungroupable | . | . | 9,830 | 12,546 | . | 1.67 | 3.65 |
| All Other DRGs | 1,489 | 16,656 | 21,293 | 26,338 | 2.75 | 3.02 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 71
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 15 | 13,445 | 16,873 | 17,504 | 1.67 | 2.31 | 2.39 |
| Major or Extreme SOI | 9 | 17,886 | 24,660 | 30,421 | 2.88 | 3.60 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 14 | 8,771 | 10,121 | 10,931 | 1.79 | 2.52 | 2.55 |
| Major or Extreme SOI | 44 | 14,219 | 20,552 | 20,864 | 3.07 | 4.08 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 4 | 10,548 | 6,721 | 8,532 | 3.25 | 1.79 | 1.99 |
| Major or Extreme SOI | 4 | 12,001 | 15,119 | 15,810 | 2.50 | 3.85 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 58,092 | 42,983 | . | 1.63 | 1.54 |
| Major or Extreme SOI | . | . | 80,986 | 68,036 | . | 3.85 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 2 | 10,502 | 20,648 | 17,963 | 3.00 | 2.15 | 2.03 |
| Major or Extreme SOI | 2 | 10,095 | 31,838 | 28,897 | 2.00 | 3.10 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 24,183 | 17,867 | . | 1.29 | 1.54 |
| Major or Extreme SOI | . | . | 43,257 | 25,935 | . | 4.25 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 7 | 10,235 | 14,732 | 13,972 | 2.60 | 2.74 | 2.96 |
| Major or Extreme SOI | 39 | 14,800 | 20,169 | 22,844 | 3.32 | 4.04 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 14 | 8,488 | 10,524 | 10,477 | 1.75 | 1.83 | 1.84 |
| Major or Extreme SOI | 9 | 9,360 | 15,309 | 17,274 | 2.11 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 23 | 26,746 | 31,921 | 33,294 | 3.73 | 4.51 | 4.80 |
| Major or Extreme SOI | 7 | 84,396 | 65,565 | 78,140 | 12.43 | 9.58 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 14 | 13,466 | 18,445 | 17,034 | 1.11 | 2.09 | 2.08 |
| Major or Extreme SOI | . | . | 39,816 | 36,530 | . | 4.20 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 23 | 10,059 | 8,204 | 9,467 | 2.35 | 1.91 | 2.01 |
| Major or Extreme SOI | 7 | 8,500 | 14,552 | 14,930 | 1.71 | 2.86 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 252 | 36,407 | 40,121 | 37,842 | 3.05 | 3.09 | 2.92 |
| Major or Extreme SOI | 14 | 45,970 | 51,550 | 48,873 | 4.36 | 4.27 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 17 | 19,078 | 28,054 | 27,280 | 1.88 | 2.44 | 2.61 |
| Major or Extreme SOI | 3 | 39,717 | 51,684 | 45,932 | 5.33 | 5.84 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 6,611 | 11,741 | . | 2.17 | 2.96 |
| Major or Extreme SOI | . | . | 16,017 | 22,625 | . | 2.33 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 71
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 158 | 10,622 | 14,487 | 15,305 | 1.35 | 1.54 | 1.62 |
| Major or Extreme SOI | 1 | 20,471 | 25,951 | 36,837 | 2.00 | 3.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 296 | 8,827 | 11,286 | 11,641 | 3.21 | 3.31 | 3.21 |
| Major or Extreme SOI | 12 | 16,088 | 15,205 | 21,704 | 4.00 | 4.14 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,002 | 5,611 | 6,524 | 6,731 | 1.79 | 1.84 | 1.79 |
| Major or Extreme SOI | 18 | 8,183 | 8,867 | 10,767 | 2.06 | 2.30 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 14 | 6,822 | 9,031 | 9,583 | 2.00 | 1.89 | 1.93 |
| Major or Extreme SOI | . | . | 9,402 | 21,300 | . | 2.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 7,441 | 11,599 | . | 2.00 | 5.19 |
| Major or Extreme SOI | . | . | 20,374 | 22,695 | . | 3.00 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 1,184 | 2,929 | 2,825 | 2,536 | 2.04 | 1.95 | 1.89 |
| Major or Extreme SOI | 55 | 4,874 | 9,743 | 8,321 | 3.33 | 3.51 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 5 | 7,315 | 10,786 | 10,069 | 1.40 | 2.48 | 2.88 |
| Major or Extreme SOI | 4 | 9,484 | 13,906 | 19,849 | 1.25 | 2.00 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 2 | 6,535 | 18,286 | 16,988 | . | 2.02 | 1.89 |
| Major or Extreme SOI | . | . | 32,887 | 42,605 | . | 4.00 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 29 | 15,411 | 19,568 | 18,944 | 1.68 | 2.12 | 2.08 |
| Major or Extreme SOI | 7 | 22,935 | 34,521 | 34,924 | 3.29 | 4.86 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 16 | 9,240 | 13,114 | 13,298 | 1.63 | 2.18 | 2.15 |
| Major or Extreme SOI | 13 | 18,140 | 22,815 | 24,096 | 3.42 | 3.80 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 7,170 | 11,099 | 13,147 | 1.00 | 1.93 | 2.10 |
| Major or Extreme SOI | 2 | 24,503 | 27,046 | 23,048 | 4.50 | 4.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 21 | 9,156 | 11,821 | 12,049 | 1.95 | 2.48 | 2.47 |
| Major or Extreme SOI | 9 | 15,330 | 22,411 | 21,886 | 3.56 | 3.66 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 17 | 8,576 | 10,286 | 11,171 | 1.87 | 2.12 | 2.13 |
| Major or Extreme SOI | 9 | 17,487 | 21,043 | 21,005 | 2.78 | 3.75 | 3.64 |
| All other APRDRGs | 1,669 | 16,747 | 22,833 | 30,661 | 3.01 | 3.83 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 71

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 3,503 | 69.1 | 68.8 | 61.8 |
| Male | 1,564 | 30.9 | 31.2 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,355 | 26.7 | 31.8 | 20.2 |
| 29-365 days | 1 | 0.0 | 1.0 | 0.9 |
| 1-4 years | . | . | 1.1 | 0.7 |
| 5-9 | . | . | 0.4 | 0.4 |
| 10-14 | 2 | 0.0 | 0.2 | 0.4 |
| 15-17 | 17 | 0.3 | 0.5 | 0.8 |
| 18-19 | 62 | 1.2 | 1.3 | 1.5 |
| 20-24 | 297 | 5.9 | 7.8 | 6.9 |
| 25-29 | 527 | 10.4 | 12.7 | 9.6 |
| 30-34 | 521 | 10.3 | 10.7 | 8.4 |
| 35-39 | 299 | 5.9 | 5.5 | 4.9 |
| 40-44 | 163 | 3.2 | 2.7 | 3.4 |
| 45-49 | 130 | 2.6 | 2.3 | 3.5 |
| 50-54 | 222 | 4.4 | 2.7 | 4.5 |
| 55-59 | 203 | 4.0 | 2.9 | 5.0 |
| 60-64 | 211 | 4.2 | 2.9 | 5.1 |
| 65-69 | 216 | 4.3 | 3.0 | 5.6 |
| 70-74 | 216 | 4.3 | 2.8 | 5.1 |
| 75-79 | 188 | 3.7 | 2.4 | 4.7 |
| 80-84 | 180 | 3.6 | 2.3 | 4.1 |
| 85-89 | 140 | 2.8 | 1.6 | 2.9 |
| 90 + | 117 | 2.3 | 1.1 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 21 | 0.4 | 8.8 | 14.1 |
| Urgent | 2,258 | 44.6 | 36.1 | 39.7 |
| Elective | 1,434 | 28.3 | 23.4 | 25.3 |
| Newborn | 1,354 | 26.7 | 31.7 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,570 | 31.0 | 44.3 | 49.6 |
| Clinic referral | 2,123 | 41.9 | 23.6 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 3 | 0.1 | 0.2 | 4.4 |
| Skilled nursing facility | 12 | 0.2 | 0.1 | 0.5 |
| Other health care facility | 5 | 0.1 | 0.0 | 0.2 |
| Emergency room | . | . | 0.0 | 0.0 |
| Court/law enforcement | . | . | 0.0 | 0.3 |
| Normal delivery/Born Inside | 1,353 | 26.7 | 31.6 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 71

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.0 | 0.1 | 0.0 |
| Unknown | . | . | 0.0 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,115 | 41.7 | 59.4 | 55.1 |
| Another hospital | 61 | 1.2 | 0.8 | 0.8 |
| Skilled nursing facility | 169 | 3.3 | 3.0 | 5.3 |
| Intermediate care | . | . | 0.0 | 0.1 |
| Another type of institution | 142 | 2.8 | 1.1 | 2.6 |
| Under care of home service | 195 | 3.8 | 3.4 | 5.7 |
| Left against medical advice | 4 | 0.1 | 0.1 | 0.3 |
| Under care of a home iv provider | . | . | . | 0.0 |
| Expired | 16 | 0.3 | 0.4 | 1.1 |
| Not reported | 2,365 | 46.7 | 31.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,084 | 21.4 | 15.4 | 26.7 |
| Medicaid | 671 | 13.2 | 17.3 | 18.6 |
| Other government | 82 | 1.6 | 1.9 | 2.4 |
| Blue Cross/Blue Shield | 256 | 5.1 | 11.4 | 10.3 |
| Other commercial | 207 | 4.1 | 5.2 | 5.5 |
| Managed care | 2,599 | 51.3 | 44.9 | 30.9 |
| Self pay | 77 | 1.5 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 12 | 0.2 | 0.1 | 0.5 |
| Charity | 69 | 1.4 | 0.4 | 1.1 |
| Children's Health Insurance Plan | 9 | 0.2 | 0.2 | 0.1 |
| Not reported | 1 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 5 | 0.1 | 0.1 | 5.4 |
| Central Utah | 9 | 0.2 | 0.6 | 2.9 |
| Davis County | 53 | 1.0 | 0.5 | 9.8 |
| Salt Lake County | 4,517 | 89.1 | 48.1 | 34.1 |
| Southeastern Utah | 5 | 0.1 | 0.4 | 1.8 |
| Southwest Utah | 5 | 0.1 | 0.3 | 8.0 |
| Summit County | 11 | 0.2 | 0.1 | 0.9 |
| Tooele County | 38 | 0.7 | 0.7 | 2.2 |
| Tri-County | 8 | 0.2 | 0.2 | 1.7 |
| Utah County | 335 | 6.6 | 46.9 | 17.8 |
| Wasatch County | 8 | 0.2 | 0.3 | 0.6 |
| Weber/Morgan | 11 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 62 | 1.2 | 1.6 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 89
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 9,329 | 100.0 | 100.0 | 100.0 | 95,080,568 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 3,043 | 32.6 | 31.6 | 20.1 | 13,290,278 | 14.0 | 14.6 | 7.7 |
| Obstetric (MDC 14) | 3,082 | 33.0 | 32.0 | 20.9 | 21,721,068 | 22.8 | 19.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 244 | 2.6 | 3.1 | 2.3 | 1,867,598 | 2.0 | 2.1 | 1.5 |
| Pediatric Surgical (Age 0-17) | 24 | 0.3 | 0.2 | 0.4 | 393,452 | 0.4 | 0.4 | 0.6 |
| Other Medical | 1,961 | 21.0 | 19.2 | 29.4 | 30,689,403 | 32.3 | 25.0 | 27.2 |
| Other Surgical | 971 | 10.4 | 13.6 | 22.0 | 27,064,123 | 28.5 | 38.0 | 49.8 |
| Psychiatric (MDC 19) | 4 | 0.0 | 0.1 | 3.9 | 54,645 | 0.1 | 0.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.6 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 124 | 1.3 | 1.3 | 4.1 | 1,847,595 | 1.9 | 1.9 | 6.0 |
| 2 Eye | 2 | 0.0 | 0.0 | 0.1 | 35,803 | 0.0 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 49 | 0.5 | 0.5 | 0.6 | 666,638 | 0.7 | 0.5 | 0.5 |
| 4 Respiratory System | 528 | 5.7 | 5.3 | 6.4 | 7,552,055 | 7.9 | 6.3 | 6.8 |
| 5 Circulatory System | 163 | 1.7 | 2.7 | 7.5 | 2,558,768 | 2.7 | 7.4 | 15.5 |
| 6 Digestive System | 546 | 5.9 | 4.9 | 6.4 | 10,512,582 | 11.1 | 7.9 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 201 | 2.2 | 1.8 | 2.3 | 3,654,110 | 3.8 | 2.9 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 359 | 3.8 | 6.1 | 10.0 | 12,170,813 | 12.8 | 19.1 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 102 | 1.1 | 0.9 | 1.1 | 2,504,064 | 2.6 | 1.5 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 160 | 1.7 | 1.7 | 2.4 | 1,853,487 | 1.9 | 1.6 | 2.1 |
| 11 Kidney & Urinary Tract | 224 | 2.4 | 2.1 | 2.8 | 3,318,544 | 3.5 | 2.7 | 3.0 |
| 12 Male Reproductive System | 27 | 0.3 | 0.2 | 0.3 | 429,776 | 0.5 | 0.4 | 0.3 |
| 13 Female Reproductive System | 212 | 2.3 | 3.4 | 1.7 | 2,786,429 | 2.9 | 4.0 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 3,082 | 33.0 | 32.0 | 20.9 | 21,721,068 | 22.8 | 19.3 | 8.6 |
| 15 Newborn & Other Neonates | 3,071 | 32.9 | 31.9 | 20.4 | 13,651,216 | 14.4 | 15.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 47 | 0.5 | 0.3 | 0.5 | 851,056 | 0.9 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 8 | 0.1 | 0.0 | 0.3 | 181,136 | 0.2 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 249 | 2.7 | 2.8 | 3.7 | 5,877,849 | 6.2 | 5.7 | 6.1 |
| 19 Mental Diseases and Disorders | 4 | 0.0 | 0.1 | 3.9 | 54,645 | 0.1 | 0.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 13 | 0.1 | 0.1 | 1.0 | 154,744 | 0.2 | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 137 | 1.5 | 1.4 | 1.8 | 2,206,526 | 2.3 | 1.6 | 1.8 |
| 22 Burns | . | . | . | 0.1 | . | . | . | 0.4 |
| 23 Factors Influencing Health Status | 15 | 0.2 | 0.5 | 1.3 | 210,226 | 0.2 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 6 | 0.1 | 0.0 | 0.3 | 281,438 | 0.3 | 0.1 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.1 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDDDB CASE MIX INDEX = 0.5426

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.93

BED SIZE: 89
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.10

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|--------|---------|----------------------|-------------|---------------|------------|------------|------------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 9,329 | | | 95,105,031 | 496,073,671 | 5,319,068,336 | 23850.00 | 103,041.00 | 881,886.00 |
| Facility Charges (total) | . | | | 95,080,568 | 494,598,429 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | | | 10,192 | 12,997 | 21,172 | 2.56 | 2.71 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | | | 18,297 | 19,388 | 20,004 | 4.53 | 4.32 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 001 Craniotomy age >17 with CC | . | . | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 33 | 15,719 | 19,807 | 15,719 | 19,807 | 21,721 | 2.61 | 2.69 | 3.12 |
| 075 Major chest procedures | . | . | 74,108 | . | 74,108 | 59,734 | . | 6.63 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 128 | 15,867 | 16,182 | 15,867 | 16,182 | 16,240 | 3.52 | 3.33 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 57 | 7,829 | 7,417 | 7,829 | 7,417 | 8,064 | 2.58 | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 90 | 7,299 | 6,067 | 7,299 | 6,067 | 7,590 | 2.28 | 1.79 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 236,644 | . | 236,644 | 131,342 | . | 9.00 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 137,595 | . | 137,595 | 117,359 | . | 5.00 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 166,894 | . | 166,894 | 114,735 | . | 5.67 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 123,100 | . | 123,100 | 103,627 | . | 6.00 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | 1 | 22,374 | 62,425 | 22,374 | 62,425 | 87,590 | 2.00 | 2.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 70,511 | . | 70,511 | 48,932 | . | 2.42 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 51,192 | . | 51,192 | 39,075 | . | 2.50 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 5 | 16,944 | 25,291 | 16,944 | 25,291 | 24,880 | 2.20 | 2.54 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 2 | 4,712 | 24,987 | 4,712 | 24,987 | 18,844 | 1.00 | 2.13 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 32,896 | . | 32,896 | 26,849 | . | 3.00 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 25,660 | . | 25,660 | 19,275 | . | 1.46 | 1.78 |
| 127 Heart failure & shock | 53 | 18,844 | 17,708 | 18,844 | 17,708 | 18,033 | 4.06 | 3.38 | 3.64 |
| 140 Angina pectoris | 5 | 9,978 | 9,017 | 9,978 | 9,017 | 11,228 | 1.20 | 1.17 | 1.30 |
| 143 Chest pain | 15 | 8,633 | 9,816 | 8,633 | 9,816 | 10,491 | 1.27 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 34 | 35,925 | 47,389 | 35,925 | 47,389 | 59,626 | 6.44 | 7.32 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 75,675 | . | 75,675 | 77,655 | . | 8.67 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 36 | 13,294 | 15,441 | 13,294 | 15,441 | 13,530 | 1.06 | 1.14 | 1.11 |
| 174 G.I. hemorrhage w cc | 62 | 20,136 | 16,025 | 20,136 | 16,025 | 18,170 | 3.49 | 2.64 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 70 | 12,766 | 13,634 | 12,766 | 13,634 | 14,049 | 2.81 | 2.59 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 28 | 11,820 | 11,641 | 11,820 | 11,641 | 11,229 | 2.67 | 2.28 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 2 | 18,633 | 37,652 | 18,633 | 37,652 | 37,751 | 3.50 | 5.29 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 1 | 18,435 | 19,892 | 18,435 | 19,892 | 23,411 | 2.00 | 2.75 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 145 | 36,349 | 40,696 | 36,349 | 40,696 | 39,044 | 3.15 | 3.17 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDDDB CASE MIX INDEX = 0.5426

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.93

BED SIZE: 89
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.10

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 22 | 45,278 | 39,471 | 40,371 | 6.00 | 4.98 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 9 | 27,204 | 27,192 | 27,138 | 2.44 | 2.11 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 51 | 12,847 | 13,572 | 13,720 | 2.69 | 2.60 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 36 | 15,677 | 17,397 | 19,434 | 1.94 | 2.12 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 154 | 12,964 | 14,215 | 14,898 | 1.53 | 1.51 | 1.57 |
| 370 Cesarean section with cc | 76 | 12,368 | 12,536 | 14,657 | 3.43 | 3.59 | 3.87 |
| 371 Cesarean section without cc | 469 | 10,276 | 11,240 | 11,759 | 3.22 | 3.29 | 3.24 |
| 372 Vaginal delivery w complicating diag | 316 | 7,246 | 7,582 | 8,392 | 1.93 | 2.02 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 2,099 | 5,952 | 6,458 | 6,661 | 1.74 | 1.82 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 34 | 8,045 | 9,039 | 10,362 | 1.88 | 1.89 | 2.01 |
| 383 Other antepartum diag w med complic | 29 | 8,295 | 10,026 | 10,990 | 2.18 | 2.34 | 2.71 |
| 385 Neonates died/transf to acute care fac | 70 | 7,718 | 7,828 | 19,166 | 1.54 | 1.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 38 | 29,812 | 60,249 | 101,092 | 9.34 | 16.69 | 26.08 |
| 387 Prematurity w major problems | 47 | 28,414 | 31,946 | 48,843 | 11.23 | 10.92 | 15.14 |
| 389 Full term neonate w major problems | 154 | 10,941 | 17,121 | 15,544 | 3.55 | 5.07 | 4.66 |
| 390 Neonate w other significant problems | 423 | 4,257 | 4,490 | 3,854 | 2.35 | 2.41 | 2.27 |
| 391 Normal newborn | 2,284 | 2,476 | 2,716 | 2,436 | 1.86 | 1.90 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | 23,836 | . | . | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 18 | 67,077 | 71,472 | 72,347 | 9.78 | 8.60 | 9.12 |
| 430 Psychoses | 3 | 15,304 | 11,837 | 14,101 | 2.33 | 2.40 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 11 | 12,775 | 12,321 | 13,612 | 2.55 | 2.14 | 3.30 |
| 462 Rehabilitation | . | . | 29,391 | 40,385 | . | 10.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 4 | 34,353 | 33,895 | 55,889 | 4.67 | 4.09 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 88,232 | 108,196 | . | 11.50 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 251,199 | 295,955 | . | 25.80 | 26.00 |
| 486 Other OR proc for mult signif trauma | 3 | 57,015 | 52,599 | 93,495 | 7.67 | 7.00 | 8.69 |
| 499 Back & neck procedures w cc | 3 | 22,991 | 29,012 | 25,581 | 2.00 | 2.56 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 5 | 11,970 | 17,769 | 16,304 | 1.60 | 1.60 | 1.73 |
| 502 Knee procedures w/o cc | . | . | 11,466 | 20,364 | . | 1.40 | 2.68 |
| 470 Ungroupable | . | . | 9,830 | 12,546 | . | 1.67 | 3.65 |
| All Other DRGs | 2,204 | 17,658 | 21,293 | 26,338 | 3.12 | 3.02 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 89
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 20 | 12,958 | 16,873 | 17,504 | 2.20 | 2.31 | 2.39 |
| Major or Extreme SOI | 12 | 21,351 | 24,660 | 30,421 | 3.42 | 3.60 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 146 | 10,585 | 10,121 | 10,931 | 2.81 | 2.52 | 2.55 |
| Major or Extreme SOI | 53 | 20,938 | 20,552 | 20,864 | 4.41 | 4.08 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 31 | 7,316 | 6,721 | 8,532 | 2.14 | 1.79 | 1.99 |
| Major or Extreme SOI | 6 | 14,646 | 15,119 | 15,810 | 3.83 | 3.85 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 58,092 | 42,983 | . | 1.63 | 1.54 |
| Major or Extreme SOI | . | . | 80,986 | 68,036 | . | 3.85 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 3 | 4,901 | 20,648 | 17,963 | 1.00 | 2.15 | 2.03 |
| Major or Extreme SOI | 3 | 20,800 | 31,838 | 28,897 | 3.00 | 3.10 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 24,183 | 17,867 | . | 1.29 | 1.54 |
| Major or Extreme SOI | . | . | 43,257 | 25,935 | . | 4.25 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 30 | 15,271 | 14,732 | 13,972 | 3.21 | 2.74 | 2.96 |
| Major or Extreme SOI | 25 | 22,240 | 20,169 | 22,844 | 4.88 | 4.04 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 15 | 10,340 | 10,524 | 10,477 | 1.62 | 1.83 | 1.84 |
| Major or Extreme SOI | 8 | 12,439 | 15,309 | 17,274 | 1.88 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 58 | 29,568 | 31,921 | 33,294 | 4.36 | 4.51 | 4.80 |
| Major or Extreme SOI | 15 | 48,474 | 65,565 | 78,140 | 8.07 | 9.58 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 54 | 15,063 | 18,445 | 17,034 | 1.94 | 2.09 | 2.08 |
| Major or Extreme SOI | 3 | 38,458 | 39,816 | 36,530 | 3.50 | 4.20 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 36 | 8,500 | 8,204 | 9,467 | 2.15 | 1.91 | 2.01 |
| Major or Extreme SOI | 7 | 17,635 | 14,552 | 14,930 | 4.00 | 2.86 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 82 | 36,469 | 40,121 | 37,842 | 2.98 | 3.09 | 2.92 |
| Major or Extreme SOI | 13 | 46,005 | 51,550 | 48,873 | 4.64 | 4.27 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 17 | 28,790 | 28,054 | 27,280 | 3.75 | 2.44 | 2.61 |
| Major or Extreme SOI | 3 | 20,906 | 51,684 | 45,932 | 3.67 | 5.84 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 2 | 8,248 | 6,611 | 11,741 | 2.50 | 2.17 | 2.96 |
| Major or Extreme SOI | 1 | 20,257 | 16,017 | 22,625 | 4.00 | 2.33 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 89
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 161 | 13,509 | 14,487 | 15,305 | 1.55 | 1.54 | 1.62 |
| Major or Extreme SOI | . | . | 25,951 | 36,837 | . | 3.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 511 | 10,315 | 11,286 | 11,641 | 3.19 | 3.31 | 3.21 |
| Major or Extreme SOI | 34 | 14,376 | 15,205 | 21,704 | 4.06 | 4.14 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 2,349 | 6,065 | 6,524 | 6,731 | 1.76 | 1.84 | 1.79 |
| Major or Extreme SOI | 63 | 8,247 | 8,867 | 10,767 | 2.16 | 2.30 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 32 | 8,059 | 9,031 | 9,583 | 1.88 | 1.89 | 1.93 |
| Major or Extreme SOI | 2 | 7,829 | 9,402 | 21,300 | 2.00 | 2.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 5,163 | 7,441 | 11,599 | . | 2.00 | 5.19 |
| Major or Extreme SOI | 2 | 20,374 | 20,374 | 22,695 | 3.00 | 3.00 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 2,642 | 2,545 | 2,825 | 2,536 | 1.90 | 1.95 | 1.89 |
| Major or Extreme SOI | 144 | 11,255 | 9,743 | 8,321 | 3.29 | 3.51 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 9 | 10,286 | 10,786 | 10,069 | 2.38 | 2.48 | 2.88 |
| Major or Extreme SOI | 3 | 16,562 | 13,906 | 19,849 | 3.00 | 2.00 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 9 | 16,355 | 18,286 | 16,988 | 2.00 | 2.02 | 1.89 |
| Major or Extreme SOI | 5 | 24,886 | 32,887 | 42,605 | 4.80 | 4.00 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 62 | 15,996 | 19,568 | 18,944 | 2.24 | 2.12 | 2.08 |
| Major or Extreme SOI | 23 | 30,760 | 34,521 | 34,924 | 5.45 | 4.86 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 33 | 13,162 | 13,114 | 13,298 | 2.58 | 2.18 | 2.15 |
| Major or Extreme SOI | 27 | 24,225 | 22,815 | 24,096 | 4.15 | 3.80 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 4 | 14,003 | 11,099 | 13,147 | 2.00 | 1.93 | 2.10 |
| Major or Extreme SOI | 2 | 18,632 | 27,046 | 23,048 | 3.00 | 4.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 26 | 10,639 | 11,821 | 12,049 | 2.60 | 2.48 | 2.47 |
| Major or Extreme SOI | 7 | 33,368 | 22,411 | 21,886 | 3.50 | 3.66 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 22 | 10,434 | 10,286 | 11,171 | 2.20 | 2.12 | 2.13 |
| Major or Extreme SOI | 9 | 21,680 | 21,043 | 21,005 | 4.44 | 3.75 | 3.64 |
| All other APRDRGs | 2,504 | 17,766 | 22,833 | 30,661 | 3.48 | 3.83 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

AMERICAN FORK HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=6)

AFFILIATION: Intermountain Healthcare

COUNTY: Utah

BED SIZE: 89

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 6,407 | 68.7 | 68.8 | 61.8 |
| Male | 2,922 | 31.3 | 31.2 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 3,069 | 32.9 | 31.8 | 20.2 |
| 29-365 days | 70 | 0.8 | 1.0 | 0.9 |
| 1-4 years | 92 | 1.0 | 1.1 | 0.7 |
| 5-9 | 34 | 0.4 | 0.4 | 0.4 |
| 10-14 | 23 | 0.2 | 0.2 | 0.4 |
| 15-17 | 29 | 0.3 | 0.5 | 0.8 |
| 18-19 | 99 | 1.1 | 1.3 | 1.5 |
| 20-24 | 686 | 7.4 | 7.8 | 6.9 |
| 25-29 | 1,268 | 13.6 | 12.7 | 9.6 |
| 30-34 | 1,037 | 11.1 | 10.7 | 8.4 |
| 35-39 | 519 | 5.6 | 5.5 | 4.9 |
| 40-44 | 214 | 2.3 | 2.7 | 3.4 |
| 45-49 | 201 | 2.2 | 2.3 | 3.5 |
| 50-54 | 206 | 2.2 | 2.7 | 4.5 |
| 55-59 | 223 | 2.4 | 2.9 | 5.0 |
| 60-64 | 255 | 2.7 | 2.9 | 5.1 |
| 65-69 | 238 | 2.6 | 3.0 | 5.6 |
| 70-74 | 296 | 3.2 | 2.8 | 5.1 |
| 75-79 | 247 | 2.6 | 2.4 | 4.7 |
| 80-84 | 243 | 2.6 | 2.3 | 4.1 |
| 85-89 | 174 | 1.9 | 1.6 | 2.9 |
| 90 + | 106 | 1.1 | 1.1 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 143 | 1.5 | 8.8 | 14.1 |
| Urgent | 4,290 | 46.0 | 36.1 | 39.7 |
| Elective | 1,852 | 19.9 | 23.4 | 25.3 |
| Newborn | 3,043 | 32.6 | 31.7 | 20.2 |
| Trauma Center | 1 | 0.0 | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 2,184 | 23.4 | 44.3 | 49.6 |
| Clinic referral | 4,088 | 43.8 | 23.6 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 7 | 0.1 | 0.2 | 4.4 |
| Skilled nursing facility | 7 | 0.1 | 0.1 | 0.5 |
| Other health care facility | . | . | 0.0 | 0.2 |
| Emergency room | . | . | 0.0 | 0.0 |
| Court/law enforcement | . | . | 0.0 | 0.3 |
| Normal delivery/Born Inside | 3,038 | 32.6 | 31.6 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

AMERICAN FORK HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=6)

AFFILIATION: Intermountain Healthcare

COUNTY: Utah

BED SIZE: 89

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 5 | 0.1 | 0.1 | 0.0 |
| Unknown | . | . | 0.0 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 4,017 | 43.1 | 59.4 | 55.1 |
| Another hospital | 90 | 1.0 | 0.8 | 0.8 |
| Skilled nursing facility | 140 | 1.5 | 3.0 | 5.3 |
| Intermediate care | 16 | 0.2 | 0.0 | 0.1 |
| Another type of institution | 90 | 1.0 | 1.1 | 2.6 |
| Under care of home service | 221 | 2.4 | 3.4 | 5.7 |
| Left against medical advice | 6 | 0.1 | 0.1 | 0.3 |
| Under care of a home iv provider | . | . | . | 0.0 |
| Expired | 37 | 0.4 | 0.4 | 1.1 |
| Not reported | 4,712 | 50.5 | 31.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,476 | 15.8 | 15.4 | 26.7 |
| Medicaid | 1,585 | 17.0 | 17.3 | 18.6 |
| Other government | 245 | 2.6 | 1.9 | 2.4 |
| Blue Cross/Blue Shield | 369 | 4.0 | 11.4 | 10.3 |
| Other commercial | 346 | 3.7 | 5.2 | 5.5 |
| Managed care | 5,043 | 54.1 | 44.9 | 30.9 |
| Self pay | 212 | 2.3 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 7 | 0.1 | 0.1 | 0.5 |
| Charity | 22 | 0.2 | 0.4 | 1.1 |
| Children's Health Insurance Plan | 22 | 0.2 | 0.2 | 0.1 |
| Not reported | 2 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 4 | 0.0 | 0.1 | 5.4 |
| Central Utah | 50 | 0.5 | 0.6 | 2.9 |
| Davis County | 17 | 0.2 | 0.5 | 9.8 |
| Salt Lake County | 250 | 2.7 | 48.1 | 34.1 |
| Southeastern Utah | 19 | 0.2 | 0.4 | 1.8 |
| Southwest Utah | 11 | 0.1 | 0.3 | 8.0 |
| Summit County | . | . | 0.1 | 0.9 |
| Tooele County | 19 | 0.2 | 0.7 | 2.2 |
| Tri-County | 9 | 0.1 | 0.2 | 1.7 |
| Utah County | 8,843 | 94.8 | 46.9 | 17.8 |
| Wasatch County | 21 | 0.2 | 0.3 | 0.6 |
| Weber/Morgan | 9 | 0.1 | 0.1 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 76 | 0.8 | 1.6 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,

Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

ASHLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Uintah
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,950 | 100.0 | 100.0 | 100.0 | 21,640,293 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 458 | 23.5 | 19.5 | 20.1 | 1,178,099 | 5.4 | 6.8 | 7.7 |
| Obstetric (MDC 14) | 471 | 24.2 | 20.1 | 20.9 | 3,833,825 | 17.7 | 8.9 | 8.6 |
| Pediatric Medical (Age 0-17) | 183 | 9.4 | 3.2 | 2.3 | 1,385,838 | 6.4 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 13 | 0.7 | 0.6 | 0.4 | 193,724 | 0.9 | 0.6 | 0.6 |
| Other Medical | 603 | 30.9 | 30.8 | 29.4 | 8,169,122 | 37.7 | 29.7 | 27.2 |
| Other Surgical | 216 | 11.1 | 21.9 | 22.0 | 6,836,886 | 31.6 | 48.6 | 49.8 |
| Psychiatric (MDC 19) | 3 | 0.2 | 3.2 | 3.9 | 17,667 | 0.1 | 2.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.7 | 1.0 | . | . | 1.5 | 2.0 |
| Unknown (DRG 469-470) | 3 | 0.2 | 0.0 | 0.0 | 25,132 | 0.1 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 32 | 1.6 | 3.0 | 4.1 | 425,322 | 2.0 | 3.0 | 6.0 |
| 2 Eye | 1 | 0.1 | 0.1 | 0.1 | 3,780 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 18 | 0.9 | 0.7 | 0.6 | 119,432 | 0.6 | 0.6 | 0.5 |
| 4 Respiratory System | 226 | 11.6 | 7.1 | 6.4 | 3,019,831 | 14.0 | 7.2 | 6.8 |
| 5 Circulatory System | 74 | 3.8 | 8.4 | 7.5 | 1,027,339 | 4.7 | 16.8 | 15.5 |
| 6 Digestive System | 142 | 7.3 | 7.1 | 6.4 | 2,150,203 | 9.9 | 8.3 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 53 | 2.7 | 2.6 | 2.3 | 1,016,753 | 4.7 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 116 | 5.9 | 11.2 | 10.0 | 4,069,887 | 18.8 | 22.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 29 | 1.5 | 1.1 | 1.1 | 430,293 | 2.0 | 1.2 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 86 | 4.4 | 2.2 | 2.4 | 779,847 | 3.6 | 1.8 | 2.1 |
| 11 Kidney & Urinary Tract | 44 | 2.3 | 3.3 | 2.8 | 472,261 | 2.2 | 3.1 | 3.0 |
| 12 Male Reproductive System | . | . | 0.3 | 0.3 | . | . | 0.3 | 0.3 |
| 13 Female Reproductive System | 59 | 3.0 | 1.5 | 1.7 | 1,192,562 | 5.5 | 1.4 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 471 | 24.2 | 20.1 | 20.9 | 3,833,825 | 17.7 | 8.9 | 8.6 |
| 15 Newborn & Other Neonates | 465 | 23.8 | 19.8 | 20.4 | 1,183,659 | 5.5 | 7.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 19 | 1.0 | 0.7 | 0.5 | 205,808 | 1.0 | 0.9 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.2 | 0.3 | . | . | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 54 | 2.8 | 3.8 | 3.7 | 812,634 | 3.8 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 3 | 0.2 | 3.2 | 3.9 | 17,667 | 0.1 | 2.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 10 | 0.5 | 0.6 | 1.0 | 134,202 | 0.6 | 0.5 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 27 | 1.4 | 1.8 | 1.8 | 422,549 | 2.0 | 1.8 | 1.8 |
| 22 Burns | 1 | 0.1 | 0.0 | 0.1 | 4,608 | 0.0 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 10 | 0.5 | 1.1 | 1.3 | 94,627 | 0.4 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.1 | 0.1 | 0.3 | 86,749 | 0.4 | 0.2 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.1 | 0.0 | 0.0 | 49,579 | 0.2 | 0.0 | 0.1 |
| Unknown | 8 | 0.4 | 0.0 | 0.1 | 86,876 | 0.4 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.5268

COUNTY: Uintah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.13

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.
 % LOS OUTLIER=0.72

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 1,950 | 21,682,570 | 586,183,828 | 5,319,068,336 | 4,395.00 | 104,062.00 | 881,886.00 |
| Facility Charges (total) | . | 21,640,293 | 581,373,314 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 11,098 | 15,573 | 21,172 | 2.25 | 2.79 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 20,434 | 17,486 | 20,004 | 4.19 | 3.22 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | 70,211 | 62,383 | . | 7.67 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 9 | 14,244 | 14,474 | 21,721 | 3.11 | 2.52 | 3.12 |
| 075 Major chest procedures | . | . | 49,632 | 59,734 | . | 6.80 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 47 | 16,252 | 14,513 | 16,240 | 3.17 | 3.21 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 35 | 8,767 | 7,655 | 8,064 | 2.46 | 2.37 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 43 | 9,145 | 7,027 | 7,590 | 2.38 | 2.09 | 2.06 |
| 104 Cardiac valve/cardiorthor w card cath | . | . | 106,105 | 131,342 | . | 9.87 | 9.28 |
| 105 Cardiac valve/cardiorthor w/o card cath | . | . | 83,398 | 117,359 | . | 6.81 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 87,486 | 114,735 | . | 8.94 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 69,173 | 103,627 | . | 6.36 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 68,749 | 92,602 | . | 6.71 | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 80,813 | 87,590 | . | 6.07 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 41,337 | 48,932 | . | 3.18 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 36,133 | 39,075 | . | 2.40 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 9,262 | 18,710 | 24,880 | 1.00 | 3.06 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 2 | 10,255 | 13,481 | 18,844 | 1.50 | 1.76 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 21,220 | 26,849 | . | 3.02 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 15,635 | 19,275 | . | 1.60 | 1.78 |
| 127 Heart failure & shock | 34 | 13,108 | 15,314 | 18,033 | 3.06 | 3.40 | 3.64 |
| 140 Angina pectoris | 1 | 5,366 | 9,127 | 11,228 | 1.00 | 1.24 | 1.30 |
| 143 Chest pain | 5 | 10,215 | 9,220 | 10,491 | 1.20 | 1.34 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 1 | 28,863 | 42,619 | 59,626 | 2.00 | 7.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 49,810 | 77,655 | . | 7.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 14 | 16,927 | 11,472 | 13,530 | 1.07 | 1.08 | 1.11 |
| 174 G.I. hemorrhage w cc | 13 | 9,525 | 15,367 | 18,170 | 1.38 | 2.78 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 20 | 14,309 | 11,828 | 14,049 | 2.74 | 2.43 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 17 | 10,040 | 9,827 | 11,229 | 1.88 | 1.99 | 2.10 |
| 197 Cholocystectomy exc lap w/o CDE w cc | . | . | 26,079 | 37,751 | . | 4.36 | 5.36 |
| 198 Cholocystectomy exc lap w/o CDE w/o cc | . | . | 19,301 | 23,411 | . | 3.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 41 | 52,211 | 32,656 | 39,044 | 3.18 | 2.96 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDBB CASE MIX INDEX = 0.5268

COUNTY: Uintah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.13

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.
 % LOS OUTLIER=0.72

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 10 | 44,940 | 31,341 | 40,371 | 4.80 | 4.13 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 12 | 27,877 | 22,759 | 27,138 | 1.83 | 1.93 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 23 | 9,581 | 10,999 | 13,720 | 2.35 | 2.36 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 6 | 23,272 | 15,986 | 19,434 | 1.60 | 2.06 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 45 | 19,001 | 12,770 | 14,898 | 1.80 | 1.61 | 1.57 |
| 370 Cesarean section with cc | 26 | 13,453 | 12,068 | 14,657 | 2.62 | 2.92 | 3.87 |
| 371 Cesarean section without cc | 82 | 13,102 | 9,910 | 11,759 | 2.68 | 2.57 | 3.24 |
| 372 Vaginal delivery w complicating diag | 31 | 6,891 | 6,664 | 8,392 | 1.94 | 1.72 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 297 | 6,105 | 5,492 | 6,661 | 1.69 | 1.48 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 18 | 11,221 | 8,792 | 10,362 | 1.78 | 1.72 | 2.01 |
| 383 Other antepartum diag w med complic | 7 | 9,033 | 9,026 | 10,990 | 2.14 | 2.03 | 2.71 |
| 385 Neonates died/transf to acute care fac | 1 | 3,479 | 18,080 | 19,166 | 1.00 | 3.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 3 | 13,962 | 66,174 | 101,092 | 4.67 | 16.19 | 26.08 |
| 387 Prematurity w major problems | 4 | 14,794 | 39,421 | 48,843 | 6.50 | 11.10 | 15.14 |
| 389 Full term neonate w major problems | 18 | 7,951 | 10,255 | 15,544 | 3.67 | 3.25 | 4.66 |
| 390 Neonate w other significant problems | 45 | 2,523 | 4,131 | 3,854 | 2.02 | 2.02 | 2.27 |
| 391 Normal newborn | 347 | 1,775 | 2,227 | 2,436 | 1.67 | 1.58 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 15,287 | 23,836 | . | 2.07 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 1 | 38,640 | 58,387 | 72,347 | 5.00 | 8.24 | 9.12 |
| 430 Psychoses | 1 | 4,040 | 10,896 | 14,101 | 2.00 | 4.50 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 8 | 14,340 | 13,402 | 13,612 | 3.38 | 2.90 | 3.30 |
| 462 Rehabilitation | . | . | 31,671 | 40,385 | . | 12.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 3 | 19,800 | 46,772 | 55,889 | 2.00 | 6.53 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 89,736 | 108,196 | . | 11.29 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 233,071 | 295,955 | . | 23.10 | 26.00 |
| 486 Other OR proc for mult signif trauma | 1 | . | 49,815 | 93,495 | 5.00 | 6.71 | 8.69 |
| 499 Back & neck procedures w cc | . | . | 17,694 | 25,581 | . | 2.00 | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | 13,697 | 16,304 | . | 1.40 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 30,298 | 20,739 | 20,364 | 5.00 | 2.86 | 2.68 |
| 470 Ungroupable | 8 | 10,859 | 9,674 | 12,546 | 3.25 | 3.00 | 3.65 |
| All Other DRGs | 669 | 13,262 | 19,757 | 26,338 | 2.41 | 2.90 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Uintah
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 6 | 12,865 | 13,079 | 17,504 | 2.50 | 2.18 | 2.39 |
| Major or Extreme SOI | 2 | 20,150 | 19,474 | 30,421 | 5.50 | 3.42 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 77 | 11,679 | 10,517 | 10,931 | 2.56 | 2.58 | 2.55 |
| Major or Extreme SOI | 14 | 20,135 | 17,568 | 20,864 | 4.31 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 18 | 8,719 | 7,162 | 8,532 | 2.00 | 1.82 | 1.99 |
| Major or Extreme SOI | . | . | 11,773 | 15,810 | . | 2.56 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 41,081 | 42,983 | . | 1.41 | 1.54 |
| Major or Extreme SOI | . | . | 57,171 | 68,036 | . | 3.21 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 3 | 9,924 | 13,898 | 17,963 | 1.33 | 1.98 | 2.03 |
| Major or Extreme SOI | 1 | 19,986 | 21,647 | 28,897 | 2.00 | 3.74 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 15,242 | 17,867 | . | 1.56 | 1.54 |
| Major or Extreme SOI | . | . | 19,721 | 25,935 | . | 2.94 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 31 | 11,909 | 12,543 | 13,972 | 2.87 | 2.80 | 2.96 |
| Major or Extreme SOI | 4 | 26,107 | 19,446 | 22,844 | 5.25 | 4.32 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 10 | 9,386 | 9,532 | 10,477 | 2.00 | 1.83 | 1.84 |
| Major or Extreme SOI | 5 | 20,062 | 15,157 | 17,274 | 3.20 | 2.84 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 3 | 43,353 | 29,382 | 33,294 | 6.00 | 4.83 | 4.80 |
| Major or Extreme SOI | . | . | 55,977 | 78,140 | . | 9.72 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 25 | 20,778 | 14,665 | 17,034 | 2.13 | 1.96 | 2.08 |
| Major or Extreme SOI | . | . | 33,344 | 36,530 | . | 4.92 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 26 | 8,117 | 8,552 | 9,467 | 1.77 | 1.99 | 2.01 |
| Major or Extreme SOI | 2 | 7,903 | 10,620 | 14,930 | 3.00 | 2.50 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 29 | 49,298 | 32,193 | 37,842 | 3.00 | 2.87 | 2.92 |
| Major or Extreme SOI | . | . | 41,374 | 48,873 | . | 4.45 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 20 | 27,997 | 22,362 | 27,280 | 2.11 | 2.14 | 2.61 |
| Major or Extreme SOI | . | . | 48,855 | 45,932 | . | 6.00 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 8,384 | 14,164 | 11,741 | 5.00 | 3.25 | 2.96 |
| Major or Extreme SOI | . | . | 9,535 | 22,625 | . | 3.00 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Uintah
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 51 | 19,350 | 13,281 | 15,305 | 1.81 | 1.69 | 1.62 |
| Major or Extreme SOI | 1 | . | 25,116 | 36,837 | . | 3.44 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 107 | 13,164 | 9,977 | 11,641 | 2.65 | 2.57 | 3.21 |
| Major or Extreme SOI | 1 | 15,284 | 17,833 | 21,704 | 4.00 | 4.06 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 321 | 6,112 | 5,538 | 6,731 | 1.70 | 1.50 | 1.79 |
| Major or Extreme SOI | 6 | 9,761 | 8,527 | 10,767 | 2.50 | 1.98 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 18 | 11,221 | 8,488 | 9,583 | 1.78 | 1.71 | 1.93 |
| Major or Extreme SOI | . | . | 13,781 | 21,300 | . | 2.33 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 9,035 | 11,599 | . | 3.94 | 5.19 |
| Major or Extreme SOI | . | . | 14,746 | 22,695 | . | 6.50 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 420 | 1,869 | 2,356 | 2,536 | 1.73 | 1.63 | 1.89 |
| Major or Extreme SOI | 6 | 6,108 | 8,781 | 8,321 | 3.33 | 2.84 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 6 | 9,477 | 9,490 | 10,069 | 2.20 | 2.34 | 2.88 |
| Major or Extreme SOI | 2 | 29,159 | 19,226 | 19,849 | 7.00 | 4.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | 13,995 | 16,988 | . | 1.44 | 1.89 |
| Major or Extreme SOI | . | . | 35,921 | 42,605 | . | 6.33 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 18 | 24,121 | 16,427 | 18,944 | 2.17 | 2.02 | 2.08 |
| Major or Extreme SOI | 2 | 18,708 | 26,177 | 34,924 | 2.00 | 4.09 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 5 | 8,529 | 11,482 | 13,298 | 1.60 | 2.11 | 2.15 |
| Major or Extreme SOI | 2 | 17,239 | 19,121 | 24,096 | 3.50 | 3.41 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 19,227 | 13,147 | . | 3.60 | 2.10 |
| Major or Extreme SOI | . | . | 18,827 | 23,048 | . | 3.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 5 | 10,396 | 11,184 | 12,049 | 1.80 | 2.50 | 2.47 |
| Major or Extreme SOI | 2 | 11,951 | 17,894 | 21,886 | 3.00 | 4.00 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 9 | 8,580 | 10,166 | 11,171 | 2.13 | 2.19 | 2.13 |
| Major or Extreme SOI | 4 | 15,969 | 15,464 | 21,005 | 2.50 | 2.97 | 3.64 |
| All other APRDRGs | 687 | 14,002 | 21,901 | 30,661 | 2.60 | 3.65 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ASHLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 AFFILIATION: LifePoint Hospitals, Inc.

COUNTY: Uintah
 BED SIZE: 39

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,274 | 65.3 | 61.0 | 61.8 |
| Male | 675 | 34.6 | 39.0 | 38.2 |
| Unknown | 1 | 0.1 | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 476 | 24.4 | 19.7 | 20.2 |
| 29-365 days | 55 | 2.8 | 0.9 | 0.9 |
| 1-4 years | 68 | 3.5 | 1.0 | 0.7 |
| 5-9 | 26 | 1.3 | 0.6 | 0.4 |
| 10-14 | 22 | 1.1 | 0.6 | 0.4 |
| 15-17 | 13 | 0.7 | 0.9 | 0.8 |
| 18-19 | 32 | 1.6 | 1.5 | 1.5 |
| 20-24 | 181 | 9.3 | 7.0 | 6.9 |
| 25-29 | 218 | 11.2 | 8.7 | 9.6 |
| 30-34 | 153 | 7.8 | 6.7 | 8.4 |
| 35-39 | 60 | 3.1 | 3.7 | 4.9 |
| 40-44 | 59 | 3.0 | 2.8 | 3.4 |
| 45-49 | 45 | 2.3 | 2.7 | 3.5 |
| 50-54 | 62 | 3.2 | 4.0 | 4.5 |
| 55-59 | 49 | 2.5 | 4.3 | 5.0 |
| 60-64 | 55 | 2.8 | 5.1 | 5.1 |
| 65-69 | 77 | 3.9 | 6.6 | 5.6 |
| 70-74 | 65 | 3.3 | 6.4 | 5.1 |
| 75-79 | 79 | 4.1 | 6.2 | 4.7 |
| 80-84 | 57 | 2.9 | 4.9 | 4.1 |
| 85-89 | 65 | 3.3 | 3.6 | 2.9 |
| 90 + | 32 | 1.6 | 2.0 | 1.6 |
| Unknown | 1 | 0.1 | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 670 | 34.4 | 6.6 | 14.1 |
| Urgent | 521 | 26.7 | 45.9 | 39.7 |
| Elective | 301 | 15.4 | 28.0 | 25.3 |
| Newborn | 458 | 23.5 | 19.5 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,334 | 68.4 | 41.5 | 49.6 |
| Clinic referral | 151 | 7.7 | 36.4 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 1 | 0.1 | 2.2 | 4.4 |
| Skilled nursing facility | 1 | 0.1 | 0.1 | 0.5 |
| Other health care facility | 3 | 0.2 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 2 | 0.1 | 0.1 | 0.3 |
| Normal delivery/Born Inside | 458 | 23.5 | 19.4 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ASHLEY REGIONAL MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=7)

AFFILIATION: LifePoint Hospitals, Inc.

COUNTY: Uintah

BED SIZE: 39

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 0.1 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,683 | 86.3 | 45.8 | 55.1 |
| Another hospital | 57 | 2.9 | 1.0 | 0.8 |
| Skilled nursing facility | 106 | 5.4 | 4.3 | 5.3 |
| Intermediate care | 1 | 0.1 | 0.1 | 0.1 |
| Another type of institution | 23 | 1.2 | 2.2 | 2.6 |
| Under care of home service | 64 | 3.3 | 4.4 | 5.7 |
| Left against medical advice | 4 | 0.2 | 0.2 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 9 | 0.5 | 1.1 | 1.1 |
| Not reported | 3 | 0.2 | 40.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 416 | 21.3 | 31.3 | 26.7 |
| Medicaid | 334 | 17.1 | 20.7 | 18.6 |
| Other government | 52 | 2.7 | 2.0 | 2.4 |
| Blue Cross/Blue Shield | 470 | 24.1 | 10.5 | 10.3 |
| Other commercial | 114 | 5.8 | 5.3 | 5.5 |
| Managed care | 401 | 20.6 | 25.2 | 30.9 |
| Self pay | 144 | 7.4 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 13 | 0.7 | 0.4 | 0.5 |
| Charity | . | . | 1.2 | 1.1 |
| Children's Health Insurance Plan | 6 | 0.3 | 0.2 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 0.1 | 25.6 | 5.4 |
| Central Utah | . | . | 0.6 | 2.9 |
| Davis County | 2 | 0.1 | 0.3 | 9.8 |
| Salt Lake County | 10 | 0.5 | 1.1 | 34.1 |
| Southeastern Utah | 3 | 0.2 | 5.6 | 1.8 |
| Southwest Utah | 1 | 0.1 | 48.3 | 8.0 |
| Summit County | 1 | 0.1 | 2.1 | 0.9 |
| Tooele County | 1 | 0.1 | 0.1 | 2.2 |
| Tri-County | 1,849 | 94.8 | 5.1 | 1.7 |
| Utah County | 5 | 0.3 | 0.6 | 17.8 |
| Wasatch County | 1 | 0.1 | 0.7 | 0.6 |
| Weber/Morgan | 2 | 0.1 | 0.5 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 72 | 3.7 | 9.4 | 5.2 |
| Unknown | 1 | 0.1 | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,

Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Box Elder
 OWNERSHIP: Not for profit

BED SIZE: 16
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 551 | 100.0 | 100.0 | 100.0 | 4,620,525 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 111 | 20.1 | 18.5 | 20.1 | 351,183 | 7.6 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 112 | 20.3 | 19.5 | 20.9 | 698,303 | 15.1 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 38 | 6.9 | 4.8 | 2.3 | 190,576 | 4.1 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 3 | 0.5 | 0.6 | 0.4 | 62,554 | 1.4 | 1.1 | 0.6 |
| Other Medical | 233 | 42.3 | 45.7 | 29.4 | 1,981,345 | 42.9 | 49.3 | 27.2 |
| Other Surgical | 53 | 9.6 | 10.1 | 22.0 | 1,329,859 | 28.8 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 1 | 0.2 | 0.3 | 3.9 | 6,703 | 0.1 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 19 | 3.4 | 2.6 | 4.1 | 175,654 | 3.8 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 7 | 1.3 | 1.0 | 0.6 | 66,818 | 1.4 | 0.7 | 0.5 |
| 4 Respiratory System | 88 | 16.0 | 13.7 | 6.4 | 719,175 | 15.6 | 15.4 | 6.8 |
| 5 Circulatory System | 16 | 2.9 | 6.0 | 7.5 | 115,457 | 2.5 | 6.7 | 15.5 |
| 6 Digestive System | 33 | 6.0 | 9.1 | 6.4 | 476,739 | 10.3 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 29 | 5.3 | 3.5 | 2.3 | 281,106 | 6.1 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 44 | 8.0 | 6.5 | 10.0 | 1,025,013 | 22.2 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 5 | 0.9 | 2.3 | 1.1 | 69,755 | 1.5 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 43 | 7.8 | 3.7 | 2.4 | 270,740 | 5.9 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 16 | 2.9 | 3.7 | 2.8 | 107,256 | 2.3 | 4.0 | 3.0 |
| 12 Male Reproductive System | 1 | 0.2 | 0.1 | 0.3 | 8,544 | 0.2 | 0.1 | 0.3 |
| 13 Female Reproductive System | 2 | 0.4 | 2.2 | 1.7 | 36,282 | 0.8 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 112 | 20.3 | 19.5 | 20.9 | 698,303 | 15.1 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 112 | 20.3 | 18.7 | 20.4 | 354,649 | 7.7 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 4 | 0.7 | 0.8 | 0.5 | 36,908 | 0.8 | 1.1 | 0.6 |
| 17 Myeloproliferative/ Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 4 | 0.7 | 2.0 | 3.7 | 38,820 | 0.8 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 1 | 0.2 | 0.3 | 3.9 | 6,703 | 0.1 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.4 | 0.5 | 1.0 | 17,087 | 0.4 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 10 | 1.8 | 1.7 | 1.8 | 100,053 | 2.2 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 3 | 0.5 | 1.4 | 1.3 | 15,462 | 0.3 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.5588

COUNTY: Box Elder
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.18

BED SIZE: 16
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.54

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 551 | 4,795,364 | 114,581,002 | 5,319,068,336 | 1,037.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 4,620,525 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 8,386 | 10,066 | 21,172 | 1.88 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 15,016 | 16,258 | 20,004 | 3.32 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 4 | 6,659 | 10,331 | 21,721 | 1.50 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 30 | 9,473 | 11,079 | 16,240 | 2.47 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 10 | 5,381 | 6,181 | 8,064 | 1.60 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 11 | 4,508 | 5,668 | 7,590 | 1.45 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch alive | . | . | 20,366 | 24,880 | . | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 1 | 6,165 | 24,819 | 18,844 | 1.00 | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 5 | 6,490 | 11,796 | 18,033 | 1.80 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 3 | 7,615 | 6,720 | 10,491 | 1.33 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 1 | 10,148 | 16,048 | 13,530 | 1.00 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 4 | 9,410 | 12,515 | 18,170 | 1.75 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 2 | 14,615 | 8,553 | 14,049 | 3.00 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | 7,663 | 11,229 | . | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 2 | 16,754 | 37,140 | 37,751 | 2.50 | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 17 | 32,085 | 38,866 | 39,044 | 2.69 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.5588

COUNTY: Box Elder
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.18

BED SIZE: 16
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.54

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 4 | 21,581 | 29,094 | 40,371 | 3.50 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 14 | 7,102 | 8,608 | 13,720 | 1.71 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 1 | 22,611 | 16,939 | 14,898 | . | 1.38 | 1.57 |
| 370 Cesarean section with cc | 2 | 9,814 | 12,139 | 14,657 | 2.50 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 24 | 9,178 | 11,034 | 11,759 | 2.33 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 6 | 4,823 | 6,345 | 8,392 | 1.33 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 79 | 5,427 | 5,099 | 6,661 | 1.41 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | . | . | 8,822 | 10,362 | . | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | . | . | 6,503 | 10,990 | . | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 4 | 1,599 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 3 | 4,572 | 3,831 | 15,544 | 2.00 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 21 | 3,555 | 2,658 | 3,854 | 1.67 | 1.92 | 2.27 |
| 391 Normal newborn | 83 | 3,047 | 2,122 | 2,436 | 1.58 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | 1 | 6,703 | 5,041 | 14,101 | 1.00 | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 1 | 5,073 | 7,298 | 13,612 | 1.00 | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 22,072 | 17,885 | 55,889 | 4.00 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 217 | 10,134 | 11,484 | 26,338 | 1.98 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Box Elder
 OWNERSHIP: Not for profit

BED SIZE: 16
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 5,354 | 11,029 | 17,504 | 1.00 | 2.61 | 2.39 |
| Major or Extreme SOI | 1 | 6,042 | 10,115 | 30,421 | 1.00 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 45 | 8,391 | 8,601 | 10,931 | 2.19 | 2.69 | 2.55 |
| Major or Extreme SOI | 8 | 8,802 | 15,114 | 20,864 | 2.50 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 3 | 4,475 | 6,962 | 8,532 | 1.00 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 6,165 | 20,684 | 17,963 | 1.00 | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 6 | 7,526 | 10,681 | 13,972 | 3.33 | 3.16 | 2.96 |
| Major or Extreme SOI | . | . | 14,304 | 22,844 | . | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 2 | 8,175 | 8,759 | 10,477 | 2.00 | 1.91 | 1.84 |
| Major or Extreme SOI | . | . | 12,787 | 17,274 | . | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 3 | 22,607 | 37,933 | 33,294 | 4.00 | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 8 | 19,581 | 19,168 | 17,034 | 2.83 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 7 | 7,464 | 7,294 | 9,467 | 1.83 | 2.04 | 2.01 |
| Major or Extreme SOI | 1 | 4,373 | 10,963 | 14,930 | 1.00 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 16 | 32,372 | 39,599 | 37,842 | 2.44 | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Box Elder
 OWNERSHIP: Not for profit

BED SIZE: 16
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 22,611 | 16,877 | 15,305 | . | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 25 | 9,115 | 11,227 | 11,641 | 2.32 | 2.61 | 3.21 |
| Major or Extreme SOI | 1 | 12,018 | 14,509 | 21,704 | 3.00 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 84 | 5,376 | 5,201 | 6,731 | 1.41 | 1.60 | 1.79 |
| Major or Extreme SOI | 1 | 6,080 | 7,295 | 10,767 | 2.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | 8,634 | 9,583 | . | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 6,703 | 4,489 | 11,599 | 1.00 | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 101 | 3,151 | 2,218 | 2,536 | 1.62 | 1.73 | 1.89 |
| Major or Extreme SOI | 3 | 4,463 | 3,691 | 8,321 | 1.67 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 1 | 5,073 | 5,962 | 10,069 | . | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 3 | 12,965 | 20,365 | 18,944 | 2.00 | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 2 | 11,746 | 9,511 | 13,298 | 2.00 | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 2 | 14,615 | 8,734 | 12,049 | 3.00 | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 3 | 5,252 | 7,708 | 11,171 | 1.33 | 1.83 | 2.13 |
| Major or Extreme SOI | 3 | 11,326 | 11,198 | 21,005 | 2.00 | 2.14 | 3.64 |
| All other APRDRGs | 218 | 9,513 | 10,802 | 30,661 | 2.06 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Box Elder
 AFFILIATION: Intermountain Healthcare BED SIZE: 16

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 340 | 61.7 | 64.5 | 61.8 |
| Male | 211 | 38.3 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 112 | 20.3 | 18.7 | 20.2 |
| 29-365 days | 8 | 1.5 | 1.1 | 0.9 |
| 1-4 years | 17 | 3.1 | 1.8 | 0.7 |
| 5-9 | 7 | 1.3 | 0.9 | 0.4 |
| 10-14 | 5 | 0.9 | 0.6 | 0.4 |
| 15-17 | 6 | 1.1 | 1.1 | 0.8 |
| 18-19 | 14 | 2.5 | 1.8 | 1.5 |
| 20-24 | 41 | 7.4 | 7.2 | 6.9 |
| 25-29 | 44 | 8.0 | 8.3 | 9.6 |
| 30-34 | 34 | 6.2 | 6.6 | 8.4 |
| 35-39 | 22 | 4.0 | 3.9 | 4.9 |
| 40-44 | 16 | 2.9 | 2.8 | 3.4 |
| 45-49 | 24 | 4.4 | 3.3 | 3.5 |
| 50-54 | 14 | 2.5 | 3.7 | 4.5 |
| 55-59 | 10 | 1.8 | 4.0 | 5.0 |
| 60-64 | 14 | 2.5 | 4.7 | 5.1 |
| 65-69 | 28 | 5.1 | 5.7 | 5.6 |
| 70-74 | 28 | 5.1 | 5.5 | 5.1 |
| 75-79 | 35 | 6.4 | 5.9 | 4.7 |
| 80-84 | 39 | 7.1 | 5.9 | 4.1 |
| 85-89 | 23 | 4.2 | 4.0 | 2.9 |
| 90 + | 10 | 1.8 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 5 | 0.9 | 27.0 | 14.1 |
| Urgent | 219 | 39.7 | 24.8 | 39.7 |
| Elective | 216 | 39.2 | 28.3 | 25.3 |
| Newborn | 111 | 20.1 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 211 | 38.3 | 56.4 | 49.6 |
| Clinic referral | 229 | 41.6 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 111 | 20.1 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Box Elder
 AFFILIATION: Intermountain Healthcare BED SIZE: 16

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 217 | 39.4 | 67.8 | 55.1 |
| Another hospital | 17 | 3.1 | 3.9 | 0.8 |
| Skilled nursing facility | 13 | 2.4 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 14 | 2.5 | 3.6 | 2.6 |
| Under care of home service | 21 | 3.8 | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 3 | 0.5 | 0.8 | 1.1 |
| Not reported | 266 | 48.3 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 167 | 30.3 | 31.3 | 26.7 |
| Medicaid | 118 | 21.4 | 21.7 | 18.6 |
| Other government | 7 | 1.3 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 68 | 12.3 | 10.5 | 10.3 |
| Other commercial | 36 | 6.5 | 7.0 | 5.5 |
| Managed care | 131 | 23.8 | 20.9 | 30.9 |
| Self pay | 18 | 3.3 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 3 | 0.5 | 0.5 | 0.5 |
| Charity | 2 | 0.4 | 0.3 | 1.1 |
| Children's Health Insurance Plan | 1 | 0.2 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 517 | 93.8 | 4.7 | 5.4 |
| Central Utah | 1 | 0.2 | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | . | . | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 1 | 0.2 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | 2 | 0.4 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | 4 | 0.7 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 26 | 4.7 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 49
 AFFILIATION: Freestanding

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 322 | 100.0 | 100.0 | 100.0 | 6,380,793 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 58 | 18.0 | 18.5 | 20.1 | 281,060 | 4.4 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 64 | 19.9 | 19.5 | 20.9 | 940,497 | 14.7 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 22 | 6.8 | 4.8 | 2.3 | 278,357 | 4.4 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 3 | 0.9 | 0.6 | 0.4 | 65,889 | 1.0 | 1.1 | 0.6 |
| Other Medical | 166 | 51.6 | 45.7 | 29.4 | 4,569,201 | 71.6 | 49.3 | 27.2 |
| Other Surgical | 9 | 2.8 | 10.1 | 22.0 | 245,789 | 3.9 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | . | . | 0.3 | 3.9 | . | . | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 7 | 2.2 | 2.6 | 4.1 | 122,596 | 1.9 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 1 | 0.3 | 1.0 | 0.6 | 9,726 | 0.2 | 0.7 | 0.5 |
| 4 Respiratory System | 65 | 20.2 | 13.7 | 6.4 | 1,932,644 | 30.3 | 15.4 | 6.8 |
| 5 Circulatory System | 20 | 6.2 | 6.0 | 7.5 | 405,160 | 6.3 | 6.7 | 15.5 |
| 6 Digestive System | 31 | 9.6 | 9.1 | 6.4 | 779,911 | 12.2 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 15 | 4.7 | 3.5 | 2.3 | 515,305 | 8.1 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 7 | 2.2 | 6.5 | 10.0 | 89,893 | 1.4 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 14 | 4.3 | 2.3 | 1.1 | 325,943 | 5.1 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 8 | 2.5 | 3.7 | 2.4 | 116,658 | 1.8 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 11 | 3.4 | 3.7 | 2.8 | 231,148 | 3.6 | 4.0 | 3.0 |
| 12 Male Reproductive System | 2 | 0.6 | 0.1 | 0.3 | 39,384 | 0.6 | 0.1 | 0.3 |
| 13 Female Reproductive System | 3 | 0.9 | 2.2 | 1.7 | 54,775 | 0.9 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 64 | 19.9 | 19.5 | 20.9 | 940,497 | 14.7 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 60 | 18.6 | 18.7 | 20.4 | 292,701 | 4.6 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 6 | 1.9 | 0.8 | 0.5 | 188,875 | 3.0 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 5 | 1.6 | 2.0 | 3.7 | 207,765 | 3.3 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | . | . | 0.3 | 3.9 | . | . | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.5 | 1.0 | . | . | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 3 | 0.9 | 1.7 | 1.8 | 127,812 | 2.0 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | . | . | 1.4 | 1.3 | . | . | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.5152

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=29.2

BED SIZE: 49
 AFFILIATION: Freestanding
 % LOS OUTLIER=3.73

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 322 | 6,380,793 | 114,581,002 | 5,319,068,336 | 940.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 6,380,793 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 19,816 | 10,066 | 21,172 | 2.92 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 28,545 | 16,258 | 20,004 | 5.37 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 2 | 15,010 | 10,331 | 21,721 | 2.00 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 36 | 18,041 | 11,079 | 16,240 | 4.14 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 7 | 10,040 | 6,181 | 8,064 | 2.57 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 3 | 14,280 | 5,668 | 7,590 | 2.00 | 1.98 | 2.06 |
| 104 Cardiac valve/cardiotor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardiotor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 21,550 | 20,366 | 24,880 | 2.00 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 15 | 15,429 | 11,796 | 18,033 | 3.40 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | . | . | 6,720 | 10,491 | . | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 7 | 12,711 | 16,048 | 13,530 | 1.71 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 3 | 28,932 | 12,515 | 18,170 | 2.00 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 4 | 16,130 | 8,553 | 14,049 | 2.67 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 2 | 15,105 | 7,663 | 11,229 | 2.50 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 |
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.5152

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=29.2

BED SIZE: 49
 AFFILIATION: Freestanding
 % LOS OUTLIER=3.73

| | # Discharges | Charges (\$) | | LOS (days) | | |
|--|--------------|--------------|--------|------------|------|-------|
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 5 | 13,782 | 8,608 | 13,720 | 2.20 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 1 | 26,019 | 19,017 | 19,434 | 3.00 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | 16,939 | 14,898 | . | 1.57 |
| 370 Cesarean section with cc | 4 | 29,445 | 12,139 | 14,657 | 3.25 | 3.87 |
| 371 Cesarean section without cc | 13 | 12,008 | 11,034 | 11,759 | 2.54 | 3.24 |
| 372 Vaginal delivery w complicating diag | 5 | 8,569 | 6,345 | 8,392 | 2.00 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 33 | 7,344 | 5,099 | 6,661 | 1.61 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | . | . | 8,822 | 10,362 | . | 2.01 |
| 383 Other antepartum diag w med complic | 5 | 12,682 | 6,503 | 10,990 | 2.00 | 2.71 |
| 385 Neonates died/transf to acute care fac | 1 | 8,810 | 2,610 | 19,166 | 1.00 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 26.08 |
| 387 Prematurity w major problems | 1 | 4,136 | 4,232 | 48,843 | 3.00 | 15.14 |
| 389 Full term neonate w major problems | 1 | 8,516 | 3,831 | 15,544 | 3.00 | 4.66 |
| 390 Neonate w other significant problems | 8 | 4,494 | 2,658 | 3,854 | 2.29 | 2.27 |
| 391 Normal newborn | 49 | 3,277 | 2,122 | 2,436 | 1.59 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 9.12 |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 6.08 |
| 521 Alc/drug abuse or depnd w cc | . | . | 7,298 | 13,612 | . | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 3.65 |
| All Other DRGs | 116 | 20,013 | 11,484 | 26,338 | 3.37 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 49
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 4,067 | 11,029 | 17,504 | 1.00 | 2.61 | 2.39 |
| Major or Extreme SOI | 1 | 25,953 | 10,115 | 30,421 | 3.00 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 34 | 11,697 | 8,601 | 10,931 | 3.47 | 2.69 | 2.55 |
| Major or Extreme SOI | 9 | 29,856 | 15,114 | 20,864 | 5.33 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | 6,962 | 8,532 | . | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 21,550 | 20,684 | 17,963 | 2.00 | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 11 | 15,556 | 10,681 | 13,972 | 2.64 | 3.16 | 2.96 |
| Major or Extreme SOI | 4 | 15,144 | 14,304 | 22,844 | 5.50 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 8,759 | 10,477 | . | 1.91 | 1.84 |
| Major or Extreme SOI | 1 | . | 12,787 | 17,274 | 4.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 37,933 | 33,294 | . | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 9 | 12,267 | 19,168 | 17,034 | 2.13 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 4 | 9,291 | 7,294 | 9,467 | 1.67 | 2.04 | 2.01 |
| Major or Extreme SOI | 2 | 15,080 | 10,963 | 14,930 | 2.00 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 49
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 26,019 | 16,877 | 15,305 | 3.00 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 17 | 16,764 | 11,227 | 11,641 | 2.71 | 2.61 | 3.21 |
| Major or Extreme SOI | . | . | 14,509 | 21,704 | . | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 37 | 7,846 | 5,201 | 6,731 | 1.65 | 1.60 | 1.79 |
| Major or Extreme SOI | 1 | 3,702 | 7,295 | 10,767 | 2.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | 8,634 | 9,583 | . | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 58 | 3,591 | 2,218 | 2,536 | 1.70 | 1.73 | 1.89 |
| Major or Extreme SOI | . | . | 3,691 | 8,321 | . | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | . | . | 5,962 | 10,069 | . | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 20,365 | 18,944 | . | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | 9,511 | 13,298 | . | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 3 | 12,929 | 8,734 | 12,049 | 3.00 | 2.32 | 2.47 |
| Major or Extreme SOI | 1 | 23,682 | 11,896 | 21,886 | 2.00 | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 7,872 | 7,708 | 11,171 | 2.00 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 126 | 19,695 | 10,802 | 30,661 | 3.29 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Freestanding

COUNTY: Beaver
 BED SIZE: 49

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 206 | 64.0 | 64.5 | 61.8 |
| Male | 116 | 36.0 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 60 | 18.6 | 18.7 | 20.2 |
| 29-365 days | 2 | 0.6 | 1.1 | 0.9 |
| 1-4 years | 9 | 2.8 | 1.8 | 0.7 |
| 5-9 | 3 | 0.9 | 0.9 | 0.4 |
| 10-14 | 3 | 0.9 | 0.6 | 0.4 |
| 15-17 | 6 | 1.9 | 1.1 | 0.8 |
| 18-19 | 12 | 3.7 | 1.8 | 1.5 |
| 20-24 | 18 | 5.6 | 7.2 | 6.9 |
| 25-29 | 25 | 7.8 | 8.3 | 9.6 |
| 30-34 | 18 | 5.6 | 6.6 | 8.4 |
| 35-39 | 8 | 2.5 | 3.9 | 4.9 |
| 40-44 | 10 | 3.1 | 2.8 | 3.4 |
| 45-49 | 8 | 2.5 | 3.3 | 3.5 |
| 50-54 | 7 | 2.2 | 3.7 | 4.5 |
| 55-59 | 15 | 4.7 | 4.0 | 5.0 |
| 60-64 | 13 | 4.0 | 4.7 | 5.1 |
| 65-69 | 10 | 3.1 | 5.7 | 5.6 |
| 70-74 | 30 | 9.3 | 5.5 | 5.1 |
| 75-79 | 13 | 4.0 | 5.9 | 4.7 |
| 80-84 | 26 | 8.1 | 5.9 | 4.1 |
| 85-89 | 20 | 6.2 | 4.0 | 2.9 |
| 90 + | 6 | 1.9 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 137 | 42.5 | 27.0 | 14.1 |
| Urgent | 120 | 37.3 | 24.8 | 39.7 |
| Elective | 7 | 2.2 | 28.3 | 25.3 |
| Newborn | 58 | 18.0 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 237 | 73.6 | 56.4 | 49.6 |
| Clinic referral | 11 | 3.4 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 16 | 5.0 | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 50 | 15.5 | 18.7 | 20.1 |
| Premature delivery | 6 | 1.9 | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Beaver
 AFFILIATION: Freestanding BED SIZE: 49

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.3 | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | 1 | 0.3 | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 269 | 83.5 | 67.8 | 55.1 |
| Another hospital | 6 | 1.9 | 3.9 | 0.8 |
| Skilled nursing facility | 3 | 0.9 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 26 | 8.1 | 3.6 | 2.6 |
| Under care of home service | 12 | 3.7 | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 6 | 1.9 | 0.8 | 1.1 |
| Not reported | . | . | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 114 | 35.4 | 31.3 | 26.7 |
| Medicaid | 68 | 21.1 | 21.7 | 18.6 |
| Other government | 1 | 0.3 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 31 | 9.6 | 10.5 | 10.3 |
| Other commercial | 23 | 7.1 | 7.0 | 5.5 |
| Managed care | 35 | 10.9 | 20.9 | 30.9 |
| Self pay | 47 | 14.6 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 1 | 0.3 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | 2 | 0.6 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 0.6 | 4.7 | 5.4 |
| Central Utah | 4 | 1.2 | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | . | . | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 298 | 92.5 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | 2 | 0.6 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 16 | 5.0 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Box Elder
 OWNERSHIP: Investor-owned

BED SIZE: 49
 AFFILIATION: Mountainstar Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,319 | 100.0 | 100.0 | 100.0 | 18,568,650 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 345 | 26.2 | 19.5 | 20.1 | 808,507 | 4.4 | 6.8 | 7.7 |
| Obstetric (MDC 14) | 360 | 27.3 | 20.1 | 20.9 | 2,990,866 | 16.1 | 8.9 | 8.6 |
| Pediatric Medical (Age 0-17) | 26 | 2.0 | 3.2 | 2.3 | 141,067 | 0.8 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 7 | 0.5 | 0.6 | 0.4 | 153,761 | 0.8 | 0.6 | 0.6 |
| Other Medical | 323 | 24.5 | 30.8 | 29.4 | 5,409,447 | 29.1 | 29.7 | 27.2 |
| Other Surgical | 257 | 19.5 | 21.9 | 22.0 | 9,046,824 | 48.7 | 48.6 | 49.8 |
| Psychiatric (MDC 19) | 1 | 0.1 | 3.2 | 3.9 | 18,178 | 0.1 | 2.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.7 | 1.0 | . | . | 1.5 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 19 | 1.4 | 3.0 | 4.1 | 320,341 | 1.7 | 3.0 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 5 | 0.4 | 0.7 | 0.6 | 69,127 | 0.4 | 0.6 | 0.5 |
| 4 Respiratory System | 77 | 5.8 | 7.1 | 6.4 | 1,306,821 | 7.0 | 7.2 | 6.8 |
| 5 Circulatory System | 32 | 2.4 | 8.4 | 7.5 | 478,219 | 2.6 | 16.8 | 15.5 |
| 6 Digestive System | 101 | 7.7 | 7.1 | 6.4 | 2,508,790 | 13.5 | 8.3 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 44 | 3.3 | 2.6 | 2.3 | 975,344 | 5.3 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 99 | 7.5 | 11.2 | 10.0 | 4,551,726 | 24.5 | 22.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 12 | 0.9 | 1.1 | 1.1 | 168,887 | 0.9 | 1.2 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 30 | 2.3 | 2.2 | 2.4 | 376,338 | 2.0 | 1.8 | 2.1 |
| 11 Kidney & Urinary Tract | 42 | 3.2 | 3.3 | 2.8 | 626,091 | 3.4 | 3.1 | 3.0 |
| 12 Male Reproductive System | . | . | 0.3 | 0.3 | . | . | 0.3 | 0.3 |
| 13 Female Reproductive System | 83 | 6.3 | 1.5 | 1.7 | 1,913,180 | 10.3 | 1.4 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 360 | 27.3 | 20.1 | 20.9 | 2,990,866 | 16.1 | 8.9 | 8.6 |
| 15 Newborn & Other Neonates | 347 | 26.3 | 19.8 | 20.4 | 811,643 | 4.4 | 7.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 2 | 0.2 | 0.7 | 0.5 | 34,566 | 0.2 | 0.9 | 0.6 |
| 17 Myeloproliferative/ Poorly Diff. Neoplasm | . | . | 0.2 | 0.3 | . | . | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 40 | 3.0 | 3.8 | 3.7 | 793,261 | 4.3 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 1 | 0.1 | 3.2 | 3.9 | 18,178 | 0.1 | 2.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.2 | 0.6 | 1.0 | 70,867 | 0.4 | 0.5 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 17 | 1.3 | 1.8 | 1.8 | 301,593 | 1.6 | 1.8 | 1.8 |
| 22 Burns | 1 | 0.1 | 0.0 | 0.1 | 168,328 | 0.9 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 3 | 0.2 | 1.1 | 1.3 | 60,063 | 0.3 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.1 | 0.1 | 0.3 | 14,028 | 0.1 | 0.2 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.1 | 0.0 | 0.0 | 10,393 | 0.1 | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.6685

COUNTY: Box Elder
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.82

BED SIZE: 49
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=0.38

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 1,319 | 18,568,650 | 586,183,828 | 5,319,068,336 | 2,939.00 | 104,062.00 | 881,886.00 |
| Facility Charges (total) | . | 18,568,650 | 581,373,314 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 14,078 | 15,573 | 21,172 | 2.23 | 2.79 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 20,541 | 17,486 | 20,004 | 3.31 | 3.22 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | 70,211 | 62,383 | . | 7.67 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 12 | 18,433 | 14,474 | 21,721 | 2.75 | 2.52 | 3.12 |
| 075 Major chest procedures | . | . | 49,632 | 59,734 | . | 6.80 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 31 | 19,141 | 14,513 | 16,240 | 2.87 | 3.21 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 6 | 6,308 | 7,655 | 8,064 | 1.83 | 2.37 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 6 | 4,915 | 7,027 | 7,590 | 1.50 | 2.09 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 106,105 | 131,342 | . | 9.87 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 83,398 | 117,359 | . | 6.81 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 87,486 | 114,735 | . | 8.94 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 69,173 | 103,627 | . | 6.36 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 68,749 | 92,602 | . | 6.71 | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 80,813 | 87,590 | . | 6.07 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 41,337 | 48,932 | . | 3.18 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 36,133 | 39,075 | . | 2.40 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 4 | 12,790 | 18,710 | 24,880 | 2.00 | 3.06 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 13,481 | 18,844 | . | 1.76 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 21,220 | 26,849 | . | 3.02 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 15,635 | 19,275 | . | 1.60 | 1.78 |
| 127 Heart failure & shock | 4 | 13,822 | 15,314 | 18,033 | 1.75 | 3.40 | 3.64 |
| 140 Angina pectoris | 1 | 18,813 | 9,127 | 11,228 | 1.00 | 1.24 | 1.30 |
| 143 Chest pain | 3 | 18,117 | 9,220 | 10,491 | 1.33 | 1.34 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 6 | 47,934 | 42,619 | 59,626 | 6.83 | 7.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 49,810 | 77,655 | . | 7.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 4 | 20,768 | 11,472 | 13,530 | 1.25 | 1.08 | 1.11 |
| 174 G.I. hemorrhage w cc | 11 | 18,649 | 15,367 | 18,170 | 2.40 | 2.78 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 8 | 12,542 | 11,828 | 14,049 | 2.25 | 2.43 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 6 | 14,849 | 9,827 | 11,229 | 2.00 | 1.99 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 26,079 | 37,751 | . | 4.36 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,301 | 23,411 | . | 3.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 57 | 52,420 | 32,656 | 39,044 | 2.91 | 2.96 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.6685

COUNTY: Box Elder
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.82

BED SIZE: 49
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=0.38

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 9 | 42,894 | 31,341 | 40,371 | 4.00 | 4.13 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 3 | 44,959 | 22,759 | 27,138 | 1.67 | 1.93 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 8 | 13,468 | 10,999 | 13,720 | 2.00 | 2.36 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 19 | 19,381 | 15,986 | 19,434 | 2.74 | 2.06 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 50 | 19,760 | 12,770 | 14,898 | 1.94 | 1.61 | 1.57 |
| 370 Cesarean section with cc | 7 | 18,384 | 12,068 | 14,657 | 3.29 | 2.92 | 3.87 |
| 371 Cesarean section without cc | 50 | 13,502 | 9,910 | 11,759 | 2.78 | 2.57 | 3.24 |
| 372 Vaginal delivery w complicating diag | 15 | 7,788 | 6,664 | 8,392 | 1.93 | 1.72 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 260 | 6,666 | 5,492 | 6,661 | 1.68 | 1.48 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 7 | 10,178 | 8,792 | 10,362 | 1.43 | 1.72 | 2.01 |
| 383 Other antepartum diag w med complic | 6 | 9,465 | 9,026 | 10,990 | 1.67 | 2.03 | 2.71 |
| 385 Neonates died/transf to acute care fac | 10 | 2,784 | 18,080 | 19,166 | 1.10 | 3.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 66,174 | 101,092 | . | 16.19 | 26.08 |
| 387 Prematurity w major problems | . | . | 39,421 | 48,843 | . | 11.10 | 15.14 |
| 389 Full term neonate w major problems | 5 | 2,931 | 10,255 | 15,544 | 2.00 | 3.25 | 4.66 |
| 390 Neonate w other significant problems | 36 | 2,540 | 4,131 | 3,854 | 1.94 | 2.02 | 2.27 |
| 391 Normal newborn | 284 | 2,186 | 2,227 | 2,436 | 1.77 | 1.58 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 15,287 | 23,836 | . | 2.07 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 3 | 40,933 | 58,387 | 72,347 | 6.00 | 8.24 | 9.12 |
| 430 Psychoses | . | . | 10,896 | 14,101 | . | 4.50 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 2 | 35,434 | 13,402 | 13,612 | 5.00 | 2.90 | 3.30 |
| 462 Rehabilitation | . | . | 31,671 | 40,385 | . | 12.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 3 | 15,510 | 46,772 | 55,889 | 2.00 | 6.53 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 89,736 | 108,196 | . | 11.29 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 233,071 | 295,955 | . | 23.10 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 49,815 | 93,495 | . | 6.71 | 8.69 |
| 499 Back & neck procedures w cc | . | . | 17,694 | 25,581 | . | 2.00 | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | 13,697 | 16,304 | . | 1.40 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 17,908 | 20,739 | 20,364 | 3.00 | 2.86 | 2.68 |
| 470 Ungroupable | . | . | 9,674 | 12,546 | . | 3.00 | 3.65 |
| All Other DRGs | 381 | 19,837 | 19,757 | 26,338 | 2.61 | 2.90 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Box Elder
 OWNERSHIP: Investor-owned

BED SIZE: 49
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 4 | 15,877 | 13,079 | 17,504 | 2.25 | 2.18 | 2.39 |
| Major or Extreme SOI | 8 | 19,711 | 19,474 | 30,421 | 3.00 | 3.42 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 15 | 13,604 | 10,517 | 10,931 | 2.33 | 2.58 | 2.55 |
| Major or Extreme SOI | 23 | 18,936 | 17,568 | 20,864 | 2.87 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 4 | 7,755 | 7,162 | 8,532 | 1.67 | 1.82 | 1.99 |
| Major or Extreme SOI | . | . | 11,773 | 15,810 | . | 2.56 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 41,081 | 42,983 | . | 1.41 | 1.54 |
| Major or Extreme SOI | . | . | 57,171 | 68,036 | . | 3.21 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 26,350 | 13,898 | 17,963 | 5.00 | 1.98 | 2.03 |
| Major or Extreme SOI | 2 | 7,587 | 21,647 | 28,897 | 1.00 | 3.74 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 15,242 | 17,867 | . | 1.56 | 1.54 |
| Major or Extreme SOI | . | . | 19,721 | 25,935 | . | 2.94 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 2 | 12,757 | 12,543 | 13,972 | 1.50 | 2.80 | 2.96 |
| Major or Extreme SOI | 2 | 14,888 | 19,446 | 22,844 | 2.00 | 4.32 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 5 | 10,257 | 9,532 | 10,477 | 1.50 | 1.83 | 1.84 |
| Major or Extreme SOI | 7 | 18,480 | 15,157 | 17,274 | 2.33 | 2.84 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 9 | 39,888 | 29,382 | 33,294 | 5.33 | 4.83 | 4.80 |
| Major or Extreme SOI | 6 | 41,268 | 55,977 | 78,140 | 6.00 | 9.72 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 14 | 24,922 | 14,665 | 17,034 | 2.36 | 1.96 | 2.08 |
| Major or Extreme SOI | 3 | 44,443 | 33,344 | 36,530 | 6.67 | 4.92 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 4 | 9,680 | 8,552 | 9,467 | 1.50 | 1.99 | 2.01 |
| Major or Extreme SOI | 1 | 5,787 | 10,620 | 14,930 | 1.00 | 2.50 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 36 | 50,691 | 32,193 | 37,842 | 2.72 | 2.87 | 2.92 |
| Major or Extreme SOI | 1 | 46,174 | 41,374 | 48,873 | 3.00 | 4.45 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 5 | 25,712 | 22,362 | 27,280 | 1.80 | 2.14 | 2.61 |
| Major or Extreme SOI | 1 | 54,040 | 48,855 | 45,932 | 3.00 | 6.00 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 19,995 | 14,164 | 11,741 | 2.00 | 3.25 | 2.96 |
| Major or Extreme SOI | . | . | 9,535 | 22,625 | . | 3.00 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Box Elder
 OWNERSHIP: Investor-owned

BED SIZE: 49
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 63 | 19,588 | 13,281 | 15,305 | 2.21 | 1.69 | 1.62 |
| Major or Extreme SOI | . | . | 25,116 | 36,837 | . | 3.44 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 54 | 13,559 | 9,977 | 11,641 | 2.80 | 2.57 | 3.21 |
| Major or Extreme SOI | 3 | 23,918 | 17,833 | 21,704 | 3.67 | 4.06 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 270 | 6,707 | 5,538 | 6,731 | 1.70 | 1.50 | 1.79 |
| Major or Extreme SOI | 5 | 7,870 | 8,527 | 10,767 | 2.00 | 1.98 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 7 | 10,178 | 8,488 | 9,583 | 1.43 | 1.71 | 1.93 |
| Major or Extreme SOI | . | . | 13,781 | 21,300 | . | 2.33 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 9,035 | 11,599 | . | 3.94 | 5.19 |
| Major or Extreme SOI | . | . | 14,746 | 22,695 | . | 6.50 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 321 | 2,224 | 2,356 | 2,536 | 1.80 | 1.63 | 1.89 |
| Major or Extreme SOI | . | . | 8,781 | 8,321 | . | 2.84 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 1 | 11,561 | 9,490 | 10,069 | 1.00 | 2.34 | 2.88 |
| Major or Extreme SOI | . | . | 19,226 | 19,849 | . | 4.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | 13,995 | 16,988 | . | 1.44 | 1.89 |
| Major or Extreme SOI | . | . | 35,921 | 42,605 | . | 6.33 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 15 | 24,268 | 16,427 | 18,944 | 2.33 | 2.02 | 2.08 |
| Major or Extreme SOI | 6 | 29,933 | 26,177 | 34,924 | 3.83 | 4.09 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 6 | 10,604 | 11,482 | 13,298 | 1.83 | 2.11 | 2.15 |
| Major or Extreme SOI | 4 | 23,003 | 19,121 | 24,096 | 3.00 | 3.41 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 19,227 | 13,147 | . | 3.60 | 2.10 |
| Major or Extreme SOI | . | . | 18,827 | 23,048 | . | 3.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 6 | 12,615 | 11,184 | 12,049 | 2.33 | 2.50 | 2.47 |
| Major or Extreme SOI | 1 | 17,027 | 17,894 | 21,886 | 4.00 | 4.00 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 3 | 19,045 | 10,166 | 11,171 | 1.67 | 2.19 | 2.13 |
| Major or Extreme SOI | 1 | 9,000 | 15,464 | 21,005 | 1.00 | 2.97 | 3.64 |
| All other APRDRGs | 399 | 20,721 | 21,901 | 30,661 | 2.68 | 3.65 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7) COUNTY: Box Elder
 AFFILIATION: Mountainstar Healthcare BED SIZE: 49

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 923 | 70.0 | 61.0 | 61.8 |
| Male | 396 | 30.0 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 348 | 26.4 | 19.7 | 20.2 |
| 29-365 days | 3 | 0.2 | 0.9 | 0.9 |
| 1-4 years | 11 | 0.8 | 1.0 | 0.7 |
| 5-9 | 7 | 0.5 | 0.6 | 0.4 |
| 10-14 | 5 | 0.4 | 0.6 | 0.4 |
| 15-17 | 12 | 0.9 | 0.9 | 0.8 |
| 18-19 | 28 | 2.1 | 1.5 | 1.5 |
| 20-24 | 123 | 9.3 | 7.0 | 6.9 |
| 25-29 | 144 | 10.9 | 8.7 | 9.6 |
| 30-34 | 82 | 6.2 | 6.7 | 8.4 |
| 35-39 | 65 | 4.9 | 3.7 | 4.9 |
| 40-44 | 48 | 3.6 | 2.8 | 3.4 |
| 45-49 | 30 | 2.3 | 2.7 | 3.5 |
| 50-54 | 65 | 4.9 | 4.0 | 4.5 |
| 55-59 | 44 | 3.3 | 4.3 | 5.0 |
| 60-64 | 43 | 3.3 | 5.1 | 5.1 |
| 65-69 | 47 | 3.6 | 6.6 | 5.6 |
| 70-74 | 43 | 3.3 | 6.4 | 5.1 |
| 75-79 | 64 | 4.9 | 6.2 | 4.7 |
| 80-84 | 51 | 3.9 | 4.9 | 4.1 |
| 85-89 | 35 | 2.7 | 3.6 | 2.9 |
| 90 + | 21 | 1.6 | 2.0 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 463 | 35.1 | 6.6 | 14.1 |
| Urgent | 43 | 3.3 | 45.9 | 39.7 |
| Elective | 461 | 35.0 | 28.0 | 25.3 |
| Newborn | 345 | 26.2 | 19.5 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | 7 | 0.5 | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 527 | 40.0 | 41.5 | 49.6 |
| Clinic referral | 438 | 33.2 | 36.4 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 2.2 | 4.4 |
| Skilled nursing facility | 5 | 0.4 | 0.1 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | . | . | 0.1 | 0.3 |
| Normal delivery/Born Inside | 343 | 26.0 | 19.4 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7) COUNTY: Box Elder
 AFFILIATION: Mountainstar Healthcare BED SIZE: 49

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.1 | 0.0 | 0.0 |
| Unknown | 1 | 0.1 | 0.1 | 0.6 |
| Not reported | 4 | 0.3 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,054 | 79.9 | 45.8 | 55.1 |
| Another hospital | 49 | 3.7 | 1.0 | 0.8 |
| Skilled nursing facility | 92 | 7.0 | 4.3 | 5.3 |
| Intermediate care | 4 | 0.3 | 0.1 | 0.1 |
| Another type of institution | 21 | 1.6 | 2.2 | 2.6 |
| Under care of home service | 84 | 6.4 | 4.4 | 5.7 |
| Left against medical advice | 5 | 0.4 | 0.2 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 10 | 0.8 | 1.1 | 1.1 |
| Not reported | . | . | 40.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 324 | 24.6 | 31.3 | 26.7 |
| Medicaid | 364 | 27.6 | 20.7 | 18.6 |
| Other government | 29 | 2.2 | 2.0 | 2.4 |
| Blue Cross/Blue Shield | 150 | 11.4 | 10.5 | 10.3 |
| Other commercial | 51 | 3.9 | 5.3 | 5.5 |
| Managed care | 317 | 24.0 | 25.2 | 30.9 |
| Self pay | 70 | 5.3 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 2 | 0.2 | 0.4 | 0.5 |
| Charity | 9 | 0.7 | 1.2 | 1.1 |
| Children's Health Insurance Plan | 3 | 0.2 | 0.2 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1,188 | 90.1 | 25.6 | 5.4 |
| Central Utah | 2 | 0.2 | 0.6 | 2.9 |
| Davis County | 23 | 1.7 | 0.3 | 9.8 |
| Salt Lake County | 5 | 0.4 | 1.1 | 34.1 |
| Southeastern Utah | . | . | 5.6 | 1.8 |
| Southwest Utah | . | . | 48.3 | 8.0 |
| Summit County | . | . | 2.1 | 0.9 |
| Tooele County | 5 | 0.4 | 0.1 | 2.2 |
| Tri-County | . | . | 5.1 | 1.7 |
| Utah County | 2 | 0.2 | 0.6 | 17.8 |
| Wasatch County | . | . | 0.7 | 0.6 |
| Weber/Morgan | 68 | 5.2 | 0.5 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 26 | 2.0 | 9.4 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Carbon
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,104 | 100.0 | 100.0 | 100.0 | 32,081,722 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 327 | 15.5 | 19.5 | 20.1 | 1,214,890 | 3.8 | 6.8 | 7.7 |
| Obstetric (MDC 14) | 342 | 16.3 | 20.1 | 20.9 | 3,069,556 | 9.6 | 8.9 | 8.6 |
| Pediatric Medical (Age 0-17) | 118 | 5.6 | 3.2 | 2.3 | 907,845 | 2.8 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 13 | 0.6 | 0.6 | 0.4 | 308,686 | 1.0 | 0.6 | 0.6 |
| Other Medical | 975 | 46.3 | 30.8 | 29.4 | 14,796,453 | 46.1 | 29.7 | 27.2 |
| Other Surgical | 316 | 15.0 | 21.9 | 22.0 | 11,596,274 | 36.1 | 48.6 | 49.8 |
| Psychiatric (MDC 19) | 3 | 0.1 | 3.2 | 3.9 | 49,066 | 0.2 | 2.1 | 2.7 |
| Rehabilitation (DRG 462) | 10 | 0.5 | 0.7 | 1.0 | 138,953 | 0.4 | 1.5 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 67 | 3.2 | 3.0 | 4.1 | 1,060,270 | 3.3 | 3.0 | 6.0 |
| 2 Eye | 3 | 0.1 | 0.1 | 0.1 | 28,371 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 20 | 1.0 | 0.7 | 0.6 | 316,608 | 1.0 | 0.6 | 0.5 |
| 4 Respiratory System | 305 | 14.5 | 7.1 | 6.4 | 4,342,442 | 13.5 | 7.2 | 6.8 |
| 5 Circulatory System | 112 | 5.3 | 8.4 | 7.5 | 1,725,395 | 5.4 | 16.8 | 15.5 |
| 6 Digestive System | 263 | 12.5 | 7.1 | 6.4 | 5,934,109 | 18.5 | 8.3 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 81 | 3.8 | 2.6 | 2.3 | 1,797,100 | 5.6 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 157 | 7.5 | 11.2 | 10.0 | 6,001,125 | 18.7 | 22.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 25 | 1.2 | 1.1 | 1.1 | 351,220 | 1.1 | 1.2 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 74 | 3.5 | 2.2 | 2.4 | 1,102,348 | 3.4 | 1.8 | 2.1 |
| 11 Kidney & Urinary Tract | 70 | 3.3 | 3.3 | 2.8 | 986,885 | 3.1 | 3.1 | 3.0 |
| 12 Male Reproductive System | . | . | 0.3 | 0.3 | . | . | 0.3 | 0.3 |
| 13 Female Reproductive System | 37 | 1.8 | 1.5 | 1.7 | 659,988 | 2.1 | 1.4 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 342 | 16.3 | 20.1 | 20.9 | 3,069,556 | 9.6 | 8.9 | 8.6 |
| 15 Newborn & Other Neonates | 343 | 16.3 | 19.8 | 20.4 | 1,357,627 | 4.2 | 7.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 20 | 1.0 | 0.7 | 0.5 | 428,942 | 1.3 | 0.9 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 1 | 0.0 | 0.2 | 0.3 | 16,032 | 0.0 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 99 | 4.7 | 3.8 | 3.7 | 1,699,804 | 5.3 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 3 | 0.1 | 3.2 | 3.9 | 49,066 | 0.2 | 2.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 13 | 0.6 | 0.6 | 1.0 | 161,022 | 0.5 | 0.5 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 50 | 2.4 | 1.8 | 1.8 | 729,212 | 2.3 | 1.8 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 17 | 0.8 | 1.1 | 1.3 | 230,660 | 0.7 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 2 | 0.1 | 0.1 | 0.3 | 33,943 | 0.1 | 0.2 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.7325

COUNTY: Carbon
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.81

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.
 % LOS OUTLIER=1.43

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 2,104 | 32,181,946 | 586,183,828 | 5,319,068,336 | 5,789.00 | 104,062.00 | 881,886.00 |
| Facility Charges (total) | . | 32,081,722 | 581,373,314 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 15,248 | 15,573 | 21,172 | 2.75 | 2.79 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 20,403 | 17,486 | 20,004 | 3.67 | 3.22 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | 70,211 | 62,383 | . | 7.67 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 32 | 17,463 | 14,474 | 21,721 | 3.03 | 2.52 | 3.12 |
| 075 Major chest procedures | . | . | 49,632 | 59,734 | . | 6.80 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 118 | 14,120 | 14,513 | 16,240 | 3.11 | 3.21 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 22 | 10,019 | 7,655 | 8,064 | 2.57 | 2.37 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 25 | 7,307 | 7,027 | 7,590 | 2.04 | 2.09 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 106,105 | 131,342 | . | 9.87 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 83,398 | 117,359 | . | 6.81 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 87,486 | 114,735 | . | 8.94 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 69,173 | 103,627 | . | 6.36 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 68,749 | 92,602 | . | 6.71 | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 80,813 | 87,590 | . | 6.07 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 41,337 | 48,932 | . | 3.18 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 1 | 28,902 | 36,133 | 39,075 | 2.00 | 2.40 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 13,866 | 18,710 | 24,880 | 1.00 | 3.06 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 13,481 | 18,844 | . | 1.76 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 21,220 | 26,849 | . | 3.02 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 15,635 | 19,275 | . | 1.60 | 1.78 |
| 127 Heart failure & shock | 35 | 17,346 | 15,314 | 18,033 | 3.43 | 3.40 | 3.64 |
| 140 Angina pectoris | 3 | 10,284 | 9,127 | 11,228 | 1.00 | 1.24 | 1.30 |
| 143 Chest pain | 13 | 12,617 | 9,220 | 10,491 | 1.69 | 1.34 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 7 | 53,226 | 42,619 | 59,626 | 5.71 | 7.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 2 | 45,947 | 49,810 | 77,655 | 5.50 | 7.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 2 | 20,961 | 11,472 | 13,530 | 1.00 | 1.08 | 1.11 |
| 174 G.I. hemorrhage w cc | 24 | 19,527 | 15,367 | 18,170 | 3.65 | 2.78 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 38 | 12,850 | 11,828 | 14,049 | 2.20 | 2.43 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 16 | 12,003 | 9,827 | 11,229 | 2.25 | 1.99 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 26,079 | 37,751 | . | 4.36 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,301 | 23,411 | . | 3.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 73 | 51,762 | 32,656 | 39,044 | 3.21 | 2.96 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.7325

COUNTY: Carbon
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.81

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.
 % LOS OUTLIER=1.43

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 14 | 38,866 | 31,341 | 40,371 | 4.46 | 4.13 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 3 | 29,963 | 22,759 | 27,138 | 2.00 | 1.93 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 26 | 12,064 | 10,999 | 13,720 | 2.65 | 2.36 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 9 | 23,966 | 15,986 | 19,434 | 2.78 | 2.06 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 21 | 16,798 | 12,770 | 14,898 | 1.76 | 1.61 | 1.57 |
| 370 Cesarean section with cc | 10 | 13,782 | 12,068 | 14,657 | 3.00 | 2.92 | 3.87 |
| 371 Cesarean section without cc | 76 | 13,070 | 9,910 | 11,759 | 2.76 | 2.57 | 3.24 |
| 372 Vaginal delivery w complicating diag | 44 | 7,770 | 6,664 | 8,392 | 2.16 | 1.72 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 186 | 6,940 | 5,492 | 6,661 | 1.75 | 1.48 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 11 | 13,259 | 8,792 | 10,362 | 1.91 | 1.72 | 2.01 |
| 383 Other antepartum diag w med complic | 9 | 8,101 | 9,026 | 10,990 | 2.00 | 2.03 | 2.71 |
| 385 Neonates died/transf to acute care fac | 13 | 8,666 | 18,080 | 19,166 | 1.92 | 3.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 1 | 21,814 | 66,174 | 101,092 | 5.00 | 16.19 | 26.08 |
| 387 Prematurity w major problems | 1 | 6,823 | 39,421 | 48,843 | 3.00 | 11.10 | 15.14 |
| 389 Full term neonate w major problems | 47 | 5,228 | 10,255 | 15,544 | 2.53 | 3.25 | 4.66 |
| 390 Neonate w other significant problems | 76 | 3,609 | 4,131 | 3,854 | 2.03 | 2.02 | 2.27 |
| 391 Normal newborn | 195 | 2,879 | 2,227 | 2,436 | 1.82 | 1.58 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 15,287 | 23,836 | . | 2.07 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 2 | 40,096 | 58,387 | 72,347 | 6.50 | 8.24 | 9.12 |
| 430 Psychoses | 2 | 10,382 | 10,896 | 14,101 | 2.00 | 4.50 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 9 | 15,266 | 13,402 | 13,612 | 2.56 | 2.90 | 3.30 |
| 462 Rehabilitation | 10 | 13,895 | 31,671 | 40,385 | 6.20 | 12.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 4 | 36,671 | 46,772 | 55,889 | 4.50 | 6.53 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 89,736 | 108,196 | . | 11.29 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 233,071 | 295,955 | . | 23.10 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 49,815 | 93,495 | . | 6.71 | 8.69 |
| 499 Back & neck procedures w cc | . | . | 17,694 | 25,581 | . | 2.00 | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | 13,697 | 16,304 | . | 1.40 | 1.73 |
| 502 Knee procedures w/o cc | . | . | 20,739 | 20,364 | . | 2.86 | 2.68 |
| 470 Ungroupable | . | . | 9,674 | 12,546 | . | 3.00 | 3.65 |
| All Other DRGs | 923 | 17,548 | 19,757 | 26,338 | 3.00 | 2.90 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Carbon
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 13 | 17,485 | 13,079 | 17,504 | 2.92 | 2.18 | 2.39 |
| Major or Extreme SOI | 10 | 20,469 | 19,474 | 30,421 | 3.40 | 3.42 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 90 | 11,425 | 10,517 | 10,931 | 2.75 | 2.58 | 2.55 |
| Major or Extreme SOI | 57 | 16,133 | 17,568 | 20,864 | 3.45 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 15 | 7,433 | 7,162 | 8,532 | 2.00 | 1.82 | 1.99 |
| Major or Extreme SOI | 2 | 9,677 | 11,773 | 15,810 | 2.00 | 2.56 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 41,081 | 42,983 | . | 1.41 | 1.54 |
| Major or Extreme SOI | . | . | 57,171 | 68,036 | . | 3.21 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 13,898 | 17,963 | . | 1.98 | 2.03 |
| Major or Extreme SOI | . | . | 21,647 | 28,897 | . | 3.74 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 15,242 | 17,867 | . | 1.56 | 1.54 |
| Major or Extreme SOI | . | . | 19,721 | 25,935 | . | 2.94 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 22 | 17,442 | 12,543 | 13,972 | 3.41 | 2.80 | 2.96 |
| Major or Extreme SOI | 14 | 17,998 | 19,446 | 22,844 | 3.64 | 4.32 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 16 | 11,216 | 9,532 | 10,477 | 2.08 | 1.83 | 1.84 |
| Major or Extreme SOI | 6 | 13,134 | 15,157 | 17,274 | 2.50 | 2.84 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 20 | 38,594 | 29,382 | 33,294 | 4.85 | 4.83 | 4.80 |
| Major or Extreme SOI | 5 | 56,288 | 55,977 | 78,140 | 6.00 | 9.72 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 21 | 22,837 | 14,665 | 17,034 | 2.00 | 1.96 | 2.08 |
| Major or Extreme SOI | 2 | 36,635 | 33,344 | 36,530 | 4.00 | 4.92 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 23 | 6,854 | 8,552 | 9,467 | 1.75 | 1.99 | 2.01 |
| Major or Extreme SOI | 1 | 11,002 | 10,620 | 14,930 | 3.00 | 2.50 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 49 | 49,922 | 32,193 | 37,842 | 2.98 | 2.87 | 2.92 |
| Major or Extreme SOI | . | . | 41,374 | 48,873 | . | 4.45 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 10 | 29,179 | 22,362 | 27,280 | 2.00 | 2.14 | 2.61 |
| Major or Extreme SOI | 4 | 39,522 | 48,855 | 45,932 | 5.75 | 6.00 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 14,164 | 11,741 | . | 3.25 | 2.96 |
| Major or Extreme SOI | 1 | 6,533 | 9,535 | 22,625 | 3.00 | 3.00 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Carbon
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION: LifePoint Hospitals, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 26 | 16,942 | 13,281 | 15,305 | 1.62 | 1.69 | 1.62 |
| Major or Extreme SOI | 3 | 33,594 | 25,116 | 36,837 | 5.33 | 3.44 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 86 | 13,155 | 9,977 | 11,641 | 2.79 | 2.57 | 3.21 |
| Major or Extreme SOI | . | . | 17,833 | 21,704 | . | 4.06 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 226 | 7,064 | 5,538 | 6,731 | 1.82 | 1.50 | 1.79 |
| Major or Extreme SOI | 2 | 9,621 | 8,527 | 10,767 | 2.00 | 1.98 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 11 | 13,259 | 8,488 | 9,583 | 1.91 | 1.71 | 1.93 |
| Major or Extreme SOI | . | . | 13,781 | 21,300 | . | 2.33 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 8,704 | 9,035 | 11,599 | 1.00 | 3.94 | 5.19 |
| Major or Extreme SOI | . | . | 14,746 | 22,695 | . | 6.50 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 261 | 2,977 | 2,356 | 2,536 | 1.82 | 1.63 | 1.89 |
| Major or Extreme SOI | 20 | 3,913 | 8,781 | 8,321 | 2.15 | 2.84 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 7 | 8,624 | 9,490 | 10,069 | 1.57 | 2.34 | 2.88 |
| Major or Extreme SOI | 1 | 8,239 | 19,226 | 19,849 | 2.00 | 4.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | 13,995 | 16,988 | . | 1.44 | 1.89 |
| Major or Extreme SOI | . | . | 35,921 | 42,605 | . | 6.33 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 26 | 28,887 | 16,427 | 18,944 | 2.42 | 2.02 | 2.08 |
| Major or Extreme SOI | 6 | 35,901 | 26,177 | 34,924 | 4.83 | 4.09 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 10 | 12,832 | 11,482 | 13,298 | 2.20 | 2.11 | 2.15 |
| Major or Extreme SOI | 4 | 23,243 | 19,121 | 24,096 | 4.75 | 3.41 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 19,227 | 13,147 | . | 3.60 | 2.10 |
| Major or Extreme SOI | 2 | 15,343 | 18,827 | 23,048 | 3.00 | 3.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 17 | 12,966 | 11,184 | 12,049 | 2.63 | 2.50 | 2.47 |
| Major or Extreme SOI | 2 | 38,980 | 17,894 | 21,886 | 7.00 | 4.00 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 20 | 11,631 | 10,166 | 11,171 | 2.00 | 2.19 | 2.13 |
| Major or Extreme SOI | 6 | 14,038 | 15,464 | 21,005 | 3.00 | 2.97 | 3.64 |
| All other APRDRGs | 986 | 17,307 | 21,901 | 30,661 | 3.14 | 3.65 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

CASTLEVIEW HOSPITAL

PEER GROUP: Acute, rural, high CMI (n=7)

AFFILIATION: LifePoint Hospitals, Inc.

COUNTY: Carbon

BED SIZE: 39

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,354 | 64.4 | 61.0 | 61.8 |
| Male | 750 | 35.6 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 343 | 16.3 | 19.7 | 20.2 |
| 29-365 days | 33 | 1.6 | 0.9 | 0.9 |
| 1-4 years | 33 | 1.6 | 1.0 | 0.7 |
| 5-9 | 22 | 1.0 | 0.6 | 0.4 |
| 10-14 | 21 | 1.0 | 0.6 | 0.4 |
| 15-17 | 10 | 0.5 | 0.9 | 0.8 |
| 18-19 | 48 | 2.3 | 1.5 | 1.5 |
| 20-24 | 134 | 6.4 | 7.0 | 6.9 |
| 25-29 | 152 | 7.2 | 8.7 | 9.6 |
| 30-34 | 99 | 4.7 | 6.7 | 8.4 |
| 35-39 | 65 | 3.1 | 3.7 | 4.9 |
| 40-44 | 64 | 3.0 | 2.8 | 3.4 |
| 45-49 | 75 | 3.6 | 2.7 | 3.5 |
| 50-54 | 102 | 4.8 | 4.0 | 4.5 |
| 55-59 | 129 | 6.1 | 4.3 | 5.0 |
| 60-64 | 117 | 5.6 | 5.1 | 5.1 |
| 65-69 | 114 | 5.4 | 6.6 | 5.6 |
| 70-74 | 127 | 6.0 | 6.4 | 5.1 |
| 75-79 | 132 | 6.3 | 6.2 | 4.7 |
| 80-84 | 101 | 4.8 | 4.9 | 4.1 |
| 85-89 | 118 | 5.6 | 3.6 | 2.9 |
| 90 + | 65 | 3.1 | 2.0 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 214 | 10.2 | 6.6 | 14.1 |
| Urgent | 921 | 43.8 | 45.9 | 39.7 |
| Elective | 641 | 30.5 | 28.0 | 25.3 |
| Newborn | 328 | 15.6 | 19.5 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,563 | 74.3 | 41.5 | 49.6 |
| Clinic referral | 175 | 8.3 | 36.4 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 8 | 0.4 | 2.2 | 4.4 |
| Skilled nursing facility | 2 | 0.1 | 0.1 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 1 | 0.0 | 0.1 | 0.3 |
| Normal delivery/Born Inside | 328 | 15.6 | 19.4 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

CASTLEVIEW HOSPITAL

PEER GROUP: Acute, rural, high CMI (n=7)

AFFILIATION: LifePoint Hospitals, Inc.

COUNTY: Carbon

BED SIZE: 39

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 27 | 1.3 | 0.1 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,553 | 73.8 | 45.8 | 55.1 |
| Another hospital | 91 | 4.3 | 1.0 | 0.8 |
| Skilled nursing facility | 169 | 8.0 | 4.3 | 5.3 |
| Intermediate care | 11 | 0.5 | 0.1 | 0.1 |
| Another type of institution | 60 | 2.9 | 2.2 | 2.6 |
| Under care of home service | 158 | 7.5 | 4.4 | 5.7 |
| Left against medical advice | 14 | 0.7 | 0.2 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 48 | 2.3 | 1.1 | 1.1 |
| Not reported | . | . | 40.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 770 | 36.6 | 31.3 | 26.7 |
| Medicaid | 534 | 25.4 | 20.7 | 18.6 |
| Other government | 26 | 1.2 | 2.0 | 2.4 |
| Blue Cross/Blue Shield | 202 | 9.6 | 10.5 | 10.3 |
| Other commercial | 177 | 8.4 | 5.3 | 5.5 |
| Managed care | 323 | 15.4 | 25.2 | 30.9 |
| Self pay | 67 | 3.2 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 3 | 0.1 | 0.4 | 0.5 |
| Charity | . | . | 1.2 | 1.1 |
| Children's Health Insurance Plan | 2 | 0.1 | 0.2 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 25.6 | 5.4 |
| Central Utah | 4 | 0.2 | 0.6 | 2.9 |
| Davis County | 1 | 0.0 | 0.3 | 9.8 |
| Salt Lake County | 10 | 0.5 | 1.1 | 34.1 |
| Southeastern Utah | 2,034 | 96.7 | 5.6 | 1.8 |
| Southwest Utah | 4 | 0.2 | 48.3 | 8.0 |
| Summit County | 1 | 0.0 | 2.1 | 0.9 |
| Tooele County | . | . | 0.1 | 2.2 |
| Tri-County | 4 | 0.2 | 5.1 | 1.7 |
| Utah County | 5 | 0.2 | 0.6 | 17.8 |
| Wasatch County | 3 | 0.1 | 0.7 | 0.6 |
| Weber/Morgan | . | . | 0.5 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 30 | 1.4 | 9.4 | 5.2 |
| Unknown | 7 | 0.3 | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,
Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

CENTRAL VALLEY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Juab
 OWNERSHIP: Not for profit

BED SIZE: 25
 AFFILIATION: Freestanding

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,148 | 100.0 | 100.0 | 100.0 | 12,854,974 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 144 | 12.5 | 18.5 | 20.1 | 326,017 | 2.5 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 163 | 14.2 | 19.5 | 20.9 | 1,095,921 | 8.5 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 87 | 7.6 | 4.8 | 2.3 | 568,247 | 4.4 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 9 | 0.8 | 0.6 | 0.4 | 136,856 | 1.1 | 1.1 | 0.6 |
| Other Medical | 565 | 49.2 | 45.7 | 29.4 | 6,480,074 | 50.4 | 49.3 | 27.2 |
| Other Surgical | 142 | 12.4 | 10.1 | 22.0 | 3,809,244 | 29.6 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 5 | 0.4 | 0.3 | 3.9 | 37,884 | 0.3 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | 33 | 2.9 | 0.5 | 0.0 | 400,731 | 3.1 | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 40 | 3.5 | 2.6 | 4.1 | 409,008 | 3.2 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 15 | 1.3 | 1.0 | 0.6 | 128,505 | 1.0 | 0.7 | 0.5 |
| 4 Respiratory System | 189 | 16.5 | 13.7 | 6.4 | 2,246,590 | 17.5 | 15.4 | 6.8 |
| 5 Circulatory System | 80 | 7.0 | 6.0 | 7.5 | 814,771 | 6.3 | 6.7 | 15.5 |
| 6 Digestive System | 88 | 7.7 | 9.1 | 6.4 | 843,431 | 6.6 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 29 | 2.5 | 3.5 | 2.3 | 336,972 | 2.6 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 126 | 11.0 | 6.5 | 10.0 | 3,196,303 | 24.9 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 42 | 3.7 | 2.3 | 1.1 | 595,675 | 4.6 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 33 | 2.9 | 3.7 | 2.4 | 370,503 | 2.9 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 38 | 3.3 | 3.7 | 2.8 | 512,831 | 4.0 | 4.0 | 3.0 |
| 12 Male Reproductive System | 1 | 0.1 | 0.1 | 0.3 | 2,120 | 0.0 | 0.1 | 0.3 |
| 13 Female Reproductive System | 34 | 3.0 | 2.2 | 1.7 | 422,264 | 3.3 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 163 | 14.2 | 19.5 | 20.9 | 1,095,921 | 8.5 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 147 | 12.8 | 18.7 | 20.4 | 337,539 | 2.6 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 10 | 0.9 | 0.8 | 0.5 | 175,308 | 1.4 | 1.1 | 0.6 |
| 17 Myeloproliferative/ Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 21 | 1.8 | 2.0 | 3.7 | 316,689 | 2.5 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 5 | 0.4 | 0.3 | 3.9 | 37,884 | 0.3 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 5 | 0.4 | 0.5 | 1.0 | 57,540 | 0.4 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 17 | 1.5 | 1.7 | 1.8 | 244,917 | 1.9 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 31 | 2.7 | 1.4 | 1.3 | 298,407 | 2.3 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.1 | 0.0 | 0.3 | 11,065 | 0.1 | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | 33 | 2.9 | 0.5 | 0.1 | 400,731 | 3.1 | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.6559

COUNTY: Juab
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.22

BED SIZE: 25
 AFFILIATION: Freestanding
 % LOS OUTLIER=4.44

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 1,148 | 12,854,974 | 114,581,002 | 5,319,068,336 | 3,549.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 12,854,974 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 11,198 | 10,066 | 21,172 | 3.09 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 16,333 | 16,258 | 20,004 | 4.24 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 6 | 9,320 | 10,331 | 21,721 | 3.00 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 72 | 13,951 | 11,079 | 16,240 | 3.82 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 36 | 6,920 | 6,181 | 8,064 | 2.44 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 21 | 7,134 | 5,668 | 7,590 | 2.25 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 2 | 13,402 | 20,366 | 24,880 | 4.00 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 19 | 12,591 | 11,796 | 18,033 | 3.41 | 3.25 | 3.64 |
| 140 Angina pectoris | 2 | 10,066 | 11,358 | 11,228 | 2.00 | 1.25 | 1.30 |
| 143 Chest pain | 26 | 4,876 | 6,720 | 10,491 | 1.08 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 1 | 51,889 | 64,713 | 59,626 | 12.00 | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 1 | 28,057 | 50,502 | 77,655 | 4.00 | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 4 | 12,272 | 16,048 | 13,530 | 1.25 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 8 | 9,553 | 12,515 | 18,170 | 2.75 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 28 | 6,637 | 8,553 | 14,049 | 2.07 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 9 | 7,104 | 7,663 | 11,229 | 2.22 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 44 | 32,086 | 38,866 | 39,044 | 3.70 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.6559

COUNTY: Juab
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.22

BED SIZE: 25
 AFFILIATION: Freestanding
 % LOS OUTLIER=4.44

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 4 | 25,417 | 29,094 | 40,371 | 4.67 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 6 | 15,338 | 27,489 | 27,138 | 2.50 | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 14 | 14,688 | 8,608 | 13,720 | 3.92 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 4 | 14,268 | 19,017 | 19,434 | 2.25 | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 25 | 12,946 | 16,939 | 14,898 | 1.50 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 16 | 9,848 | 12,139 | 14,657 | 2.69 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 35 | 9,115 | 11,034 | 11,759 | 2.54 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 14 | 7,173 | 6,345 | 8,392 | 2.43 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 80 | 5,337 | 5,099 | 6,661 | 1.81 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 1 | 9,458 | 8,822 | 10,362 | 2.00 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 7 | 4,963 | 6,503 | 10,990 | 1.71 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 10 | 2,500 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 1 | 5,544 | 5,544 | 101,092 | 3.00 | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 3 | 6,873 | 3,831 | 15,544 | 3.33 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 19 | 2,853 | 2,658 | 3,854 | 2.05 | 1.92 | 2.27 |
| 391 Normal newborn | 112 | 2,027 | 2,122 | 2,436 | 1.71 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 4 | 12,531 | 7,298 | 13,612 | 4.25 | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 11,930 | 17,885 | 55,889 | 3.00 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | 33 | 12,143 | 7,368 | 12,546 | 2.94 | 2.52 | 3.65 |
| All Other DRGs | 480 | 12,407 | 11,484 | 26,338 | 3.26 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Juab
 OWNERSHIP: Not for profit

BED SIZE: 25
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 3 | 9,203 | 11,029 | 17,504 | 3.67 | 2.61 | 2.39 |
| Major or Extreme SOI | 3 | 9,126 | 10,115 | 30,421 | 2.33 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 95 | 10,113 | 8,601 | 10,931 | 3.10 | 2.69 | 2.55 |
| Major or Extreme SOI | 22 | 17,459 | 15,114 | 20,864 | 4.85 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 18 | 8,110 | 6,962 | 8,532 | 2.50 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | 2 | 13,402 | 21,367 | 28,897 | 7.00 | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 15 | 12,764 | 10,681 | 13,972 | 3.38 | 3.16 | 2.96 |
| Major or Extreme SOI | 5 | 11,328 | 14,304 | 22,844 | 3.40 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 7 | 6,449 | 8,759 | 10,477 | 1.43 | 1.91 | 1.84 |
| Major or Extreme SOI | 1 | 21,573 | 12,787 | 17,274 | 7.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 1 | 51,889 | 37,933 | 33,294 | 12.00 | 6.03 | 4.80 |
| Major or Extreme SOI | 1 | 59,316 | 95,500 | 78,140 | 17.00 | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 6 | 16,884 | 19,168 | 17,034 | 2.83 | 1.92 | 2.08 |
| Major or Extreme SOI | 1 | 13,345 | 31,438 | 36,530 | 1.00 | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 19 | 6,686 | 7,294 | 9,467 | 2.06 | 2.04 | 2.01 |
| Major or Extreme SOI | 2 | 14,248 | 10,963 | 14,930 | 5.00 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 38 | 35,912 | 39,599 | 37,842 | 3.69 | 3.14 | 2.92 |
| Major or Extreme SOI | 1 | 49,072 | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 13 | 15,839 | 25,814 | 27,280 | 2.85 | 2.95 | 2.61 |
| Major or Extreme SOI | 2 | 36,750 | 30,874 | 45,932 | 8.50 | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 6,660 | 7,648 | 11,741 | 3.00 | 3.50 | 2.96 |
| Major or Extreme SOI | 2 | 33,458 | 17,599 | 22,625 | 5.00 | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Juab
 OWNERSHIP: Not for profit

BED SIZE: 25
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 23 | 13,275 | 16,877 | 15,305 | 1.68 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 50 | 9,277 | 11,227 | 11,641 | 2.56 | 2.61 | 3.21 |
| Major or Extreme SOI | 1 | 12,717 | 14,509 | 21,704 | 4.00 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 92 | 5,530 | 5,201 | 6,731 | 1.89 | 1.60 | 1.79 |
| Major or Extreme SOI | 2 | 9,385 | 7,295 | 10,767 | 2.50 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 1 | 9,458 | 8,634 | 9,583 | 2.00 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 131 | 2,150 | 2,218 | 2,536 | 1.76 | 1.73 | 1.89 |
| Major or Extreme SOI | 2 | 6,718 | 3,691 | 8,321 | 3.50 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 1 | 7,183 | 5,962 | 10,069 | 3.00 | 2.13 | 2.88 |
| Major or Extreme SOI | 2 | 14,335 | 9,576 | 19,849 | 4.50 | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 4 | 13,342 | 20,365 | 18,944 | 1.75 | 2.00 | 2.08 |
| Major or Extreme SOI | 1 | 18,373 | 27,838 | 34,924 | 3.00 | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 1 | 6,121 | 9,511 | 13,298 | 2.00 | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 7 | 6,882 | 8,734 | 12,049 | 2.43 | 2.32 | 2.47 |
| Major or Extreme SOI | 1 | 6,836 | 11,896 | 21,886 | 2.00 | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 9 | 6,844 | 7,708 | 11,171 | 2.13 | 1.83 | 2.13 |
| Major or Extreme SOI | 1 | 9,006 | 11,198 | 21,005 | 2.00 | 2.14 | 3.64 |
| All other APRDRGs | 561 | 11,430 | 10,802 | 30,661 | 3.15 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

CENTRAL VALLEY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Freestanding

COUNTY: Juab
 BED SIZE: 25

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 718 | 62.5 | 64.5 | 61.8 |
| Male | 430 | 37.5 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 148 | 12.9 | 18.7 | 20.2 |
| 29-365 days | 20 | 1.7 | 1.1 | 0.9 |
| 1-4 years | 36 | 3.1 | 1.8 | 0.7 |
| 5-9 | 20 | 1.7 | 0.9 | 0.4 |
| 10-14 | 10 | 0.9 | 0.6 | 0.4 |
| 15-17 | 9 | 0.8 | 1.1 | 0.8 |
| 18-19 | 15 | 1.3 | 1.8 | 1.5 |
| 20-24 | 61 | 5.3 | 7.2 | 6.9 |
| 25-29 | 79 | 6.9 | 8.3 | 9.6 |
| 30-34 | 62 | 5.4 | 6.6 | 8.4 |
| 35-39 | 44 | 3.8 | 3.9 | 4.9 |
| 40-44 | 35 | 3.0 | 2.8 | 3.4 |
| 45-49 | 32 | 2.8 | 3.3 | 3.5 |
| 50-54 | 50 | 4.4 | 3.7 | 4.5 |
| 55-59 | 46 | 4.0 | 4.0 | 5.0 |
| 60-64 | 74 | 6.4 | 4.7 | 5.1 |
| 65-69 | 74 | 6.4 | 5.7 | 5.6 |
| 70-74 | 68 | 5.9 | 5.5 | 5.1 |
| 75-79 | 70 | 6.1 | 5.9 | 4.7 |
| 80-84 | 102 | 8.9 | 5.9 | 4.1 |
| 85-89 | 51 | 4.4 | 4.0 | 2.9 |
| 90 + | 42 | 3.7 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 502 | 43.7 | 27.0 | 14.1 |
| Urgent | 138 | 12.0 | 24.8 | 39.7 |
| Elective | 330 | 28.7 | 28.3 | 25.3 |
| Newborn | 145 | 12.6 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 33 | 2.9 | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 663 | 57.8 | 56.4 | 49.6 |
| Clinic referral | 229 | 19.9 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 1 | 0.1 | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | 10 | 0.9 | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 145 | 12.6 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

CENTRAL VALLEY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Freestanding

COUNTY: Juab
 BED SIZE: 25

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 67 | 5.8 | 1.7 | 0.6 |
| Not reported | 33 | 2.9 | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 813 | 70.8 | 67.8 | 55.1 |
| Another hospital | 63 | 5.5 | 3.9 | 0.8 |
| Skilled nursing facility | 73 | 6.4 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 88 | 7.7 | 3.6 | 2.6 |
| Under care of home service | 95 | 8.3 | 4.0 | 5.7 |
| Left against medical advice | 3 | 0.3 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 13 | 1.1 | 0.8 | 1.1 |
| Not reported | . | . | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 449 | 39.1 | 31.3 | 26.7 |
| Medicaid | 205 | 17.9 | 21.7 | 18.6 |
| Other government | 11 | 1.0 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 70 | 6.1 | 10.5 | 10.3 |
| Other commercial | 97 | 8.4 | 7.0 | 5.5 |
| Managed care | 240 | 20.9 | 20.9 | 30.9 |
| Self pay | 53 | 4.6 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 5 | 0.4 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | 18 | 1.6 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | 1,052 | 91.6 | 34.6 | 2.9 |
| Davis County | 1 | 0.1 | 0.2 | 9.8 |
| Salt Lake County | 11 | 1.0 | 0.9 | 34.1 |
| Southeastern Utah | 1 | 0.1 | 9.0 | 1.8 |
| Southwest Utah | 2 | 0.2 | 8.0 | 8.0 |
| Summit County | 3 | 0.3 | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | 1 | 0.1 | 9.5 | 1.7 |
| Utah County | 59 | 5.1 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 18 | 1.6 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,

Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 220
 AFFILIATION: IASIS Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 7,328 | 100.0 | 100.0 | 100.0 | 112,489,041 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 1,769 | 24.1 | 19.9 | 20.1 | 8,757,988 | 7.8 | 4.6 | 7.7 |
| Obstetric (MDC 14) | 1,819 | 24.8 | 20.6 | 20.9 | 16,445,214 | 14.6 | 9.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 184 | 2.5 | 1.3 | 2.3 | 1,568,831 | 1.4 | 0.6 | 1.5 |
| Pediatric Surgical (Age 0-17) | 10 | 0.1 | 0.2 | 0.4 | 194,285 | 0.2 | 0.2 | 0.6 |
| Other Medical | 1,715 | 23.4 | 29.4 | 29.4 | 31,206,856 | 27.7 | 32.5 | 27.2 |
| Other Surgical | 1,154 | 15.7 | 18.9 | 22.0 | 45,140,740 | 40.1 | 45.7 | 49.8 |
| Psychiatric (MDC 19) | 607 | 8.3 | 9.5 | 3.9 | 7,362,840 | 6.5 | 6.7 | 2.7 |
| Rehabilitation (DRG 462) | 68 | 0.9 | 0.2 | 1.0 | 1,770,798 | 1.6 | 0.2 | 2.0 |
| Unknown (DRG 469-470) | 2 | 0.0 | 0.1 | 0.0 | 41,489 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 106 | 1.4 | 2.2 | 4.1 | 2,132,321 | 1.9 | 3.0 | 6.0 |
| 2 Eye | 5 | 0.1 | 0.0 | 0.1 | 99,166 | 0.1 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 34 | 0.5 | 0.4 | 0.6 | 474,083 | 0.4 | 0.4 | 0.5 |
| 4 Respiratory System | 579 | 7.9 | 6.2 | 6.4 | 9,465,680 | 8.4 | 7.6 | 6.8 |
| 5 Circulatory System | 376 | 5.1 | 4.8 | 7.5 | 14,355,329 | 12.8 | 11.0 | 15.5 |
| 6 Digestive System | 368 | 5.0 | 5.8 | 6.4 | 8,180,747 | 7.3 | 8.2 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 116 | 1.6 | 2.0 | 2.3 | 2,684,279 | 2.4 | 2.8 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 530 | 7.2 | 9.8 | 10.0 | 21,217,944 | 18.9 | 21.2 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 63 | 0.9 | 0.9 | 1.1 | 1,024,519 | 0.9 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 152 | 2.1 | 2.3 | 2.4 | 2,353,692 | 2.1 | 2.2 | 2.1 |
| 11 Kidney & Urinary Tract | 182 | 2.5 | 2.4 | 2.8 | 3,509,783 | 3.1 | 2.7 | 3.0 |
| 12 Male Reproductive System | 7 | 0.1 | 0.3 | 0.3 | 189,226 | 0.2 | 0.3 | 0.3 |
| 13 Female Reproductive System | 222 | 3.0 | 1.7 | 1.7 | 3,614,796 | 3.2 | 1.5 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 1,819 | 24.8 | 20.6 | 20.9 | 16,445,214 | 14.6 | 9.3 | 8.6 |
| 15 Newborn & Other Neonates | 1,776 | 24.2 | 20.0 | 20.4 | 9,145,720 | 8.1 | 4.8 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 29 | 0.4 | 0.6 | 0.5 | 441,976 | 0.4 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 12 | 0.2 | 0.9 | 0.3 | 355,019 | 0.3 | 4.7 | 1.0 |
| 18 Infectious and Parasitic Diseases | 116 | 1.6 | 3.3 | 3.7 | 4,085,297 | 3.6 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 607 | 8.3 | 9.5 | 3.9 | 7,362,840 | 6.5 | 6.7 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 24 | 0.3 | 4.0 | 1.0 | 238,730 | 0.2 | 2.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 108 | 1.5 | 1.7 | 1.8 | 2,817,176 | 2.5 | 1.9 | 1.8 |
| 22 Burns | 1 | 0.0 | 0.0 | 0.1 | 12,183 | 0.0 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 89 | 1.2 | 0.4 | 1.3 | 2,120,333 | 1.9 | 0.5 | 2.3 |
| 24 Multiple Significant Trauma | 5 | 0.1 | 0.1 | 0.3 | 121,499 | 0.1 | 0.4 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.1 | 0.1 |
| Unknown | 2 | 0.0 | 0.1 | 0.1 | 41,489 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.7501

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.78

BED SIZE: 220
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=1.68

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | | |
|---|---------------------------------|-------------|-------------|----------------------|----------|------------|------------|------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 7,328 | 112,558,392 | 864,967,561 | 5,319,068,336 | 24231.00 | 145,585.00 | 881,886.00 | | | |
| Facility Charges (total) | . | 112,489,041 | 863,495,261 | 5,296,755,067 | . | . | . | | | |
| Facility Charges & LOS (average) | . | 15,351 | 20,466 | 21,172 | 3.31 | 3.45 | 3.53 | | | |
| Facility Charges & LOS (adjusted average)* | . | 19,798 | 21,795 | 20,004 | 4.30 | 3.84 | 3.53 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | | |
| 001 Craniotomy age >17 with CC | . | . | 69,647 | 62,383 | . | 5.40 | 6.29 | | | |
| 003 Craniotomy age 0-17 | . | . | 66,260 | 70,042 | . | 4.00 | 6.13 | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 45 | 17,236 | 21,362 | 21,721 | 2.45 | 2.73 | 3.12 | | | |
| 075 Major chest procedures | 6 | 87,484 | 85,848 | 59,734 | 10.33 | 6.26 | 7.19 | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 139 | 15,297 | 19,129 | 16,240 | 3.12 | 3.35 | 3.26 | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | 53 | 6,693 | 7,873 | 8,064 | 2.33 | 2.24 | 2.31 | | | |
| 098 Bronchitis & asthma Age 0-17 | 72 | 5,893 | 7,883 | 7,590 | 2.24 | 2.28 | 2.06 | | | |
| 104 Cardiac valve/cardiorthor w card cath | 1 | 115,690 | 235,441 | 131,342 | 1.00 | 9.77 | 9.28 | | | |
| 105 Cardiac valve/cardiorthor w/o card cath | . | . | 189,442 | 117,359 | . | 7.55 | 7.94 | | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | 192,391 | 114,735 | . | 7.64 | 9.60 | | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 126,829 | 103,627 | . | 5.25 | 8.21 | | | |
| 108 Other cardiothoracic procedures | . | . | 144,509 | 92,602 | . | 5.44 | 7.28 | | | |
| 110 Major cardiovascular procedures w cc | 9 | 57,518 | 102,680 | 87,590 | 3.78 | 4.95 | 6.14 | | | |
| 555 Perc. cardiovascular procedures w MCV | 12 | 52,107 | 61,903 | 48,932 | 2.91 | 3.05 | 3.08 | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | 10 | 44,847 | 49,297 | 39,075 | 3.00 | 2.64 | 2.30 | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 4 | 36,309 | 28,182 | 24,880 | 4.00 | 3.55 | 3.56 | | | |
| 122 Circ disrd w AMI w/o comp disch alive | 7 | 22,395 | 23,851 | 18,844 | 1.43 | 1.82 | 1.96 | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | 28 | 29,048 | 30,768 | 26,849 | 3.36 | 2.88 | 3.44 | | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | 15 | 27,343 | 27,265 | 19,275 | 2.00 | 1.89 | 1.78 | | | |
| 127 Heart failure & shock | 85 | 17,355 | 19,404 | 18,033 | 3.51 | 3.72 | 3.64 | | | |
| 140 Angina pectoris | 1 | 19,498 | 14,167 | 11,228 | 1.00 | 1.25 | 1.30 | | | |
| 143 Chest pain | 2 | 21,815 | 14,232 | 10,491 | 2.00 | 1.26 | 1.33 | | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 25 | 54,020 | 67,129 | 59,626 | 10.32 | 9.10 | 9.04 | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 5 | 47,683 | 58,365 | 77,655 | 6.40 | 6.54 | 9.70 | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 3 | 13,094 | 14,305 | 13,530 | 1.67 | 1.10 | 1.11 | | | |
| 174 G.I. hemorrhage w cc | 46 | 16,005 | 19,831 | 18,170 | 2.65 | 2.68 | 2.81 | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 46 | 15,329 | 16,553 | 14,049 | 2.67 | 2.75 | 2.61 | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 25 | 10,653 | 13,315 | 11,229 | 2.20 | 2.18 | 2.10 | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | 6 | 45,177 | 45,504 | 37,751 | 7.67 | 5.65 | 5.36 | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 1 | 11,203 | 27,497 | 23,411 | 2.00 | 3.14 | 3.09 | | | |
| 544 Mjr jnt replace/reattach, low extrem | 154 | 40,108 | 43,624 | 39,044 | 3.31 | 2.72 | 2.99 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.7501

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.78

BED SIZE: 220
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=1.68

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 38 | 36,604 | 42,871 | 40,371 | 4.11 | 4.36 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 12 | 24,290 | 30,303 | 27,138 | 2.42 | 2.35 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 43 | 14,620 | 16,753 | 13,720 | 3.19 | 2.89 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 43 | 18,753 | 19,378 | 19,434 | 2.17 | 2.26 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 143 | 15,599 | 15,419 | 14,898 | 1.83 | 1.67 | 1.57 |
| 370 Cesarean section with cc | 97 | 12,050 | 14,472 | 14,657 | 3.62 | 3.56 | 3.87 |
| 371 Cesarean section without cc | 382 | 10,575 | 13,523 | 11,759 | 3.26 | 3.18 | 3.24 |
| 372 Vaginal delivery w complicating diag | 123 | 8,700 | 8,795 | 8,392 | 2.22 | 2.10 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,119 | 7,810 | 7,344 | 6,661 | 1.92 | 1.84 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 29 | 18,652 | 12,268 | 10,362 | 2.48 | 2.05 | 2.01 |
| 383 Other antepartum diag w med complic | 21 | 9,327 | 10,706 | 10,990 | 2.25 | 2.78 | 2.71 |
| 385 Neonates died/transf to acute care fac | 1 | 591 | 11,241 | 19,166 | 1.00 | 2.39 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 70 | 61,172 | 53,220 | 101,092 | 25.23 | 17.11 | 26.08 |
| 387 Prematurity w major problems | 11 | 24,710 | 29,523 | 48,843 | 14.82 | 11.18 | 15.14 |
| 389 Full term neonate w major problems | 24 | 11,939 | 11,553 | 15,544 | 5.58 | 4.14 | 4.66 |
| 390 Neonate w other significant problems | 193 | 3,534 | 3,643 | 3,854 | 2.61 | 2.28 | 2.27 |
| 391 Normal newborn | 1,401 | 1,939 | 2,260 | 2,436 | 1.93 | 1.89 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 39,178 | 23,836 | . | 6.38 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 12 | 74,838 | 68,012 | 72,347 | 9.58 | 8.18 | 9.12 |
| 430 Psychoses | 463 | 12,810 | 14,160 | 14,101 | 5.69 | 5.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 11 | 15,193 | 13,074 | 13,612 | 3.55 | 3.73 | 3.30 |
| 462 Rehabilitation | 68 | 26,041 | 26,041 | 40,385 | 11.45 | 11.45 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 7 | 44,368 | 66,562 | 55,889 | 7.43 | 6.55 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 7 | 99,116 | 107,688 | 108,196 | 14.57 | 12.78 | 12.99 |
| 481 Bone marrow transplant | . | . | 199,765 | 204,971 | . | 26.55 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 3 | 225,684 | 230,662 | 295,955 | 24.00 | 20.71 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 101,893 | 93,495 | . | 9.68 | 8.69 |
| 499 Back & neck procedures w cc | 11 | 28,424 | 29,428 | 25,581 | 3.50 | 2.67 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 8 | 19,857 | 23,680 | 16,304 | 2.50 | 1.96 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 16,236 | 20,794 | 20,364 | 2.00 | 2.70 | 2.68 |
| 470 Ungroupable | 2 | 20,745 | 9,757 | 12,546 | 3.50 | 3.15 | 3.65 |
| All Other DRGs | 2,184 | 22,935 | 26,200 | 26,338 | 3.21 | 3.57 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 220
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 32 | 14,688 | 19,117 | 17,504 | 2.25 | 2.41 | 2.39 |
| Major or Extreme SOI | 10 | 25,798 | 27,894 | 30,421 | 3.63 | 3.77 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 147 | 10,260 | 12,829 | 10,931 | 2.56 | 2.57 | 2.55 |
| Major or Extreme SOI | 52 | 22,799 | 24,533 | 20,864 | 4.25 | 4.20 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 42 | 8,292 | 10,411 | 8,532 | 2.26 | 2.15 | 1.99 |
| Major or Extreme SOI | 3 | 10,869 | 17,788 | 15,810 | 2.67 | 3.53 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 40 | 47,377 | 56,162 | 42,983 | 2.18 | 2.04 | 1.54 |
| Major or Extreme SOI | 8 | 64,276 | 77,382 | 68,036 | 4.63 | 3.90 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 9 | 19,992 | 22,794 | 17,963 | 1.89 | 1.94 | 2.03 |
| Major or Extreme SOI | 6 | 40,059 | 31,533 | 28,897 | 3.00 | 3.79 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 14 | 23,860 | 24,472 | 17,867 | 1.54 | 1.61 | 1.54 |
| Major or Extreme SOI | 5 | 25,109 | 31,528 | 25,935 | 2.00 | 2.47 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 52 | 14,101 | 15,059 | 13,972 | 2.84 | 2.82 | 2.96 |
| Major or Extreme SOI | 37 | 21,603 | 23,523 | 22,844 | 4.38 | 4.60 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 23 | 13,302 | 13,852 | 10,477 | 1.86 | 1.82 | 1.84 |
| Major or Extreme SOI | 12 | 20,781 | 19,428 | 17,274 | 3.40 | 3.18 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 35 | 25,453 | 31,873 | 33,294 | 4.41 | 4.40 | 4.80 |
| Major or Extreme SOI | 18 | 61,548 | 81,435 | 78,140 | 10.94 | 10.56 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 24 | 18,401 | 19,766 | 17,034 | 2.78 | 2.52 | 2.08 |
| Major or Extreme SOI | 1 | 40,757 | 48,157 | 36,530 | 5.00 | 5.42 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 22 | 12,461 | 11,884 | 9,467 | 2.59 | 2.28 | 2.01 |
| Major or Extreme SOI | 4 | 13,486 | 17,050 | 14,930 | 2.50 | 2.96 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 114 | 37,751 | 41,622 | 37,842 | 3.19 | 2.72 | 2.92 |
| Major or Extreme SOI | 3 | 73,570 | 53,754 | 48,873 | 4.00 | 4.03 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 20 | 25,674 | 28,374 | 27,280 | 2.90 | 2.53 | 2.61 |
| Major or Extreme SOI | 2 | 50,514 | 44,750 | 45,932 | 10.50 | 4.88 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 5 | 6,193 | 16,011 | 11,741 | 3.75 | 4.00 | 2.96 |
| Major or Extreme SOI | 3 | 30,691 | 23,784 | 22,625 | 7.00 | 4.73 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 220
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 171 | 16,156 | 16,037 | 15,305 | 1.86 | 1.69 | 1.62 |
| Major or Extreme SOI | 1 | 30,254 | 28,787 | 36,837 | 4.00 | 4.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 450 | 10,612 | 13,426 | 11,641 | 3.26 | 3.18 | 3.21 |
| Major or Extreme SOI | 29 | 14,935 | 19,640 | 21,704 | 4.41 | 4.78 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,205 | 7,868 | 7,400 | 6,731 | 1.94 | 1.85 | 1.79 |
| Major or Extreme SOI | 35 | 8,928 | 10,920 | 10,767 | 2.26 | 2.43 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 26 | 9,497 | 10,038 | 9,583 | 2.04 | 1.94 | 1.93 |
| Major or Extreme SOI | 3 | 94,948 | 74,138 | 21,300 | 6.67 | 5.50 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 250 | 11,314 | 11,999 | 11,599 | 5.10 | 5.16 | 5.19 |
| Major or Extreme SOI | 6 | 10,226 | 24,492 | 22,695 | 4.33 | 8.75 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 1,591 | 2,010 | 2,351 | 2,536 | 1.97 | 1.92 | 1.89 |
| Major or Extreme SOI | 27 | 7,521 | 8,368 | 8,321 | 3.96 | 3.42 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 11 | 8,464 | 9,807 | 10,069 | 2.80 | 3.12 | 2.88 |
| Major or Extreme SOI | 3 | 28,304 | 21,309 | 19,849 | 4.67 | 4.26 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 12 | 23,197 | 22,764 | 16,988 | 2.92 | 2.00 | 1.89 |
| Major or Extreme SOI | 1 | 39,774 | 53,772 | 42,605 | 5.00 | 4.22 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 24 | 23,906 | 23,018 | 18,944 | 2.46 | 2.12 | 2.08 |
| Major or Extreme SOI | 13 | 25,352 | 40,422 | 34,924 | 4.08 | 4.92 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 29 | 13,251 | 15,031 | 13,298 | 2.14 | 2.20 | 2.15 |
| Major or Extreme SOI | 11 | 19,110 | 24,958 | 24,096 | 3.00 | 3.29 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 2 | 18,292 | 14,735 | 13,147 | 2.50 | 2.08 | 2.10 |
| Major or Extreme SOI | 2 | 14,401 | 29,343 | 23,048 | 2.50 | 3.79 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 27 | 12,913 | 13,711 | 12,049 | 2.59 | 2.40 | 2.47 |
| Major or Extreme SOI | 9 | 15,991 | 25,119 | 21,886 | 2.67 | 3.82 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 17 | 12,860 | 13,187 | 11,171 | 2.65 | 2.27 | 2.13 |
| Major or Extreme SOI | 7 | 14,877 | 22,002 | 21,005 | 2.14 | 3.24 | 3.64 |
| All other APRDRGs | 2,623 | 24,589 | 28,652 | 30,661 | 4.58 | 4.42 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Davis
 AFFILIATION: IASIS Healthcare BED SIZE: 220

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 4,785 | 65.3 | 62.7 | 61.8 |
| Male | 2,543 | 34.7 | 37.3 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,751 | 23.9 | 19.9 | 20.2 |
| 29-365 days | 86 | 1.2 | 0.5 | 0.9 |
| 1-4 years | 75 | 1.0 | 0.5 | 0.7 |
| 5-9 | 23 | 0.3 | 0.2 | 0.4 |
| 10-14 | 12 | 0.2 | 0.1 | 0.4 |
| 15-17 | 32 | 0.4 | 0.5 | 0.8 |
| 18-19 | 125 | 1.7 | 1.7 | 1.5 |
| 20-24 | 514 | 7.0 | 7.6 | 6.9 |
| 25-29 | 767 | 10.5 | 10.3 | 9.6 |
| 30-34 | 755 | 10.3 | 9.2 | 8.4 |
| 35-39 | 421 | 5.7 | 5.6 | 4.9 |
| 40-44 | 236 | 3.2 | 4.0 | 3.4 |
| 45-49 | 216 | 2.9 | 3.8 | 3.5 |
| 50-54 | 327 | 4.5 | 5.0 | 4.5 |
| 55-59 | 275 | 3.8 | 5.1 | 5.0 |
| 60-64 | 285 | 3.9 | 4.7 | 5.1 |
| 65-69 | 265 | 3.6 | 4.9 | 5.6 |
| 70-74 | 297 | 4.1 | 4.3 | 5.1 |
| 75-79 | 283 | 3.9 | 4.1 | 4.7 |
| 80-84 | 255 | 3.5 | 3.6 | 4.1 |
| 85-89 | 217 | 3.0 | 2.8 | 2.9 |
| 90 + | 111 | 1.5 | 1.5 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 2,116 | 28.9 | 26.0 | 14.1 |
| Urgent | 1,004 | 13.7 | 25.8 | 39.7 |
| Elective | 2,432 | 33.2 | 28.0 | 25.3 |
| Newborn | 1,771 | 24.2 | 19.9 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 5 | 0.1 | 0.4 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 5,357 | 73.1 | 58.2 | 49.6 |
| Clinic referral | 32 | 0.4 | 16.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 145 | 2.0 | 3.2 | 4.4 |
| Skilled nursing facility | . | . | 0.3 | 0.5 |
| Other health care facility | 1 | 0.0 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | . | . | 0.7 | 0.3 |
| Normal delivery/Born Inside | 1,765 | 24.1 | 19.6 | 20.1 |
| Premature delivery | . | . | 0.3 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Davis
 AFFILIATION: IASIS Healthcare BED SIZE: 220

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | | |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 7 | 0.1 | 0.4 | 0.6 |
| Not reported | 21 | 0.3 | 0.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 5,878 | 80.2 | 66.3 | 55.1 |
| Another hospital | 70 | 1.0 | 0.8 | 0.8 |
| Skilled nursing facility | 540 | 7.4 | 7.0 | 5.3 |
| Intermediate care | 2 | 0.0 | 0.1 | 0.1 |
| Another type of institution | 17 | 0.2 | 1.7 | 2.6 |
| Under care of home service | 465 | 6.3 | 6.9 | 5.7 |
| Left against medical advice | 16 | 0.2 | 0.6 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 100 | 1.4 | 1.1 | 1.1 |
| Not reported | 240 | 3.3 | 15.5 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,635 | 22.3 | 24.7 | 26.7 |
| Medicaid | 1,001 | 13.7 | 18.5 | 18.6 |
| Other government | 522 | 7.1 | 3.5 | 2.4 |
| Blue Cross/Blue Shield | 1,060 | 14.5 | 11.5 | 10.3 |
| Other commercial | 530 | 7.2 | 6.5 | 5.5 |
| Managed care | 2,212 | 30.2 | 29.1 | 30.9 |
| Self pay | 345 | 4.7 | 4.5 | 3.7 |
| Industrial/Worker's Comp | 10 | 0.1 | 0.2 | 0.5 |
| Charity | 4 | 0.1 | 1.4 | 1.1 |
| Children's Health Insurance Plan | 6 | 0.1 | 0.0 | 0.1 |
| Not reported | 3 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 108 | 1.5 | 2.4 | 5.4 |
| Central Utah | . | . | 1.1 | 2.9 |
| Davis County | 5,704 | 77.8 | 33.1 | 9.8 |
| Salt Lake County | 172 | 2.3 | 29.4 | 34.1 |
| Southeastern Utah | 6 | 0.1 | 0.5 | 1.8 |
| Southwest Utah | 7 | 0.1 | 0.3 | 8.0 |
| Summit County | 8 | 0.1 | 0.6 | 0.9 |
| Tooele County | 32 | 0.4 | 1.2 | 2.2 |
| Tri-County | 7 | 0.1 | 0.2 | 1.7 |
| Utah County | 32 | 0.4 | 9.7 | 17.8 |
| Wasatch County | 3 | 0.0 | 0.2 | 0.6 |
| Weber/Morgan | 1,063 | 14.5 | 18.4 | 9.5 |
| Unknown Utah | 2 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 126 | 1.7 | 2.8 | 5.2 |
| Unknown | 58 | 0.8 | 0.2 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

DELTA COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 355 | 100.0 | 100.0 | 100.0 | 1,994,158 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 89 | 25.1 | 18.5 | 20.1 | 229,551 | 11.5 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 92 | 25.9 | 19.5 | 20.9 | 611,956 | 30.7 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 31 | 8.7 | 4.8 | 2.3 | 128,519 | 6.4 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.6 | 0.4 | . | . | 1.1 | 0.6 |
| Other Medical | 139 | 39.2 | 45.7 | 29.4 | 995,728 | 49.9 | 49.3 | 27.2 |
| Other Surgical | 2 | 0.6 | 10.1 | 22.0 | 17,553 | 0.9 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 1 | 0.3 | 0.3 | 3.9 | 5,920 | 0.3 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | 1 | 0.3 | 0.1 | 1.0 | 4,931 | 0.2 | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 14 | 3.9 | 2.6 | 4.1 | 69,749 | 3.5 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 4 | 1.1 | 1.0 | 0.6 | 26,818 | 1.3 | 0.7 | 0.5 |
| 4 Respiratory System | 47 | 13.2 | 13.7 | 6.4 | 273,887 | 13.7 | 15.4 | 6.8 |
| 5 Circulatory System | 17 | 4.8 | 6.0 | 7.5 | 124,444 | 6.2 | 6.7 | 15.5 |
| 6 Digestive System | 24 | 6.8 | 9.1 | 6.4 | 156,506 | 7.8 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 9 | 2.5 | 3.5 | 2.3 | 95,567 | 4.8 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 3 | 0.8 | 6.5 | 10.0 | 18,755 | 0.9 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 7 | 2.0 | 2.3 | 1.1 | 76,982 | 3.9 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 14 | 3.9 | 3.7 | 2.4 | 83,168 | 4.2 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 6 | 1.7 | 3.7 | 2.8 | 38,678 | 1.9 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | . | . | 2.2 | 1.7 | . | . | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 92 | 25.9 | 19.5 | 20.9 | 611,956 | 30.7 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 90 | 25.4 | 18.7 | 20.4 | 233,761 | 11.7 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 5 | 1.4 | 0.8 | 0.5 | 39,530 | 2.0 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 9 | 2.5 | 2.0 | 3.7 | 61,744 | 3.1 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 1 | 0.3 | 0.3 | 3.9 | 5,920 | 0.3 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 1 | 0.3 | 0.5 | 1.0 | 4,426 | 0.2 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 1 | 0.3 | 1.7 | 1.8 | 2,740 | 0.1 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 11 | 3.1 | 1.4 | 1.3 | 69,525 | 3.5 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.4531

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | | |
|---|---------------------------------|-----------|-------------|----------------------|--------|-----------|------------|------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 355 | 2,106,187 | 114,581,002 | 5,319,068,336 | 716.00 | 28,293.00 | 881,886.00 | | | |
| Facility Charges (total) | . | 1,994,158 | 113,031,053 | 5,296,755,067 | . | . | . | | | |
| Facility Charges & LOS (average) | . | 5,617 | 10,066 | 21,172 | 2.02 | 2.52 | 3.53 | | | |
| Facility Charges & LOS (adjusted average)* | . | 12,398 | 16,258 | 20,004 | 4.45 | 4.07 | 3.53 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 | | | |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 4 | 6,616 | 10,331 | 21,721 | 2.50 | 2.58 | 3.12 | | | |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 8 | 8,529 | 11,079 | 16,240 | 3.38 | 3.18 | 3.26 | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | 1 | 3,839 | 6,181 | 8,064 | 2.00 | 2.14 | 2.31 | | | |
| 098 Bronchitis & asthma Age 0-17 | 11 | 4,093 | 5,668 | 7,590 | 1.73 | 1.98 | 2.06 | | | |
| 104 Cardiac valve/cardiorthor w card cath | . | . | . | 131,342 | . | . | 9.28 | | | |
| 105 Cardiac valve/cardiorthor w/o card cath | . | . | . | 117,359 | . | . | 7.94 | | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 | | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 | | | |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 | | | |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 | | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 11,718 | 20,366 | 24,880 | 4.00 | 2.92 | 3.56 | | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 | | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 | | | |
| 127 Heart failure & shock | 8 | 9,568 | 11,796 | 18,033 | 3.38 | 3.25 | 3.64 | | | |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 | | | |
| 143 Chest pain | . | . | 6,720 | 10,491 | . | 1.24 | 1.33 | | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 1 | 8,509 | 16,048 | 13,530 | 1.00 | 1.17 | 1.11 | | | |
| 174 G.I. hemorrhage w cc | 1 | 7,445 | 12,515 | 18,170 | 2.00 | 2.67 | 2.81 | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 8 | 6,903 | 8,553 | 14,049 | 2.25 | 2.34 | 2.61 | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 2 | 5,740 | 7,663 | 11,229 | 1.50 | 1.85 | 2.10 | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 | | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.4531

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.00

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 2 | 12,806 | 8,608 | 13,720 | 5.00 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | 16,939 | 14,898 | . | 1.38 | 1.57 |
| 370 Cesarean section with cc | 3 | 11,986 | 12,139 | 14,657 | 2.67 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 17 | 9,693 | 11,034 | 11,759 | 2.59 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 7 | 6,352 | 6,345 | 8,392 | 1.86 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 57 | 5,460 | 5,099 | 6,661 | 1.47 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 5 | 7,483 | 8,822 | 10,362 | 1.40 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 2 | 6,443 | 6,503 | 10,990 | 2.00 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 5 | 2,969 | 2,610 | 19,166 | 1.60 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 4 | 4,271 | 3,831 | 15,544 | 2.50 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 12 | 2,976 | 2,658 | 3,854 | 2.00 | 1.92 | 2.27 |
| 391 Normal newborn | 69 | 2,408 | 2,122 | 2,436 | 1.70 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | 1 | 5,920 | 5,041 | 14,101 | 3.00 | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 1 | 4,426 | 7,298 | 13,612 | 1.00 | 2.44 | 3.30 |
| 462 Rehabilitation | 1 | 4,931 | 10,919 | 40,385 | 2.00 | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 9,044 | 17,885 | 55,889 | 3.00 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 123 | 6,417 | 11,484 | 26,338 | 2.15 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 6,485 | 11,029 | 17,504 | 3.00 | 2.61 | 2.39 |
| Major or Extreme SOI | 2 | 9,498 | 10,115 | 30,421 | 3.00 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 10 | 7,738 | 8,601 | 10,931 | 3.30 | 2.69 | 2.55 |
| Major or Extreme SOI | 2 | 10,116 | 15,114 | 20,864 | 4.00 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 4 | 3,291 | 6,962 | 8,532 | 1.25 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | 1 | 11,718 | 21,367 | 28,897 | 4.00 | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 5 | 6,653 | 10,681 | 13,972 | 2.20 | 3.16 | 2.96 |
| Major or Extreme SOI | 3 | 14,427 | 14,304 | 22,844 | 5.33 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 6,665 | 8,759 | 10,477 | 2.00 | 1.91 | 1.84 |
| Major or Extreme SOI | . | . | 12,787 | 17,274 | . | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 37,933 | 33,294 | . | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 1 | 8,509 | 19,168 | 17,034 | 1.00 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 7 | 6,762 | 7,294 | 9,467 | 2.43 | 2.04 | 2.01 |
| Major or Extreme SOI | . | . | 10,963 | 14,930 | . | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 16,877 | 15,305 | . | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 20 | 10,037 | 11,227 | 11,641 | 2.60 | 2.61 | 3.21 |
| Major or Extreme SOI | . | . | 14,509 | 21,704 | . | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 63 | 5,520 | 5,201 | 6,731 | 1.52 | 1.60 | 1.79 |
| Major or Extreme SOI | 1 | 7,924 | 7,295 | 10,767 | 2.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 5 | 7,483 | 8,634 | 9,583 | 1.40 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 5,920 | 4,489 | 11,599 | 3.00 | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 77 | 2,450 | 2,218 | 2,536 | 1.73 | 1.73 | 1.89 |
| Major or Extreme SOI | 3 | 3,474 | 3,691 | 8,321 | 2.33 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | . | . | 5,962 | 10,069 | . | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 20,365 | 18,944 | . | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 1 | 9,133 | 9,511 | 13,298 | 3.00 | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 3 | 5,420 | 8,734 | 12,049 | 1.67 | 2.32 | 2.47 |
| Major or Extreme SOI | 2 | 7,026 | 11,896 | 21,886 | 2.50 | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 3 | 5,392 | 7,708 | 11,171 | 1.50 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 139 | 6,135 | 10,802 | 30,661 | 2.25 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

DELTA COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Millard
 AFFILIATION: Intermountain Healthcare BED SIZE: 18

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 221 | 62.3 | 64.5 | 61.8 |
| Male | 134 | 37.7 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 90 | 25.4 | 18.7 | 20.2 |
| 29-365 days | 7 | 2.0 | 1.1 | 0.9 |
| 1-4 years | 16 | 4.5 | 1.8 | 0.7 |
| 5-9 | 3 | 0.8 | 0.9 | 0.4 |
| 10-14 | 1 | 0.3 | 0.6 | 0.4 |
| 15-17 | 3 | 0.8 | 1.1 | 0.8 |
| 18-19 | 8 | 2.3 | 1.8 | 1.5 |
| 20-24 | 20 | 5.6 | 7.2 | 6.9 |
| 25-29 | 43 | 12.1 | 8.3 | 9.6 |
| 30-34 | 35 | 9.9 | 6.6 | 8.4 |
| 35-39 | 12 | 3.4 | 3.9 | 4.9 |
| 40-44 | 8 | 2.3 | 2.8 | 3.4 |
| 45-49 | 6 | 1.7 | 3.3 | 3.5 |
| 50-54 | 10 | 2.8 | 3.7 | 4.5 |
| 55-59 | 5 | 1.4 | 4.0 | 5.0 |
| 60-64 | 11 | 3.1 | 4.7 | 5.1 |
| 65-69 | 10 | 2.8 | 5.7 | 5.6 |
| 70-74 | 15 | 4.2 | 5.5 | 5.1 |
| 75-79 | 16 | 4.5 | 5.9 | 4.7 |
| 80-84 | 16 | 4.5 | 5.9 | 4.1 |
| 85-89 | 11 | 3.1 | 4.0 | 2.9 |
| 90 + | 9 | 2.5 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 33 | 9.3 | 27.0 | 14.1 |
| Urgent | 176 | 49.6 | 24.8 | 39.7 |
| Elective | 57 | 16.1 | 28.3 | 25.3 |
| Newborn | 89 | 25.1 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 114 | 32.1 | 56.4 | 49.6 |
| Clinic referral | 149 | 42.0 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 2 | 0.6 | 0.5 | 4.4 |
| Skilled nursing facility | 1 | 0.3 | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 89 | 25.1 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

DELTA COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Millard
 AFFILIATION: Intermountain Healthcare BED SIZE: 18

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 137 | 38.6 | 67.8 | 55.1 |
| Another hospital | 8 | 2.3 | 3.9 | 0.8 |
| Skilled nursing facility | 8 | 2.3 | 3.5 | 5.3 |
| Intermediate care | 4 | 1.1 | 0.1 | 0.1 |
| Another type of institution | 5 | 1.4 | 3.6 | 2.6 |
| Under care of home service | . | . | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 2 | 0.6 | 0.8 | 1.1 |
| Not reported | 191 | 53.8 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 82 | 23.1 | 31.3 | 26.7 |
| Medicaid | 79 | 22.3 | 21.7 | 18.6 |
| Other government | 1 | 0.3 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 38 | 10.7 | 10.5 | 10.3 |
| Other commercial | 39 | 11.0 | 7.0 | 5.5 |
| Managed care | 95 | 26.8 | 20.9 | 30.9 |
| Self pay | 14 | 3.9 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 2 | 0.6 | 0.5 | 0.5 |
| Charity | 3 | 0.8 | 0.3 | 1.1 |
| Children's Health Insurance Plan | 2 | 0.6 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | 338 | 95.2 | 34.6 | 2.9 |
| Davis County | 2 | 0.6 | 0.2 | 9.8 |
| Salt Lake County | 2 | 0.6 | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 1 | 0.3 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | 1 | 0.3 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 11 | 3.1 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

DIXIE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Washington
 OWNERSHIP: Not for profit

BED SIZE: 245
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 17,288 | 100.0 | 100.0 | 100.0 | 343,629,926 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 2,295 | 13.3 | 19.5 | 20.1 | 21,594,588 | 6.3 | 6.8 | 7.7 |
| Obstetric (MDC 14) | 2,410 | 13.9 | 20.1 | 20.9 | 16,931,674 | 4.9 | 8.9 | 8.6 |
| Pediatric Medical (Age 0-17) | 457 | 2.6 | 3.2 | 2.3 | 5,161,675 | 1.5 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 110 | 0.6 | 0.6 | 0.4 | 1,848,282 | 0.5 | 0.6 | 0.6 |
| Other Medical | 6,094 | 35.2 | 30.8 | 29.4 | 98,083,639 | 28.5 | 29.7 | 27.2 |
| Other Surgical | 4,915 | 28.4 | 21.9 | 22.0 | 184,013,943 | 53.6 | 48.6 | 49.8 |
| Psychiatric (MDC 19) | 743 | 4.3 | 3.2 | 3.9 | 7,339,700 | 2.1 | 2.1 | 2.7 |
| Rehabilitation (DRG 462) | 263 | 1.5 | 0.7 | 1.0 | 8,651,632 | 2.5 | 1.5 | 2.0 |
| Unknown (DRG 469-470) | 1 | 0.0 | 0.0 | 0.0 | 4,794 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 742 | 4.3 | 3.0 | 4.1 | 12,286,109 | 3.6 | 3.0 | 6.0 |
| 2 Eye | 15 | 0.1 | 0.1 | 0.1 | 234,043 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 152 | 0.9 | 0.7 | 0.6 | 2,088,939 | 0.6 | 0.6 | 0.5 |
| 4 Respiratory System | 1,271 | 7.4 | 7.1 | 6.4 | 23,455,273 | 6.8 | 7.2 | 6.8 |
| 5 Circulatory System | 2,254 | 13.0 | 8.4 | 7.5 | 84,001,248 | 24.4 | 16.8 | 15.5 |
| 6 Digestive System | 1,357 | 7.8 | 7.1 | 6.4 | 25,147,513 | 7.3 | 8.3 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 534 | 3.1 | 2.6 | 2.3 | 10,278,499 | 3.0 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 2,269 | 13.1 | 11.2 | 10.0 | 67,566,547 | 19.7 | 22.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 226 | 1.3 | 1.1 | 1.1 | 4,470,764 | 1.3 | 1.2 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 399 | 2.3 | 2.2 | 2.4 | 6,076,554 | 1.8 | 1.8 | 2.1 |
| 11 Kidney & Urinary Tract | 694 | 4.0 | 3.3 | 2.8 | 11,160,467 | 3.2 | 3.1 | 3.0 |
| 12 Male Reproductive System | 60 | 0.3 | 0.3 | 0.3 | 1,002,083 | 0.3 | 0.3 | 0.3 |
| 13 Female Reproductive System | 74 | 0.4 | 1.5 | 1.7 | 949,776 | 0.3 | 1.4 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 2,410 | 13.9 | 20.1 | 20.9 | 16,931,674 | 4.9 | 8.9 | 8.6 |
| 15 Newborn & Other Neonates | 2,346 | 13.6 | 19.8 | 20.4 | 23,539,100 | 6.9 | 7.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 134 | 0.8 | 0.7 | 0.5 | 3,709,986 | 1.1 | 0.9 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 62 | 0.4 | 0.2 | 0.3 | 1,601,710 | 0.5 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 698 | 4.0 | 3.8 | 3.7 | 23,092,637 | 6.7 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 743 | 4.3 | 3.2 | 3.9 | 7,339,700 | 2.1 | 2.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 93 | 0.5 | 0.6 | 1.0 | 1,068,427 | 0.3 | 0.5 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 398 | 2.3 | 1.8 | 1.8 | 6,973,958 | 2.0 | 1.8 | 1.8 |
| 22 Burns | 3 | 0.0 | 0.0 | 0.1 | 18,753 | 0.0 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 330 | 1.9 | 1.1 | 1.3 | 9,622,019 | 2.8 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 21 | 0.1 | 0.1 | 0.3 | 913,729 | 0.3 | 0.2 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 2 | 0.0 | 0.0 | 0.0 | 95,625 | 0.0 | 0.0 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 4,794 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DIXIE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 1.1010

COUNTY: Washington
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.45

BED SIZE: 245
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.45

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 17,288 | 346,852,193 | 586,183,828 | 5,319,068,336 | 56162.00 | 104,062.00 | 881,886.00 |
| Facility Charges (total) | . | 343,629,926 | 581,373,314 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 19,877 | 15,573 | 21,172 | 3.25 | 2.79 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 17,568 | 17,486 | 20,004 | 2.82 | 3.22 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | 6 | 70,211 | 70,211 | 62,383 | 7.67 | 7.67 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 231 | 14,900 | 14,474 | 21,721 | 2.54 | 2.52 | 3.12 |
| 075 Major chest procedures | 43 | 50,666 | 49,632 | 59,734 | 6.69 | 6.80 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 323 | 14,342 | 14,513 | 16,240 | 3.26 | 3.21 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 50 | 7,935 | 7,655 | 8,064 | 2.49 | 2.37 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 90 | 7,403 | 7,027 | 7,590 | 2.16 | 2.09 | 2.06 |
| 104 Cardiac valve/cardiorthor w card cath | 49 | 106,105 | 106,105 | 131,342 | 9.87 | 9.87 | 9.28 |
| 105 Cardiac valve/cardiorthor w/o card cath | 59 | 83,398 | 83,398 | 117,359 | 6.81 | 6.81 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | 70 | 87,486 | 87,486 | 114,735 | 8.94 | 8.94 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | 11 | 69,173 | 69,173 | 103,627 | 6.36 | 6.36 | 8.21 |
| 108 Other cardiothoracic procedures | 7 | 68,749 | 68,749 | 92,602 | 6.71 | 6.71 | 7.28 |
| 110 Major cardiovascular procedures w cc | 43 | 80,813 | 80,813 | 87,590 | 6.07 | 6.07 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 55 | 40,644 | 41,337 | 48,932 | 3.20 | 3.18 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 63 | 36,799 | 36,133 | 39,075 | 2.19 | 2.40 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 54 | 20,995 | 18,710 | 24,880 | 3.53 | 3.06 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 32 | 16,370 | 13,481 | 18,844 | 2.13 | 1.76 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 118 | 21,705 | 21,220 | 26,849 | 3.05 | 3.02 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | 91 | 15,598 | 15,635 | 19,275 | 1.62 | 1.60 | 1.78 |
| 127 Heart failure & shock | 213 | 15,389 | 15,314 | 18,033 | 3.40 | 3.40 | 3.64 |
| 140 Angina pectoris | 7 | 7,293 | 9,127 | 11,228 | 1.29 | 1.24 | 1.30 |
| 143 Chest pain | 72 | 8,732 | 9,220 | 10,491 | 1.37 | 1.34 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 74 | 45,610 | 42,619 | 59,626 | 8.27 | 7.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 8 | 53,266 | 49,810 | 77,655 | 7.13 | 7.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 96 | 11,399 | 11,472 | 13,530 | 1.06 | 1.08 | 1.11 |
| 174 G.I. hemorrhage w cc | 206 | 14,790 | 15,367 | 18,170 | 2.67 | 2.78 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 168 | 11,675 | 11,828 | 14,049 | 2.51 | 2.43 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 66 | 9,624 | 9,827 | 11,229 | 1.97 | 1.99 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 4 | 35,850 | 26,079 | 37,751 | 5.25 | 4.36 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 2 | 11,839 | 19,301 | 23,411 | 1.50 | 3.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 1,087 | 28,969 | 32,656 | 39,044 | 2.90 | 2.96 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DIXIE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDBB CASE MIX INDEX = 1.1010

COUNTY: Washington
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.45

BED SIZE: 245
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.45

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 106 | 29,831 | 31,341 | 40,371 | 4.02 | 4.13 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 62 | 20,141 | 22,759 | 27,138 | 1.98 | 1.93 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 126 | 10,906 | 10,999 | 13,720 | 2.25 | 2.36 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 14 | 15,461 | 15,986 | 19,434 | 1.77 | 2.06 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 39 | 11,482 | 12,770 | 14,898 | 1.50 | 1.61 | 1.57 |
| 370 Cesarean section with cc | 66 | 13,502 | 12,068 | 14,657 | 3.47 | 2.92 | 3.87 |
| 371 Cesarean section without cc | 308 | 9,848 | 9,910 | 11,759 | 2.70 | 2.57 | 3.24 |
| 372 Vaginal delivery w complicating diag | 157 | 6,828 | 6,664 | 8,392 | 1.56 | 1.72 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,692 | 5,260 | 5,492 | 6,661 | 1.31 | 1.48 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 33 | 7,247 | 8,792 | 10,362 | 1.48 | 1.72 | 2.01 |
| 383 Other antepartum diag w med complic | 62 | 9,483 | 9,026 | 10,990 | 2.06 | 2.03 | 2.71 |
| 385 Neonates died/transf to acute care fac | 8 | 101,124 | 18,080 | 19,166 | 14.29 | 3.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 113 | 84,467 | 66,174 | 101,092 | 19.30 | 16.19 | 26.08 |
| 387 Prematurity w major problems | 52 | 58,649 | 39,421 | 48,843 | 14.75 | 11.10 | 15.14 |
| 389 Full term neonate w major problems | 157 | 15,446 | 10,255 | 15,544 | 3.67 | 3.25 | 4.66 |
| 390 Neonate w other significant problems | 223 | 4,802 | 4,131 | 3,854 | 1.94 | 2.02 | 2.27 |
| 391 Normal newborn | 1,737 | 2,585 | 2,227 | 2,436 | 1.41 | 1.58 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 28 | 15,516 | 15,287 | 23,836 | 2.07 | 2.07 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 84 | 71,439 | 58,387 | 72,347 | 9.67 | 8.24 | 9.12 |
| 430 Psychoses | 596 | 9,951 | 10,896 | 14,101 | 4.41 | 4.50 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 45 | 13,488 | 13,402 | 13,612 | 2.73 | 2.90 | 3.30 |
| 462 Rehabilitation | 263 | 32,355 | 31,671 | 40,385 | 12.87 | 12.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 61 | 54,120 | 46,772 | 55,889 | 7.60 | 6.53 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 6 | 98,349 | 89,736 | 108,196 | 12.33 | 11.29 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 8 | 251,790 | 233,071 | 295,955 | 22.25 | 23.10 | 26.00 |
| 486 Other OR proc for mult signif trauma | 3 | 57,110 | 49,815 | 93,495 | 7.00 | 6.71 | 8.69 |
| 499 Back & neck procedures w cc | 27 | 18,886 | 17,694 | 25,581 | 2.07 | 2.00 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 45 | 14,518 | 13,697 | 16,304 | 1.42 | 1.40 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 5,518 | 20,739 | 20,364 | 1.00 | 2.86 | 2.68 |
| 470 Ungroupable | 1 | 4,794 | 9,674 | 12,546 | 1.00 | 3.00 | 3.65 |
| All Other DRGs | 7,767 | 22,326 | 19,757 | 26,338 | 3.03 | 2.90 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DIXIE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Washington
 OWNERSHIP: Not for profit

BED SIZE: 245
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 141 | 13,347 | 13,079 | 17,504 | 2.08 | 2.18 | 2.39 |
| Major or Extreme SOI | 83 | 20,789 | 19,474 | 30,421 | 3.66 | 3.42 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 240 | 10,595 | 10,517 | 10,931 | 2.63 | 2.58 | 2.55 |
| Major or Extreme SOI | 175 | 17,127 | 17,568 | 20,864 | 3.81 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 34 | 6,668 | 7,162 | 8,532 | 1.61 | 1.82 | 1.99 |
| Major or Extreme SOI | 2 | 19,630 | 11,773 | 15,810 | 3.50 | 2.56 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 336 | 42,073 | 41,081 | 42,983 | 1.42 | 1.41 | 1.54 |
| Major or Extreme SOI | 60 | 57,553 | 57,171 | 68,036 | 3.15 | 3.21 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 49 | 16,331 | 13,898 | 17,963 | 2.06 | 1.98 | 2.03 |
| Major or Extreme SOI | 39 | 23,607 | 21,647 | 28,897 | 4.30 | 3.74 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 103 | 15,080 | 15,242 | 17,867 | 1.53 | 1.56 | 1.54 |
| Major or Extreme SOI | 18 | 18,987 | 19,721 | 25,935 | 2.82 | 2.94 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 110 | 12,035 | 12,543 | 13,972 | 2.70 | 2.80 | 2.96 |
| Major or Extreme SOI | 109 | 19,381 | 19,446 | 22,844 | 4.31 | 4.32 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 138 | 9,099 | 9,532 | 10,477 | 1.80 | 1.83 | 1.84 |
| Major or Extreme SOI | 47 | 15,877 | 15,157 | 17,274 | 3.20 | 2.84 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 120 | 28,356 | 29,382 | 33,294 | 4.70 | 4.83 | 4.80 |
| Major or Extreme SOI | 41 | 59,229 | 55,977 | 78,140 | 10.68 | 9.72 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 155 | 13,667 | 14,665 | 17,034 | 1.90 | 1.96 | 2.08 |
| Major or Extreme SOI | 3 | 27,083 | 33,344 | 36,530 | 3.33 | 4.92 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 88 | 8,882 | 8,552 | 9,467 | 2.02 | 1.99 | 2.01 |
| Major or Extreme SOI | 12 | 10,333 | 10,620 | 14,930 | 2.17 | 2.50 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 835 | 27,869 | 32,193 | 37,842 | 2.74 | 2.87 | 2.92 |
| Major or Extreme SOI | 29 | 40,017 | 41,374 | 48,873 | 4.86 | 4.45 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 84 | 19,784 | 22,362 | 27,280 | 2.22 | 2.14 | 2.61 |
| Major or Extreme SOI | 13 | 52,344 | 48,855 | 45,932 | 6.23 | 6.00 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 5 | 13,075 | 14,164 | 11,741 | 2.50 | 3.25 | 2.96 |
| Major or Extreme SOI | 2 | 11,037 | 9,535 | 22,625 | 3.00 | 3.00 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DIXIE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Washington
 OWNERSHIP: Not for profit

BED SIZE: 245
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 38 | 12,270 | 13,281 | 15,305 | 1.53 | 1.69 | 1.62 |
| Major or Extreme SOI | 1 | 26,488 | 25,116 | 36,837 | 1.00 | 3.44 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 354 | 9,886 | 9,977 | 11,641 | 2.70 | 2.57 | 3.21 |
| Major or Extreme SOI | 20 | 21,840 | 17,833 | 21,704 | 5.37 | 4.06 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,802 | 5,270 | 5,538 | 6,731 | 1.32 | 1.50 | 1.79 |
| Major or Extreme SOI | 44 | 10,415 | 8,527 | 10,767 | 2.22 | 1.98 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 32 | 7,219 | 8,488 | 9,583 | 1.52 | 1.71 | 1.93 |
| Major or Extreme SOI | 1 | 8,157 | 13,781 | 21,300 | 1.00 | 2.33 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 362 | 8,890 | 9,035 | 11,599 | 4.06 | 3.94 | 5.19 |
| Major or Extreme SOI | 14 | 14,807 | 14,746 | 22,695 | 7.15 | 6.50 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 1,956 | 2,681 | 2,356 | 2,536 | 1.47 | 1.63 | 1.89 |
| Major or Extreme SOI | 53 | 12,099 | 8,781 | 8,321 | 3.33 | 2.84 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 45 | 10,146 | 9,490 | 10,069 | 2.19 | 2.34 | 2.88 |
| Major or Extreme SOI | 7 | 20,079 | 19,226 | 19,849 | 4.57 | 4.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 67 | 14,831 | 13,995 | 16,988 | 1.46 | 1.44 | 1.89 |
| Major or Extreme SOI | 3 | 35,921 | 35,921 | 42,605 | 6.33 | 6.33 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 226 | 14,277 | 16,427 | 18,944 | 1.85 | 2.02 | 2.08 |
| Major or Extreme SOI | 28 | 26,508 | 26,177 | 34,924 | 4.46 | 4.09 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 45 | 12,118 | 11,482 | 13,298 | 2.12 | 2.11 | 2.15 |
| Major or Extreme SOI | 37 | 16,975 | 19,121 | 24,096 | 3.03 | 3.41 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 4 | 14,749 | 19,227 | 13,147 | 2.00 | 3.60 | 2.10 |
| Major or Extreme SOI | 9 | 17,561 | 18,827 | 23,048 | 3.00 | 3.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 84 | 11,552 | 11,184 | 12,049 | 2.67 | 2.50 | 2.47 |
| Major or Extreme SOI | 16 | 16,966 | 17,894 | 21,886 | 4.00 | 4.00 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 59 | 9,198 | 10,166 | 11,171 | 2.15 | 2.19 | 2.13 |
| Major or Extreme SOI | 16 | 16,900 | 15,464 | 21,005 | 3.36 | 2.97 | 3.64 |
| All other APRDRGs | 8,894 | 25,712 | 21,901 | 30,661 | 4.09 | 3.65 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

DIXIE REGIONAL MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=7)

AFFILIATION: Intermountain Healthcare

COUNTY: Washington

BED SIZE: 245

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 9,762 | 56.5 | 61.0 | 61.8 |
| Male | 7,526 | 43.5 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,316 | 13.4 | 19.7 | 20.2 |
| 29-365 days | 168 | 1.0 | 0.9 | 0.9 |
| 1-4 years | 110 | 0.6 | 1.0 | 0.7 |
| 5-9 | 81 | 0.5 | 0.6 | 0.4 |
| 10-14 | 99 | 0.6 | 0.6 | 0.4 |
| 15-17 | 170 | 1.0 | 0.9 | 0.8 |
| 18-19 | 211 | 1.2 | 1.5 | 1.5 |
| 20-24 | 895 | 5.2 | 7.0 | 6.9 |
| 25-29 | 1,153 | 6.7 | 8.7 | 9.6 |
| 30-34 | 920 | 5.3 | 6.7 | 8.4 |
| 35-39 | 590 | 3.4 | 3.7 | 4.9 |
| 40-44 | 449 | 2.6 | 2.8 | 3.4 |
| 45-49 | 492 | 2.8 | 2.7 | 3.5 |
| 50-54 | 694 | 4.0 | 4.0 | 4.5 |
| 55-59 | 804 | 4.7 | 4.3 | 5.0 |
| 60-64 | 1,071 | 6.2 | 5.1 | 5.1 |
| 65-69 | 1,584 | 9.2 | 6.6 | 5.6 |
| 70-74 | 1,577 | 9.1 | 6.4 | 5.1 |
| 75-79 | 1,521 | 8.8 | 6.2 | 4.7 |
| 80-84 | 1,155 | 6.7 | 4.9 | 4.1 |
| 85-89 | 812 | 4.7 | 3.6 | 2.9 |
| 90 + | 416 | 2.4 | 2.0 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 469 | 2.7 | 6.6 | 14.1 |
| Urgent | 8,925 | 51.6 | 45.9 | 39.7 |
| Elective | 5,597 | 32.4 | 28.0 | 25.3 |
| Newborn | 2,294 | 13.3 | 19.5 | 20.2 |
| Trauma Center | 2 | 0.0 | 0.0 | 0.6 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 6,096 | 35.3 | 41.5 | 49.6 |
| Clinic referral | 8,160 | 47.2 | 36.4 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 688 | 4.0 | 2.2 | 4.4 |
| Skilled nursing facility | 24 | 0.1 | 0.1 | 0.5 |
| Other health care facility | 18 | 0.1 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | . | . | 0.1 | 0.3 |
| Normal delivery/Born Inside | 2,292 | 13.3 | 19.4 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

DIXIE REGIONAL MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=7)

AFFILIATION: Intermountain Healthcare

COUNTY: Washington

BED SIZE: 245

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 2 | 0.0 | 0.0 | 0.0 |
| Unknown | 6 | 0.0 | 0.1 | 0.6 |
| Not reported | 2 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 6,641 | 38.4 | 45.8 | 55.1 |
| Another hospital | 51 | 0.3 | 1.0 | 0.8 |
| Skilled nursing facility | 807 | 4.7 | 4.3 | 5.3 |
| Intermediate care | 1 | 0.0 | 0.1 | 0.1 |
| Another type of institution | 588 | 3.4 | 2.2 | 2.6 |
| Under care of home service | 854 | 4.9 | 4.4 | 5.7 |
| Left against medical advice | 23 | 0.1 | 0.2 | 0.3 |
| Under care of a home iv provider | 7 | 0.0 | 0.0 | 0.0 |
| Expired | 303 | 1.8 | 1.1 | 1.1 |
| Not reported | 8,013 | 46.4 | 40.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 7,215 | 41.7 | 31.3 | 26.7 |
| Medicaid | 2,996 | 17.3 | 20.7 | 18.6 |
| Other government | 332 | 1.9 | 2.0 | 2.4 |
| Blue Cross/Blue Shield | 1,111 | 6.4 | 10.5 | 10.3 |
| Other commercial | 738 | 4.3 | 5.3 | 5.5 |
| Managed care | 3,886 | 22.5 | 25.2 | 30.9 |
| Self pay | 502 | 2.9 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 79 | 0.5 | 0.4 | 0.5 |
| Charity | 385 | 2.2 | 1.2 | 1.1 |
| Children's Health Insurance Plan | 36 | 0.2 | 0.2 | 0.1 |
| Not reported | 8 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 26 | 0.2 | 25.6 | 5.4 |
| Central Utah | 100 | 0.6 | 0.6 | 2.9 |
| Davis County | 38 | 0.2 | 0.3 | 9.8 |
| Salt Lake County | 141 | 0.8 | 1.1 | 34.1 |
| Southeastern Utah | 17 | 0.1 | 5.6 | 1.8 |
| Southwest Utah | 14,548 | 84.2 | 48.3 | 8.0 |
| Summit County | 4 | 0.0 | 2.1 | 0.9 |
| Tooele County | 7 | 0.0 | 0.1 | 2.2 |
| Tri-County | 13 | 0.1 | 5.1 | 1.7 |
| Utah County | 103 | 0.6 | 0.6 | 17.8 |
| Wasatch County | 6 | 0.0 | 0.7 | 0.6 |
| Weber/Morgan | 30 | 0.2 | 0.5 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 2,244 | 13.0 | 9.4 | 5.2 |
| Unknown | 11 | 0.1 | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,
Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

FILLMORE COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 202 | 100.0 | 100.0 | 100.0 | 1,309,896 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 43 | 21.3 | 18.5 | 20.1 | 124,659 | 9.5 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 46 | 22.8 | 19.5 | 20.9 | 342,888 | 26.2 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 20 | 9.9 | 4.8 | 2.3 | 67,426 | 5.1 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.6 | 0.4 | . | . | 1.1 | 0.6 |
| Other Medical | 92 | 45.5 | 45.7 | 29.4 | 771,470 | 58.9 | 49.3 | 27.2 |
| Other Surgical | . | . | 10.1 | 22.0 | . | . | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 1 | 0.5 | 0.3 | 3.9 | 3,454 | 0.3 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 8 | 4.0 | 2.6 | 4.1 | 60,665 | 4.6 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 3 | 1.5 | 1.0 | 0.6 | 12,579 | 1.0 | 0.7 | 0.5 |
| 4 Respiratory System | 29 | 14.4 | 13.7 | 6.4 | 264,219 | 20.2 | 15.4 | 6.8 |
| 5 Circulatory System | 7 | 3.5 | 6.0 | 7.5 | 56,939 | 4.3 | 6.7 | 15.5 |
| 6 Digestive System | 6 | 3.0 | 9.1 | 6.4 | 60,497 | 4.6 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 6 | 3.0 | 3.5 | 2.3 | 42,157 | 3.2 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 8 | 4.0 | 6.5 | 10.0 | 48,459 | 3.7 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 2 | 1.0 | 2.3 | 1.1 | 11,325 | 0.9 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 16 | 7.9 | 3.7 | 2.4 | 75,580 | 5.8 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 7 | 3.5 | 3.7 | 2.8 | 72,156 | 5.5 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | . | . | 2.2 | 1.7 | . | . | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 46 | 22.8 | 19.5 | 20.9 | 342,888 | 26.2 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 44 | 21.8 | 18.7 | 20.4 | 126,941 | 9.7 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 2 | 1.0 | 0.8 | 0.5 | 9,996 | 0.8 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 7 | 3.5 | 2.0 | 3.7 | 67,810 | 5.2 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 1 | 0.5 | 0.3 | 3.9 | 3,454 | 0.3 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 1.0 | 0.5 | 1.0 | 8,669 | 0.7 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 3 | 1.5 | 1.7 | 1.8 | 8,897 | 0.7 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 4 | 2.0 | 1.4 | 1.3 | 30,931 | 2.4 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.5 | 0.0 | 0.3 | 5,734 | 0.4 | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.4837

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.50

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=3.47

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 202 | 1,362,473 | 114,581,002 | 5,319,068,336 | 507.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 1,309,896 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 6,485 | 10,066 | 21,172 | 2.51 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 12,970 | 16,258 | 20,004 | 4.68 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 1 | 12,182 | 10,331 | 21,721 | 3.00 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 10 | 12,284 | 11,079 | 16,240 | 3.56 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 2 | 4,327 | 6,181 | 8,064 | 2.00 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 8 | 3,593 | 5,668 | 7,590 | 1.50 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | 20,366 | 24,880 | . | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 4 | 9,928 | 11,796 | 18,033 | 4.75 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | . | . | 6,720 | 10,491 | . | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | 16,048 | 13,530 | . | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | . | . | 12,515 | 18,170 | . | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 3 | 7,309 | 8,553 | 14,049 | 3.00 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 1 | 5,314 | 7,663 | 11,229 | 1.00 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.4837

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.50

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=3.47

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 4 | 3,266 | 8,608 | 13,720 | 1.50 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | 16,939 | 14,898 | . | 1.38 | 1.57 |
| 370 Cesarean section with cc | 3 | 15,325 | 12,139 | 14,657 | 2.67 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 4 | 14,254 | 11,034 | 11,759 | 3.25 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 2 | 7,265 | 6,345 | 8,392 | 2.00 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 31 | 5,892 | 5,099 | 6,661 | 1.65 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 3 | 8,951 | 8,822 | 10,362 | 2.00 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 1 | 5,421 | 6,503 | 10,990 | 1.00 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 1 | 1,037 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 7 | 3,861 | 3,831 | 15,544 | 2.14 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 10 | 2,726 | 2,658 | 3,854 | 1.90 | 1.92 | 2.27 |
| 391 Normal newborn | 26 | 2,754 | 2,122 | 2,436 | 1.92 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | . | . | 7,298 | 13,612 | . | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 81 | 6,865 | 11,484 | 26,338 | 2.49 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 11,029 | 17,504 | . | 2.61 | 2.39 |
| Major or Extreme SOI | 1 | 12,182 | 10,115 | 30,421 | 3.00 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 10 | 6,509 | 8,601 | 10,931 | 2.60 | 2.69 | 2.55 |
| Major or Extreme SOI | 2 | 33,200 | 15,114 | 20,864 | 10.00 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 1 | 4,169 | 6,962 | 8,532 | 2.00 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 4 | 9,928 | 10,681 | 13,972 | 4.75 | 3.16 | 2.96 |
| Major or Extreme SOI | . | . | 14,304 | 22,844 | . | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 8,759 | 10,477 | . | 1.91 | 1.84 |
| Major or Extreme SOI | . | . | 12,787 | 17,274 | . | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 37,933 | 33,294 | . | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 19,168 | 17,034 | . | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 7 | 5,301 | 7,294 | 9,467 | 2.14 | 2.04 | 2.01 |
| Major or Extreme SOI | 1 | 9,040 | 10,963 | 14,930 | 3.00 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 16,877 | 15,305 | . | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 7 | 14,713 | 11,227 | 11,641 | 3.00 | 2.61 | 3.21 |
| Major or Extreme SOI | . | . | 14,509 | 21,704 | . | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 30 | 5,840 | 5,201 | 6,731 | 1.66 | 1.60 | 1.79 |
| Major or Extreme SOI | 3 | 7,325 | 7,295 | 10,767 | 2.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 3 | 8,951 | 8,634 | 9,583 | 2.00 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 35 | 2,727 | 2,218 | 2,536 | 1.94 | 1.73 | 1.89 |
| Major or Extreme SOI | 2 | 4,810 | 3,691 | 8,321 | 3.50 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 2 | 4,335 | 5,962 | 10,069 | 1.50 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 20,365 | 18,944 | . | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | 9,511 | 13,298 | . | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | 8,734 | 12,049 | . | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 2,361 | 7,708 | 11,171 | 1.00 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 93 | 6,350 | 10,802 | 30,661 | 2.48 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

FILLMORE COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Millard
 AFFILIATION: Intermountain Healthcare BED SIZE: 19

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 126 | 62.4 | 64.5 | 61.8 |
| Male | 76 | 37.6 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 43 | 21.3 | 18.7 | 20.2 |
| 29-365 days | 4 | 2.0 | 1.1 | 0.9 |
| 1-4 years | 8 | 4.0 | 1.8 | 0.7 |
| 5-9 | 3 | 1.5 | 0.9 | 0.4 |
| 10-14 | 3 | 1.5 | 0.6 | 0.4 |
| 15-17 | 3 | 1.5 | 1.1 | 0.8 |
| 18-19 | 7 | 3.5 | 1.8 | 1.5 |
| 20-24 | 12 | 5.9 | 7.2 | 6.9 |
| 25-29 | 18 | 8.9 | 8.3 | 9.6 |
| 30-34 | 14 | 6.9 | 6.6 | 8.4 |
| 35-39 | 11 | 5.4 | 3.9 | 4.9 |
| 40-44 | 5 | 2.5 | 2.8 | 3.4 |
| 45-49 | 4 | 2.0 | 3.3 | 3.5 |
| 50-54 | 3 | 1.5 | 3.7 | 4.5 |
| 55-59 | 2 | 1.0 | 4.0 | 5.0 |
| 60-64 | 3 | 1.5 | 4.7 | 5.1 |
| 65-69 | 3 | 1.5 | 5.7 | 5.6 |
| 70-74 | 10 | 5.0 | 5.5 | 5.1 |
| 75-79 | 14 | 6.9 | 5.9 | 4.7 |
| 80-84 | 14 | 6.9 | 5.9 | 4.1 |
| 85-89 | 6 | 3.0 | 4.0 | 2.9 |
| 90 + | 12 | 5.9 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 12 | 5.9 | 27.0 | 14.1 |
| Urgent | 110 | 54.5 | 24.8 | 39.7 |
| Elective | 37 | 18.3 | 28.3 | 25.3 |
| Newborn | 43 | 21.3 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 65 | 32.2 | 56.4 | 49.6 |
| Clinic referral | 90 | 44.6 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 3 | 1.5 | 0.5 | 4.4 |
| Skilled nursing facility | 1 | 0.5 | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 43 | 21.3 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

FILLMORE COMMUNITY MEDICAL CENTER-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Millard
 AFFILIATION: Intermountain Healthcare BED SIZE: 19

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 91 | 45.0 | 67.8 | 55.1 |
| Another hospital | 6 | 3.0 | 3.9 | 0.8 |
| Skilled nursing facility | 5 | 2.5 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 10 | 5.0 | 3.6 | 2.6 |
| Under care of home service | . | . | 4.0 | 5.7 |
| Left against medical advice | 2 | 1.0 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 1 | 0.5 | 0.8 | 1.1 |
| Not reported | 87 | 43.1 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 63 | 31.2 | 31.3 | 26.7 |
| Medicaid | 57 | 28.2 | 21.7 | 18.6 |
| Other government | 2 | 1.0 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 22 | 10.9 | 10.5 | 10.3 |
| Other commercial | 9 | 4.5 | 7.0 | 5.5 |
| Managed care | 40 | 19.8 | 20.9 | 30.9 |
| Self pay | 8 | 4.0 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 1 | 0.5 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | 188 | 93.1 | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | 3 | 1.5 | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 1 | 0.5 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | . | . | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | 2 | 1.0 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 8 | 4.0 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Garfield
 OWNERSHIP: Not for profit

BED SIZE: 41
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 304 | 100.0 | 100.0 | 100.0 | 2,605,400 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 35 | 11.5 | 18.5 | 20.1 | 50,699 | 1.9 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 38 | 12.5 | 19.5 | 20.9 | 185,040 | 7.1 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 21 | 6.9 | 4.8 | 2.3 | 114,028 | 4.4 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.6 | 0.4 | . | . | 1.1 | 0.6 |
| Other Medical | 207 | 68.1 | 45.7 | 29.4 | 2,220,309 | 85.2 | 49.3 | 27.2 |
| Other Surgical | . | . | 10.1 | 22.0 | . | . | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 1 | 0.3 | 0.3 | 3.9 | 7,149 | 0.3 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | 1 | 0.3 | 0.1 | 1.0 | 16,197 | 0.6 | 0.1 | 2.0 |
| Unknown (DRG 469-470) | 1 | 0.3 | 0.5 | 0.0 | 11,977 | 0.5 | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 3 | 1.0 | 2.6 | 4.1 | 26,628 | 1.0 | 2.3 | 6.0 |
| 2 Eye | 1 | 0.3 | 0.1 | 0.1 | 11,825 | 0.5 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 2 | 0.7 | 1.0 | 0.6 | 5,985 | 0.2 | 0.7 | 0.5 |
| 4 Respiratory System | 62 | 20.4 | 13.7 | 6.4 | 624,066 | 24.0 | 15.4 | 6.8 |
| 5 Circulatory System | 34 | 11.2 | 6.0 | 7.5 | 412,074 | 15.8 | 6.7 | 15.5 |
| 6 Digestive System | 30 | 9.9 | 9.1 | 6.4 | 316,241 | 12.1 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 18 | 5.9 | 3.5 | 2.3 | 130,678 | 5.0 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 10 | 3.3 | 6.5 | 10.0 | 115,456 | 4.4 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 5 | 1.6 | 2.3 | 1.1 | 44,804 | 1.7 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 7 | 2.3 | 3.7 | 2.4 | 61,352 | 2.4 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 17 | 5.6 | 3.7 | 2.8 | 157,670 | 6.1 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | . | . | 2.2 | 1.7 | . | . | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 38 | 12.5 | 19.5 | 20.9 | 185,040 | 7.1 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 36 | 11.8 | 18.7 | 20.4 | 56,217 | 2.2 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 3 | 1.0 | 0.8 | 0.5 | 48,412 | 1.9 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 2 | 0.7 | 0.1 | 0.3 | 35,119 | 1.3 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 18 | 5.9 | 2.0 | 3.7 | 200,397 | 7.7 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 1 | 0.3 | 0.3 | 3.9 | 7,149 | 0.3 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 7 | 2.3 | 0.5 | 1.0 | 55,758 | 2.1 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 5 | 1.6 | 1.7 | 1.8 | 47,987 | 1.8 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 4 | 1.3 | 1.4 | 1.3 | 50,565 | 1.9 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | 1 | 0.3 | 0.5 | 0.1 | 11,977 | 0.5 | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.5926

COUNTY: Garfield
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 41
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.33

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 304 | 2,631,553 | 114,581,002 | 5,319,068,336 | 778.00 | 28,293.00 | 881,886.00 | | | |
| Facility Charges (total) | . | 2,605,400 | 113,031,053 | 5,296,755,067 | . | . | . | | | |
| Facility Charges & LOS (average) | . | 8,570 | 10,066 | 21,172 | 2.56 | 2.52 | 3.53 | | | |
| Facility Charges & LOS (adjusted average)* | . | 14,462 | 16,258 | 20,004 | 4.29 | 4.07 | 3.53 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | | | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 | | | |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 | | | |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | 10,331 | 21,721 | . | 2.58 | 3.12 | | | |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 18 | 11,879 | 11,079 | 16,240 | 3.11 | 3.18 | 3.26 | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | 9 | 5,872 | 6,181 | 8,064 | 2.33 | 2.14 | 2.31 | | | |
| 098 Bronchitis & asthma Age 0-17 | 6 | 5,873 | 5,668 | 7,590 | 2.50 | 1.98 | 2.06 | | | |
| 104 Cardiac valve/cardiorthor w card cath | . | . | . | 131,342 | . | . | 9.28 | | | |
| 105 Cardiac valve/cardiorthor w/o card cath | . | . | . | 117,359 | . | . | 7.94 | | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 | | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 | | | |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 | | | |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 | | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | 20,366 | 24,880 | . | 2.92 | 3.56 | | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 | | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 | | | |
| 127 Heart failure & shock | 20 | 13,123 | 11,796 | 18,033 | 3.90 | 3.25 | 3.64 | | | |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 | | | |
| 143 Chest pain | 4 | 9,466 | 6,720 | 10,491 | 1.75 | 1.24 | 1.33 | | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | 16,048 | 13,530 | . | 1.17 | 1.11 | | | |
| 174 G.I. hemorrhage w cc | 3 | 12,394 | 12,515 | 18,170 | 3.33 | 2.67 | 2.81 | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 9 | 10,080 | 8,553 | 14,049 | 2.56 | 2.34 | 2.61 | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 5 | 9,099 | 7,663 | 11,229 | 1.60 | 1.85 | 2.10 | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 | | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.5926

COUNTY: Garfield
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 41
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.33

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 5 | 9,719 | 8,608 | 13,720 | 2.80 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | 16,939 | 14,898 | . | 1.38 | 1.57 |
| 370 Cesarean section with cc | 1 | 6,123 | 12,139 | 14,657 | 3.00 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 3 | 7,735 | 11,034 | 11,759 | 2.33 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 2 | 4,686 | 6,345 | 8,392 | 1.00 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 29 | 4,239 | 5,099 | 6,661 | 1.21 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | . | . | 8,822 | 10,362 | . | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 1 | 8,726 | 6,503 | 10,990 | 3.00 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 1 | 1,240 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 2 | 1,835 | 3,831 | 15,544 | 2.00 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 8 | 2,160 | 2,658 | 3,854 | 1.50 | 1.92 | 2.27 |
| 391 Normal newborn | 25 | 1,361 | 2,122 | 2,436 | 1.32 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | 1 | 7,149 | 5,041 | 14,101 | 2.00 | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 5 | 7,818 | 7,298 | 13,612 | 2.80 | 2.44 | 3.30 |
| 462 Rehabilitation | 1 | 16,197 | 10,919 | 40,385 | 4.00 | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | 1 | 11,977 | 7,368 | 12,546 | 5.00 | 2.52 | 3.65 |
| All Other DRGs | 145 | 10,208 | 11,484 | 26,338 | 2.88 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Garfield
 OWNERSHIP: Not for profit

BED SIZE: 41
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 11,029 | 17,504 | . | 2.61 | 2.39 |
| Major or Extreme SOI | . | . | 10,115 | 30,421 | . | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 20 | 8,559 | 8,601 | 10,931 | 2.37 | 2.69 | 2.55 |
| Major or Extreme SOI | 7 | 14,261 | 15,114 | 20,864 | 4.14 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | 6,962 | 8,532 | . | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 12 | 10,734 | 10,681 | 13,972 | 3.27 | 3.16 | 2.96 |
| Major or Extreme SOI | 8 | 16,706 | 14,304 | 22,844 | 5.13 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 3 | 8,993 | 8,759 | 10,477 | 1.67 | 1.91 | 1.84 |
| Major or Extreme SOI | . | . | 12,787 | 17,274 | . | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 37,933 | 33,294 | . | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 19,168 | 17,034 | . | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 6 | 8,984 | 7,294 | 9,467 | 1.50 | 2.04 | 2.01 |
| Major or Extreme SOI | . | . | 10,963 | 14,930 | . | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 11,578 | 7,648 | 11,741 | 3.00 | 3.50 | 2.96 |
| Major or Extreme SOI | 1 | 7,740 | 17,599 | 22,625 | 3.00 | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Garfield
 OWNERSHIP: Not for profit

BED SIZE: 41
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 16,877 | 15,305 | . | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 3 | 7,584 | 11,227 | 11,641 | 2.67 | 2.61 | 3.21 |
| Major or Extreme SOI | 1 | 6,574 | 14,509 | 21,704 | 2.00 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 29 | 4,242 | 5,201 | 6,731 | 1.21 | 1.60 | 1.79 |
| Major or Extreme SOI | 1 | 5,646 | 7,295 | 10,767 | 1.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | 8,634 | 9,583 | . | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 7,149 | 4,489 | 11,599 | 2.00 | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 29 | 1,417 | 2,218 | 2,536 | 1.38 | 1.73 | 1.89 |
| Major or Extreme SOI | 1 | 1,091 | 3,691 | 8,321 | 1.00 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 6 | 8,176 | 5,962 | 10,069 | 3.17 | 2.13 | 2.88 |
| Major or Extreme SOI | 1 | 6,704 | 9,576 | 19,849 | 3.00 | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 20,365 | 18,944 | . | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 3 | 6,836 | 9,511 | 13,298 | 2.33 | 2.24 | 2.15 |
| Major or Extreme SOI | 1 | 14,670 | 16,416 | 24,096 | 5.00 | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 2 | 6,269 | 8,734 | 12,049 | 2.50 | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 4 | 11,514 | 7,708 | 11,171 | 3.00 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 164 | 9,847 | 10,802 | 30,661 | 2.89 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Garfield
 AFFILIATION: Intermountain Healthcare BED SIZE: 41

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 185 | 60.9 | 64.5 | 61.8 |
| Male | 119 | 39.1 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 36 | 11.8 | 18.7 | 20.2 |
| 29-365 days | 9 | 3.0 | 1.1 | 0.9 |
| 1-4 years | 7 | 2.3 | 1.8 | 0.7 |
| 5-9 | 1 | 0.3 | 0.9 | 0.4 |
| 10-14 | 1 | 0.3 | 0.6 | 0.4 |
| 15-17 | 2 | 0.7 | 1.1 | 0.8 |
| 18-19 | 1 | 0.3 | 1.8 | 1.5 |
| 20-24 | 18 | 5.9 | 7.2 | 6.9 |
| 25-29 | 18 | 5.9 | 8.3 | 9.6 |
| 30-34 | 15 | 4.9 | 6.6 | 8.4 |
| 35-39 | 8 | 2.6 | 3.9 | 4.9 |
| 40-44 | 1 | 0.3 | 2.8 | 3.4 |
| 45-49 | 18 | 5.9 | 3.3 | 3.5 |
| 50-54 | 12 | 3.9 | 3.7 | 4.5 |
| 55-59 | 13 | 4.3 | 4.0 | 5.0 |
| 60-64 | 22 | 7.2 | 4.7 | 5.1 |
| 65-69 | 25 | 8.2 | 5.7 | 5.6 |
| 70-74 | 23 | 7.6 | 5.5 | 5.1 |
| 75-79 | 20 | 6.6 | 5.9 | 4.7 |
| 80-84 | 24 | 7.9 | 5.9 | 4.1 |
| 85-89 | 24 | 7.9 | 4.0 | 2.9 |
| 90 + | 6 | 2.0 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 58 | 19.1 | 27.0 | 14.1 |
| Urgent | 153 | 50.3 | 24.8 | 39.7 |
| Elective | 58 | 19.1 | 28.3 | 25.3 |
| Newborn | 35 | 11.5 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 212 | 69.7 | 56.4 | 49.6 |
| Clinic referral | 55 | 18.1 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 1 | 0.3 | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | 1 | 0.3 | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 35 | 11.5 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Garfield
 AFFILIATION: Intermountain Healthcare BED SIZE: 41

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 125 | 41.1 | 67.8 | 55.1 |
| Another hospital | 11 | 3.6 | 3.9 | 0.8 |
| Skilled nursing facility | 2 | 0.7 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 16 | 5.3 | 3.6 | 2.6 |
| Under care of home service | 2 | 0.7 | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 4 | 1.3 | 0.8 | 1.1 |
| Not reported | 144 | 47.4 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 129 | 42.4 | 31.3 | 26.7 |
| Medicaid | 46 | 15.1 | 21.7 | 18.6 |
| Other government | 3 | 1.0 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 23 | 7.6 | 10.5 | 10.3 |
| Other commercial | 21 | 6.9 | 7.0 | 5.5 |
| Managed care | 61 | 20.1 | 20.9 | 30.9 |
| Self pay | 18 | 5.9 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 1 | 0.3 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | 2 | 0.7 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | 27 | 8.9 | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | 4 | 1.3 | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 241 | 79.3 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | . | . | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 28 | 9.2 | 4.7 | 5.2 |
| Unknown | 4 | 1.3 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

GUNNISON VALLEY HOSPITAL (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sanpete
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Freestanding

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 792 | 100.0 | 100.0 | 100.0 | 3,954,337 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 158 | 19.9 | 18.5 | 20.1 | 269,139 | 6.8 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 154 | 19.4 | 19.5 | 20.9 | 752,702 | 19.0 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 43 | 5.4 | 4.8 | 2.3 | 143,109 | 3.6 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.6 | 0.4 | . | . | 1.1 | 0.6 |
| Other Medical | 393 | 49.6 | 45.7 | 29.4 | 2,344,608 | 59.3 | 49.3 | 27.2 |
| Other Surgical | 33 | 4.2 | 10.1 | 22.0 | 370,510 | 9.4 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 10 | 1.3 | 0.3 | 3.9 | 38,287 | 1.0 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | 1 | 0.1 | 0.1 | 1.0 | 35,983 | 0.9 | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 29 | 3.7 | 2.6 | 4.1 | 136,223 | 3.4 | 2.3 | 6.0 |
| 2 Eye | 2 | 0.3 | 0.1 | 0.1 | 13,643 | 0.3 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 11 | 1.4 | 1.0 | 0.6 | 76,593 | 1.9 | 0.7 | 0.5 |
| 4 Respiratory System | 117 | 14.8 | 13.7 | 6.4 | 748,164 | 18.9 | 15.4 | 6.8 |
| 5 Circulatory System | 49 | 6.2 | 6.0 | 7.5 | 228,571 | 5.8 | 6.7 | 15.5 |
| 6 Digestive System | 72 | 9.1 | 9.1 | 6.4 | 474,891 | 12.0 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 29 | 3.7 | 3.5 | 2.3 | 179,866 | 4.5 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 25 | 3.2 | 6.5 | 10.0 | 143,575 | 3.6 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 23 | 2.9 | 2.3 | 1.1 | 142,351 | 3.6 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 17 | 2.1 | 3.7 | 2.4 | 75,023 | 1.9 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 39 | 4.9 | 3.7 | 2.8 | 280,331 | 7.1 | 4.0 | 3.0 |
| 12 Male Reproductive System | 1 | 0.1 | 0.1 | 0.3 | 5,438 | 0.1 | 0.1 | 0.3 |
| 13 Female Reproductive System | 21 | 2.7 | 2.2 | 1.7 | 145,726 | 3.7 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 154 | 19.4 | 19.5 | 20.9 | 752,702 | 19.0 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 159 | 20.1 | 18.7 | 20.4 | 270,898 | 6.9 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 3 | 0.4 | 0.8 | 0.5 | 20,540 | 0.5 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 1 | 0.1 | 0.1 | 0.3 | 2,234 | 0.1 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 7 | 0.9 | 2.0 | 3.7 | 53,251 | 1.3 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 10 | 1.3 | 0.3 | 3.9 | 38,287 | 1.0 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.3 | 0.5 | 1.0 | 6,395 | 0.2 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 10 | 1.3 | 1.7 | 1.8 | 33,107 | 0.8 | 1.9 | 1.8 |
| 22 Burns | 1 | 0.1 | 0.0 | 0.1 | 7,424 | 0.2 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 10 | 1.3 | 1.4 | 1.3 | 119,105 | 3.0 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.4961

COUNTY: Sanpete
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.13

BED SIZE: 25
 AFFILIATION: Freestanding
 % LOS OUTLIER=3.79

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 792 | 3,966,100 | 114,581,002 | 5,319,068,336 | 2,259.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 3,954,337 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 4,993 | 10,066 | 21,172 | 2.85 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 9,980 | 16,258 | 20,004 | 5.26 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 1 | 6,975 | 10,331 | 21,721 | 3.00 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 43 | 7,819 | 11,079 | 16,240 | 3.76 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 13 | 3,624 | 6,181 | 8,064 | 2.23 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 10 | 3,482 | 5,668 | 7,590 | 1.90 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 1,958 | 20,366 | 24,880 | 1.00 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 18 | 5,826 | 11,796 | 18,033 | 2.38 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 3 | 3,790 | 6,720 | 10,491 | 1.33 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 1 | 11,238 | 64,713 | 59,626 | 4.00 | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | 16,048 | 13,530 | . | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 2 | 9,215 | 12,515 | 18,170 | 4.00 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 29 | 5,521 | 8,553 | 14,049 | 2.92 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 11 | 3,985 | 7,663 | 11,229 | 2.09 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.4961

COUNTY: Sanpete
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.13

BED SIZE: 25
 AFFILIATION: Freestanding
 % LOS OUTLIER=3.79

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 7 | 6,691 | 8,608 | 13,720 | 3.67 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 2 | 8,364 | 19,017 | 19,434 | 1.00 | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 13 | 8,381 | 16,939 | 14,898 | 1.15 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 32 | 6,718 | 12,139 | 14,657 | 2.94 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 12 | 7,059 | 11,034 | 11,759 | 3.25 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 20 | 4,780 | 6,345 | 8,392 | 2.25 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 68 | 3,929 | 5,099 | 6,661 | 1.91 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 6 | 6,294 | 8,822 | 10,362 | 2.33 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 6 | 3,646 | 6,503 | 10,990 | 2.17 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 5 | 1,920 | 2,610 | 19,166 | 1.20 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 3 | 2,710 | 3,831 | 15,544 | 2.67 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 30 | 1,640 | 2,658 | 3,854 | 1.93 | 1.92 | 2.27 |
| 391 Normal newborn | 113 | 1,633 | 2,122 | 2,436 | 1.83 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | 5 | 3,009 | 5,041 | 14,101 | 2.40 | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 2 | 3,198 | 7,298 | 13,612 | 2.00 | 2.44 | 3.30 |
| 462 Rehabilitation | 1 | 35,983 | 10,919 | 40,385 | 46.00 | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 16,023 | 17,885 | 55,889 | 3.00 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 334 | 5,766 | 11,484 | 26,338 | 2.90 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sanpete
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 6,975 | 11,029 | 17,504 | 3.00 | 2.61 | 2.39 |
| Major or Extreme SOI | . | . | 10,115 | 30,421 | . | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 57 | 5,628 | 8,601 | 10,931 | 3.07 | 2.69 | 2.55 |
| Major or Extreme SOI | 12 | 11,049 | 15,114 | 20,864 | 4.55 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 8 | 3,497 | 6,962 | 8,532 | 1.88 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 1,958 | 20,684 | 17,963 | 1.00 | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 16 | 6,089 | 10,681 | 13,972 | 2.91 | 3.16 | 2.96 |
| Major or Extreme SOI | 2 | 3,721 | 14,304 | 22,844 | 1.50 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 9 | 5,190 | 8,759 | 10,477 | 2.88 | 1.91 | 1.84 |
| Major or Extreme SOI | 1 | 4,233 | 12,787 | 17,274 | 2.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 4 | 24,942 | 37,933 | 33,294 | 7.00 | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 19,168 | 17,034 | . | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 15 | 4,895 | 7,294 | 9,467 | 2.86 | 2.04 | 2.01 |
| Major or Extreme SOI | 3 | 10,277 | 10,963 | 14,930 | 4.50 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 1 | 16,393 | 25,814 | 27,280 | 5.00 | 2.95 | 2.61 |
| Major or Extreme SOI | 1 | 7,439 | 30,874 | 45,932 | 3.00 | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 3,285 | 7,648 | 11,741 | 5.00 | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sanpete
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 14 | 8,479 | 16,877 | 15,305 | 1.14 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 41 | 6,704 | 11,227 | 11,641 | 2.98 | 2.61 | 3.21 |
| Major or Extreme SOI | 3 | 8,271 | 14,509 | 21,704 | 3.67 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 82 | 3,951 | 5,201 | 6,731 | 1.95 | 1.60 | 1.79 |
| Major or Extreme SOI | 6 | 6,458 | 7,295 | 10,767 | 2.83 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 6 | 6,294 | 8,634 | 9,583 | 2.33 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 5 | 3,009 | 4,489 | 11,599 | 2.40 | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 139 | 1,669 | 2,218 | 2,536 | 1.88 | 1.73 | 1.89 |
| Major or Extreme SOI | . | . | 3,691 | 8,321 | . | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 2 | 3,198 | 5,962 | 10,069 | 2.00 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 4 | 11,677 | 20,365 | 18,944 | 1.75 | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 3 | 4,520 | 9,511 | 13,298 | 1.67 | 2.24 | 2.15 |
| Major or Extreme SOI | 2 | 8,999 | 16,416 | 24,096 | 5.50 | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 2,626 | 5,514 | 13,147 | 1.00 | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 4 | 4,413 | 8,734 | 12,049 | 2.50 | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 11 | 5,724 | 7,708 | 11,171 | 2.80 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 337 | 5,373 | 10,802 | 30,661 | 2.97 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

GUNNISON VALLEY HOSPITAL (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Sanpete
 AFFILIATION: Freestanding BED SIZE: 25

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 512 | 64.6 | 64.5 | 61.8 |
| Male | 280 | 35.4 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 160 | 20.2 | 18.7 | 20.2 |
| 29-365 days | 8 | 1.0 | 1.1 | 0.9 |
| 1-4 years | 20 | 2.5 | 1.8 | 0.7 |
| 5-9 | 6 | 0.8 | 0.9 | 0.4 |
| 10-14 | 4 | 0.5 | 0.6 | 0.4 |
| 15-17 | 5 | 0.6 | 1.1 | 0.8 |
| 18-19 | 20 | 2.5 | 1.8 | 1.5 |
| 20-24 | 57 | 7.2 | 7.2 | 6.9 |
| 25-29 | 77 | 9.7 | 8.3 | 9.6 |
| 30-34 | 37 | 4.7 | 6.6 | 8.4 |
| 35-39 | 26 | 3.3 | 3.9 | 4.9 |
| 40-44 | 17 | 2.1 | 2.8 | 3.4 |
| 45-49 | 20 | 2.5 | 3.3 | 3.5 |
| 50-54 | 28 | 3.5 | 3.7 | 4.5 |
| 55-59 | 24 | 3.0 | 4.0 | 5.0 |
| 60-64 | 20 | 2.5 | 4.7 | 5.1 |
| 65-69 | 46 | 5.8 | 5.7 | 5.6 |
| 70-74 | 60 | 7.6 | 5.5 | 5.1 |
| 75-79 | 60 | 7.6 | 5.9 | 4.7 |
| 80-84 | 46 | 5.8 | 5.9 | 4.1 |
| 85-89 | 35 | 4.4 | 4.0 | 2.9 |
| 90 + | 16 | 2.0 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 155 | 19.6 | 27.0 | 14.1 |
| Urgent | . | . | 24.8 | 39.7 |
| Elective | 479 | 60.5 | 28.3 | 25.3 |
| Newborn | 158 | 19.9 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 625 | 78.9 | 56.4 | 49.6 |
| Clinic referral | . | . | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | 9 | 1.1 | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 158 | 19.9 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

GUNNISON VALLEY HOSPITAL (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Sanpete
 AFFILIATION: Freestanding BED SIZE: 25

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 694 | 87.6 | 67.8 | 55.1 |
| Another hospital | 39 | 4.9 | 3.9 | 0.8 |
| Skilled nursing facility | 14 | 1.8 | 3.5 | 5.3 |
| Intermediate care | 9 | 1.1 | 0.1 | 0.1 |
| Another type of institution | 25 | 3.2 | 3.6 | 2.6 |
| Under care of home service | 1 | 0.1 | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 10 | 1.3 | 0.8 | 1.1 |
| Not reported | . | . | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 267 | 33.7 | 31.3 | 26.7 |
| Medicaid | 162 | 20.5 | 21.7 | 18.6 |
| Other government | 14 | 1.8 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 41 | 5.2 | 10.5 | 10.3 |
| Other commercial | 60 | 7.6 | 7.0 | 5.5 |
| Managed care | 188 | 23.7 | 20.9 | 30.9 |
| Self pay | 59 | 7.4 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 1 | 0.1 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | 752 | 94.9 | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | 5 | 0.6 | 0.9 | 34.1 |
| Southeastern Utah | 13 | 1.6 | 9.0 | 1.8 |
| Southwest Utah | 3 | 0.4 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | 2 | 0.3 | 23.1 | 2.2 |
| Tri-County | 4 | 0.5 | 9.5 | 1.7 |
| Utah County | 9 | 1.1 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | 1 | 0.1 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 3 | 0.4 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

HEBER VALLEY MEDICAL CENTER (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Wasatch
 OWNERSHIP: Not for profit

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 505 | 100.0 | 100.0 | 100.0 | 4,097,963 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 137 | 27.1 | 18.5 | 20.1 | 322,683 | 7.9 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 138 | 27.3 | 19.5 | 20.9 | 913,020 | 22.3 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 24 | 4.8 | 4.8 | 2.3 | 137,835 | 3.4 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.6 | 0.4 | . | . | 1.1 | 0.6 |
| Other Medical | 155 | 30.7 | 45.7 | 29.4 | 1,464,880 | 35.7 | 49.3 | 27.2 |
| Other Surgical | 47 | 9.3 | 10.1 | 22.0 | 1,242,625 | 30.3 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 4 | 0.8 | 0.3 | 3.9 | 16,920 | 0.4 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 7 | 1.4 | 2.6 | 4.1 | 59,003 | 1.4 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 1 | 0.2 | 1.0 | 0.6 | 16,184 | 0.4 | 0.7 | 0.5 |
| 4 Respiratory System | 71 | 14.1 | 13.7 | 6.4 | 616,849 | 15.1 | 15.4 | 6.8 |
| 5 Circulatory System | 12 | 2.4 | 6.0 | 7.5 | 123,218 | 3.0 | 6.7 | 15.5 |
| 6 Digestive System | 29 | 5.7 | 9.1 | 6.4 | 335,698 | 8.2 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 17 | 3.4 | 3.5 | 2.3 | 264,418 | 6.5 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 42 | 8.3 | 6.5 | 10.0 | 994,350 | 24.3 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 6 | 1.2 | 2.3 | 1.1 | 52,514 | 1.3 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 10 | 2.0 | 3.7 | 2.4 | 88,783 | 2.2 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 12 | 2.4 | 3.7 | 2.8 | 87,650 | 2.1 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | 2 | 0.4 | 2.2 | 1.7 | 27,763 | 0.7 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 138 | 27.3 | 19.5 | 20.9 | 913,020 | 22.3 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 140 | 27.7 | 18.7 | 20.4 | 332,828 | 8.1 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | . | . | 0.8 | 0.5 | . | . | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 7 | 1.4 | 2.0 | 3.7 | 83,618 | 2.0 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 4 | 0.8 | 0.3 | 3.9 | 16,920 | 0.4 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 4 | 0.8 | 0.5 | 1.0 | 26,348 | 0.6 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 3 | 0.6 | 1.7 | 1.8 | 58,800 | 1.4 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | . | . | 1.4 | 1.3 | . | . | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HEBER VALLEY MEDICAL CENTER (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.5354

COUNTY: Wasatch
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.20

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.39

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 505 | 4,327,509 | 114,581,002 | 5,319,068,336 | 1,077.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 4,097,963 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 8,115 | 10,066 | 21,172 | 2.13 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 15,167 | 16,258 | 20,004 | 3.89 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 4 | 7,758 | 10,331 | 21,721 | 2.75 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 29 | 9,588 | 11,079 | 16,240 | 2.83 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 7 | 6,319 | 6,181 | 8,064 | 2.00 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 8 | 6,651 | 5,668 | 7,590 | 2.00 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 8,433 | 20,366 | 24,880 | 3.00 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 4 | 9,544 | 11,796 | 18,033 | 3.00 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 1 | 7,085 | 6,720 | 10,491 | 2.00 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 1 | 28,201 | 64,713 | 59,626 | 4.00 | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 1 | 11,312 | 16,048 | 13,530 | 1.00 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 2 | 2,847 | 12,515 | 18,170 | 1.00 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 3 | 11,001 | 8,553 | 14,049 | 2.33 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 1 | 17,051 | 7,663 | 11,229 | 6.00 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 1 | 25,691 | 37,140 | 37,751 | 4.00 | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 23 | 32,671 | 38,866 | 39,044 | 3.27 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HEBER VALLEY MEDICAL CENTER (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.5354

COUNTY: Wasatch
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.20

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.39

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 1 | 30,186 | 29,094 | 40,371 | 4.00 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 2 | 9,622 | 8,608 | 13,720 | 3.50 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 1 | 15,800 | 16,939 | 14,898 | 1.00 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 11 | 14,759 | 12,139 | 14,657 | 3.27 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 31 | 9,662 | 11,034 | 11,759 | 2.65 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 6 | 6,035 | 6,345 | 8,392 | 1.33 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 87 | 4,601 | 5,099 | 6,661 | 1.25 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 2 | 6,345 | 8,822 | 10,362 | 1.00 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 1 | 1,939 | 6,503 | 10,990 | 1.00 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 3 | 2,181 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 8 | 4,400 | 3,831 | 15,544 | 2.75 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 13 | 2,126 | 2,658 | 3,854 | 1.77 | 1.92 | 2.27 |
| 391 Normal newborn | 115 | 2,225 | 2,122 | 2,436 | 1.58 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | 1 | 3,509 | 5,041 | 14,101 | 1.00 | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 4 | 6,587 | 7,298 | 13,612 | 1.50 | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 133 | 10,743 | 11,484 | 26,338 | 2.45 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HEBER VALLEY MEDICAL CENTER (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Wasatch
 OWNERSHIP: Not for profit

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 2 | 8,805 | 11,029 | 17,504 | 3.50 | 2.61 | 2.39 |
| Major or Extreme SOI | 1 | 8,731 | 10,115 | 30,421 | 3.00 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 34 | 7,922 | 8,601 | 10,931 | 2.21 | 2.69 | 2.55 |
| Major or Extreme SOI | 10 | 11,667 | 15,114 | 20,864 | 3.30 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 4 | 5,436 | 6,962 | 8,532 | 1.50 | 2.09 | 1.99 |
| Major or Extreme SOI | 1 | 3,527 | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | 1 | 8,433 | 21,367 | 28,897 | 3.00 | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 2 | 10,731 | 10,681 | 13,972 | 3.50 | 3.16 | 2.96 |
| Major or Extreme SOI | 2 | 8,358 | 14,304 | 22,844 | 2.50 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 3 | 10,534 | 8,759 | 10,477 | 1.00 | 1.91 | 1.84 |
| Major or Extreme SOI | 1 | 21,537 | 12,787 | 17,274 | 6.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 1 | 65,307 | 37,933 | 33,294 | 9.00 | 6.03 | 4.80 |
| Major or Extreme SOI | 1 | 28,201 | 95,500 | 78,140 | 4.00 | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 3 | 13,847 | 19,168 | 17,034 | 2.50 | 1.92 | 2.08 |
| Major or Extreme SOI | 1 | 17,393 | 31,438 | 36,530 | 1.00 | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 3 | 7,048 | 7,294 | 9,467 | 1.67 | 2.04 | 2.01 |
| Major or Extreme SOI | 1 | 13,264 | 10,963 | 14,930 | 4.00 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 19 | 33,042 | 39,599 | 37,842 | 3.16 | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 1 | 25,667 | 25,814 | 27,280 | 4.00 | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HEBER VALLEY MEDICAL CENTER (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Wasatch
 OWNERSHIP: Not for profit

BED SIZE: 19
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 15,800 | 16,877 | 15,305 | 1.00 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 41 | 10,148 | 11,227 | 11,641 | 2.71 | 2.61 | 3.21 |
| Major or Extreme SOI | 1 | 45,824 | 14,509 | 21,704 | 7.00 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 91 | 4,600 | 5,201 | 6,731 | 1.25 | 1.60 | 1.79 |
| Major or Extreme SOI | 2 | 8,942 | 7,295 | 10,767 | 2.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 2 | 6,345 | 8,634 | 9,583 | 1.00 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 129 | 2,266 | 2,218 | 2,536 | 1.66 | 1.73 | 1.89 |
| Major or Extreme SOI | 1 | 4,251 | 3,691 | 8,321 | 3.00 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 2 | 6,921 | 5,962 | 10,069 | 2.00 | 2.13 | 2.88 |
| Major or Extreme SOI | 2 | 6,253 | 9,576 | 19,849 | 1.00 | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 3 | 23,299 | 20,365 | 18,944 | 3.00 | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 1 | 17,051 | 9,511 | 13,298 | 6.00 | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 3 | 9,843 | 8,734 | 12,049 | 2.33 | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 4 | 2,764 | 7,708 | 11,171 | 1.33 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 131 | 10,228 | 10,802 | 30,661 | 2.59 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

HEBER VALLEY MEDICAL CENTER (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Wasatch
 AFFILIATION: Intermountain Healthcare BED SIZE: 19

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 330 | 65.3 | 64.5 | 61.8 |
| Male | 175 | 34.7 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 140 | 27.7 | 18.7 | 20.2 |
| 29-365 days | 5 | 1.0 | 1.1 | 0.9 |
| 1-4 years | 7 | 1.4 | 1.8 | 0.7 |
| 5-9 | 6 | 1.2 | 0.9 | 0.4 |
| 10-14 | 3 | 0.6 | 0.6 | 0.4 |
| 15-17 | 3 | 0.6 | 1.1 | 0.8 |
| 18-19 | 7 | 1.4 | 1.8 | 1.5 |
| 20-24 | 31 | 6.1 | 7.2 | 6.9 |
| 25-29 | 51 | 10.1 | 8.3 | 9.6 |
| 30-34 | 45 | 8.9 | 6.6 | 8.4 |
| 35-39 | 25 | 5.0 | 3.9 | 4.9 |
| 40-44 | 11 | 2.2 | 2.8 | 3.4 |
| 45-49 | 16 | 3.2 | 3.3 | 3.5 |
| 50-54 | 10 | 2.0 | 3.7 | 4.5 |
| 55-59 | 22 | 4.4 | 4.0 | 5.0 |
| 60-64 | 17 | 3.4 | 4.7 | 5.1 |
| 65-69 | 20 | 4.0 | 5.7 | 5.6 |
| 70-74 | 17 | 3.4 | 5.5 | 5.1 |
| 75-79 | 27 | 5.3 | 5.9 | 4.7 |
| 80-84 | 18 | 3.6 | 5.9 | 4.1 |
| 85-89 | 20 | 4.0 | 4.0 | 2.9 |
| 90 + | 4 | 0.8 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 4 | 0.8 | 27.0 | 14.1 |
| Urgent | 232 | 45.9 | 24.8 | 39.7 |
| Elective | 132 | 26.1 | 28.3 | 25.3 |
| Newborn | 137 | 27.1 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 201 | 39.8 | 56.4 | 49.6 |
| Clinic referral | 163 | 32.3 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.5 | 4.4 |
| Skilled nursing facility | 4 | 0.8 | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 137 | 27.1 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

HEBER VALLEY MEDICAL CENTER (CAH)
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Wasatch
 AFFILIATION: Intermountain Healthcare BED SIZE: 19

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 205 | 40.6 | 67.8 | 55.1 |
| Another hospital | 12 | 2.4 | 3.9 | 0.8 |
| Skilled nursing facility | 9 | 1.8 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 16 | 3.2 | 3.6 | 2.6 |
| Under care of home service | 10 | 2.0 | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 2 | 0.4 | 0.8 | 1.1 |
| Not reported | 251 | 49.7 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 112 | 22.2 | 31.3 | 26.7 |
| Medicaid | 146 | 28.9 | 21.7 | 18.6 |
| Other government | 2 | 0.4 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 41 | 8.1 | 10.5 | 10.3 |
| Other commercial | 17 | 3.4 | 7.0 | 5.5 |
| Managed care | 151 | 29.9 | 20.9 | 30.9 |
| Self pay | 27 | 5.3 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 1 | 0.2 | 0.5 | 0.5 |
| Charity | 7 | 1.4 | 0.3 | 1.1 |
| Children's Health Insurance Plan | 1 | 0.2 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.2 | 4.7 | 5.4 |
| Central Utah | . | . | 34.6 | 2.9 |
| Davis County | 2 | 0.4 | 0.2 | 9.8 |
| Salt Lake County | 7 | 1.4 | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 2 | 0.4 | 8.0 | 8.0 |
| Summit County | 47 | 9.3 | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | 11 | 2.2 | 9.5 | 1.7 |
| Utah County | 8 | 1.6 | 0.9 | 17.8 |
| Wasatch County | 414 | 82.0 | 3.7 | 0.6 |
| Weber/Morgan | 1 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 12 | 2.4 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

INTERMOUNTAIN MEDICAL CENTER
 PEER GROUP: Acute, urban, high CMI (n=2)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 472
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 30,429 | 100.0 | 100.0 | 100.0 | 879,262,480 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 4,690 | 15.4 | 16.1 | 20.1 | 64,442,943 | 7.3 | 7.5 | 7.7 |
| Obstetric (MDC 14) | 4,978 | 16.4 | 17.4 | 20.9 | 51,735,777 | 5.9 | 6.0 | 8.6 |
| Pediatric Medical (Age 0-17) | 170 | 0.6 | 0.6 | 2.3 | 9,853,918 | 1.1 | 1.2 | 1.5 |
| Pediatric Surgical (Age 0-17) | 73 | 0.2 | 0.3 | 0.4 | 4,105,834 | 0.5 | 0.7 | 0.6 |
| Other Medical | 11,663 | 38.3 | 35.1 | 29.4 | 252,409,781 | 28.7 | 26.2 | 27.2 |
| Other Surgical | 8,455 | 27.8 | 27.1 | 22.0 | 470,727,717 | 53.5 | 53.6 | 49.8 |
| Psychiatric (MDC 19) | 54 | 0.2 | 1.3 | 3.9 | 986,269 | 0.1 | 0.9 | 2.7 |
| Rehabilitation (DRG 462) | 342 | 1.1 | 2.1 | 1.0 | 24,980,777 | 2.8 | 3.9 | 2.0 |
| Unknown (DRG 469-470) | 4 | 0.0 | 0.0 | 0.0 | 19,465 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 2,329 | 7.7 | 8.4 | 4.1 | 86,552,973 | 9.8 | 10.8 | 6.0 |
| 2 Eye | 16 | 0.1 | 0.1 | 0.1 | 366,096 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 190 | 0.6 | 0.6 | 0.6 | 4,234,344 | 0.5 | 0.4 | 0.5 |
| 4 Respiratory System | 1,891 | 6.2 | 5.5 | 6.4 | 56,347,358 | 6.4 | 6.1 | 6.8 |
| 5 Circulatory System | 4,216 | 13.9 | 11.6 | 7.5 | 197,783,589 | 22.5 | 19.9 | 15.5 |
| 6 Digestive System | 2,147 | 7.1 | 6.2 | 6.4 | 57,628,398 | 6.6 | 5.7 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 830 | 2.7 | 2.5 | 2.3 | 33,484,413 | 3.8 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 2,872 | 9.4 | 10.0 | 10.0 | 118,420,300 | 13.5 | 13.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 367 | 1.2 | 1.3 | 1.1 | 7,493,173 | 0.9 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 602 | 2.0 | 1.9 | 2.4 | 12,270,279 | 1.4 | 1.3 | 2.1 |
| 11 Kidney & Urinary Tract | 1,108 | 3.6 | 3.2 | 2.8 | 33,613,688 | 3.8 | 3.6 | 3.0 |
| 12 Male Reproductive System | 218 | 0.7 | 0.5 | 0.3 | 4,896,487 | 0.6 | 0.4 | 0.3 |
| 13 Female Reproductive System | 354 | 1.2 | 0.8 | 1.7 | 7,493,091 | 0.9 | 0.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 4,978 | 16.4 | 17.4 | 20.9 | 51,735,777 | 5.9 | 6.0 | 8.6 |
| 15 Newborn & Other Neonates | 4,781 | 15.7 | 16.4 | 20.4 | 72,171,779 | 8.2 | 8.4 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 175 | 0.6 | 0.5 | 0.5 | 4,104,569 | 0.5 | 0.4 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 113 | 0.4 | 0.3 | 0.3 | 4,012,672 | 0.5 | 0.4 | 1.0 |
| 18 Infectious and Parasitic Diseases | 1,730 | 5.7 | 5.2 | 3.7 | 61,515,328 | 7.0 | 6.9 | 6.1 |
| 19 Mental Diseases and Disorders | 54 | 0.2 | 1.3 | 3.9 | 986,269 | 0.1 | 0.9 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 67 | 0.2 | 0.2 | 1.0 | 999,169 | 0.1 | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 696 | 2.3 | 2.3 | 1.8 | 18,429,949 | 2.1 | 2.1 | 1.8 |
| 22 Burns | 1 | 0.0 | 0.4 | 0.1 | 3,938 | 0.0 | 1.4 | 0.4 |
| 23 Factors Influencing Health Status | 458 | 1.5 | 2.4 | 1.3 | 27,701,283 | 3.2 | 4.3 | 2.3 |
| 24 Multiple Significant Trauma | 214 | 0.7 | 0.8 | 0.3 | 16,071,631 | 1.8 | 2.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 18 | 0.1 | 0.1 | 0.0 | 926,461 | 0.1 | 0.2 | 0.1 |
| Unknown | 4 | 0.0 | 0.0 | 0.1 | 19,465 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

INTERMOUNTAIN MEDICAL CENTER
 PEER GROUP: Acute, urban, high CMI (n=2)
 UHDDDB CASE MIX INDEX = 1.2820

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.49

BED SIZE: 472
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.82

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | | |
|--|---------------------------------|-------------|---------------|----------------------|-----------|------------|------------|------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 30,429 | 885,308,277 | 1,617,845,667 | 5,319,068,336 | 122,648.0 | 246,627.00 | 881,886.00 | | | |
| Facility Charges (total) | . | 879,262,480 | 1,611,799,795 | 5,296,755,067 | . | . | . | | | |
| Facility Charges & LOS (average) | . | 28,896 | 30,357 | 21,172 | 4.03 | 4.65 | 3.53 | | | |
| Facility Charges & LOS (adjusted average)* | . | 21,094 | 20,654 | 20,004 | 2.94 | 3.14 | 3.53 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | | |
| 001 Craniotomy age >17 with CC | 143 | 58,480 | 59,977 | 62,383 | 5.80 | 5.99 | 6.29 | | | |
| 003 Craniotomy age 0-17 | 3 | 118,098 | 78,953 | 70,042 | 10.00 | 7.00 | 6.13 | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 417 | 26,912 | 26,737 | 21,721 | 3.40 | 3.68 | 3.12 | | | |
| 075 Major chest procedures | 168 | 65,105 | 63,874 | 59,734 | 8.44 | 8.27 | 7.19 | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 340 | 17,030 | 16,737 | 16,240 | 2.90 | 3.01 | 3.26 | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | . | 8,064 | . | . | 2.31 | | | |
| 098 Bronchitis & asthma Age 0-17 | 1 | 11,333 | 11,333 | 7,590 | 2.00 | 2.00 | 2.06 | | | |
| 104 Cardiac valve/cardi thor w card cath | 158 | 123,389 | 132,465 | 131,342 | 8.65 | 9.22 | 9.28 | | | |
| 105 Cardiac valve/cardi thor w/o card cath | 151 | 112,762 | 119,944 | 117,359 | 8.14 | 8.85 | 7.94 | | | |
| 547 Coronary bypass with card cath w/ MCV | 50 | 117,673 | 125,865 | 114,735 | 11.06 | 11.77 | 9.60 | | | |
| 549 Coronary bypass w/o card cath w/ MCV | 17 | 105,105 | 102,953 | 103,627 | 9.00 | 8.51 | 8.21 | | | |
| 108 Other cardiothoracic procedures | 38 | 94,785 | 93,212 | 92,602 | 8.11 | 8.20 | 7.28 | | | |
| 110 Major cardiovascular procedures w cc | 116 | 84,901 | 90,857 | 87,590 | 7.17 | 7.81 | 6.14 | | | |
| 555 Perc. cardiovascular procedures w MCV | 230 | 46,135 | 47,288 | 48,932 | 3.02 | 3.34 | 3.08 | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | 137 | 34,375 | 33,866 | 39,075 | 2.12 | 2.20 | 2.30 | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 58 | 29,364 | 30,421 | 24,880 | 4.19 | 4.29 | 3.56 | | | |
| 122 Circ disrd w AMI w/o comp disch alive | 65 | 19,762 | 19,540 | 18,844 | 2.30 | 2.26 | 1.96 | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | 223 | 27,400 | 28,575 | 26,849 | 3.83 | 4.21 | 3.44 | | | |
| 125 Circ disrd exc AMI w card cath w/o cx | 160 | 19,186 | 19,414 | 19,275 | 2.20 | 2.18 | 1.78 | | | |
| 127 Heart failure & shock | 374 | 20,946 | 20,825 | 18,033 | 3.87 | 4.13 | 3.64 | | | |
| 140 Angina pectoris | 5 | 10,658 | 11,326 | 11,228 | 1.60 | 1.42 | 1.30 | | | |
| 143 Chest pain | 215 | 11,608 | 11,196 | 10,491 | 1.30 | 1.33 | 1.33 | | | |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 97 | 61,729 | 64,747 | 59,626 | 9.60 | 10.50 | 9.04 | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 31 | 75,698 | 80,463 | 77,655 | 10.23 | 10.67 | 9.70 | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 97 | 14,564 | 14,204 | 13,530 | 1.03 | 1.07 | 1.11 | | | |
| 174 G.I. hemorrhage w cc | 309 | 18,390 | 18,566 | 18,170 | 2.70 | 2.80 | 2.81 | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 309 | 14,752 | 15,021 | 14,049 | 2.43 | 2.78 | 2.61 | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 89 | 12,499 | 12,040 | 11,229 | 2.01 | 2.18 | 2.10 | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | 12 | 26,621 | 28,404 | 37,751 | 3.58 | 4.78 | 5.36 | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 4 | 18,735 | 20,529 | 23,411 | 2.50 | 3.18 | 3.09 | | | |
| 544 Mjr jnt replace/reattach, low extrem | 581 | 39,898 | 37,353 | 39,044 | 3.23 | 3.18 | 2.99 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

INTERMOUNTAIN MEDICAL CENTER
 PEER GROUP: Acute, urban, high CMI (n=2)
 UHDDDB CASE MIX INDEX = 1.2820

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.49

BED SIZE: 472
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.82

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 179 | 44,059 | 43,822 | 40,371 | 4.75 | 5.00 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 148 | 29,402 | 27,896 | 27,138 | 2.43 | 2.53 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 202 | 15,826 | 14,809 | 13,720 | 2.89 | 2.88 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 60 | 23,026 | 22,799 | 19,434 | 2.67 | 2.84 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 166 | 16,249 | 15,725 | 14,898 | 1.52 | 1.64 | 1.57 |
| 370 Cesarean section with cc | 328 | 17,364 | 18,137 | 14,657 | 4.42 | 4.87 | 3.87 |
| 371 Cesarean section without cc | 755 | 12,651 | 12,380 | 11,759 | 3.65 | 3.79 | 3.24 |
| 372 Vaginal delivery w complicating diag | 539 | 9,903 | 9,737 | 8,392 | 2.12 | 2.30 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 2,880 | 7,409 | 7,587 | 6,661 | 1.85 | 1.95 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 58 | 10,723 | 11,545 | 10,362 | 2.13 | 2.38 | 2.01 |
| 383 Other antepartum diag w med complic | 184 | 12,590 | 12,739 | 10,990 | 2.99 | 3.11 | 2.71 |
| 385 Neonates died/transf to acute care fac | 43 | 89,741 | 70,821 | 19,166 | 12.33 | 10.26 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 250 | 136,937 | 146,063 | 101,092 | 30.01 | 35.82 | 26.08 |
| 387 Prematurity w major problems | 183 | 61,161 | 61,053 | 48,843 | 15.69 | 18.09 | 15.14 |
| 389 Full term neonate w major problems | 339 | 19,337 | 17,989 | 15,544 | 5.52 | 5.62 | 4.66 |
| 390 Neonate w other significant problems | 641 | 3,785 | 2,972 | 3,854 | 2.49 | 2.26 | 2.27 |
| 391 Normal newborn | 3,192 | 2,208 | 2,123 | 2,436 | 1.97 | 1.93 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 24 | 22,975 | 23,527 | 23,836 | 4.00 | 3.96 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 193 | 71,290 | 78,708 | 72,347 | 9.20 | 9.89 | 9.12 |
| 430 Psychoses | 13 | 16,507 | 19,691 | 14,101 | 2.54 | 9.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 53 | 15,005 | 14,433 | 13,612 | 2.53 | 3.02 | 3.30 |
| 462 Rehabilitation | 342 | 60,979 | 48,714 | 40,385 | 15.91 | 13.93 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 109 | 63,753 | 58,897 | 55,889 | 7.13 | 7.15 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 24 | 118,570 | 120,893 | 108,196 | 14.30 | 14.58 | 12.99 |
| 481 Bone marrow transplant | . | . | 421,013 | 204,971 | . | 34.50 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 72 | 249,211 | 325,997 | 295,955 | 23.29 | 27.45 | 26.00 |
| 486 Other OR proc for mult signif trauma | 97 | 90,568 | 95,247 | 93,495 | 7.98 | 8.41 | 8.69 |
| 499 Back & neck procedures w cc | 48 | 26,940 | 27,733 | 25,581 | 2.89 | 3.26 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 87 | 17,224 | 17,229 | 16,304 | 1.84 | 1.98 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 16,752 | 16,191 | 20,364 | 2.00 | 2.25 | 2.68 |
| 470 Ungroupable | 4 | 4,866 | 42,371 | 12,546 | 1.25 | 10.64 | 3.65 |
| All Other DRGs | 14,616 | 30,515 | 32,481 | 26,338 | 3.47 | 3.99 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

INTERMOUNTAIN MEDICAL CENTER
 PEER GROUP: Acute, urban, high CMI (n=2)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 472
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 239 | 20,960 | 19,530 | 17,504 | 2.54 | 2.50 | 2.39 |
| Major or Extreme SOI | 154 | 39,000 | 38,366 | 30,421 | 4.79 | 5.17 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 144 | 12,612 | 12,277 | 10,931 | 2.26 | 2.42 | 2.55 |
| Major or Extreme SOI | 213 | 20,583 | 20,487 | 20,864 | 3.43 | 3.53 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 70 | 10,769 | 10,766 | 8,532 | 2.00 | 2.26 | 1.99 |
| Major or Extreme SOI | 28 | 11,968 | 13,411 | 15,810 | 2.04 | 2.42 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 514 | 42,830 | 42,345 | 42,983 | 1.39 | 1.51 | 1.54 |
| Major or Extreme SOI | 191 | 73,395 | 71,079 | 68,036 | 4.58 | 4.60 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 78 | 18,198 | 18,342 | 17,963 | 2.19 | 2.13 | 2.03 |
| Major or Extreme SOI | 50 | 29,836 | 32,024 | 28,897 | 4.32 | 4.62 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 142 | 16,185 | 17,044 | 17,867 | 1.56 | 1.65 | 1.54 |
| Major or Extreme SOI | 22 | 29,590 | 26,629 | 25,935 | 3.61 | 3.18 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 200 | 15,706 | 15,100 | 13,972 | 3.08 | 3.18 | 2.96 |
| Major or Extreme SOI | 195 | 26,488 | 26,133 | 22,844 | 4.72 | 5.05 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 249 | 10,080 | 9,816 | 10,477 | 1.70 | 1.74 | 1.84 |
| Major or Extreme SOI | 88 | 17,857 | 17,055 | 17,274 | 2.69 | 3.04 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 196 | 34,835 | 33,677 | 33,294 | 4.89 | 5.13 | 4.80 |
| Major or Extreme SOI | 72 | 76,532 | 82,408 | 78,140 | 11.74 | 12.50 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 151 | 16,817 | 16,647 | 17,034 | 1.59 | 1.80 | 2.08 |
| Major or Extreme SOI | 3 | 22,488 | 23,673 | 36,530 | 2.00 | 2.50 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 77 | 11,865 | 11,541 | 9,467 | 1.96 | 2.10 | 2.01 |
| Major or Extreme SOI | 56 | 13,044 | 15,287 | 14,930 | 2.25 | 3.08 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 376 | 40,227 | 37,692 | 37,842 | 3.01 | 3.00 | 2.92 |
| Major or Extreme SOI | 38 | 60,298 | 51,163 | 48,873 | 5.16 | 4.65 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 205 | 30,656 | 29,008 | 27,280 | 2.78 | 2.83 | 2.61 |
| Major or Extreme SOI | 43 | 45,109 | 48,200 | 45,932 | 4.91 | 5.64 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 3 | 13,172 | 14,356 | 11,741 | 3.50 | 3.25 | 2.96 |
| Major or Extreme SOI | 14 | 37,204 | 29,608 | 22,625 | 8.07 | 7.05 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

INTERMOUNTAIN MEDICAL CENTER
 PEER GROUP: Acute, urban, high CMI (n=2)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 472
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 193 | 17,079 | 16,603 | 15,305 | 1.74 | 1.82 | 1.62 |
| Major or Extreme SOI | 6 | 46,029 | 43,688 | 36,837 | 4.40 | 5.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 939 | 12,331 | 12,023 | 11,641 | 3.56 | 3.69 | 3.21 |
| Major or Extreme SOI | 144 | 25,589 | 24,946 | 21,704 | 6.07 | 6.41 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 3,199 | 7,443 | 7,654 | 6,731 | 1.83 | 1.95 | 1.79 |
| Major or Extreme SOI | 210 | 12,962 | 12,260 | 10,767 | 2.74 | 2.86 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 47 | 9,170 | 9,985 | 9,583 | 1.93 | 2.15 | 1.93 |
| Major or Extreme SOI | 11 | 17,866 | 18,907 | 21,300 | 3.00 | 3.44 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 6 | 16,728 | 11,842 | 11,599 | 2.40 | 7.06 | 5.19 |
| Major or Extreme SOI | 2 | 16,331 | 30,303 | 22,695 | 3.00 | 12.11 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 3,800 | 2,294 | 2,182 | 2,536 | 2.02 | 1.99 | 1.89 |
| Major or Extreme SOI | 155 | 9,345 | 5,928 | 8,321 | 3.41 | 3.08 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 26 | 11,809 | 11,947 | 10,069 | 1.92 | 2.37 | 2.88 |
| Major or Extreme SOI | 22 | 17,432 | 17,048 | 19,849 | 3.20 | 3.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 108 | 17,776 | 18,023 | 16,988 | 1.94 | 2.13 | 1.89 |
| Major or Extreme SOI | 8 | 70,120 | 55,229 | 42,605 | 10.00 | 7.88 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 160 | 17,224 | 17,948 | 18,944 | 1.69 | 1.95 | 2.08 |
| Major or Extreme SOI | 36 | 38,038 | 32,920 | 34,924 | 5.03 | 4.47 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 77 | 13,429 | 13,286 | 13,298 | 2.05 | 2.10 | 2.15 |
| Major or Extreme SOI | 109 | 22,313 | 23,765 | 24,096 | 3.18 | 3.27 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 15 | 13,486 | 12,554 | 13,147 | 2.00 | 2.10 | 2.10 |
| Major or Extreme SOI | 18 | 17,549 | 17,305 | 23,048 | 2.41 | 2.58 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 82 | 13,295 | 12,905 | 12,049 | 2.44 | 2.56 | 2.47 |
| Major or Extreme SOI | 26 | 18,078 | 19,143 | 21,886 | 3.32 | 3.58 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 124 | 12,290 | 12,274 | 11,171 | 2.17 | 2.33 | 2.13 |
| Major or Extreme SOI | 73 | 22,144 | 20,766 | 21,005 | 3.91 | 3.83 | 3.64 |
| All other APRDRGs | 17,022 | 37,487 | 40,008 | 30,661 | 4.91 | 5.73 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

INTERMOUNTAIN MEDICAL CENTER
 PEER GROUP: Acute, urban, high CMI (n=2) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 472

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 17,459 | 57.4 | 57.2 | 61.8 |
| Male | 12,970 | 42.6 | 42.8 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 4,656 | 15.3 | 15.9 | 20.2 |
| 29-365 days | 132 | 0.4 | 0.6 | 0.9 |
| 1-4 years | . | . | 0.1 | 0.7 |
| 5-9 | . | . | 0.0 | 0.4 |
| 10-14 | 25 | 0.1 | 0.1 | 0.4 |
| 15-17 | 173 | 0.6 | 0.7 | 0.8 |
| 18-19 | 307 | 1.0 | 1.5 | 1.5 |
| 20-24 | 1,578 | 5.2 | 6.0 | 6.9 |
| 25-29 | 2,550 | 8.4 | 8.7 | 9.6 |
| 30-34 | 2,448 | 8.0 | 8.5 | 8.4 |
| 35-39 | 1,436 | 4.7 | 5.3 | 4.9 |
| 40-44 | 1,138 | 3.7 | 4.1 | 3.4 |
| 45-49 | 1,271 | 4.2 | 4.4 | 3.5 |
| 50-54 | 1,638 | 5.4 | 5.6 | 4.5 |
| 55-59 | 1,999 | 6.6 | 6.7 | 5.0 |
| 60-64 | 2,085 | 6.9 | 6.7 | 5.1 |
| 65-69 | 2,236 | 7.3 | 6.5 | 5.6 |
| 70-74 | 2,023 | 6.6 | 5.8 | 5.1 |
| 75-79 | 1,700 | 5.6 | 4.8 | 4.7 |
| 80-84 | 1,540 | 5.1 | 4.1 | 4.1 |
| 85-89 | 973 | 3.2 | 2.6 | 2.9 |
| 90 + | 521 | 1.7 | 1.3 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 295 | 1.0 | 14.9 | 14.1 |
| Urgent | 18,083 | 59.4 | 47.0 | 39.7 |
| Elective | 6,166 | 20.3 | 19.7 | 25.3 |
| Newborn | 4,686 | 15.4 | 16.1 | 20.2 |
| Trauma Center | 1,198 | 3.9 | 2.3 | 0.6 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 17,144 | 56.3 | 54.0 | 49.6 |
| Clinic referral | 6,015 | 19.8 | 15.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 2,384 | 7.8 | 10.9 | 4.4 |
| Skilled nursing facility | 137 | 0.5 | 0.6 | 0.5 |
| Other health care facility | 50 | 0.2 | 0.4 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 7 | 0.0 | 0.2 | 0.3 |
| Normal delivery/Born Inside | 4,678 | 15.4 | 16.1 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

INTERMOUNTAIN MEDICAL CENTER
 PEER GROUP: Acute, urban, high CMI (n=2) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 472

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 6 | 0.0 | 0.0 | 0.0 |
| Unknown | 5 | 0.0 | 1.9 | 0.6 |
| Not reported | 3 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 11,656 | 38.3 | 53.6 | 55.1 |
| Another hospital | 68 | 0.2 | 0.5 | 0.8 |
| Skilled nursing facility | 1,263 | 4.2 | 5.5 | 5.3 |
| Intermediate care | 4 | 0.0 | 0.1 | 0.1 |
| Another type of institution | 882 | 2.9 | 4.3 | 2.6 |
| Under care of home service | 1,750 | 5.8 | 7.0 | 5.7 |
| Left against medical advice | 43 | 0.1 | 0.2 | 0.3 |
| Under care of a home iv provider | 6 | 0.0 | 0.0 | 0.0 |
| Expired | 476 | 1.6 | 1.7 | 1.1 |
| Not reported | 14,281 | 46.9 | 27.2 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 9,611 | 31.6 | 28.4 | 26.7 |
| Medicaid | 3,948 | 13.0 | 18.0 | 18.6 |
| Other government | 410 | 1.3 | 2.1 | 2.4 |
| Blue Cross/Blue Shield | 1,356 | 4.5 | 9.6 | 10.3 |
| Other commercial | 1,666 | 5.5 | 5.9 | 5.5 |
| Managed care | 11,778 | 38.7 | 29.2 | 30.9 |
| Self pay | 524 | 1.7 | 4.3 | 3.7 |
| Industrial/Worker's Comp | 232 | 0.8 | 0.9 | 0.5 |
| Charity | 861 | 2.8 | 1.6 | 1.1 |
| Children's Health Insurance Plan | 19 | 0.1 | 0.1 | 0.1 |
| Not reported | 24 | 0.1 | 0.1 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 366 | 1.2 | 1.6 | 5.4 |
| Central Utah | 169 | 0.6 | 0.6 | 2.9 |
| Davis County | 1,507 | 5.0 | 6.0 | 9.8 |
| Salt Lake County | 23,566 | 77.4 | 68.5 | 34.1 |
| Southeastern Utah | 93 | 0.3 | 0.8 | 1.8 |
| Southwest Utah | 313 | 1.0 | 1.0 | 8.0 |
| Summit County | 391 | 1.3 | 1.4 | 0.9 |
| Tooele County | 589 | 1.9 | 2.6 | 2.2 |
| Tri-County | 200 | 0.7 | 1.3 | 1.7 |
| Utah County | 1,409 | 4.6 | 4.1 | 17.8 |
| Wasatch County | 136 | 0.4 | 0.4 | 0.6 |
| Weber/Morgan | 323 | 1.1 | 1.6 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 1,343 | 4.4 | 9.9 | 5.2 |
| Unknown | 23 | 0.1 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

JORDAN VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 183
 AFFILIATION: IASIS Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 7,958 | 100.0 | 100.0 | 100.0 | 141,257,083 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 2,253 | 28.3 | 31.6 | 20.1 | 16,513,027 | 11.7 | 14.6 | 7.7 |
| Obstetric (MDC 14) | 2,293 | 28.8 | 32.0 | 20.9 | 22,675,685 | 16.1 | 19.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 35 | 0.4 | 3.1 | 2.3 | 905,456 | 0.6 | 2.1 | 1.5 |
| Pediatric Surgical (Age 0-17) | 7 | 0.1 | 0.2 | 0.4 | 203,653 | 0.1 | 0.4 | 0.6 |
| Other Medical | 1,994 | 25.1 | 19.2 | 29.4 | 43,199,636 | 30.6 | 25.0 | 27.2 |
| Other Surgical | 1,269 | 15.9 | 13.6 | 22.0 | 54,807,500 | 38.8 | 38.0 | 49.8 |
| Psychiatric (MDC 19) | 11 | 0.1 | 0.1 | 3.9 | 138,900 | 0.1 | 0.1 | 2.7 |
| Rehabilitation (DRG 462) | 95 | 1.2 | 0.2 | 1.0 | 2,792,135 | 2.0 | 0.6 | 2.0 |
| Unknown (DRG 469-470) | 1 | 0.0 | 0.0 | 0.0 | 21,091 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 173 | 2.2 | 1.3 | 4.1 | 4,241,544 | 3.0 | 1.9 | 6.0 |
| 2 Eye | 5 | 0.1 | 0.0 | 0.1 | 78,899 | 0.1 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 17 | 0.2 | 0.5 | 0.6 | 245,312 | 0.2 | 0.5 | 0.5 |
| 4 Respiratory System | 435 | 5.5 | 5.3 | 6.4 | 11,044,097 | 7.8 | 6.3 | 6.8 |
| 5 Circulatory System | 340 | 4.3 | 2.7 | 7.5 | 13,644,132 | 9.7 | 7.4 | 15.5 |
| 6 Digestive System | 396 | 5.0 | 4.9 | 6.4 | 10,593,079 | 7.5 | 7.9 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 163 | 2.0 | 1.8 | 2.3 | 4,131,872 | 2.9 | 2.9 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 574 | 7.2 | 6.1 | 10.0 | 25,822,117 | 18.3 | 19.1 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 110 | 1.4 | 0.9 | 1.1 | 2,379,596 | 1.7 | 1.5 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 134 | 1.7 | 1.7 | 2.4 | 2,441,315 | 1.7 | 1.6 | 2.1 |
| 11 Kidney & Urinary Tract | 197 | 2.5 | 2.1 | 2.8 | 4,121,742 | 2.9 | 2.7 | 3.0 |
| 12 Male Reproductive System | 28 | 0.4 | 0.2 | 0.3 | 991,757 | 0.7 | 0.4 | 0.3 |
| 13 Female Reproductive System | 298 | 3.7 | 3.4 | 1.7 | 5,382,864 | 3.8 | 4.0 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 2,293 | 28.8 | 32.0 | 20.9 | 22,675,685 | 16.1 | 19.3 | 8.6 |
| 15 Newborn & Other Neonates | 2,268 | 28.5 | 31.9 | 20.4 | 17,200,007 | 12.2 | 15.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 26 | 0.3 | 0.3 | 0.5 | 465,159 | 0.3 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 2 | 0.0 | 0.0 | 0.3 | 84,842 | 0.1 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 203 | 2.6 | 2.8 | 3.7 | 8,974,975 | 6.4 | 5.7 | 6.1 |
| 19 Mental Diseases and Disorders | 11 | 0.1 | 0.1 | 3.9 | 138,900 | 0.1 | 0.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 4 | 0.1 | 0.1 | 1.0 | 55,948 | 0.0 | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 159 | 2.0 | 1.4 | 1.8 | 3,100,193 | 2.2 | 1.6 | 1.8 |
| 22 Burns | . | . | . | 0.1 | . | . | . | 0.4 |
| 23 Factors Influencing Health Status | 120 | 1.5 | 0.5 | 1.3 | 3,410,007 | 2.4 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.0 | 0.0 | 0.3 | 11,948 | 0.0 | 0.1 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.1 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 21,091 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDDDB CASE MIX INDEX = 0.7496

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.22

BED SIZE: 183
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=2.16

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 7,958 | 141,257,860 | 496,073,671 | 5,319,068,336 | 25793.00 | 103,041.00 | 881,886.00 |
| Facility Charges (total) | . | 141,257,083 | 494,598,429 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 17,750 | 12,997 | 21,172 | 3.24 | 2.71 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 22,568 | 19,388 | 20,004 | 4.16 | 4.32 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 38 | 23,978 | 19,807 | 21,721 | 3.00 | 2.69 | 3.12 |
| 075 Major chest procedures | 4 | 101,499 | 74,108 | 59,734 | 11.00 | 6.63 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 141 | 20,685 | 16,182 | 16,240 | 3.90 | 3.33 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 5 | 7,633 | 7,417 | 8,064 | 1.60 | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 1 | 4,566 | 6,067 | 7,590 | 1.00 | 1.79 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 236,644 | 131,342 | . | 9.00 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 137,595 | 117,359 | . | 5.00 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 166,894 | 114,735 | . | 5.67 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 123,100 | 103,627 | . | 6.00 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | 1 | 61,940 | 62,425 | 87,590 | 1.00 | 2.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 13 | 77,449 | 70,511 | 48,932 | 2.55 | 2.42 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 4 | 42,155 | 51,192 | 39,075 | 3.00 | 2.50 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 12 | 33,885 | 25,291 | 24,880 | 2.92 | 2.54 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 10 | 30,937 | 24,987 | 18,844 | 2.70 | 2.13 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 19 | 36,313 | 32,896 | 26,849 | 3.74 | 3.00 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | 10 | 25,038 | 25,660 | 19,275 | 1.70 | 1.46 | 1.78 |
| 127 Heart failure & shock | 61 | 20,448 | 17,708 | 18,033 | 3.43 | 3.38 | 3.64 |
| 140 Angina pectoris | . | . | 9,017 | 11,228 | . | 1.17 | 1.30 |
| 143 Chest pain | 3 | 14,921 | 9,816 | 10,491 | 1.33 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 25 | 62,367 | 47,389 | 59,626 | 8.48 | 7.32 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 75,675 | 77,655 | . | 8.67 | 9.70 |
| 167 Appendectomy w/o compl dx1 & w/o cc | 7 | 19,706 | 15,441 | 13,530 | 1.67 | 1.14 | 1.11 |
| 174 G.I. hemorrhage w cc | 40 | 18,564 | 16,025 | 18,170 | 2.46 | 2.64 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 68 | 18,899 | 13,634 | 14,049 | 3.05 | 2.59 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 28 | 12,819 | 11,641 | 11,229 | 2.11 | 2.28 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 3 | 52,081 | 37,652 | 37,751 | 6.67 | 5.29 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,892 | 23,411 | . | 2.75 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 233 | 41,828 | 40,696 | 39,044 | 3.38 | 3.17 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDDB CASE MIX INDEX = 0.7496

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.22

BED SIZE: 183
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=2.16

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 19 | 45,812 | 39,471 | 40,371 | 5.16 | 4.98 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 22 | 28,771 | 27,192 | 27,138 | 2.32 | 2.11 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 53 | 17,251 | 13,572 | 13,720 | 2.94 | 2.60 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 42 | 20,155 | 17,397 | 19,434 | 2.13 | 2.12 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 213 | 16,962 | 14,215 | 14,898 | 1.46 | 1.51 | 1.57 |
| 370 Cesarean section with cc | 80 | 17,226 | 12,536 | 14,657 | 3.67 | 3.59 | 3.87 |
| 371 Cesarean section without cc | 439 | 14,971 | 11,240 | 11,759 | 3.26 | 3.29 | 3.24 |
| 372 Vaginal delivery w complicating diag | 150 | 8,868 | 7,582 | 8,392 | 2.28 | 2.02 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,493 | 7,717 | 6,458 | 6,661 | 2.01 | 1.82 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 54 | 10,870 | 9,039 | 10,362 | 1.85 | 1.89 | 2.01 |
| 383 Other antepartum diag w med complic | 30 | 11,102 | 10,026 | 10,990 | 2.73 | 2.34 | 2.71 |
| 385 Neonates died/transf to acute care fac | 4 | 7,045 | 7,828 | 19,166 | 1.00 | 1.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 75 | 59,987 | 60,249 | 101,092 | 18.08 | 16.69 | 26.08 |
| 387 Prematurity w major problems | 46 | 31,758 | 31,946 | 48,843 | 11.77 | 10.92 | 15.14 |
| 389 Full term neonate w major problems | 179 | 20,354 | 17,121 | 15,544 | 6.22 | 5.07 | 4.66 |
| 390 Neonate w other significant problems | 385 | 5,756 | 4,490 | 3,854 | 2.70 | 2.41 | 2.27 |
| 391 Normal newborn | 1,501 | 2,528 | 2,716 | 2,436 | 1.97 | 1.90 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | 23,836 | . | . | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 29 | 86,478 | 71,472 | 72,347 | 8.69 | 8.60 | 9.12 |
| 430 Psychoses | 6 | 10,781 | 11,837 | 14,101 | 2.33 | 2.40 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 4 | 13,987 | 12,321 | 13,612 | 2.00 | 2.14 | 3.30 |
| 462 Rehabilitation | 95 | 29,391 | 29,391 | 40,385 | 10.62 | 10.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 9 | 60,324 | 33,895 | 55,889 | 8.00 | 4.09 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 3 | 63,841 | 88,232 | 108,196 | 8.00 | 11.50 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 4 | 280,520 | 251,199 | 295,955 | 27.25 | 25.80 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 52,599 | 93,495 | . | 7.00 | 8.69 |
| 499 Back & neck procedures w cc | 9 | 33,948 | 29,012 | 25,581 | 2.29 | 2.56 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 12 | 25,964 | 17,769 | 16,304 | 1.75 | 1.60 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 15,957 | 11,466 | 20,364 | 2.00 | 1.40 | 2.68 |
| 470 Ungroupable | 1 | 21,091 | 9,830 | 12,546 | 3.00 | 1.67 | 3.65 |
| All Other DRGs | 2,274 | 26,899 | 21,293 | 26,338 | 3.42 | 3.02 | 3.44 |

* Adjusted by UHDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 183
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 26 | 20,701 | 16,873 | 17,504 | 2.83 | 2.31 | 2.39 |
| Major or Extreme SOI | 13 | 28,137 | 24,660 | 30,421 | 3.92 | 3.60 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 83 | 14,259 | 10,121 | 10,931 | 2.91 | 2.52 | 2.55 |
| Major or Extreme SOI | 69 | 26,659 | 20,552 | 20,864 | 4.86 | 4.08 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 22 | 12,875 | 6,721 | 8,532 | 2.78 | 1.79 | 1.99 |
| Major or Extreme SOI | 5 | 14,116 | 15,119 | 15,810 | 3.75 | 3.85 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 12 | 65,471 | 58,092 | 42,983 | 1.92 | 1.63 | 1.54 |
| Major or Extreme SOI | 4 | 95,352 | 80,986 | 68,036 | 3.50 | 3.85 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 14 | 26,071 | 20,648 | 17,963 | 2.31 | 2.15 | 2.03 |
| Major or Extreme SOI | 11 | 40,346 | 31,838 | 28,897 | 3.50 | 3.10 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 8 | 23,827 | 24,183 | 17,867 | 1.25 | 1.29 | 1.54 |
| Major or Extreme SOI | 3 | 42,745 | 43,257 | 25,935 | 4.00 | 4.25 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 35 | 15,581 | 14,732 | 13,972 | 2.45 | 2.74 | 2.96 |
| Major or Extreme SOI | 28 | 26,607 | 20,169 | 22,844 | 4.64 | 4.04 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 13 | 14,894 | 10,524 | 10,477 | 2.46 | 1.83 | 1.84 |
| Major or Extreme SOI | 12 | 18,891 | 15,309 | 17,274 | 2.67 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 26 | 40,649 | 31,921 | 33,294 | 5.60 | 4.51 | 4.80 |
| Major or Extreme SOI | 12 | 83,765 | 65,565 | 78,140 | 10.82 | 9.58 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 20 | 22,637 | 18,445 | 17,034 | 2.37 | 2.09 | 2.08 |
| Major or Extreme SOI | 2 | 47,703 | 39,816 | 36,530 | 6.00 | 4.20 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 18 | 12,182 | 8,204 | 9,467 | 1.72 | 1.91 | 2.01 |
| Major or Extreme SOI | 6 | 22,333 | 14,552 | 14,930 | 3.50 | 2.86 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 178 | 39,645 | 40,121 | 37,842 | 3.24 | 3.09 | 2.92 |
| Major or Extreme SOI | 6 | 55,560 | 51,550 | 48,873 | 4.33 | 4.27 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 34 | 32,345 | 28,054 | 27,280 | 2.94 | 2.44 | 2.61 |
| Major or Extreme SOI | 5 | 81,294 | 51,684 | 45,932 | 8.60 | 5.84 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 6,611 | 11,741 | . | 2.17 | 2.96 |
| Major or Extreme SOI | 2 | 13,898 | 16,017 | 22,625 | 1.50 | 2.33 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 183
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 234 | 16,937 | 14,487 | 15,305 | 1.50 | 1.54 | 1.62 |
| Major or Extreme SOI | 2 | 33,529 | 25,951 | 36,837 | 3.00 | 3.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 505 | 15,217 | 11,286 | 11,641 | 3.29 | 3.31 | 3.21 |
| Major or Extreme SOI | 14 | 18,487 | 15,205 | 21,704 | 4.43 | 4.14 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,600 | 7,754 | 6,524 | 6,731 | 2.02 | 1.84 | 1.79 |
| Major or Extreme SOI | 43 | 10,299 | 8,867 | 10,767 | 2.74 | 2.30 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 54 | 10,870 | 9,031 | 9,583 | 1.85 | 1.89 | 1.93 |
| Major or Extreme SOI | . | . | 9,402 | 21,300 | . | 2.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 4 | 7,535 | 7,441 | 11,599 | 2.00 | 2.00 | 5.19 |
| Major or Extreme SOI | . | . | 20,374 | 22,695 | . | 3.00 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 1,755 | 2,666 | 2,825 | 2,536 | 2.01 | 1.95 | 1.89 |
| Major or Extreme SOI | 168 | 10,626 | 9,743 | 8,321 | 3.76 | 3.51 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 2 | 12,486 | 10,786 | 10,069 | 2.00 | 2.48 | 2.88 |
| Major or Extreme SOI | 2 | 15,488 | 13,906 | 19,849 | 2.50 | 2.00 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 15 | 21,135 | 18,286 | 16,988 | 2.14 | 2.02 | 1.89 |
| Major or Extreme SOI | 3 | 45,851 | 32,887 | 42,605 | 1.00 | 4.00 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 57 | 24,209 | 19,568 | 18,944 | 2.20 | 2.12 | 2.08 |
| Major or Extreme SOI | 21 | 38,956 | 34,521 | 34,924 | 4.43 | 4.86 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 17 | 14,923 | 13,114 | 13,298 | 1.71 | 2.18 | 2.15 |
| Major or Extreme SOI | 8 | 27,448 | 22,815 | 24,096 | 4.00 | 3.80 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 3 | 12,267 | 11,099 | 13,147 | 1.33 | 1.93 | 2.10 |
| Major or Extreme SOI | 2 | 43,152 | 27,046 | 23,048 | 6.50 | 4.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 33 | 15,364 | 11,821 | 12,049 | 2.69 | 2.48 | 2.47 |
| Major or Extreme SOI | 10 | 22,899 | 22,411 | 21,886 | 4.40 | 3.66 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 24 | 15,948 | 10,286 | 11,171 | 2.71 | 2.12 | 2.13 |
| Major or Extreme SOI | 7 | 20,928 | 21,043 | 21,005 | 2.57 | 3.75 | 3.64 |
| All other APRDRGs | 2,708 | 29,164 | 22,833 | 30,661 | 4.61 | 3.83 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

JORDAN VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: IASIS Healthcare BED SIZE: 183

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 5,385 | 67.7 | 68.8 | 61.8 |
| Male | 2,573 | 32.3 | 31.2 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,245 | 28.2 | 31.8 | 20.2 |
| 29-365 days | 23 | 0.3 | 1.0 | 0.9 |
| 1-4 years | 2 | 0.0 | 1.1 | 0.7 |
| 5-9 | 3 | 0.0 | 0.4 | 0.4 |
| 10-14 | 5 | 0.1 | 0.2 | 0.4 |
| 15-17 | 47 | 0.6 | 0.5 | 0.8 |
| 18-19 | 149 | 1.9 | 1.3 | 1.5 |
| 20-24 | 634 | 8.0 | 7.8 | 6.9 |
| 25-29 | 899 | 11.3 | 12.7 | 9.6 |
| 30-34 | 807 | 10.1 | 10.7 | 8.4 |
| 35-39 | 463 | 5.8 | 5.5 | 4.9 |
| 40-44 | 277 | 3.5 | 2.7 | 3.4 |
| 45-49 | 249 | 3.1 | 2.3 | 3.5 |
| 50-54 | 282 | 3.5 | 2.7 | 4.5 |
| 55-59 | 293 | 3.7 | 2.9 | 5.0 |
| 60-64 | 296 | 3.7 | 2.9 | 5.1 |
| 65-69 | 332 | 4.2 | 3.0 | 5.6 |
| 70-74 | 290 | 3.6 | 2.8 | 5.1 |
| 75-79 | 239 | 3.0 | 2.4 | 4.7 |
| 80-84 | 183 | 2.3 | 2.3 | 4.1 |
| 85-89 | 143 | 1.8 | 1.6 | 2.9 |
| 90 + | 97 | 1.2 | 1.1 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 2,293 | 28.8 | 8.8 | 14.1 |
| Urgent | 2,447 | 30.7 | 36.1 | 39.7 |
| Elective | 960 | 12.1 | 23.4 | 25.3 |
| Newborn | 2,258 | 28.4 | 31.7 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 5,659 | 71.1 | 44.3 | 49.6 |
| Clinic referral | . | . | 23.6 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 19 | 0.2 | 0.2 | 4.4 |
| Skilled nursing facility | 7 | 0.1 | 0.1 | 0.5 |
| Other health care facility | . | . | 0.0 | 0.2 |
| Emergency room | . | . | 0.0 | 0.0 |
| Court/law enforcement | 1 | 0.0 | 0.0 | 0.3 |
| Normal delivery/Born Inside | 2,250 | 28.3 | 31.6 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

JORDAN VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: IASIS Healthcare BED SIZE: 183

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | 0.1 | 0.1 | 0.0 |
| Extramural birth/Born Outside | 6 | 0.1 | 0.1 | 0.0 |
| Unknown | 5 | 0.1 | 0.0 | 0.6 |
| Not reported | 11 | 0.1 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 6,757 | 84.9 | 59.4 | 55.1 |
| Another hospital | 54 | 0.7 | 0.8 | 0.8 |
| Skilled nursing facility | 437 | 5.5 | 3.0 | 5.3 |
| Intermediate care | 1 | 0.0 | 0.0 | 0.1 |
| Another type of institution | 31 | 0.4 | 1.1 | 2.6 |
| Under care of home service | 429 | 5.4 | 3.4 | 5.7 |
| Left against medical advice | 16 | 0.2 | 0.1 | 0.3 |
| Under care of a home iv provider | . | . | . | 0.0 |
| Expired | 57 | 0.7 | 0.4 | 1.1 |
| Not reported | 176 | 2.2 | 31.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,544 | 19.4 | 15.4 | 26.7 |
| Medicaid | 1,511 | 19.0 | 17.3 | 18.6 |
| Other government | 159 | 2.0 | 1.9 | 2.4 |
| Blue Cross/Blue Shield | 1,819 | 22.9 | 11.4 | 10.3 |
| Other commercial | 587 | 7.4 | 5.2 | 5.5 |
| Managed care | 1,755 | 22.1 | 44.9 | 30.9 |
| Self pay | 572 | 7.2 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 5 | 0.1 | 0.1 | 0.5 |
| Charity | . | . | 0.4 | 1.1 |
| Children's Health Insurance Plan | 6 | 0.1 | 0.2 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 17 | 0.2 | 0.1 | 5.4 |
| Central Utah | 7 | 0.1 | 0.6 | 2.9 |
| Davis County | 63 | 0.8 | 0.5 | 9.8 |
| Salt Lake County | 7,000 | 88.0 | 48.1 | 34.1 |
| Southeastern Utah | 14 | 0.2 | 0.4 | 1.8 |
| Southwest Utah | 44 | 0.6 | 0.3 | 8.0 |
| Summit County | 18 | 0.2 | 0.1 | 0.9 |
| Tooele County | 128 | 1.6 | 0.7 | 2.2 |
| Tri-County | 21 | 0.3 | 0.2 | 1.7 |
| Utah County | 381 | 4.8 | 46.9 | 17.8 |
| Wasatch County | 2 | 0.0 | 0.3 | 0.6 |
| Weber/Morgan | 17 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 241 | 3.0 | 1.6 | 5.2 |
| Unknown | 5 | 0.1 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Kane
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Management

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 243 | 100.0 | 100.0 | 100.0 | 1,169,517 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 59 | 24.3 | 18.5 | 20.1 | 70,276 | 6.0 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 62 | 25.5 | 19.5 | 20.9 | 309,196 | 26.4 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 3 | 1.2 | 4.8 | 2.3 | 9,932 | 0.8 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.6 | 0.4 | . | . | 1.1 | 0.6 |
| Other Medical | 117 | 48.1 | 45.7 | 29.4 | 755,745 | 64.6 | 49.3 | 27.2 |
| Other Surgical | 2 | 0.8 | 10.1 | 22.0 | 24,369 | 2.1 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | . | . | 0.3 | 3.9 | . | . | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 6 | 2.5 | 2.6 | 4.1 | 26,196 | 2.2 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 2 | 0.8 | 1.0 | 0.6 | 6,401 | 0.5 | 0.7 | 0.5 |
| 4 Respiratory System | 41 | 16.9 | 13.7 | 6.4 | 277,496 | 23.7 | 15.4 | 6.8 |
| 5 Circulatory System | 11 | 4.5 | 6.0 | 7.5 | 92,639 | 7.9 | 6.7 | 15.5 |
| 6 Digestive System | 12 | 4.9 | 9.1 | 6.4 | 49,302 | 4.2 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 7 | 2.9 | 3.5 | 2.3 | 30,344 | 2.6 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 4 | 1.6 | 6.5 | 10.0 | 28,543 | 2.4 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 2 | 0.8 | 2.3 | 1.1 | 12,224 | 1.0 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 12 | 4.9 | 3.7 | 2.4 | 69,834 | 6.0 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 14 | 5.8 | 3.7 | 2.8 | 120,132 | 10.3 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | 4 | 1.6 | 2.2 | 1.7 | 31,938 | 2.7 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 62 | 25.5 | 19.5 | 20.9 | 309,196 | 26.4 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 59 | 24.3 | 18.7 | 20.4 | 70,276 | 6.0 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | . | . | 0.8 | 0.5 | . | . | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 4 | 1.6 | 2.0 | 3.7 | 28,709 | 2.5 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | . | . | 0.3 | 3.9 | . | . | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 1 | 0.4 | 0.5 | 1.0 | 4,383 | 0.4 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | 1.7 | 1.8 | . | . | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 2 | 0.8 | 1.4 | 1.3 | 11,905 | 1.0 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.4388

COUNTY: Kane
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 25
 AFFILIATION: Management
 % LOS OUTLIER=1.65

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 243 | 1,169,517 | 114,581,002 | 5,319,068,336 | 536.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 1,169,517 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 4,813 | 10,066 | 21,172 | 2.21 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 10,968 | 16,258 | 20,004 | 4.81 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 2 | 6,236 | 10,331 | 21,721 | 5.00 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 25 | 7,165 | 11,079 | 16,240 | 2.83 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 1 | 2,826 | 6,181 | 8,064 | 2.00 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 2 | 3,553 | 5,668 | 7,590 | 2.00 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 2,199 | 20,366 | 24,880 | 1.00 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 8 | 10,699 | 11,796 | 18,033 | 3.86 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | . | . | 6,720 | 10,491 | . | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dx1 & w/o cc | . | . | 16,048 | 13,530 | . | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 1 | 3,236 | 12,515 | 18,170 | 2.00 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 1 | 6,278 | 8,553 | 14,049 | 3.00 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 2 | 4,490 | 7,663 | 11,229 | 2.00 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.4388

COUNTY: Kane
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 25
 AFFILIATION: Management
 % LOS OUTLIER=1.65

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|--------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | 3 | 3,035 | 8,608 | 13,720 | 1.00 | 2.58 | 2.71 | . | . |
| 358 Uterine & adnexa prcd nonmalig w cc | 1 | 14,444 | 19,017 | 19,434 | 2.00 | 2.19 | 2.31 | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 1 | 9,925 | 16,939 | 14,898 | 1.00 | 1.38 | 1.57 | . | . |
| 370 Cesarean section with cc | 2 | 11,316 | 12,139 | 14,657 | 3.00 | 2.78 | 3.87 | . | . |
| 371 Cesarean section without cc | 11 | 9,322 | 11,034 | 11,759 | 2.91 | 2.58 | 3.24 | . | . |
| 372 Vaginal delivery w complicating diag | 1 | 3,154 | 6,345 | 8,392 | 1.00 | 1.82 | 2.05 | . | . |
| 373 Vaginal deliv w/o complicating diag | 44 | 3,681 | 5,099 | 6,661 | 1.20 | 1.56 | 1.77 | . | . |
| 374 Vaginal delivery w sterilization/D&C | 1 | 7,763 | 8,822 | 10,362 | 2.00 | 1.81 | 2.01 | . | . |
| 383 Other antepartum diag w med complic | . | . | 6,503 | 10,990 | . | 1.98 | 2.71 | . | . |
| 385 Neonates died/transf to acute care fac | 2 | 1,424 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 | . | . |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 | . | . |
| 389 Full term neonate w major problems | . | . | 3,831 | 15,544 | . | 2.33 | 4.66 | . | . |
| 390 Neonate w other significant problems | 6 | 1,455 | 2,658 | 3,854 | 2.00 | 1.92 | 2.27 | . | . |
| 391 Normal newborn | 51 | 1,151 | 2,122 | 2,436 | 1.35 | 1.66 | 1.83 | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 | . | . |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 2.15 | 6.08 | . | . |
| 521 Alc/drug abuse or depnd w cc | 1 | 4,383 | 7,298 | 13,612 | 2.00 | 2.44 | 3.30 | . | . |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 3.30 | 6.47 | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 | . | . |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 | . | . |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 | . | . |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 | . | . |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 | . | . |
| All Other DRGs | 76 | 5,994 | 11,484 | 26,338 | 2.68 | 2.66 | 3.44 | . | . |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Kane
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Management

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 11,029 | 17,504 | . | 2.61 | 2.39 |
| Major or Extreme SOI | . | . | 10,115 | 30,421 | . | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 28 | 6,444 | 8,601 | 10,931 | 2.67 | 2.69 | 2.55 |
| Major or Extreme SOI | 1 | 15,151 | 15,114 | 20,864 | 5.00 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 3 | 2,893 | 6,962 | 8,532 | 1.33 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 6 | 9,052 | 10,681 | 13,972 | 4.33 | 3.16 | 2.96 |
| Major or Extreme SOI | 3 | 11,160 | 14,304 | 22,844 | 1.00 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 8,759 | 10,477 | . | 1.91 | 1.84 |
| Major or Extreme SOI | . | . | 12,787 | 17,274 | . | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 37,933 | 33,294 | . | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 19,168 | 17,034 | . | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 2 | 4,490 | 7,294 | 9,467 | 2.00 | 2.04 | 2.01 |
| Major or Extreme SOI | . | . | 10,963 | 14,930 | . | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Kane
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Management

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 2 | 12,184 | 16,877 | 15,305 | 1.50 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 13 | 9,629 | 11,227 | 11,641 | 2.92 | 2.61 | 3.21 |
| Major or Extreme SOI | . | . | 14,509 | 21,704 | . | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 44 | 3,681 | 5,201 | 6,731 | 1.20 | 1.60 | 1.79 |
| Major or Extreme SOI | 1 | 3,154 | 7,295 | 10,767 | 1.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 1 | 7,763 | 8,634 | 9,583 | 2.00 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 57 | 1,183 | 2,218 | 2,536 | 1.43 | 1.73 | 1.89 |
| Major or Extreme SOI | . | . | 3,691 | 8,321 | . | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 1 | 4,383 | 5,962 | 10,069 | 2.00 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 20,365 | 18,944 | . | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | 9,511 | 13,298 | . | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 6,795 | 5,514 | 13,147 | 1.00 | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 1 | 6,278 | 8,734 | 12,049 | 3.00 | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 7,708 | 11,171 | . | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 79 | 5,838 | 10,802 | 30,661 | 2.73 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Management

COUNTY: Kane
 BED SIZE: 25

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 170 | 70.0 | 64.5 | 61.8 |
| Male | 73 | 30.0 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 60 | 24.7 | 18.7 | 20.2 |
| 29-365 days | 1 | 0.4 | 1.1 | 0.9 |
| 1-4 years | 1 | 0.4 | 1.8 | 0.7 |
| 5-9 | . | . | 0.9 | 0.4 |
| 10-14 | . | . | 0.6 | 0.4 |
| 15-17 | . | . | 1.1 | 0.8 |
| 18-19 | 1 | 0.4 | 1.8 | 1.5 |
| 20-24 | 23 | 9.5 | 7.2 | 6.9 |
| 25-29 | 25 | 10.3 | 8.3 | 9.6 |
| 30-34 | 17 | 7.0 | 6.6 | 8.4 |
| 35-39 | 9 | 3.7 | 3.9 | 4.9 |
| 40-44 | 12 | 4.9 | 2.8 | 3.4 |
| 45-49 | 4 | 1.6 | 3.3 | 3.5 |
| 50-54 | 5 | 2.1 | 3.7 | 4.5 |
| 55-59 | 11 | 4.5 | 4.0 | 5.0 |
| 60-64 | 9 | 3.7 | 4.7 | 5.1 |
| 65-69 | 8 | 3.3 | 5.7 | 5.6 |
| 70-74 | 10 | 4.1 | 5.5 | 5.1 |
| 75-79 | 17 | 7.0 | 5.9 | 4.7 |
| 80-84 | 14 | 5.8 | 5.9 | 4.1 |
| 85-89 | 8 | 3.3 | 4.0 | 2.9 |
| 90 + | 8 | 3.3 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 2 | 0.8 | 27.0 | 14.1 |
| Urgent | 182 | 74.9 | 24.8 | 39.7 |
| Elective | . | . | 28.3 | 25.3 |
| Newborn | 59 | 24.3 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 87 | 35.8 | 56.4 | 49.6 |
| Clinic referral | 92 | 37.9 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 5 | 2.1 | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 1 | 0.4 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Management

COUNTY: Kane
 BED SIZE: 25

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 58 | 23.9 | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 201 | 82.7 | 67.8 | 55.1 |
| Another hospital | 15 | 6.2 | 3.9 | 0.8 |
| Skilled nursing facility | . | . | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 11 | 4.5 | 3.6 | 2.6 |
| Under care of home service | 11 | 4.5 | 4.0 | 5.7 |
| Left against medical advice | 1 | 0.4 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 4 | 1.6 | 0.8 | 1.1 |
| Not reported | . | . | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 73 | 30.0 | 31.3 | 26.7 |
| Medicaid | 69 | 28.4 | 21.7 | 18.6 |
| Other government | 1 | 0.4 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 25 | 10.3 | 10.5 | 10.3 |
| Other commercial | 62 | 25.5 | 7.0 | 5.5 |
| Managed care | . | . | 20.9 | 30.9 |
| Self pay | 13 | 5.3 | 6.0 | 3.7 |
| Industrial/Worker's Comp | . | . | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | . | . | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | . | . | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 185 | 76.1 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | . | . | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 58 | 23.9 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 128
 AFFILIATION: Mountainstar Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4,765 | 100.0 | 100.0 | 100.0 | 133,410,069 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 440 | 9.2 | 19.9 | 20.1 | 1,984,939 | 1.5 | 4.6 | 7.7 |
| Obstetric (MDC 14) | 469 | 9.8 | 20.6 | 20.9 | 4,111,865 | 3.1 | 9.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 5 | 0.1 | 1.3 | 2.3 | 24,308 | 0.0 | 0.6 | 1.5 |
| Pediatric Surgical (Age 0-17) | 8 | 0.2 | 0.2 | 0.4 | 202,402 | 0.2 | 0.2 | 0.6 |
| Other Medical | 1,841 | 38.6 | 29.4 | 29.4 | 42,739,140 | 32.0 | 32.5 | 27.2 |
| Other Surgical | 1,392 | 29.2 | 18.9 | 22.0 | 71,895,129 | 53.9 | 45.7 | 49.8 |
| Psychiatric (MDC 19) | 603 | 12.7 | 9.5 | 3.9 | 12,397,288 | 9.3 | 6.7 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.2 | 2.0 |
| Unknown (DRG 469-470) | 7 | 0.1 | 0.1 | 0.0 | 54,998 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 251 | 5.3 | 2.2 | 4.1 | 8,021,626 | 6.0 | 3.0 | 6.0 |
| 2 Eye | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 11 | 0.2 | 0.4 | 0.6 | 189,888 | 0.1 | 0.4 | 0.5 |
| 4 Respiratory System | 326 | 6.8 | 6.2 | 6.4 | 11,633,044 | 8.7 | 7.6 | 6.8 |
| 5 Circulatory System | 286 | 6.0 | 4.8 | 7.5 | 11,141,191 | 8.4 | 11.0 | 15.5 |
| 6 Digestive System | 311 | 6.5 | 5.8 | 6.4 | 9,187,270 | 6.9 | 8.2 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 119 | 2.5 | 2.0 | 2.3 | 4,195,458 | 3.1 | 2.8 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 1,030 | 21.6 | 9.8 | 10.0 | 50,767,158 | 38.1 | 21.2 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 33 | 0.7 | 0.9 | 1.1 | 939,813 | 0.7 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 55 | 1.2 | 2.3 | 2.4 | 1,040,049 | 0.8 | 2.2 | 2.1 |
| 11 Kidney & Urinary Tract | 103 | 2.2 | 2.4 | 2.8 | 2,226,669 | 1.7 | 2.7 | 3.0 |
| 12 Male Reproductive System | 22 | 0.5 | 0.3 | 0.3 | 530,362 | 0.4 | 0.3 | 0.3 |
| 13 Female Reproductive System | 55 | 1.2 | 1.7 | 1.7 | 1,061,067 | 0.8 | 1.5 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 469 | 9.8 | 20.6 | 20.9 | 4,111,865 | 3.1 | 9.3 | 8.6 |
| 15 Newborn & Other Neonates | 444 | 9.3 | 20.0 | 20.4 | 1,997,852 | 1.5 | 4.8 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 18 | 0.4 | 0.6 | 0.5 | 411,067 | 0.3 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 2 | 0.0 | 0.9 | 0.3 | 37,617 | 0.0 | 4.7 | 1.0 |
| 18 Infectious and Parasitic Diseases | 169 | 3.5 | 3.3 | 3.7 | 8,100,484 | 6.1 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 603 | 12.7 | 9.5 | 3.9 | 12,397,288 | 9.3 | 6.7 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 357 | 7.5 | 4.0 | 1.0 | 2,772,690 | 2.1 | 2.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 77 | 1.6 | 1.7 | 1.8 | 2,085,154 | 1.6 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 15 | 0.3 | 0.4 | 1.3 | 262,348 | 0.2 | 0.5 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.0 | 0.1 | 0.3 | 217,503 | 0.2 | 0.4 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.0 | 27,608 | 0.0 | 0.1 | 0.1 |
| Unknown | 7 | 0.1 | 0.1 | 0.1 | 54,998 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 1.0809

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.97

BED SIZE: 128
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.32

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 4,765 | 133,410,069 | 864,967,561 | 5,319,068,336 | 18374.00 | 145,585.00 | 881,886.00 |
| Facility Charges (total) | . | 133,410,069 | 863,495,261 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 27,998 | 20,466 | 21,172 | 3.86 | 3.45 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 24,343 | 21,795 | 20,004 | 3.47 | 3.84 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | 3 | 44,684 | 69,647 | 62,383 | 3.67 | 5.40 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | 66,260 | 70,042 | . | 4.00 | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 69 | 23,610 | 21,362 | 21,721 | 3.19 | 2.73 | 3.12 |
| 075 Major chest procedures | . | . | 85,848 | 59,734 | . | 6.26 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 110 | 26,359 | 19,129 | 16,240 | 4.40 | 3.35 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | 7,873 | 8,064 | . | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | . | . | 7,883 | 7,590 | . | 2.28 | 2.06 |
| 104 Cardiac valve/cardiorthor w card cath | . | . | 235,441 | 131,342 | . | 9.77 | 9.28 |
| 105 Cardiac valve/cardiorthor w/o card cath | . | . | 189,442 | 117,359 | . | 7.55 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 192,391 | 114,735 | . | 7.64 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 126,829 | 103,627 | . | 5.25 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 144,509 | 92,602 | . | 5.44 | 7.28 |
| 110 Major cardiovascular procedures w cc | 6 | 125,886 | 102,680 | 87,590 | 9.33 | 4.95 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 8 | 75,232 | 61,903 | 48,932 | 2.88 | 3.05 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 7 | 56,966 | 49,297 | 39,075 | 3.50 | 2.64 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 4 | 22,062 | 28,182 | 24,880 | 3.50 | 3.55 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 9 | 21,835 | 23,851 | 18,844 | 1.33 | 1.82 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 17 | 30,915 | 30,768 | 26,849 | 2.24 | 2.88 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | 9 | 22,520 | 27,265 | 19,275 | 1.22 | 1.89 | 1.78 |
| 127 Heart failure & shock | 57 | 20,771 | 19,404 | 18,033 | 3.82 | 3.72 | 3.64 |
| 140 Angina pectoris | 3 | 13,611 | 14,167 | 11,228 | 1.00 | 1.25 | 1.30 |
| 143 Chest pain | 5 | 14,008 | 14,232 | 10,491 | 1.40 | 1.26 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 17 | 69,303 | 67,129 | 59,626 | 8.65 | 9.10 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 7 | 62,618 | 58,365 | 77,655 | 6.00 | 6.54 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 2 | 25,949 | 14,305 | 13,530 | 1.00 | 1.10 | 1.11 |
| 174 G.I. hemorrhage w cc | 49 | 23,873 | 19,831 | 18,170 | 2.50 | 2.68 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 31 | 22,320 | 16,553 | 14,049 | 3.61 | 2.75 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 20 | 13,877 | 13,315 | 11,229 | 1.85 | 2.18 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 3 | 57,566 | 45,504 | 37,751 | 5.67 | 5.65 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 2 | 20,224 | 27,497 | 23,411 | 2.00 | 3.14 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 570 | 47,846 | 43,624 | 39,044 | 2.49 | 2.72 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 1.0809

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.97

BED SIZE: 128
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.32

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 31 | 43,632 | 42,871 | 40,371 | 3.84 | 4.36 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 20 | 28,554 | 30,303 | 27,138 | 1.95 | 2.35 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 25 | 12,986 | 16,753 | 13,720 | 2.46 | 2.89 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 12 | 21,865 | 19,378 | 19,434 | 1.82 | 2.26 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 31 | 18,576 | 15,419 | 14,898 | 1.45 | 1.67 | 1.57 |
| 370 Cesarean section with cc | 13 | 14,707 | 14,472 | 14,657 | 3.46 | 3.56 | 3.87 |
| 371 Cesarean section without cc | 83 | 12,200 | 13,523 | 11,759 | 3.34 | 3.18 | 3.24 |
| 372 Vaginal delivery w complicating diag | 22 | 7,553 | 8,795 | 8,392 | 1.91 | 2.10 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 303 | 7,082 | 7,344 | 6,661 | 1.89 | 1.84 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 15 | 9,011 | 12,268 | 10,362 | 1.80 | 2.05 | 2.01 |
| 383 Other antepartum diag w med complic | 14 | 13,871 | 10,706 | 10,990 | 4.00 | 2.78 | 2.71 |
| 385 Neonates died/transf to acute care fac | 7 | 5,155 | 11,241 | 19,166 | 1.43 | 2.39 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 4 | 28,777 | 53,220 | 101,092 | 11.50 | 17.11 | 26.08 |
| 387 Prematurity w major problems | 2 | 4,413 | 29,523 | 48,843 | 2.00 | 11.18 | 15.14 |
| 389 Full term neonate w major problems | 18 | 9,359 | 11,553 | 15,544 | 3.89 | 4.14 | 4.66 |
| 390 Neonate w other significant problems | 109 | 4,146 | 3,643 | 3,854 | 2.15 | 2.28 | 2.27 |
| 391 Normal newborn | 287 | 3,720 | 2,260 | 2,436 | 1.92 | 1.89 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 39,178 | 23,836 | . | 6.38 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 24 | 76,493 | 68,012 | 72,347 | 7.54 | 8.18 | 9.12 |
| 430 Psychoses | 523 | 19,238 | 14,160 | 14,101 | 7.36 | 5.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 60 | 10,831 | 13,074 | 13,612 | 3.62 | 3.73 | 3.30 |
| 462 Rehabilitation | . | . | 26,041 | 40,385 | . | 11.45 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 12 | 78,955 | 66,562 | 55,889 | 7.25 | 6.55 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 9 | 139,353 | 107,688 | 108,196 | 14.33 | 12.78 | 12.99 |
| 481 Bone marrow transplant | . | . | 199,765 | 204,971 | . | 26.55 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 1 | 401,101 | 230,662 | 295,955 | 37.00 | 20.71 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 101,893 | 93,495 | . | 9.68 | 8.69 |
| 499 Back & neck procedures w cc | 8 | 27,242 | 29,428 | 25,581 | 2.38 | 2.67 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 18 | 25,965 | 23,680 | 16,304 | 1.83 | 1.96 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 21,021 | 20,794 | 20,364 | 2.00 | 2.70 | 2.68 |
| 470 Ungroupable | 7 | 7,857 | 9,757 | 12,546 | 3.71 | 3.15 | 3.65 |
| All Other DRGs | 2,098 | 28,984 | 26,200 | 26,338 | 3.82 | 3.57 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 128
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 40 | 19,993 | 19,117 | 17,504 | 2.59 | 2.41 | 2.39 |
| Major or Extreme SOI | 24 | 31,985 | 27,894 | 30,421 | 4.42 | 3.77 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 58 | 16,337 | 12,829 | 10,931 | 2.98 | 2.57 | 2.55 |
| Major or Extreme SOI | 64 | 33,950 | 24,533 | 20,864 | 5.53 | 4.20 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 12 | 12,316 | 10,411 | 8,532 | 2.25 | 2.15 | 1.99 |
| Major or Extreme SOI | 2 | 29,945 | 17,788 | 15,810 | 4.00 | 3.53 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 6 | 61,188 | 56,162 | 42,983 | 1.33 | 2.04 | 1.54 |
| Major or Extreme SOI | 4 | 107,572 | 77,382 | 68,036 | 9.00 | 3.90 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 10 | 20,617 | 22,794 | 17,963 | 1.44 | 1.94 | 2.03 |
| Major or Extreme SOI | 3 | 23,078 | 31,533 | 28,897 | 2.00 | 3.79 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 12 | 23,503 | 24,472 | 17,867 | 1.30 | 1.61 | 1.54 |
| Major or Extreme SOI | 3 | 36,250 | 31,528 | 25,935 | 2.67 | 2.47 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 28 | 15,143 | 15,059 | 13,972 | 3.08 | 2.82 | 2.96 |
| Major or Extreme SOI | 34 | 27,031 | 23,523 | 22,844 | 4.88 | 4.60 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 26 | 14,841 | 13,852 | 10,477 | 1.70 | 1.82 | 1.84 |
| Major or Extreme SOI | 21 | 23,297 | 19,428 | 17,274 | 4.22 | 3.18 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 18 | 35,092 | 31,873 | 33,294 | 4.44 | 4.40 | 4.80 |
| Major or Extreme SOI | 14 | 78,659 | 81,435 | 78,140 | 9.93 | 10.56 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 16 | 26,168 | 19,766 | 17,034 | 2.43 | 2.52 | 2.08 |
| Major or Extreme SOI | 2 | 70,889 | 48,157 | 36,530 | 9.00 | 5.42 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 10 | 12,918 | 11,884 | 9,467 | 2.40 | 2.28 | 2.01 |
| Major or Extreme SOI | 10 | 16,060 | 17,050 | 14,930 | 2.80 | 2.96 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 459 | 45,598 | 41,622 | 37,842 | 2.58 | 2.72 | 2.92 |
| Major or Extreme SOI | 7 | 62,366 | 53,754 | 48,873 | 4.43 | 4.03 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 30 | 25,959 | 28,374 | 27,280 | 2.14 | 2.53 | 2.61 |
| Major or Extreme SOI | 3 | 34,944 | 44,750 | 45,932 | 4.67 | 4.88 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 19,361 | 16,011 | 11,741 | 2.00 | 4.00 | 2.96 |
| Major or Extreme SOI | 1 | 4,697 | 23,784 | 22,625 | 2.00 | 4.73 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 128
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 34 | 19,042 | 16,037 | 15,305 | 1.41 | 1.69 | 1.62 |
| Major or Extreme SOI | 1 | 35,808 | 28,787 | 36,837 | 4.00 | 4.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 91 | 12,312 | 13,426 | 11,641 | 3.33 | 3.18 | 3.21 |
| Major or Extreme SOI | 5 | 16,679 | 19,640 | 21,704 | 3.80 | 4.78 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 320 | 7,093 | 7,400 | 6,731 | 1.88 | 1.85 | 1.79 |
| Major or Extreme SOI | 4 | 8,920 | 10,920 | 10,767 | 2.50 | 2.43 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 15 | 9,011 | 10,038 | 9,583 | 1.80 | 1.94 | 1.93 |
| Major or Extreme SOI | . | . | 74,138 | 21,300 | . | 5.50 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 344 | 16,999 | 11,999 | 11,599 | 6.66 | 5.16 | 5.19 |
| Major or Extreme SOI | 22 | 23,314 | 24,492 | 22,695 | 9.05 | 8.75 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 392 | 3,804 | 2,351 | 2,536 | 1.96 | 1.92 | 1.89 |
| Major or Extreme SOI | 21 | 5,617 | 8,368 | 8,321 | 2.84 | 3.42 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 105 | 8,004 | 9,807 | 10,069 | 3.22 | 3.12 | 2.88 |
| Major or Extreme SOI | 4 | 26,057 | 21,309 | 19,849 | 4.25 | 4.26 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 22 | 24,652 | 22,764 | 16,988 | 1.76 | 2.00 | 1.89 |
| Major or Extreme SOI | 1 | 71,397 | 53,772 | 42,605 | 3.00 | 4.22 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 30 | 29,064 | 23,018 | 18,944 | 1.81 | 2.12 | 2.08 |
| Major or Extreme SOI | 26 | 49,367 | 40,422 | 34,924 | 5.42 | 4.92 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 13 | 18,216 | 15,031 | 13,298 | 1.92 | 2.20 | 2.15 |
| Major or Extreme SOI | 28 | 30,980 | 24,958 | 24,096 | 3.04 | 3.29 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 4 | 16,887 | 14,735 | 13,147 | 3.00 | 2.08 | 2.10 |
| Major or Extreme SOI | 3 | 33,424 | 29,343 | 23,048 | 3.33 | 3.79 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 18 | 14,551 | 13,711 | 12,049 | 2.11 | 2.40 | 2.47 |
| Major or Extreme SOI | 13 | 28,010 | 25,119 | 21,886 | 4.67 | 3.82 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 10 | 14,362 | 13,187 | 11,171 | 2.40 | 2.27 | 2.13 |
| Major or Extreme SOI | 3 | 22,421 | 22,002 | 21,005 | 2.33 | 3.24 | 3.64 |
| All other APRDRGs | 2,318 | 31,970 | 28,652 | 30,661 | 4.36 | 4.42 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Davis
 AFFILIATION: Mountainstar Healthcare BED SIZE: 128

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 2,816 | 59.1 | 62.7 | 61.8 |
| Male | 1,948 | 40.9 | 37.3 | 38.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 444 | 9.3 | 19.9 | 20.2 |
| 29-365 days | . | . | 0.5 | 0.9 |
| 1-4 years | . | . | 0.5 | 0.7 |
| 5-9 | . | . | 0.2 | 0.4 |
| 10-14 | 2 | 0.0 | 0.1 | 0.4 |
| 15-17 | 14 | 0.3 | 0.5 | 0.8 |
| 18-19 | 73 | 1.5 | 1.7 | 1.5 |
| 20-24 | 258 | 5.4 | 7.6 | 6.9 |
| 25-29 | 371 | 7.8 | 10.3 | 9.6 |
| 30-34 | 292 | 6.1 | 9.2 | 8.4 |
| 35-39 | 226 | 4.7 | 5.6 | 4.9 |
| 40-44 | 176 | 3.7 | 4.0 | 3.4 |
| 45-49 | 201 | 4.2 | 3.8 | 3.5 |
| 50-54 | 254 | 5.3 | 5.0 | 4.5 |
| 55-59 | 283 | 5.9 | 5.1 | 5.0 |
| 60-64 | 269 | 5.6 | 4.7 | 5.1 |
| 65-69 | 379 | 8.0 | 4.9 | 5.6 |
| 70-74 | 353 | 7.4 | 4.3 | 5.1 |
| 75-79 | 348 | 7.3 | 4.1 | 4.7 |
| 80-84 | 352 | 7.4 | 3.6 | 4.1 |
| 85-89 | 328 | 6.9 | 2.8 | 2.9 |
| 90 + | 142 | 3.0 | 1.5 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 2,205 | 46.3 | 26.0 | 14.1 |
| Urgent | 251 | 5.3 | 25.8 | 39.7 |
| Elective | 1,868 | 39.2 | 28.0 | 25.3 |
| Newborn | 440 | 9.2 | 19.9 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 1 | 0.0 | 0.4 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 2,695 | 56.6 | 58.2 | 49.6 |
| Clinic referral | 1,351 | 28.4 | 16.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 125 | 2.6 | 3.2 | 4.4 |
| Skilled nursing facility | 90 | 1.9 | 0.3 | 0.5 |
| Other health care facility | 10 | 0.2 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 2 | 0.0 | 0.7 | 0.3 |
| Normal delivery/Born Inside | 440 | 9.2 | 19.6 | 20.1 |
| Premature delivery | . | . | 0.3 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Davis
 AFFILIATION: Mountainstar Healthcare BED SIZE: 128

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 51 | 1.1 | 0.4 | 0.6 |
| Not reported | 1 | 0.0 | 0.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 3,023 | 63.4 | 66.3 | 55.1 |
| Another hospital | 45 | 0.9 | 0.8 | 0.8 |
| Skilled nursing facility | 765 | 16.1 | 7.0 | 5.3 |
| Intermediate care | 30 | 0.6 | 0.1 | 0.1 |
| Another type of institution | 132 | 2.8 | 1.7 | 2.6 |
| Under care of home service | 605 | 12.7 | 6.9 | 5.7 |
| Left against medical advice | 68 | 1.4 | 0.6 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 96 | 2.0 | 1.1 | 1.1 |
| Not reported | 1 | 0.0 | 15.5 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 2,054 | 43.1 | 24.7 | 26.7 |
| Medicaid | 503 | 10.6 | 18.5 | 18.6 |
| Other government | 166 | 3.5 | 3.5 | 2.4 |
| Blue Cross/Blue Shield | 565 | 11.9 | 11.5 | 10.3 |
| Other commercial | 292 | 6.1 | 6.5 | 5.5 |
| Managed care | 928 | 19.5 | 29.1 | 30.9 |
| Self pay | 198 | 4.2 | 4.5 | 3.7 |
| Industrial/Worker's Comp | 19 | 0.4 | 0.2 | 0.5 |
| Charity | 40 | 0.8 | 1.4 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 83 | 1.7 | 2.4 | 5.4 |
| Central Utah | 9 | 0.2 | 1.1 | 2.9 |
| Davis County | 3,483 | 73.1 | 33.1 | 9.8 |
| Salt Lake County | 496 | 10.4 | 29.4 | 34.1 |
| Southeastern Utah | 5 | 0.1 | 0.5 | 1.8 |
| Southwest Utah | 15 | 0.3 | 0.3 | 8.0 |
| Summit County | 14 | 0.3 | 0.6 | 0.9 |
| Tooele County | 74 | 1.6 | 1.2 | 2.2 |
| Tri-County | 9 | 0.2 | 0.2 | 1.7 |
| Utah County | 48 | 1.0 | 9.7 | 17.8 |
| Wasatch County | 6 | 0.1 | 0.2 | 0.6 |
| Weber/Morgan | 369 | 7.7 | 18.4 | 9.5 |
| Unknown Utah | 2 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 149 | 3.1 | 2.8 | 5.2 |
| Unknown | 3 | 0.1 | 0.2 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

LDS HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 231
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 12,389 | 100.0 | 100.0 | 100.0 | 244,286,360 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 2,496 | 20.1 | 19.9 | 20.1 | 10,774,779 | 4.4 | 4.6 | 7.7 |
| Obstetric (MDC 14) | 2,584 | 20.9 | 20.6 | 20.9 | 21,316,550 | 8.7 | 9.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 12 | 0.1 | 1.3 | 2.3 | 165,123 | 0.1 | 0.6 | 1.5 |
| Pediatric Surgical (Age 0-17) | 9 | 0.1 | 0.2 | 0.4 | 146,381 | 0.1 | 0.2 | 0.6 |
| Other Medical | 3,331 | 26.9 | 29.4 | 29.4 | 90,934,292 | 37.2 | 32.5 | 27.2 |
| Other Surgical | 2,480 | 20.0 | 18.9 | 22.0 | 97,280,752 | 39.8 | 45.7 | 49.8 |
| Psychiatric (MDC 19) | 1,475 | 11.9 | 9.5 | 3.9 | 23,640,673 | 9.7 | 6.7 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.2 | 2.0 |
| Unknown (DRG 469-470) | 2 | 0.0 | 0.1 | 0.0 | 27,810 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 117 | 0.9 | 2.2 | 4.1 | 2,444,799 | 1.0 | 3.0 | 6.0 |
| 2 Eye | 4 | 0.0 | 0.0 | 0.1 | 62,409 | 0.0 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 68 | 0.5 | 0.4 | 0.6 | 1,707,395 | 0.7 | 0.4 | 0.5 |
| 4 Respiratory System | 435 | 3.5 | 6.2 | 6.4 | 11,447,167 | 4.7 | 7.6 | 6.8 |
| 5 Circulatory System | 235 | 1.9 | 4.8 | 7.5 | 5,908,649 | 2.4 | 11.0 | 15.5 |
| 6 Digestive System | 880 | 7.1 | 5.8 | 6.4 | 23,031,754 | 9.4 | 8.2 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 205 | 1.7 | 2.0 | 2.3 | 4,877,220 | 2.0 | 2.8 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 1,061 | 8.6 | 9.8 | 10.0 | 37,549,227 | 15.4 | 21.2 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 102 | 0.8 | 0.9 | 1.1 | 2,582,664 | 1.1 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 355 | 2.9 | 2.3 | 2.4 | 7,270,560 | 3.0 | 2.2 | 2.1 |
| 11 Kidney & Urinary Tract | 236 | 1.9 | 2.4 | 2.8 | 5,486,034 | 2.2 | 2.7 | 3.0 |
| 12 Male Reproductive System | 24 | 0.2 | 0.3 | 0.3 | 465,731 | 0.2 | 0.3 | 0.3 |
| 13 Female Reproductive System | 236 | 1.9 | 1.7 | 1.7 | 4,507,374 | 1.8 | 1.5 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 2,584 | 20.9 | 20.6 | 20.9 | 21,316,550 | 8.7 | 9.3 | 8.6 |
| 15 Newborn & Other Neonates | 2,502 | 20.2 | 20.0 | 20.4 | 10,895,794 | 4.5 | 4.8 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 123 | 1.0 | 0.6 | 0.5 | 6,636,488 | 2.7 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 322 | 2.6 | 0.9 | 0.3 | 38,691,944 | 15.8 | 4.7 | 1.0 |
| 18 Infectious and Parasitic Diseases | 602 | 4.9 | 3.3 | 3.7 | 21,609,004 | 8.8 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 1,475 | 11.9 | 9.5 | 3.9 | 23,640,673 | 9.7 | 6.7 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 608 | 4.9 | 4.0 | 1.0 | 9,381,143 | 3.8 | 2.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 172 | 1.4 | 1.7 | 1.8 | 3,802,899 | 1.6 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 31 | 0.3 | 0.4 | 1.3 | 480,931 | 0.2 | 0.5 | 2.3 |
| 24 Multiple Significant Trauma | 2 | 0.0 | 0.1 | 0.3 | 73,089 | 0.0 | 0.4 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 8 | 0.1 | 0.0 | 0.0 | 389,051 | 0.2 | 0.1 | 0.1 |
| Unknown | 2 | 0.0 | 0.1 | 0.1 | 27,810 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.9112

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.41

BED SIZE: 231
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|-------------|---------------|----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 12,389 | 245,689,287 | 864,967,561 | 5,319,068,336 | 46582.00 | 145,585.00 | 881,886.00 |
| Facility Charges (total) | . | 244,286,360 | 863,495,261 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 19,718 | 20,466 | 21,172 | 3.76 | 3.45 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 19,904 | 21,795 | 20,004 | 3.88 | 3.84 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | 2 | 31,866 | 69,647 | 62,383 | 1.50 | 5.40 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | 66,260 | 70,042 | . | 4.00 | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 27 | 16,654 | 21,362 | 21,721 | 2.15 | 2.73 | 3.12 |
| 075 Major chest procedures | 3 | 35,464 | 85,848 | 59,734 | 4.67 | 6.26 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 106 | 17,609 | 19,129 | 16,240 | 3.55 | 3.35 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 1 | 3,858 | 7,873 | 8,064 | 1.00 | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | . | . | 7,883 | 7,590 | . | 2.28 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 235,441 | 131,342 | . | 9.77 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 189,442 | 117,359 | . | 7.55 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 192,391 | 114,735 | . | 7.64 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 126,829 | 103,627 | . | 5.25 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 144,509 | 92,602 | . | 5.44 | 7.28 |
| 110 Major cardiovascular procedures w cc | 1 | 80,269 | 102,680 | 87,590 | 12.00 | 4.95 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 61,903 | 48,932 | . | 3.05 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 1 | 41,096 | 49,297 | 39,075 | 3.00 | 2.64 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 6 | 14,490 | 28,182 | 24,880 | 5.17 | 3.55 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 23,851 | 18,844 | . | 1.82 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 1 | 64,718 | 30,768 | 26,849 | 11.00 | 2.88 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 27,265 | 19,275 | . | 1.89 | 1.78 |
| 127 Heart failure & shock | 77 | 23,372 | 19,404 | 18,033 | 4.88 | 3.72 | 3.64 |
| 140 Angina pectoris | . | . | 14,167 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 9 | 9,537 | 14,232 | 10,491 | 1.11 | 1.26 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 64 | 56,339 | 67,129 | 59,626 | 8.57 | 9.10 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 10 | 32,459 | 58,365 | 77,655 | 4.71 | 6.54 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 64 | 13,595 | 14,305 | 13,530 | 1.06 | 1.10 | 1.11 |
| 174 G.I. hemorrhage w cc | 73 | 16,738 | 19,831 | 18,170 | 2.81 | 2.68 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 94 | 14,828 | 16,553 | 14,049 | 2.75 | 2.75 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 14 | 14,818 | 13,315 | 11,229 | 2.38 | 2.18 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 3 | 21,232 | 45,504 | 37,751 | 2.67 | 5.65 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 1 | 29,495 | 27,497 | 23,411 | 5.00 | 3.14 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 634 | 35,078 | 43,624 | 39,044 | 2.28 | 2.72 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.9112

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.41

BED SIZE: 231
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.00

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 33 | 37,871 | 42,871 | 40,371 | 4.42 | 4.36 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 15 | 27,927 | 30,303 | 27,138 | 2.80 | 2.35 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 48 | 16,063 | 16,753 | 13,720 | 3.26 | 2.89 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 33 | 17,203 | 19,378 | 19,434 | 2.39 | 2.26 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 121 | 13,291 | 15,419 | 14,898 | 1.67 | 1.67 | 1.57 |
| 370 Cesarean section with cc | 146 | 13,138 | 14,472 | 14,657 | 3.52 | 3.56 | 3.87 |
| 371 Cesarean section without cc | 329 | 11,538 | 13,523 | 11,759 | 3.23 | 3.18 | 3.24 |
| 372 Vaginal delivery w complicating diag | 296 | 8,393 | 8,795 | 8,392 | 1.93 | 2.10 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,671 | 6,777 | 7,344 | 6,661 | 1.70 | 1.84 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 32 | 9,039 | 12,268 | 10,362 | 1.88 | 2.05 | 2.01 |
| 383 Other antepartum diag w med complic | 49 | 11,616 | 10,706 | 10,990 | 3.00 | 2.78 | 2.71 |
| 385 Neonates died/transf to acute care fac | 22 | 6,028 | 11,241 | 19,166 | 1.57 | 2.39 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 49 | 31,781 | 53,220 | 101,092 | 10.10 | 17.11 | 26.08 |
| 387 Prematurity w major problems | 47 | 30,440 | 29,523 | 48,843 | 10.91 | 11.18 | 15.14 |
| 389 Full term neonate w major problems | 142 | 10,650 | 11,553 | 15,544 | 3.91 | 4.14 | 4.66 |
| 390 Neonate w other significant problems | 345 | 3,976 | 3,643 | 3,854 | 2.39 | 2.28 | 2.27 |
| 391 Normal newborn | 1,850 | 2,125 | 2,260 | 2,436 | 1.85 | 1.89 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 31 | 39,315 | 39,178 | 23,836 | 6.50 | 6.38 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 83 | 54,976 | 68,012 | 72,347 | 8.27 | 8.18 | 9.12 |
| 430 Psychoses | 1,221 | 15,766 | 14,160 | 14,101 | 5.94 | 5.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 184 | 16,278 | 13,074 | 13,612 | 4.05 | 3.73 | 3.30 |
| 462 Rehabilitation | . | . | 26,041 | 40,385 | . | 11.45 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 15 | 39,083 | 66,562 | 55,889 | 5.60 | 6.55 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 10 | 106,220 | 107,688 | 108,196 | 13.30 | 12.78 | 12.99 |
| 481 Bone marrow transplant | 84 | 199,765 | 199,765 | 204,971 | 26.55 | 26.55 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 2 | 155,969 | 230,662 | 295,955 | 21.00 | 20.71 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 101,893 | 93,495 | . | 9.68 | 8.69 |
| 499 Back & neck procedures w cc | 4 | 16,102 | 29,428 | 25,581 | 1.67 | 2.67 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 9 | 17,816 | 23,680 | 16,304 | 1.22 | 1.96 | 1.73 |
| 502 Knee procedures w/o cc | 3 | 16,465 | 20,794 | 20,364 | 2.67 | 2.70 | 2.68 |
| 470 Ungroupable | 2 | 13,905 | 9,757 | 12,546 | 4.00 | 3.15 | 3.65 |
| All Other DRGs | 4,322 | 25,189 | 26,200 | 26,338 | 3.98 | 3.57 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 231
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 23 | 16,526 | 19,117 | 17,504 | 2.45 | 2.41 | 2.39 |
| Major or Extreme SOI | 3 | 16,285 | 27,894 | 30,421 | 1.67 | 3.77 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 30 | 11,878 | 12,829 | 10,931 | 2.34 | 2.57 | 2.55 |
| Major or Extreme SOI | 81 | 20,580 | 24,533 | 20,864 | 4.32 | 4.20 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 9 | 12,263 | 10,411 | 8,532 | 2.38 | 2.15 | 1.99 |
| Major or Extreme SOI | 5 | 16,571 | 17,788 | 15,810 | 3.60 | 3.53 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 56,162 | 42,983 | . | 2.04 | 1.54 |
| Major or Extreme SOI | . | . | 77,382 | 68,036 | . | 3.90 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 8,408 | 22,794 | 17,963 | 1.00 | 1.94 | 2.03 |
| Major or Extreme SOI | 4 | 16,011 | 31,533 | 28,897 | 2.50 | 3.79 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 24,472 | 17,867 | . | 1.61 | 1.54 |
| Major or Extreme SOI | . | . | 31,528 | 25,935 | . | 2.47 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 22 | 13,002 | 15,059 | 13,972 | 2.81 | 2.82 | 2.96 |
| Major or Extreme SOI | 58 | 27,304 | 23,523 | 22,844 | 5.88 | 4.60 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 10 | 13,546 | 13,852 | 10,477 | 1.90 | 1.82 | 1.84 |
| Major or Extreme SOI | 17 | 14,818 | 19,428 | 17,274 | 3.00 | 3.18 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 177 | 28,696 | 31,873 | 33,294 | 4.24 | 4.40 | 4.80 |
| Major or Extreme SOI | 53 | 68,784 | 81,435 | 78,140 | 10.33 | 10.56 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 78 | 14,812 | 19,766 | 17,034 | 1.52 | 2.52 | 2.08 |
| Major or Extreme SOI | 3 | 24,830 | 48,157 | 36,530 | 3.67 | 5.42 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 23 | 10,651 | 11,884 | 9,467 | 2.14 | 2.28 | 2.01 |
| Major or Extreme SOI | 17 | 18,399 | 17,050 | 14,930 | 3.13 | 2.96 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 496 | 33,982 | 41,622 | 37,842 | 2.35 | 2.72 | 2.92 |
| Major or Extreme SOI | 12 | 42,612 | 53,754 | 48,873 | 3.40 | 4.03 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 33 | 27,240 | 28,374 | 27,280 | 2.94 | 2.53 | 2.61 |
| Major or Extreme SOI | 10 | 37,827 | 44,750 | 45,932 | 4.78 | 4.88 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 3 | 23,577 | 16,011 | 11,741 | 3.67 | 4.00 | 2.96 |
| Major or Extreme SOI | 3 | 17,803 | 23,784 | 22,625 | 5.00 | 4.73 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 231
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 100 | 13,996 | 16,037 | 15,305 | 1.56 | 1.69 | 1.62 |
| Major or Extreme SOI | 3 | 21,871 | 28,787 | 36,837 | 4.33 | 4.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 446 | 11,574 | 13,426 | 11,641 | 3.26 | 3.18 | 3.21 |
| Major or Extreme SOI | 29 | 19,049 | 19,640 | 21,704 | 4.36 | 4.78 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,896 | 6,872 | 7,400 | 6,731 | 1.72 | 1.85 | 1.79 |
| Major or Extreme SOI | 70 | 11,010 | 10,920 | 10,767 | 2.25 | 2.43 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 31 | 8,953 | 10,038 | 9,583 | 1.87 | 1.94 | 1.93 |
| Major or Extreme SOI | 1 | 11,709 | 74,138 | 21,300 | 2.00 | 5.50 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 556 | 12,294 | 11,999 | 11,599 | 4.75 | 5.16 | 5.19 |
| Major or Extreme SOI | 86 | 27,366 | 24,492 | 22,695 | 9.45 | 8.75 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 2,142 | 2,261 | 2,351 | 2,536 | 1.91 | 1.92 | 1.89 |
| Major or Extreme SOI | 99 | 9,056 | 8,368 | 8,321 | 3.28 | 3.42 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 219 | 13,009 | 9,807 | 10,069 | 3.42 | 3.12 | 2.88 |
| Major or Extreme SOI | 33 | 21,069 | 21,309 | 19,849 | 4.39 | 4.26 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 10 | 14,358 | 22,764 | 16,988 | 1.22 | 2.00 | 1.89 |
| Major or Extreme SOI | 1 | 14,269 | 53,772 | 42,605 | 1.00 | 4.22 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 63 | 16,491 | 23,018 | 18,944 | 1.88 | 2.12 | 2.08 |
| Major or Extreme SOI | 12 | 27,415 | 40,422 | 34,924 | 4.08 | 4.92 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 22 | 13,161 | 15,031 | 13,298 | 2.15 | 2.20 | 2.15 |
| Major or Extreme SOI | 31 | 22,639 | 24,958 | 24,096 | 3.77 | 3.29 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 2 | 13,626 | 14,735 | 13,147 | 2.00 | 2.08 | 2.10 |
| Major or Extreme SOI | 9 | 22,594 | 29,343 | 23,048 | 3.89 | 3.79 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 20 | 12,228 | 13,711 | 12,049 | 2.65 | 2.40 | 2.47 |
| Major or Extreme SOI | 9 | 22,924 | 25,119 | 21,886 | 4.00 | 3.82 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 40 | 11,283 | 13,187 | 11,171 | 2.03 | 2.27 | 2.13 |
| Major or Extreme SOI | 14 | 22,902 | 22,002 | 21,005 | 4.46 | 3.24 | 3.64 |
| All other APRDRGs | 5,274 | 28,026 | 28,652 | 30,661 | 4.93 | 4.42 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

LDS HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 231

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 7,787 | 62.9 | 62.7 | 61.8 |
| Male | 4,602 | 37.1 | 37.3 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,500 | 20.2 | 19.9 | 20.2 |
| 29-365 days | 3 | 0.0 | 0.5 | 0.9 |
| 1-4 years | . | . | 0.5 | 0.7 |
| 5-9 | . | . | 0.2 | 0.4 |
| 10-14 | 2 | 0.0 | 0.1 | 0.4 |
| 15-17 | 46 | 0.4 | 0.5 | 0.8 |
| 18-19 | 201 | 1.6 | 1.7 | 1.5 |
| 20-24 | 940 | 7.6 | 7.6 | 6.9 |
| 25-29 | 1,342 | 10.8 | 10.3 | 9.6 |
| 30-34 | 1,341 | 10.8 | 9.2 | 8.4 |
| 35-39 | 838 | 6.8 | 5.6 | 4.9 |
| 40-44 | 629 | 5.1 | 4.0 | 3.4 |
| 45-49 | 561 | 4.5 | 3.8 | 3.5 |
| 50-54 | 680 | 5.5 | 5.0 | 4.5 |
| 55-59 | 726 | 5.9 | 5.1 | 5.0 |
| 60-64 | 637 | 5.1 | 4.7 | 5.1 |
| 65-69 | 558 | 4.5 | 4.9 | 5.6 |
| 70-74 | 406 | 3.3 | 4.3 | 5.1 |
| 75-79 | 354 | 2.9 | 4.1 | 4.7 |
| 80-84 | 299 | 2.4 | 3.6 | 4.1 |
| 85-89 | 189 | 1.5 | 2.8 | 2.9 |
| 90 + | 137 | 1.1 | 1.5 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 31 | 0.3 | 26.0 | 14.1 |
| Urgent | 6,495 | 52.4 | 25.8 | 39.7 |
| Elective | 3,366 | 27.2 | 28.0 | 25.3 |
| Newborn | 2,496 | 20.1 | 19.9 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 1 | 0.0 | 0.4 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 6,166 | 49.8 | 58.2 | 49.6 |
| Clinic referral | 2,469 | 19.9 | 16.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 952 | 7.7 | 3.2 | 4.4 |
| Skilled nursing facility | 6 | 0.0 | 0.3 | 0.5 |
| Other health care facility | 17 | 0.1 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 279 | 2.3 | 0.7 | 0.3 |
| Normal delivery/Born Inside | 2,494 | 20.1 | 19.6 | 20.1 |
| Premature delivery | . | . | 0.3 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

LDS HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 231

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 3 | 0.0 | 0.4 | 0.6 |
| Not reported | 3 | 0.0 | 0.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 5,044 | 40.7 | 66.3 | 55.1 |
| Another hospital | 55 | 0.4 | 0.8 | 0.8 |
| Skilled nursing facility | 324 | 2.6 | 7.0 | 5.3 |
| Intermediate care | 2 | 0.0 | 0.1 | 0.1 |
| Another type of institution | 183 | 1.5 | 1.7 | 2.6 |
| Under care of home service | 596 | 4.8 | 6.9 | 5.7 |
| Left against medical advice | 38 | 0.3 | 0.6 | 0.3 |
| Under care of a home iv provider | 2 | 0.0 | 0.0 | 0.0 |
| Expired | 71 | 0.6 | 1.1 | 1.1 |
| Not reported | 6,074 | 49.0 | 15.5 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 2,214 | 17.9 | 24.7 | 26.7 |
| Medicaid | 2,755 | 22.2 | 18.5 | 18.6 |
| Other government | 160 | 1.3 | 3.5 | 2.4 |
| Blue Cross/Blue Shield | 484 | 3.9 | 11.5 | 10.3 |
| Other commercial | 440 | 3.6 | 6.5 | 5.5 |
| Managed care | 5,455 | 44.0 | 29.1 | 30.9 |
| Self pay | 338 | 2.7 | 4.5 | 3.7 |
| Industrial/Worker's Comp | 24 | 0.2 | 0.2 | 0.5 |
| Charity | 507 | 4.1 | 1.4 | 1.1 |
| Children's Health Insurance Plan | 5 | 0.0 | 0.0 | 0.1 |
| Not reported | 7 | 0.1 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 107 | 0.9 | 2.4 | 5.4 |
| Central Utah | 68 | 0.5 | 1.1 | 2.9 |
| Davis County | 2,317 | 18.7 | 33.1 | 9.8 |
| Salt Lake County | 8,098 | 65.4 | 29.4 | 34.1 |
| Southeastern Utah | 34 | 0.3 | 0.5 | 1.8 |
| Southwest Utah | 82 | 0.7 | 0.3 | 8.0 |
| Summit County | 214 | 1.7 | 0.6 | 0.9 |
| Tooele County | 298 | 2.4 | 1.2 | 2.2 |
| Tri-County | 39 | 0.3 | 0.2 | 1.7 |
| Utah County | 472 | 3.8 | 9.7 | 17.8 |
| Wasatch County | 58 | 0.5 | 0.2 | 0.6 |
| Weber/Morgan | 234 | 1.9 | 18.4 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 362 | 2.9 | 2.8 | 5.2 |
| Unknown | 5 | 0.0 | 0.2 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Cache
 OWNERSHIP: Not for profit

BED SIZE: 146
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 9,334 | 100.0 | 100.0 | 100.0 | 98,843,338 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 2,654 | 28.4 | 19.5 | 20.1 | 11,724,499 | 11.9 | 6.8 | 7.7 |
| Obstetric (MDC 14) | 2,710 | 29.0 | 20.1 | 20.9 | 17,527,089 | 17.7 | 8.9 | 8.6 |
| Pediatric Medical (Age 0-17) | 254 | 2.7 | 3.2 | 2.3 | 1,909,208 | 1.9 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 39 | 0.4 | 0.6 | 0.4 | 503,007 | 0.5 | 0.6 | 0.6 |
| Other Medical | 1,978 | 21.2 | 30.8 | 29.4 | 28,456,169 | 28.8 | 29.7 | 27.2 |
| Other Surgical | 1,289 | 13.8 | 21.9 | 22.0 | 33,818,873 | 34.2 | 48.6 | 49.8 |
| Psychiatric (MDC 19) | 408 | 4.4 | 3.2 | 3.9 | 4,885,724 | 4.9 | 2.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.7 | 1.0 | . | . | 1.5 | 2.0 |
| Unknown (DRG 469-470) | 2 | 0.0 | 0.0 | 0.0 | 18,769 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 137 | 1.5 | 3.0 | 4.1 | 1,796,166 | 1.8 | 3.0 | 6.0 |
| 2 Eye | 7 | 0.1 | 0.1 | 0.1 | 64,125 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 55 | 0.6 | 0.7 | 0.6 | 769,448 | 0.8 | 0.6 | 0.5 |
| 4 Respiratory System | 384 | 4.1 | 7.1 | 6.4 | 5,288,317 | 5.4 | 7.2 | 6.8 |
| 5 Circulatory System | 423 | 4.5 | 8.4 | 7.5 | 7,598,188 | 7.7 | 16.8 | 15.5 |
| 6 Digestive System | 461 | 4.9 | 7.1 | 6.4 | 6,748,736 | 6.8 | 8.3 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 148 | 1.6 | 2.6 | 2.3 | 2,320,912 | 2.3 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 590 | 6.3 | 11.2 | 10.0 | 21,160,774 | 21.4 | 22.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 67 | 0.7 | 1.1 | 1.1 | 906,631 | 0.9 | 1.2 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 124 | 1.3 | 2.2 | 2.4 | 1,393,655 | 1.4 | 1.8 | 2.1 |
| 11 Kidney & Urinary Tract | 237 | 2.5 | 3.3 | 2.8 | 3,090,754 | 3.1 | 3.1 | 3.0 |
| 12 Male Reproductive System | 31 | 0.3 | 0.3 | 0.3 | 390,903 | 0.4 | 0.3 | 0.3 |
| 13 Female Reproductive System | 224 | 2.4 | 1.5 | 1.7 | 2,189,942 | 2.2 | 1.4 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 2,710 | 29.0 | 20.1 | 20.9 | 17,527,089 | 17.7 | 8.9 | 8.6 |
| 15 Newborn & Other Neonates | 2,676 | 28.7 | 19.8 | 20.4 | 12,156,223 | 12.3 | 7.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 33 | 0.4 | 0.7 | 0.5 | 510,145 | 0.5 | 0.9 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 5 | 0.1 | 0.2 | 0.3 | 70,060 | 0.1 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 362 | 3.9 | 3.8 | 3.7 | 7,031,552 | 7.1 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 408 | 4.4 | 3.2 | 3.9 | 4,885,724 | 4.9 | 2.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 104 | 1.1 | 0.6 | 1.0 | 1,178,659 | 1.2 | 0.5 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 123 | 1.3 | 1.8 | 1.8 | 1,486,464 | 1.5 | 1.8 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 19 | 0.2 | 1.1 | 1.3 | 172,100 | 0.2 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 4 | 0.0 | 0.1 | 0.3 | 88,002 | 0.1 | 0.2 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | 2 | 0.0 | 0.0 | 0.1 | 18,769 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.6354

COUNTY: Cache
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.71

BED SIZE: 146
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.72

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 9,334 | 99,248,239 | 586,183,828 | 5,319,068,336 | 22601.00 | 104,062.00 | 881,886.00 |
| Facility Charges (total) | . | 98,843,338 | 581,373,314 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 10,590 | 15,573 | 21,172 | 2.42 | 2.79 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 16,363 | 17,486 | 20,004 | 3.72 | 3.22 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | 70,211 | 62,383 | . | 7.67 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 51 | 12,258 | 14,474 | 21,721 | 2.37 | 2.52 | 3.12 |
| 075 Major chest procedures | 1 | 23,398 | 49,632 | 59,734 | 8.00 | 6.80 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 92 | 14,792 | 14,513 | 16,240 | 3.54 | 3.21 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 48 | 6,777 | 7,655 | 8,064 | 2.48 | 2.37 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 54 | 5,277 | 7,027 | 7,590 | 1.81 | 2.09 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 106,105 | 131,342 | . | 9.87 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 83,398 | 117,359 | . | 6.81 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 87,486 | 114,735 | . | 8.94 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 69,173 | 103,627 | . | 6.36 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 68,749 | 92,602 | . | 6.71 | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 80,813 | 87,590 | . | 6.07 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 3 | 54,035 | 41,337 | 48,932 | 2.50 | 3.18 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 23 | 34,622 | 36,133 | 39,075 | 3.05 | 2.40 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 24 | 16,635 | 18,710 | 24,880 | 2.42 | 3.06 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 20 | 14,145 | 13,481 | 18,844 | 1.55 | 1.76 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 21 | 18,496 | 21,220 | 26,849 | 2.86 | 3.02 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | 21 | 15,790 | 15,635 | 19,275 | 1.55 | 1.60 | 1.78 |
| 127 Heart failure & shock | 44 | 16,851 | 15,314 | 18,033 | 3.82 | 3.40 | 3.64 |
| 140 Angina pectoris | 6 | 11,991 | 9,127 | 11,228 | 1.50 | 1.24 | 1.30 |
| 143 Chest pain | 56 | 10,259 | 9,220 | 10,491 | 1.36 | 1.34 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 14 | 30,075 | 42,619 | 59,626 | 6.21 | 7.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 1 | 19,572 | 49,810 | 77,655 | 4.00 | 7.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 51 | 9,486 | 11,472 | 13,530 | 1.06 | 1.08 | 1.11 |
| 174 G.I. hemorrhage w cc | 61 | 18,110 | 15,367 | 18,170 | 3.34 | 2.78 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 63 | 11,557 | 11,828 | 14,049 | 2.47 | 2.43 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 15 | 8,919 | 9,827 | 11,229 | 2.33 | 1.99 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 6 | 20,403 | 26,079 | 37,751 | 3.83 | 4.36 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 3 | 24,276 | 19,301 | 23,411 | 4.00 | 3.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 212 | 36,050 | 32,656 | 39,044 | 3.16 | 2.96 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.6354

COUNTY: Cache
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.71

BED SIZE: 146
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.72

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 28 | 30,508 | 31,341 | 40,371 | 3.79 | 4.13 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 12 | 21,725 | 22,759 | 27,138 | 1.75 | 1.93 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 32 | 11,220 | 10,999 | 13,720 | 2.53 | 2.36 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 34 | 11,266 | 15,986 | 19,434 | 1.88 | 2.06 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 161 | 8,823 | 12,770 | 14,898 | 1.47 | 1.61 | 1.57 |
| 370 Cesarean section with cc | 73 | 10,609 | 12,068 | 14,657 | 2.67 | 2.92 | 3.87 |
| 371 Cesarean section without cc | 374 | 8,701 | 9,910 | 11,759 | 2.52 | 2.57 | 3.24 |
| 372 Vaginal delivery w complicating diag | 263 | 6,737 | 6,664 | 8,392 | 1.74 | 1.72 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,869 | 5,588 | 5,492 | 6,661 | 1.55 | 1.48 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 48 | 7,685 | 8,792 | 10,362 | 1.83 | 1.72 | 2.01 |
| 383 Other antepartum diag w med complic | 29 | 9,009 | 9,026 | 10,990 | 2.00 | 2.03 | 2.71 |
| 385 Neonates died/transf to acute care fac | 16 | 17,387 | 18,080 | 19,166 | 5.93 | 3.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 50 | 42,832 | 66,174 | 101,092 | 12.63 | 16.19 | 26.08 |
| 387 Prematurity w major problems | 36 | 24,278 | 39,421 | 48,843 | 8.42 | 11.10 | 15.14 |
| 389 Full term neonate w major problems | 230 | 9,829 | 10,255 | 15,544 | 3.23 | 3.25 | 4.66 |
| 390 Neonate w other significant problems | 311 | 4,646 | 4,131 | 3,854 | 2.10 | 2.02 | 2.27 |
| 391 Normal newborn | 1,969 | 1,997 | 2,227 | 2,436 | 1.66 | 1.58 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 15,287 | 23,836 | . | 2.07 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 22 | 30,146 | 58,387 | 72,347 | 5.23 | 8.24 | 9.12 |
| 430 Psychoses | 202 | 14,071 | 10,896 | 14,101 | 4.95 | 4.50 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 43 | 12,510 | 13,402 | 13,612 | 3.19 | 2.90 | 3.30 |
| 462 Rehabilitation | . | . | 31,671 | 40,385 | . | 12.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 5 | 31,456 | 46,772 | 55,889 | 5.40 | 6.53 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 89,736 | 108,196 | . | 11.29 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 1 | 89,466 | 233,071 | 295,955 | 14.00 | 23.10 | 26.00 |
| 486 Other OR proc for mult signif trauma | 1 | 51,974 | 49,815 | 93,495 | 4.00 | 6.71 | 8.69 |
| 499 Back & neck procedures w cc | 3 | 11,664 | 17,694 | 25,581 | 2.00 | 2.00 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 7 | 10,873 | 13,697 | 16,304 | 1.29 | 1.40 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 34,568 | 20,739 | 20,364 | 5.00 | 2.86 | 2.68 |
| 470 Ungroupable | 2 | 9,384 | 9,674 | 12,546 | 3.50 | 3.00 | 3.65 |
| All Other DRGs | 2,622 | 16,951 | 19,757 | 26,338 | 2.86 | 2.90 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Cache
 OWNERSHIP: Not for profit

BED SIZE: 146
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 33 | 11,794 | 13,079 | 17,504 | 2.22 | 2.18 | 2.39 |
| Major or Extreme SOI | 11 | 14,446 | 19,474 | 30,421 | 3.00 | 3.42 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 90 | 8,867 | 10,517 | 10,931 | 2.58 | 2.58 | 2.55 |
| Major or Extreme SOI | 55 | 18,250 | 17,568 | 20,864 | 4.19 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 23 | 5,414 | 7,162 | 8,532 | 1.70 | 1.82 | 1.99 |
| Major or Extreme SOI | 3 | 8,432 | 11,773 | 15,810 | 2.00 | 2.56 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 25 | 27,868 | 41,081 | 42,983 | 1.32 | 1.41 | 1.54 |
| Major or Extreme SOI | 3 | 49,525 | 57,171 | 68,036 | 4.33 | 3.21 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 29 | 13,577 | 13,898 | 17,963 | 1.88 | 1.98 | 2.03 |
| Major or Extreme SOI | 11 | 19,109 | 21,647 | 28,897 | 2.60 | 3.74 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 25 | 15,895 | 15,242 | 17,867 | 1.67 | 1.56 | 1.54 |
| Major or Extreme SOI | 1 | 32,937 | 19,721 | 25,935 | 5.00 | 2.94 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 23 | 12,884 | 12,543 | 13,972 | 2.65 | 2.80 | 2.96 |
| Major or Extreme SOI | 23 | 20,182 | 19,446 | 22,844 | 4.74 | 4.32 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 44 | 10,344 | 9,532 | 10,477 | 1.87 | 1.83 | 1.84 |
| Major or Extreme SOI | 17 | 11,996 | 15,157 | 17,274 | 2.06 | 2.84 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 32 | 21,786 | 29,382 | 33,294 | 4.44 | 4.83 | 4.80 |
| Major or Extreme SOI | 8 | 32,701 | 55,977 | 78,140 | 6.38 | 9.72 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 92 | 11,953 | 14,665 | 17,034 | 1.93 | 1.96 | 2.08 |
| Major or Extreme SOI | 1 | 14,703 | 33,344 | 36,530 | 1.00 | 4.92 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 43 | 8,821 | 8,552 | 9,467 | 2.28 | 1.99 | 2.01 |
| Major or Extreme SOI | 14 | 11,736 | 10,620 | 14,930 | 2.79 | 2.50 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 148 | 35,914 | 32,193 | 37,842 | 3.04 | 2.87 | 2.92 |
| Major or Extreme SOI | 7 | 34,290 | 41,374 | 48,873 | 3.00 | 4.45 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 16 | 20,552 | 22,362 | 27,280 | 2.19 | 2.14 | 2.61 |
| Major or Extreme SOI | 2 | 49,678 | 48,855 | 45,932 | 6.00 | 6.00 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 2 | 16,863 | 14,164 | 11,741 | 4.50 | 3.25 | 2.96 |
| Major or Extreme SOI | . | . | 9,535 | 22,625 | . | 3.00 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Cache
 OWNERSHIP: Not for profit

BED SIZE: 146
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 176 | 9,135 | 13,281 | 15,305 | 1.50 | 1.69 | 1.62 |
| Major or Extreme SOI | 3 | 16,780 | 25,116 | 36,837 | 3.33 | 3.44 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 428 | 8,750 | 9,977 | 11,641 | 2.52 | 2.57 | 3.21 |
| Major or Extreme SOI | 19 | 14,932 | 17,833 | 21,704 | 3.17 | 4.06 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 2,058 | 5,652 | 5,538 | 6,731 | 1.57 | 1.50 | 1.79 |
| Major or Extreme SOI | 71 | 7,839 | 8,527 | 10,767 | 1.85 | 1.98 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 42 | 6,681 | 8,488 | 9,583 | 1.78 | 1.71 | 1.93 |
| Major or Extreme SOI | 6 | 14,718 | 13,781 | 21,300 | 2.60 | 2.33 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 95 | 9,788 | 9,035 | 11,599 | 3.68 | 3.94 | 5.19 |
| Major or Extreme SOI | 4 | 17,213 | 14,746 | 22,695 | 5.75 | 6.50 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 2,292 | 2,172 | 2,356 | 2,536 | 1.70 | 1.63 | 1.89 |
| Major or Extreme SOI | 128 | 9,104 | 8,781 | 8,321 | 2.80 | 2.84 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 46 | 9,020 | 9,490 | 10,069 | 2.71 | 2.34 | 2.88 |
| Major or Extreme SOI | 8 | 21,654 | 19,226 | 19,849 | 4.75 | 4.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 10 | 11,111 | 13,995 | 16,988 | 1.50 | 1.44 | 1.89 |
| Major or Extreme SOI | . | . | 35,921 | 42,605 | . | 6.33 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 60 | 15,171 | 16,427 | 18,944 | 2.21 | 2.02 | 2.08 |
| Major or Extreme SOI | 7 | 25,958 | 26,177 | 34,924 | 5.00 | 4.09 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 9 | 10,863 | 11,482 | 13,298 | 2.13 | 2.11 | 2.15 |
| Major or Extreme SOI | 24 | 21,535 | 19,121 | 24,096 | 3.71 | 3.41 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 35,553 | 19,227 | 13,147 | 6.00 | 3.60 | 2.10 |
| Major or Extreme SOI | 3 | 24,948 | 18,827 | 23,048 | 5.00 | 3.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 24 | 10,964 | 11,184 | 12,049 | 2.63 | 2.50 | 2.47 |
| Major or Extreme SOI | 3 | 15,641 | 17,894 | 21,886 | 3.00 | 4.00 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 20 | 10,646 | 10,166 | 11,171 | 2.89 | 2.19 | 2.13 |
| Major or Extreme SOI | 8 | 13,630 | 15,464 | 21,005 | 2.38 | 2.97 | 3.64 |
| All other APRDRGs | 3,008 | 17,983 | 21,901 | 30,661 | 3.38 | 3.65 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7)
 AFFILIATION: Intermountain Healthcare

COUNTY: Cache
 BED SIZE: 146

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 6,179 | 66.2 | 61.0 | 61.8 |
| Male | 3,155 | 33.8 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,670 | 28.6 | 19.7 | 20.2 |
| 29-365 days | 64 | 0.7 | 0.9 | 0.9 |
| 1-4 years | 87 | 0.9 | 1.0 | 0.7 |
| 5-9 | 60 | 0.6 | 0.6 | 0.4 |
| 10-14 | 36 | 0.4 | 0.6 | 0.4 |
| 15-17 | 61 | 0.7 | 0.9 | 0.8 |
| 18-19 | 162 | 1.7 | 1.5 | 1.5 |
| 20-24 | 885 | 9.5 | 7.0 | 6.9 |
| 25-29 | 1,154 | 12.4 | 8.7 | 9.6 |
| 30-34 | 871 | 9.3 | 6.7 | 8.4 |
| 35-39 | 419 | 4.5 | 3.7 | 4.9 |
| 40-44 | 256 | 2.7 | 2.8 | 3.4 |
| 45-49 | 210 | 2.2 | 2.7 | 3.5 |
| 50-54 | 308 | 3.3 | 4.0 | 4.5 |
| 55-59 | 307 | 3.3 | 4.3 | 5.0 |
| 60-64 | 291 | 3.1 | 5.1 | 5.1 |
| 65-69 | 282 | 3.0 | 6.6 | 5.6 |
| 70-74 | 293 | 3.1 | 6.4 | 5.1 |
| 75-79 | 306 | 3.3 | 6.2 | 4.7 |
| 80-84 | 286 | 3.1 | 4.9 | 4.1 |
| 85-89 | 204 | 2.2 | 3.6 | 2.9 |
| 90 + | 122 | 1.3 | 2.0 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 25 | 0.3 | 6.6 | 14.1 |
| Urgent | 5,216 | 55.9 | 45.9 | 39.7 |
| Elective | 1,437 | 15.4 | 28.0 | 25.3 |
| Newborn | 2,654 | 28.4 | 19.5 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | 2 | 0.0 | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 3,920 | 42.0 | 41.5 | 49.6 |
| Clinic referral | 2,593 | 27.8 | 36.4 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 106 | 1.1 | 2.2 | 4.4 |
| Skilled nursing facility | 22 | 0.2 | 0.1 | 0.5 |
| Other health care facility | 2 | 0.0 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 33 | 0.4 | 0.1 | 0.3 |
| Normal delivery/Born Inside | 2,652 | 28.4 | 19.4 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=7) COUNTY: Cache
 AFFILIATION: Intermountain Healthcare BED SIZE: 146

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 2 | 0.0 | 0.0 | 0.0 |
| Unknown | 2 | 0.0 | 0.1 | 0.6 |
| Not reported | 2 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 4,152 | 44.5 | 45.8 | 55.1 |
| Another hospital | 74 | 0.8 | 1.0 | 0.8 |
| Skilled nursing facility | 256 | 2.7 | 4.3 | 5.3 |
| Intermediate care | 1 | 0.0 | 0.1 | 0.1 |
| Another type of institution | 87 | 0.9 | 2.2 | 2.6 |
| Under care of home service | 200 | 2.1 | 4.4 | 5.7 |
| Left against medical advice | 6 | 0.1 | 0.2 | 0.3 |
| Under care of a home iv provider | 2 | 0.0 | 0.0 | 0.0 |
| Expired | 25 | 0.3 | 1.1 | 1.1 |
| Not reported | 4,531 | 48.5 | 40.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,635 | 17.5 | 31.3 | 26.7 |
| Medicaid | 2,212 | 23.7 | 20.7 | 18.6 |
| Other government | 204 | 2.2 | 2.0 | 2.4 |
| Blue Cross/Blue Shield | 1,409 | 15.1 | 10.5 | 10.3 |
| Other commercial | 639 | 6.8 | 5.3 | 5.5 |
| Managed care | 2,880 | 30.9 | 25.2 | 30.9 |
| Self pay | 305 | 3.3 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 27 | 0.3 | 0.4 | 0.5 |
| Charity | 12 | 0.1 | 1.2 | 1.1 |
| Children's Health Insurance Plan | 9 | 0.1 | 0.2 | 0.1 |
| Not reported | 2 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 8,322 | 89.2 | 25.6 | 5.4 |
| Central Utah | 5 | 0.1 | 0.6 | 2.9 |
| Davis County | 39 | 0.4 | 0.3 | 9.8 |
| Salt Lake County | 78 | 0.8 | 1.1 | 34.1 |
| Southeastern Utah | 6 | 0.1 | 5.6 | 1.8 |
| Southwest Utah | 16 | 0.2 | 48.3 | 8.0 |
| Summit County | 1 | 0.0 | 2.1 | 0.9 |
| Tooele County | 11 | 0.1 | 0.1 | 2.2 |
| Tri-County | 8 | 0.1 | 5.1 | 1.7 |
| Utah County | 33 | 0.4 | 0.6 | 17.8 |
| Wasatch County | 2 | 0.0 | 0.7 | 0.6 |
| Weber/Morgan | 64 | 0.7 | 0.5 | 9.5 |
| Unknown Utah | 5 | 0.1 | 0.0 | 0.0 |
| Outside Utah | 743 | 8.0 | 9.4 | 5.2 |
| Unknown | 1 | 0.0 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

MCKAY-DEE HOSPITAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Weber
 OWNERSHIP: Not for profit

BED SIZE: 303
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 22,643 | 100.0 | 100.0 | 100.0 | 441,440,959 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 4,045 | 17.9 | 17.6 | 20.1 | 40,918,578 | 9.3 | 7.9 | 7.7 |
| Obstetric (MDC 14) | 4,321 | 19.1 | 18.5 | 20.9 | 35,189,694 | 8.0 | 7.1 | 8.6 |
| Pediatric Medical (Age 0-17) | 789 | 3.5 | 2.8 | 2.3 | 9,154,338 | 2.1 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 126 | 0.6 | 0.6 | 0.4 | 2,334,521 | 0.5 | 0.6 | 0.6 |
| Other Medical | 6,301 | 27.8 | 27.4 | 29.4 | 115,462,715 | 26.2 | 23.7 | 27.2 |
| Other Surgical | 4,597 | 20.3 | 26.5 | 22.0 | 200,672,814 | 45.5 | 53.7 | 49.8 |
| Psychiatric (MDC 19) | 2,258 | 10.0 | 5.5 | 3.9 | 31,249,027 | 7.1 | 3.4 | 2.7 |
| Rehabilitation (DRG 462) | 205 | 0.9 | 1.2 | 1.0 | 6,434,593 | 1.5 | 1.8 | 2.0 |
| Unknown (DRG 469-470) | 1 | 0.0 | 0.0 | 0.0 | 24,679 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 838 | 3.7 | 4.2 | 4.1 | 20,830,428 | 4.7 | 5.3 | 6.0 |
| 2 Eye | 16 | 0.1 | 0.1 | 0.1 | 210,622 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 165 | 0.7 | 0.7 | 0.6 | 2,680,367 | 0.6 | 0.6 | 0.5 |
| 4 Respiratory System | 1,415 | 6.2 | 6.2 | 6.4 | 29,131,304 | 6.6 | 6.4 | 6.8 |
| 5 Circulatory System | 1,737 | 7.7 | 8.3 | 7.5 | 73,061,929 | 16.6 | 16.2 | 15.5 |
| 6 Digestive System | 1,359 | 6.0 | 6.7 | 6.4 | 30,650,213 | 6.9 | 8.0 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 490 | 2.2 | 2.2 | 2.3 | 11,353,012 | 2.6 | 2.7 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 2,055 | 9.1 | 12.3 | 10.0 | 76,819,827 | 17.4 | 21.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 190 | 0.8 | 1.1 | 1.1 | 3,020,533 | 0.7 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 497 | 2.2 | 3.0 | 2.4 | 6,612,027 | 1.5 | 3.0 | 2.1 |
| 11 Kidney & Urinary Tract | 588 | 2.6 | 2.8 | 2.8 | 10,421,759 | 2.4 | 2.5 | 3.0 |
| 12 Male Reproductive System | 75 | 0.3 | 0.3 | 0.3 | 1,553,525 | 0.4 | 0.3 | 0.3 |
| 13 Female Reproductive System | 173 | 0.8 | 1.6 | 1.7 | 2,465,364 | 0.6 | 1.3 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 4,321 | 19.1 | 18.5 | 20.9 | 35,189,694 | 8.0 | 7.1 | 8.6 |
| 15 Newborn & Other Neonates | 4,114 | 18.2 | 18.1 | 20.4 | 43,432,587 | 9.8 | 8.7 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 137 | 0.6 | 0.5 | 0.5 | 3,189,039 | 0.7 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 46 | 0.2 | 0.2 | 0.3 | 1,271,850 | 0.3 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 1,098 | 4.8 | 3.5 | 3.7 | 34,160,248 | 7.7 | 5.5 | 6.1 |
| 19 Mental Diseases and Disorders | 2,258 | 10.0 | 5.5 | 3.9 | 31,249,027 | 7.1 | 3.4 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 190 | 0.8 | 0.5 | 1.0 | 2,261,032 | 0.5 | 0.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 530 | 2.3 | 1.8 | 1.8 | 8,731,135 | 2.0 | 1.6 | 1.8 |
| 22 Burns | 2 | 0.0 | 0.0 | 0.1 | 35,717 | 0.0 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 271 | 1.2 | 1.6 | 1.3 | 7,287,215 | 1.7 | 2.1 | 2.3 |
| 24 Multiple Significant Trauma | 69 | 0.3 | 0.3 | 0.3 | 5,274,567 | 1.2 | 1.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 8 | 0.0 | 0.0 | 0.0 | 523,259 | 0.1 | 0.1 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 24,679 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MCKAY-DEE HOSPITAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDDDB CASE MIX INDEX = 0.9918

COUNTY: Weber
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.37

BED SIZE: 303
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.34

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 22,643 | 447,959,872 | 1,639,416,606 | 5,319,068,336 | 76191.00 | 254,278.00 | 881,886.00 |
| Facility Charges (total) | . | 441,440,959 | 1,632,457,214 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 19,496 | 23,911 | 21,172 | 3.36 | 3.72 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 19,014 | 20,758 | 20,004 | 3.30 | 3.28 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | 24 | 61,638 | 69,547 | 62,383 | 6.38 | 7.33 | 6.29 |
| 003 Craniotomy age 0-17 | 1 | 128,154 | 46,481 | 70,042 | 10.00 | 4.25 | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 215 | 16,862 | 21,412 | 21,721 | 2.36 | 3.06 | 3.12 |
| 075 Major chest procedures | 73 | 40,493 | 51,651 | 59,734 | 5.60 | 6.52 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 216 | 15,292 | 18,354 | 16,240 | 2.83 | 3.37 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 87 | 11,331 | 11,178 | 8,064 | 2.60 | 2.48 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 258 | 9,238 | 9,799 | 7,590 | 2.25 | 2.23 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | 33 | 123,087 | 134,716 | 131,342 | 9.21 | 9.03 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | 65 | 96,727 | 118,383 | 117,359 | 7.55 | 7.41 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | 41 | 84,215 | 106,951 | 114,735 | 7.63 | 9.03 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | 8 | 77,788 | 109,350 | 103,627 | 6.88 | 9.03 | 8.21 |
| 108 Other cardiothoracic procedures | 12 | 87,800 | 87,644 | 92,602 | 7.58 | 6.19 | 7.28 |
| 110 Major cardiovascular procedures w cc | 47 | 65,616 | 82,865 | 87,590 | 3.89 | 4.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 41 | 37,336 | 46,687 | 48,932 | 2.95 | 2.76 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 48 | 38,603 | 43,825 | 39,075 | 1.85 | 2.23 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 28 | 27,310 | 25,258 | 24,880 | 3.82 | 3.87 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 11 | 19,476 | 18,428 | 18,844 | 2.18 | 1.89 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 85 | 22,796 | 24,694 | 26,849 | 2.50 | 2.81 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | 70 | 17,152 | 18,124 | 19,275 | 1.53 | 1.50 | 1.78 |
| 127 Heart failure & shock | 195 | 16,941 | 18,815 | 18,033 | 3.11 | 3.53 | 3.64 |
| 140 Angina pectoris | 4 | 9,911 | 11,543 | 11,228 | 2.00 | 1.47 | 1.30 |
| 143 Chest pain | 35 | 10,984 | 11,523 | 10,491 | 1.40 | 1.38 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 82 | 53,073 | 65,223 | 59,626 | 8.12 | 9.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 13 | 72,626 | 93,831 | 77,655 | 9.92 | 11.13 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 102 | 12,987 | 13,248 | 13,530 | 1.13 | 1.12 | 1.11 |
| 174 G.I. hemorrhage w cc | 178 | 18,310 | 20,628 | 18,170 | 2.47 | 3.03 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 164 | 13,304 | 15,599 | 14,049 | 2.31 | 2.62 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 44 | 11,039 | 12,411 | 11,229 | 1.68 | 2.13 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 11 | 24,605 | 44,979 | 37,751 | 3.91 | 6.19 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 10 | 16,832 | 19,018 | 23,411 | 2.30 | 2.50 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 825 | 37,509 | 40,500 | 39,044 | 2.78 | 3.06 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MCKAY-DEE HOSPITAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDBB CASE MIX INDEX = 0.9918

COUNTY: Weber
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.37

BED SIZE: 303
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.34

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 74 | 36,220 | 42,657 | 40,371 | 3.91 | 4.49 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 84 | 28,443 | 27,177 | 27,138 | 2.30 | 2.34 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 112 | 12,587 | 14,649 | 13,720 | 2.26 | 2.76 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 32 | 20,103 | 22,210 | 19,434 | 2.73 | 2.46 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 101 | 12,779 | 15,961 | 14,898 | 1.82 | 1.60 | 1.57 |
| 370 Cesarean section with cc | 262 | 13,574 | 14,078 | 14,657 | 3.75 | 3.83 | 3.87 |
| 371 Cesarean section without cc | 734 | 11,443 | 11,634 | 11,759 | 3.22 | 3.33 | 3.24 |
| 372 Vaginal delivery w complicating diag | 378 | 8,059 | 8,713 | 8,392 | 1.93 | 2.01 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 2,577 | 6,297 | 6,839 | 6,661 | 1.72 | 1.79 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 44 | 8,553 | 10,972 | 10,362 | 1.84 | 2.06 | 2.01 |
| 383 Other antepartum diag w med complic | 140 | 8,594 | 11,269 | 10,990 | 2.40 | 2.80 | 2.71 |
| 385 Neonates died/transf to acute care fac | 24 | 22,951 | 29,599 | 19,166 | 4.32 | 5.37 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 141 | 141,600 | 109,292 | 101,092 | 33.24 | 28.30 | 26.08 |
| 387 Prematurity w major problems | 52 | 65,498 | 56,798 | 48,843 | 18.33 | 17.62 | 15.14 |
| 389 Full term neonate w major problems | 254 | 18,725 | 17,670 | 15,544 | 4.70 | 4.77 | 4.66 |
| 390 Neonate w other significant problems | 665 | 4,366 | 4,421 | 3,854 | 2.33 | 2.31 | 2.27 |
| 391 Normal newborn | 2,844 | 2,550 | 2,670 | 2,436 | 1.88 | 1.88 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 14 | 13,597 | 20,330 | 23,836 | 2.93 | 2.40 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 104 | 57,075 | 74,780 | 72,347 | 7.72 | 9.40 | 9.12 |
| 430 Psychoses | 1,831 | 13,550 | 14,072 | 14,101 | 5.26 | 6.05 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 103 | 12,843 | 15,708 | 13,612 | 2.66 | 3.10 | 3.30 |
| 462 Rehabilitation | 205 | 30,915 | 35,268 | 40,385 | 11.50 | 12.20 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 32 | 54,665 | 57,949 | 55,889 | 6.06 | 6.11 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 16 | 100,657 | 102,052 | 108,196 | 10.44 | 12.09 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 33 | 234,981 | 252,623 | 295,955 | 21.29 | 24.67 | 26.00 |
| 486 Other OR proc for mult signif trauma | 23 | 88,551 | 92,784 | 93,495 | 7.04 | 9.39 | 8.69 |
| 499 Back & neck procedures w cc | 50 | 23,706 | 24,403 | 25,581 | 3.04 | 2.85 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 100 | 16,851 | 15,181 | 16,304 | 1.97 | 1.67 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 19,384 | 26,343 | 20,364 | 3.50 | 3.50 | 2.68 |
| 470 Ungroupable | 1 | 24,679 | 20,093 | 12,546 | 3.00 | 3.75 | 3.65 |
| All Other DRGs | 8,585 | 23,919 | 28,461 | 26,338 | 3.05 | 3.40 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MCKAY-DEE HOSPITAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Weber
 OWNERSHIP: Not for profit

BED SIZE: 303
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 121 | 14,984 | 18,103 | 17,504 | 1.92 | 2.37 | 2.39 |
| Major or Extreme SOI | 67 | 23,136 | 28,837 | 30,421 | 3.03 | 4.07 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 172 | 10,565 | 12,522 | 10,931 | 2.17 | 2.42 | 2.55 |
| Major or Extreme SOI | 138 | 19,701 | 22,762 | 20,864 | 3.62 | 4.19 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 84 | 8,858 | 9,175 | 8,532 | 2.03 | 1.96 | 1.99 |
| Major or Extreme SOI | 9 | 18,862 | 20,082 | 15,810 | 3.22 | 3.67 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 215 | 44,151 | 41,532 | 42,983 | 1.55 | 1.55 | 1.54 |
| Major or Extreme SOI | 45 | 61,440 | 63,901 | 68,036 | 4.24 | 4.18 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 21 | 19,465 | 17,938 | 17,963 | 2.35 | 2.00 | 2.03 |
| Major or Extreme SOI | 20 | 32,403 | 30,643 | 28,897 | 4.22 | 4.21 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 75 | 17,158 | 17,067 | 17,867 | 1.58 | 1.42 | 1.54 |
| Major or Extreme SOI | 9 | 20,851 | 23,555 | 25,935 | 2.22 | 2.58 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 98 | 13,183 | 14,750 | 13,972 | 2.46 | 2.94 | 2.96 |
| Major or Extreme SOI | 109 | 21,445 | 24,022 | 22,844 | 3.91 | 4.38 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 91 | 10,569 | 10,936 | 10,477 | 1.90 | 1.94 | 1.84 |
| Major or Extreme SOI | 51 | 15,309 | 18,783 | 17,274 | 2.71 | 3.03 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 165 | 25,482 | 35,643 | 33,294 | 4.00 | 4.85 | 4.80 |
| Major or Extreme SOI | 46 | 72,040 | 84,059 | 78,140 | 10.65 | 11.85 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 157 | 15,320 | 17,058 | 17,034 | 1.89 | 2.18 | 2.08 |
| Major or Extreme SOI | 5 | 43,101 | 35,025 | 36,530 | 6.20 | 5.11 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 99 | 8,334 | 10,282 | 9,467 | 1.72 | 1.88 | 2.01 |
| Major or Extreme SOI | 35 | 14,189 | 16,574 | 14,930 | 2.74 | 3.02 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 542 | 36,497 | 38,636 | 37,842 | 2.79 | 3.01 | 2.92 |
| Major or Extreme SOI | 17 | 52,573 | 47,913 | 48,873 | 4.65 | 4.11 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 122 | 27,450 | 27,397 | 27,280 | 2.55 | 2.66 | 2.61 |
| Major or Extreme SOI | 30 | 45,691 | 42,997 | 45,932 | 4.57 | 4.81 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 7 | 7,759 | 9,145 | 11,741 | 2.29 | 2.13 | 2.96 |
| Major or Extreme SOI | 5 | 17,533 | 18,768 | 22,625 | 4.20 | 5.30 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MCKAY-DEE HOSPITAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Weber
 OWNERSHIP: Not for profit

BED SIZE: 303
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 100 | 13,517 | 16,381 | 15,305 | 1.93 | 1.63 | 1.62 |
| Major or Extreme SOI | 5 | 39,024 | 50,718 | 36,837 | 3.80 | 5.89 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 922 | 11,124 | 11,327 | 11,641 | 3.20 | 3.27 | 3.21 |
| Major or Extreme SOI | 74 | 22,899 | 22,120 | 21,704 | 5.47 | 5.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 2,849 | 6,411 | 6,913 | 6,731 | 1.74 | 1.79 | 1.79 |
| Major or Extreme SOI | 99 | 9,715 | 11,218 | 10,767 | 2.14 | 2.38 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 42 | 8,452 | 10,731 | 9,583 | 1.86 | 2.03 | 1.93 |
| Major or Extreme SOI | 2 | 10,671 | 15,206 | 21,300 | 1.50 | 2.63 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 738 | 11,672 | 12,003 | 11,599 | 4.65 | 5.43 | 5.19 |
| Major or Extreme SOI | 42 | 18,304 | 19,545 | 22,695 | 6.93 | 9.03 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 3,380 | 2,668 | 2,793 | 2,536 | 1.92 | 1.93 | 1.89 |
| Major or Extreme SOI | 140 | 9,564 | 8,923 | 8,321 | 3.25 | 3.21 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 78 | 10,412 | 12,019 | 10,069 | 2.35 | 2.63 | 2.88 |
| Major or Extreme SOI | 33 | 16,374 | 22,199 | 19,849 | 2.97 | 3.90 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 125 | 17,688 | 16,185 | 16,988 | 2.10 | 1.84 | 1.89 |
| Major or Extreme SOI | 10 | 27,998 | 38,988 | 42,605 | 4.40 | 4.88 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 133 | 15,810 | 19,283 | 18,944 | 1.71 | 2.18 | 2.08 |
| Major or Extreme SOI | 28 | 34,886 | 37,471 | 34,924 | 5.00 | 5.31 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 45 | 12,361 | 14,564 | 13,298 | 1.86 | 2.12 | 2.15 |
| Major or Extreme SOI | 59 | 24,733 | 27,204 | 24,096 | 3.17 | 3.83 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 10 | 11,696 | 13,590 | 13,147 | 1.80 | 2.00 | 2.10 |
| Major or Extreme SOI | 7 | 15,625 | 24,531 | 23,048 | 2.67 | 3.59 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 45 | 11,733 | 12,656 | 12,049 | 2.19 | 2.50 | 2.47 |
| Major or Extreme SOI | 10 | 21,657 | 24,131 | 21,886 | 3.40 | 4.14 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 70 | 9,769 | 11,831 | 11,171 | 1.71 | 1.97 | 2.13 |
| Major or Extreme SOI | 35 | 16,875 | 23,504 | 21,005 | 2.62 | 3.82 | 3.64 |
| All other APRDRGs | 11,007 | 26,995 | 32,872 | 30,661 | 4.27 | 4.71 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MCKAY-DEE HOSPITAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Weber
 AFFILIATION: Intermountain Healthcare BED SIZE: 303

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 13,590 | 60.0 | 61.0 | 61.8 |
| Male | 9,053 | 40.0 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 4,036 | 17.8 | 17.6 | 20.2 |
| 29-365 days | 333 | 1.5 | 1.2 | 0.9 |
| 1-4 years | 288 | 1.3 | 0.9 | 0.7 |
| 5-9 | 123 | 0.5 | 0.5 | 0.4 |
| 10-14 | 233 | 1.0 | 0.6 | 0.4 |
| 15-17 | 393 | 1.7 | 1.0 | 0.8 |
| 18-19 | 378 | 1.7 | 1.3 | 1.5 |
| 20-24 | 1,607 | 7.1 | 6.5 | 6.9 |
| 25-29 | 2,080 | 9.2 | 8.7 | 9.6 |
| 30-34 | 1,842 | 8.1 | 7.6 | 8.4 |
| 35-39 | 1,077 | 4.8 | 4.7 | 4.9 |
| 40-44 | 776 | 3.4 | 3.5 | 3.4 |
| 45-49 | 817 | 3.6 | 3.6 | 3.5 |
| 50-54 | 1,125 | 5.0 | 4.9 | 4.5 |
| 55-59 | 1,166 | 5.1 | 5.4 | 5.0 |
| 60-64 | 1,029 | 4.5 | 5.3 | 5.1 |
| 65-69 | 1,254 | 5.5 | 6.1 | 5.6 |
| 70-74 | 1,138 | 5.0 | 5.7 | 5.1 |
| 75-79 | 1,138 | 5.0 | 5.4 | 4.7 |
| 80-84 | 898 | 4.0 | 4.6 | 4.1 |
| 85-89 | 608 | 2.7 | 3.2 | 2.9 |
| 90 + | 304 | 1.3 | 1.8 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 269 | 1.2 | 11.0 | 14.1 |
| Urgent | 13,375 | 59.1 | 43.9 | 39.7 |
| Elective | 4,794 | 21.2 | 27.0 | 25.3 |
| Newborn | 4,046 | 17.9 | 17.6 | 20.2 |
| Trauma Center | 159 | 0.7 | 0.4 | 0.6 |
| Unknown | . | . | 0.1 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 8,221 | 36.3 | 47.1 | 49.6 |
| Clinic referral | 9,562 | 42.2 | 29.7 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 454 | 2.0 | 4.2 | 4.4 |
| Skilled nursing facility | 141 | 0.6 | 0.8 | 0.5 |
| Other health care facility | 11 | 0.0 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 191 | 0.8 | 0.3 | 0.3 |
| Normal delivery/Born Inside | 4,041 | 17.8 | 17.6 | 20.1 |
| Premature delivery | . | . | 0.0 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MCKAY-DEE HOSPITAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Weber
 AFFILIATION: Intermountain Healthcare BED SIZE: 303

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 4 | 0.0 | 0.0 | 0.0 |
| Unknown | 16 | 0.1 | 0.1 | 0.6 |
| Not reported | 2 | 0.0 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 9,130 | 40.3 | 49.8 | 55.1 |
| Another hospital | 61 | 0.3 | 0.4 | 0.8 |
| Skilled nursing facility | 727 | 3.2 | 6.1 | 5.3 |
| Intermediate care | 6 | 0.0 | 0.0 | 0.1 |
| Another type of institution | 582 | 2.6 | 2.7 | 2.6 |
| Under care of home service | 974 | 4.3 | 6.2 | 5.7 |
| Left against medical advice | 25 | 0.1 | 0.3 | 0.3 |
| Under care of a home iv provider | 9 | 0.0 | 0.0 | 0.0 |
| Expired | 218 | 1.0 | 1.1 | 1.1 |
| Not reported | 10,911 | 48.2 | 33.4 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 6,090 | 26.9 | 29.7 | 26.7 |
| Medicaid | 4,437 | 19.6 | 18.4 | 18.6 |
| Other government | 1,107 | 4.9 | 2.8 | 2.4 |
| Blue Cross/Blue Shield | 1,534 | 6.8 | 9.5 | 10.3 |
| Other commercial | 802 | 3.5 | 4.7 | 5.5 |
| Managed care | 7,488 | 33.1 | 30.4 | 30.9 |
| Self pay | 916 | 4.0 | 2.9 | 3.7 |
| Industrial/Worker's Comp | 92 | 0.4 | 0.5 | 0.5 |
| Charity | 120 | 0.5 | 1.0 | 1.1 |
| Children's Health Insurance Plan | 39 | 0.2 | 0.1 | 0.1 |
| Not reported | 18 | 0.1 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1,381 | 6.1 | 2.3 | 5.4 |
| Central Utah | 15 | 0.1 | 3.0 | 2.9 |
| Davis County | 5,670 | 25.0 | 10.1 | 9.8 |
| Salt Lake County | 258 | 1.1 | 26.0 | 34.1 |
| Southeastern Utah | 3 | 0.0 | 1.1 | 1.8 |
| Southwest Utah | 31 | 0.1 | 0.6 | 8.0 |
| Summit County | 76 | 0.3 | 0.5 | 0.9 |
| Tooele County | 32 | 0.1 | 0.9 | 2.2 |
| Tri-County | 24 | 0.1 | 0.7 | 1.7 |
| Utah County | 61 | 0.3 | 29.4 | 17.8 |
| Wasatch County | 14 | 0.1 | 0.6 | 0.6 |
| Weber/Morgan | 14,506 | 64.1 | 21.8 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 567 | 2.5 | 2.9 | 5.2 |
| Unknown | 5 | 0.0 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

MILFORD VALLEY MEMORIAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 23
 AFFILIATION: Freestanding

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 140 | 100.0 | 100.0 | 100.0 | 457,119 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | . | . | 18.5 | 20.1 | . | . | 4.3 | 7.7 |
| Obstetric (MDC 14) | . | . | 19.5 | 20.9 | . | . | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 3 | 2.1 | 4.8 | 2.3 | 12,987 | 2.8 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.6 | 0.4 | . | . | 1.1 | 0.6 |
| Other Medical | 135 | 96.4 | 45.7 | 29.4 | 443,585 | 97.0 | 49.3 | 27.2 |
| Other Surgical | . | . | 10.1 | 22.0 | . | . | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 2 | 1.4 | 0.3 | 3.9 | 547 | 0.1 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 1 | 0.7 | 2.6 | 4.1 | 1,378 | 0.3 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 3 | 2.1 | 1.0 | 0.6 | 2,189 | 0.5 | 0.7 | 0.5 |
| 4 Respiratory System | 28 | 20.0 | 13.7 | 6.4 | 203,497 | 44.5 | 15.4 | 6.8 |
| 5 Circulatory System | 19 | 13.6 | 6.0 | 7.5 | 60,521 | 13.2 | 6.7 | 15.5 |
| 6 Digestive System | 7 | 5.0 | 9.1 | 6.4 | 28,471 | 6.2 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | . | . | 3.5 | 2.3 | . | . | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 33 | 23.6 | 6.5 | 10.0 | 59,821 | 13.1 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 6 | 4.3 | 2.3 | 1.1 | 35,390 | 7.7 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 18 | 12.9 | 3.7 | 2.4 | 15,467 | 3.4 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 4 | 2.9 | 3.7 | 2.8 | 20,391 | 4.5 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | . | . | 2.2 | 1.7 | . | . | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | . | . | 19.5 | 20.9 | . | . | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | . | . | 18.7 | 20.4 | . | . | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 3 | 2.1 | 0.8 | 0.5 | 2,235 | 0.5 | 1.1 | 0.6 |
| 17 Myeloproliferative/ Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 2 | 1.4 | 2.0 | 3.7 | 8,439 | 1.8 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 2 | 1.4 | 0.3 | 3.9 | 547 | 0.1 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.5 | 1.0 | . | . | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | 1.7 | 1.8 | . | . | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 14 | 10.0 | 1.4 | 1.3 | 18,774 | 4.1 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.5294

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 23
 AFFILIATION: Freestanding
 % LOS OUTLIER=33.6

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 140 | 466,462 | 114,581,002 | 5,319,068,336 | 1,312.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 457,119 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 3,265 | 10,066 | 21,172 | 9.37 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 6,168 | 16,258 | 20,004 | 7.56 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | 10,331 | 21,721 | . | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 14 | 10,235 | 11,079 | 16,240 | 3.25 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | 6,181 | 8,064 | . | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | . | . | 5,668 | 7,590 | . | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch alive | . | . | 20,366 | 24,880 | . | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 3 | 2,176 | 11,796 | 18,033 | 1.67 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 5 | 1,309 | 6,720 | 10,491 | 1.67 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | 16,048 | 13,530 | . | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | . | . | 12,515 | 18,170 | . | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 3 | 2,635 | 8,553 | 14,049 | 2.67 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 1 | 2,199 | 7,663 | 11,229 | 1.00 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.5294

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 23
 AFFILIATION: Freestanding
 % LOS OUTLIER=33.6

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|-------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 | | |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 | | |
| 296 Nutrition/misc metabol disrdr >17 w cc | 2 | 1,628 | 8,608 | 13,720 | 1.00 | 2.58 | 2.71 | | |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 | | |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | 16,939 | 14,898 | . | 1.38 | 1.57 | | |
| 370 Cesarean section with cc | . | . | 12,139 | 14,657 | . | 2.78 | 3.87 | | |
| 371 Cesarean section without cc | . | . | 11,034 | 11,759 | . | 2.58 | 3.24 | | |
| 372 Vaginal delivery w complicating diag | . | . | 6,345 | 8,392 | . | 1.82 | 2.05 | | |
| 373 Vaginal deliv w/o complicating diag | . | . | 5,099 | 6,661 | . | 1.56 | 1.77 | | |
| 374 Vaginal delivery w sterilization/D&C | . | . | 8,822 | 10,362 | . | 1.81 | 2.01 | | |
| 383 Other antepartum diag w med complic | . | . | 6,503 | 10,990 | . | 1.98 | 2.71 | | |
| 385 Neonates died/transf to acute care fac | . | . | 2,610 | 19,166 | . | 1.13 | 3.49 | | |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 | | |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 | | |
| 389 Full term neonate w major problems | . | . | 3,831 | 15,544 | . | 2.33 | 4.66 | | |
| 390 Neonate w other significant problems | . | . | 2,658 | 3,854 | . | 1.92 | 2.27 | | |
| 391 Normal newborn | . | . | 2,122 | 2,436 | . | 1.66 | 1.83 | | |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 | | |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 | | |
| 430 Psychoses | 1 | 111 | 5,041 | 14,101 | 1.00 | 2.15 | 6.08 | | |
| 521 Alc/drug abuse or depnd w cc | . | . | 7,298 | 13,612 | . | 2.44 | 3.30 | | |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 | | |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 3.30 | 6.47 | | |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 | | |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 | | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 | | |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 | | |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 | | |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 | | |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 | | |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 | | |
| All Other DRGs | 111 | 2,588 | 11,484 | 26,338 | 4.52 | 2.66 | 3.44 | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 23
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 11,029 | 17,504 | . | 2.61 | 2.39 |
| Major or Extreme SOI | . | . | 10,115 | 30,421 | . | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 18 | 9,196 | 8,601 | 10,931 | 3.13 | 2.69 | 2.55 |
| Major or Extreme SOI | 1 | 4,931 | 15,114 | 20,864 | . | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 1 | 1,798 | 6,962 | 8,532 | 1.00 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 3 | 2,176 | 10,681 | 13,972 | 1.67 | 3.16 | 2.96 |
| Major or Extreme SOI | . | . | 14,304 | 22,844 | . | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 8,759 | 10,477 | . | 1.91 | 1.84 |
| Major or Extreme SOI | 1 | 2,090 | 12,787 | 17,274 | 1.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 37,933 | 33,294 | . | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 19,168 | 17,034 | . | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | . | . | 7,294 | 9,467 | . | 2.04 | 2.01 |
| Major or Extreme SOI | . | . | 10,963 | 14,930 | . | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 23
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 16,877 | 15,305 | . | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | 11,227 | 11,641 | . | 2.61 | 3.21 |
| Major or Extreme SOI | . | . | 14,509 | 21,704 | . | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | 5,201 | 6,731 | . | 1.60 | 1.79 |
| Major or Extreme SOI | . | . | 7,295 | 10,767 | . | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | 8,634 | 9,583 | . | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | . | . | 2,218 | 2,536 | . | 1.73 | 1.89 |
| Major or Extreme SOI | . | . | 3,691 | 8,321 | . | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | . | . | 5,962 | 10,069 | . | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 20,365 | 18,944 | . | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 2 | 2,244 | 9,511 | 13,298 | 1.00 | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | 8,734 | 12,049 | . | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 1,692 | 7,708 | 11,171 | 2.00 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 113 | 2,390 | 10,802 | 30,661 | 4.51 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MILFORD VALLEY MEMORIAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Freestanding

COUNTY: Beaver
 BED SIZE: 23

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 102 | 72.9 | 64.5 | 61.8 |
| Male | 38 | 27.1 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | . | . | 18.7 | 20.2 |
| 29-365 days | 2 | 1.4 | 1.1 | 0.9 |
| 1-4 years | . | . | 1.8 | 0.7 |
| 5-9 | 1 | 0.7 | 0.9 | 0.4 |
| 10-14 | . | . | 0.6 | 0.4 |
| 15-17 | . | . | 1.1 | 0.8 |
| 18-19 | . | . | 1.8 | 1.5 |
| 20-24 | 3 | 2.1 | 7.2 | 6.9 |
| 25-29 | . | . | 8.3 | 9.6 |
| 30-34 | 2 | 1.4 | 6.6 | 8.4 |
| 35-39 | . | . | 3.9 | 4.9 |
| 40-44 | . | . | 2.8 | 3.4 |
| 45-49 | 1 | 0.7 | 3.3 | 3.5 |
| 50-54 | 2 | 1.4 | 3.7 | 4.5 |
| 55-59 | 7 | 5.0 | 4.0 | 5.0 |
| 60-64 | 3 | 2.1 | 4.7 | 5.1 |
| 65-69 | 23 | 16.4 | 5.7 | 5.6 |
| 70-74 | 15 | 10.7 | 5.5 | 5.1 |
| 75-79 | 24 | 17.1 | 5.9 | 4.7 |
| 80-84 | 26 | 18.6 | 5.9 | 4.1 |
| 85-89 | 11 | 7.9 | 4.0 | 2.9 |
| 90 + | 20 | 14.3 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 35 | 25.0 | 27.0 | 14.1 |
| Urgent | 4 | 2.9 | 24.8 | 39.7 |
| Elective | 101 | 72.1 | 28.3 | 25.3 |
| Newborn | . | . | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 132 | 94.3 | 56.4 | 49.6 |
| Clinic referral | 2 | 1.4 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 5 | 3.6 | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | . | . | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MILFORD VALLEY MEMORIAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Freestanding

COUNTY: Beaver
 BED SIZE: 23

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | 1 | 0.7 | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 121 | 86.4 | 67.8 | 55.1 |
| Another hospital | 9 | 6.4 | 3.9 | 0.8 |
| Skilled nursing facility | 6 | 4.3 | 3.5 | 5.3 |
| Intermediate care | 2 | 1.4 | 0.1 | 0.1 |
| Another type of institution | . | . | 3.6 | 2.6 |
| Under care of home service | . | . | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 2 | 1.4 | 0.8 | 1.1 |
| Not reported | . | . | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 125 | 89.3 | 31.3 | 26.7 |
| Medicaid | 2 | 1.4 | 21.7 | 18.6 |
| Other government | . | . | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 1 | 0.7 | 10.5 | 10.3 |
| Other commercial | 1 | 0.7 | 7.0 | 5.5 |
| Managed care | 6 | 4.3 | 20.9 | 30.9 |
| Self pay | 5 | 3.6 | 6.0 | 3.7 |
| Industrial/Worker's Comp | . | . | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | 1 | 0.7 | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | . | . | 0.9 | 34.1 |
| Southeastern Utah | . | . | 9.0 | 1.8 |
| Southwest Utah | 139 | 99.3 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | . | . | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | . | . | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

MOAB REGIONAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Grand
 OWNERSHIP: Government

BED SIZE: 17
 AFFILIATION: Management

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 736 | 100.0 | 100.0 | 100.0 | 6,979,916 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 93 | 12.6 | 18.5 | 20.1 | 128,867 | 1.8 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 93 | 12.6 | 19.5 | 20.9 | 1,000,954 | 14.3 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 23 | 3.1 | 4.8 | 2.3 | 85,929 | 1.2 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 2 | 0.3 | 0.6 | 0.4 | 40,065 | 0.6 | 1.1 | 0.6 |
| Other Medical | 420 | 57.1 | 45.7 | 29.4 | 2,774,806 | 39.8 | 49.3 | 27.2 |
| Other Surgical | 78 | 10.6 | 10.1 | 22.0 | 2,926,731 | 41.9 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 3 | 0.4 | 0.3 | 3.9 | 7,527 | 0.1 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | 24 | 3.3 | 0.5 | 0.0 | 15,038 | 0.2 | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 34 | 4.6 | 2.6 | 4.1 | 171,635 | 2.5 | 2.3 | 6.0 |
| 2 Eye | 1 | 0.1 | 0.1 | 0.1 | 4,394 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 11 | 1.5 | 1.0 | 0.6 | 41,106 | 0.6 | 0.7 | 0.5 |
| 4 Respiratory System | 85 | 11.5 | 13.7 | 6.4 | 660,007 | 9.5 | 15.4 | 6.8 |
| 5 Circulatory System | 71 | 9.6 | 6.0 | 7.5 | 439,598 | 6.3 | 6.7 | 15.5 |
| 6 Digestive System | 70 | 9.5 | 9.1 | 6.4 | 776,065 | 11.1 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 19 | 2.6 | 3.5 | 2.3 | 264,959 | 3.8 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 85 | 11.5 | 6.5 | 10.0 | 2,509,500 | 36.0 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 22 | 3.0 | 2.3 | 1.1 | 207,863 | 3.0 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 24 | 3.3 | 3.7 | 2.4 | 158,573 | 2.3 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 37 | 5.0 | 3.7 | 2.8 | 184,422 | 2.6 | 4.0 | 3.0 |
| 12 Male Reproductive System | 2 | 0.3 | 0.1 | 0.3 | 4,644 | 0.1 | 0.1 | 0.3 |
| 13 Female Reproductive System | 1 | 0.1 | 2.2 | 1.7 | 9,322 | 0.1 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 93 | 12.6 | 19.5 | 20.9 | 1,000,954 | 14.3 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 96 | 13.0 | 18.7 | 20.4 | 134,823 | 1.9 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 4 | 0.5 | 0.8 | 0.5 | 21,984 | 0.3 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 3 | 0.4 | 0.1 | 0.3 | 33,846 | 0.5 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 24 | 3.3 | 2.0 | 3.7 | 170,185 | 2.4 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 3 | 0.4 | 0.3 | 3.9 | 7,527 | 0.1 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 5 | 0.7 | 0.5 | 1.0 | 26,833 | 0.4 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 12 | 1.6 | 1.7 | 1.8 | 91,263 | 1.3 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 10 | 1.4 | 1.4 | 1.3 | 45,375 | 0.7 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | 24 | 3.3 | 0.5 | 0.1 | 15,038 | 0.2 | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOAB REGIONAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.6915

COUNTY: Grand
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.77

BED SIZE: 17
 AFFILIATION: Management
 % LOS OUTLIER=2.17

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 736 | 7,085,894 | 114,581,002 | 5,319,068,336 | 1,745.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 6,979,916 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 9,496 | 10,066 | 21,172 | 2.37 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 12,983 | 16,258 | 20,004 | 3.21 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 6 | 5,879 | 10,331 | 21,721 | 2.67 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 22 | 9,162 | 11,079 | 16,240 | 3.45 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 2 | 4,351 | 6,181 | 8,064 | 2.50 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 5 | 4,215 | 5,668 | 7,590 | 1.80 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 3 | 16,554 | 20,366 | 24,880 | 5.67 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 24 | 7,780 | 11,796 | 18,033 | 3.33 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 15 | 3,237 | 6,720 | 10,491 | 1.07 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 2 | 46,780 | 64,713 | 59,626 | 6.50 | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dx1 & w/o cc | 3 | 11,888 | 16,048 | 13,530 | 1.33 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 3 | 12,082 | 12,515 | 18,170 | 2.00 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 22 | 4,956 | 8,553 | 14,049 | 2.18 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 16 | 3,873 | 7,663 | 11,229 | 1.63 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 25 | 46,538 | 38,866 | 39,044 | 3.13 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOAB REGIONAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.6915

COUNTY: Grand
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.77

BED SIZE: 17
 AFFILIATION: Management
 % LOS OUTLIER=2.17

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 5 | 24,989 | 29,094 | 40,371 | 4.80 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 6 | 32,001 | 27,489 | 27,138 | 2.67 | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 13 | 6,636 | 8,608 | 13,720 | 2.69 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | 16,939 | 14,898 | . | 1.38 | 1.57 |
| 370 Cesarean section with cc | 24 | 16,017 | 12,139 | 14,657 | 2.38 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 7 | 16,825 | 11,034 | 11,759 | 2.71 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 16 | 7,526 | 6,345 | 8,392 | 1.69 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 39 | 6,280 | 5,099 | 6,661 | 1.51 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 6 | 13,339 | 8,822 | 10,362 | 2.00 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | . | . | 6,503 | 10,990 | . | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 4 | 1,125 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 7 | 2,133 | 3,831 | 15,544 | 2.00 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 14 | 1,436 | 2,658 | 3,854 | 1.64 | 1.92 | 2.27 |
| 391 Normal newborn | 71 | 1,342 | 2,122 | 2,436 | 1.56 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 3 | 11,282 | 11,282 | 23,836 | 1.00 | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 4 | 5,180 | 7,298 | 13,612 | 1.75 | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 19,174 | 17,885 | 55,889 | 1.00 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | 24 | 654 | 7,368 | 12,546 | 1.88 | 2.52 | 3.65 |
| All Other DRGs | 344 | 8,797 | 11,484 | 26,338 | 2.27 | 2.66 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOAB REGIONAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Grand
 OWNERSHIP: Government

BED SIZE: 17
 AFFILIATION: Management

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 3 | 5,131 | 11,029 | 17,504 | 2.00 | 2.61 | 2.39 |
| Major or Extreme SOI | 2 | 5,155 | 10,115 | 30,421 | 3.00 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 16 | 5,970 | 8,601 | 10,931 | 2.44 | 2.69 | 2.55 |
| Major or Extreme SOI | 12 | 10,669 | 15,114 | 20,864 | 3.75 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 4 | 5,370 | 6,962 | 8,532 | 1.50 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 7,456 | 20,684 | 17,963 | 4.00 | 1.83 | 2.03 |
| Major or Extreme SOI | 1 | 21,332 | 21,367 | 28,897 | 7.00 | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 13 | 7,699 | 10,681 | 13,972 | 3.69 | 3.16 | 2.96 |
| Major or Extreme SOI | 12 | 8,959 | 14,304 | 22,844 | 3.17 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 9 | 5,502 | 8,759 | 10,477 | 2.00 | 1.91 | 1.84 |
| Major or Extreme SOI | 3 | 4,409 | 12,787 | 17,274 | 2.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 5 | 45,600 | 37,933 | 33,294 | 3.80 | 6.03 | 4.80 |
| Major or Extreme SOI | 1 | 43,280 | 95,500 | 78,140 | 8.00 | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 3 | 11,888 | 19,168 | 17,034 | 1.33 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 10 | 3,859 | 7,294 | 9,467 | 2.10 | 2.04 | 2.01 |
| Major or Extreme SOI | 4 | 4,137 | 10,963 | 14,930 | 2.50 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 18 | 46,799 | 39,599 | 37,842 | 3.00 | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 9 | 28,212 | 25,814 | 27,280 | 2.78 | 2.95 | 2.61 |
| Major or Extreme SOI | 1 | 26,904 | 30,874 | 45,932 | 4.00 | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | 2 | 13,151 | 17,599 | 22,625 | 6.00 | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOAB REGIONAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Grand
 OWNERSHIP: Government

BED SIZE: 17
 AFFILIATION: Management

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 16,877 | 15,305 | . | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 29 | 15,266 | 11,227 | 11,641 | 2.29 | 2.61 | 3.21 |
| Major or Extreme SOI | 2 | 28,200 | 14,509 | 21,704 | 5.50 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 49 | 6,433 | 5,201 | 6,731 | 1.52 | 1.60 | 1.79 |
| Major or Extreme SOI | 4 | 7,798 | 7,295 | 10,767 | 1.75 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 5 | 12,923 | 8,634 | 9,583 | 2.00 | 1.77 | 1.93 |
| Major or Extreme SOI | 1 | 15,419 | 14,069 | 21,300 | 2.00 | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 83 | 1,369 | 2,218 | 2,536 | 1.58 | 1.73 | 1.89 |
| Major or Extreme SOI | 4 | 2,320 | 3,691 | 8,321 | 2.25 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 1 | 6,388 | 5,962 | 10,069 | 3.00 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 4 | 28,206 | 20,365 | 18,944 | 1.50 | 2.00 | 2.08 |
| Major or Extreme SOI | 1 | 42,450 | 27,838 | 34,924 | 3.00 | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 1 | 22,103 | 9,511 | 13,298 | . | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 5 | 6,311 | 8,734 | 12,049 | 2.60 | 2.32 | 2.47 |
| Major or Extreme SOI | 2 | 4,500 | 11,896 | 21,886 | 2.00 | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 5 | 6,670 | 7,708 | 11,171 | 1.60 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 411 | 7,996 | 10,802 | 30,661 | 2.26 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MOAB REGIONAL HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Management

COUNTY: Grand
 BED SIZE: 17

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 442 | 60.1 | 64.5 | 61.8 |
| Male | 293 | 39.8 | 35.4 | 38.2 |
| Unknown | 1 | 0.1 | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 96 | 13.0 | 18.7 | 20.2 |
| 29-365 days | 5 | 0.7 | 1.1 | 0.9 |
| 1-4 years | 9 | 1.2 | 1.8 | 0.7 |
| 5-9 | 6 | 0.8 | 0.9 | 0.4 |
| 10-14 | 4 | 0.5 | 0.6 | 0.4 |
| 15-17 | 5 | 0.7 | 1.1 | 0.8 |
| 18-19 | 8 | 1.1 | 1.8 | 1.5 |
| 20-24 | 40 | 5.4 | 7.2 | 6.9 |
| 25-29 | 37 | 5.0 | 8.3 | 9.6 |
| 30-34 | 20 | 2.7 | 6.6 | 8.4 |
| 35-39 | 17 | 2.3 | 3.9 | 4.9 |
| 40-44 | 18 | 2.4 | 2.8 | 3.4 |
| 45-49 | 28 | 3.8 | 3.3 | 3.5 |
| 50-54 | 21 | 2.9 | 3.7 | 4.5 |
| 55-59 | 47 | 6.4 | 4.0 | 5.0 |
| 60-64 | 47 | 6.4 | 4.7 | 5.1 |
| 65-69 | 67 | 9.1 | 5.7 | 5.6 |
| 70-74 | 48 | 6.5 | 5.5 | 5.1 |
| 75-79 | 69 | 9.4 | 5.9 | 4.7 |
| 80-84 | 66 | 9.0 | 5.9 | 4.1 |
| 85-89 | 53 | 7.2 | 4.0 | 2.9 |
| 90 + | 25 | 3.4 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 392 | 53.3 | 27.0 | 14.1 |
| Urgent | 217 | 29.5 | 24.8 | 39.7 |
| Elective | 34 | 4.6 | 28.3 | 25.3 |
| Newborn | 93 | 12.6 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 465 | 63.2 | 56.4 | 49.6 |
| Clinic referral | 166 | 22.6 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.5 | 4.4 |
| Skilled nursing facility | 2 | 0.3 | 0.2 | 0.5 |
| Other health care facility | 2 | 0.3 | 0.1 | 0.2 |
| Emergency room | 8 | 1.1 | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 92 | 12.5 | 18.7 | 20.1 |
| Premature delivery | 1 | 0.1 | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MOAB REGIONAL HOSPITAL-CAH

PEER GROUP: Acute, rural, low CMI (n=16)

AFFILIATION: Management

COUNTY: Grand

BED SIZE: 17

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 604 | 82.1 | 67.8 | 55.1 |
| Another hospital | 28 | 3.8 | 3.9 | 0.8 |
| Skilled nursing facility | 1 | 0.1 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 66 | 9.0 | 3.6 | 2.6 |
| Under care of home service | 10 | 1.4 | 4.0 | 5.7 |
| Left against medical advice | 3 | 0.4 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 8 | 1.1 | 0.8 | 1.1 |
| Not reported | 16 | 2.2 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 336 | 45.7 | 31.3 | 26.7 |
| Medicaid | 124 | 16.8 | 21.7 | 18.6 |
| Other government | 4 | 0.5 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 68 | 9.2 | 10.5 | 10.3 |
| Other commercial | 61 | 8.3 | 7.0 | 5.5 |
| Managed care | 93 | 12.6 | 20.9 | 30.9 |
| Self pay | 44 | 6.0 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 6 | 0.8 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | 1 | 0.1 | 34.6 | 2.9 |
| Davis County | 3 | 0.4 | 0.2 | 9.8 |
| Salt Lake County | 5 | 0.7 | 0.9 | 34.1 |
| Southeastern Utah | 647 | 87.9 | 9.0 | 1.8 |
| Southwest Utah | 1 | 0.1 | 8.0 | 8.0 |
| Summit County | 1 | 0.1 | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | 2 | 0.3 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 73 | 9.9 | 4.7 | 5.2 |
| Unknown | 3 | 0.4 | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,

Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 114
 AFFILIATION: Mountainstar Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4,102 | 100.0 | 100.0 | 100.0 | 75,634,301 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 816 | 19.9 | 19.9 | 20.1 | 3,288,362 | 4.3 | 4.6 | 7.7 |
| Obstetric (MDC 14) | 827 | 20.2 | 20.6 | 20.9 | 8,269,360 | 10.9 | 9.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 161 | 3.9 | 1.3 | 2.3 | 1,282,371 | 1.7 | 0.6 | 1.5 |
| Pediatric Surgical (Age 0-17) | 17 | 0.4 | 0.2 | 0.4 | 351,713 | 0.5 | 0.2 | 0.6 |
| Other Medical | 1,214 | 29.6 | 29.4 | 29.4 | 22,998,555 | 30.4 | 32.5 | 27.2 |
| Other Surgical | 880 | 21.5 | 18.9 | 22.0 | 37,519,903 | 49.6 | 45.7 | 49.8 |
| Psychiatric (MDC 19) | 183 | 4.5 | 9.5 | 3.9 | 1,890,651 | 2.5 | 6.7 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.2 | 2.0 |
| Unknown (DRG 469-470) | 4 | 0.1 | 0.1 | 0.0 | 33,386 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 60 | 1.5 | 2.2 | 4.1 | 1,522,894 | 2.0 | 3.0 | 6.0 |
| 2 Eye | 2 | 0.0 | 0.0 | 0.1 | 38,800 | 0.1 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 19 | 0.5 | 0.4 | 0.6 | 166,957 | 0.2 | 0.4 | 0.5 |
| 4 Respiratory System | 293 | 7.1 | 6.2 | 6.4 | 5,399,920 | 7.1 | 7.6 | 6.8 |
| 5 Circulatory System | 244 | 5.9 | 4.8 | 7.5 | 7,691,313 | 10.2 | 11.0 | 15.5 |
| 6 Digestive System | 221 | 5.4 | 5.8 | 6.4 | 6,065,820 | 8.0 | 8.2 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 88 | 2.1 | 2.0 | 2.3 | 2,938,258 | 3.9 | 2.8 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 512 | 12.5 | 9.8 | 10.0 | 22,057,349 | 29.2 | 21.2 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 26 | 0.6 | 0.9 | 1.1 | 410,849 | 0.5 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 107 | 2.6 | 2.3 | 2.4 | 1,645,880 | 2.2 | 2.2 | 2.1 |
| 11 Kidney & Urinary Tract | 137 | 3.3 | 2.4 | 2.8 | 2,380,312 | 3.1 | 2.7 | 3.0 |
| 12 Male Reproductive System | 21 | 0.5 | 0.3 | 0.3 | 385,341 | 0.5 | 0.3 | 0.3 |
| 13 Female Reproductive System | 119 | 2.9 | 1.7 | 1.7 | 1,823,111 | 2.4 | 1.5 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 827 | 20.2 | 20.6 | 20.9 | 8,269,360 | 10.9 | 9.3 | 8.6 |
| 15 Newborn & Other Neonates | 822 | 20.0 | 20.0 | 20.4 | 3,317,610 | 4.4 | 4.8 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 18 | 0.4 | 0.6 | 0.5 | 334,003 | 0.4 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 7 | 0.2 | 0.9 | 0.3 | 490,118 | 0.6 | 4.7 | 1.0 |
| 18 Infectious and Parasitic Diseases | 146 | 3.6 | 3.3 | 3.7 | 5,429,159 | 7.2 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 183 | 4.5 | 9.5 | 3.9 | 1,890,651 | 2.5 | 6.7 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 141 | 3.4 | 4.0 | 1.0 | 1,608,018 | 2.1 | 2.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 88 | 2.1 | 1.7 | 1.8 | 1,427,606 | 1.9 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 11 | 0.3 | 0.4 | 1.3 | 167,850 | 0.2 | 0.5 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.0 | 0.1 | 0.3 | 84,229 | 0.1 | 0.4 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.1 | 0.1 |
| Unknown | 9 | 0.2 | 0.1 | 0.1 | 88,893 | 0.1 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.7762

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.49

BED SIZE: 114
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.29

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|-------------|---------------|----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 4,102 | 75,634,301 | 864,967,561 | 5,319,068,336 | 11230.00 | 145,585.00 | 881,886.00 |
| Facility Charges (total) | . | 75,634,301 | 863,495,261 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 18,438 | 20,466 | 21,172 | 2.74 | 3.45 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 22,788 | 21,795 | 20,004 | 3.44 | 3.84 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | 69,647 | 62,383 | . | 5.40 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | 66,260 | 70,042 | . | 4.00 | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 26 | 21,636 | 21,362 | 21,721 | 2.76 | 2.73 | 3.12 |
| 075 Major chest procedures | . | . | 85,848 | 59,734 | . | 6.26 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 93 | 18,047 | 19,129 | 16,240 | 2.81 | 3.35 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 15 | 10,634 | 7,873 | 8,064 | 2.47 | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 40 | 7,942 | 7,883 | 7,590 | 2.10 | 2.28 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 235,441 | 131,342 | . | 9.77 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 189,442 | 117,359 | . | 7.55 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 192,391 | 114,735 | . | 7.64 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 126,829 | 103,627 | . | 5.25 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 144,509 | 92,602 | . | 5.44 | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 102,680 | 87,590 | . | 4.95 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 9 | 55,390 | 61,903 | 48,932 | 2.67 | 3.05 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 6 | 44,348 | 49,297 | 39,075 | 1.83 | 2.64 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 5 | 27,456 | 28,182 | 24,880 | 1.60 | 3.55 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 6 | 23,284 | 23,851 | 18,844 | 1.17 | 1.82 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 18 | 29,017 | 30,768 | 26,849 | 2.00 | 2.88 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | 5 | 26,122 | 27,265 | 19,275 | 1.40 | 1.89 | 1.78 |
| 127 Heart failure & shock | 33 | 18,328 | 19,404 | 18,033 | 2.70 | 3.72 | 3.64 |
| 140 Angina pectoris | 8 | 13,246 | 14,167 | 11,228 | 1.25 | 1.25 | 1.30 |
| 143 Chest pain | 9 | 14,187 | 14,232 | 10,491 | 1.00 | 1.26 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 13 | 63,577 | 67,129 | 59,626 | 7.85 | 9.10 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 1 | 75,370 | 58,365 | 77,655 | 8.00 | 6.54 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 3 | 15,835 | 14,305 | 13,530 | 1.00 | 1.10 | 1.11 |
| 174 G.I. hemorrhage w cc | 16 | 16,885 | 19,831 | 18,170 | 2.56 | 2.68 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 31 | 17,838 | 16,553 | 14,049 | 2.58 | 2.75 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 7 | 13,020 | 13,315 | 11,229 | 2.29 | 2.18 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 45,504 | 37,751 | . | 5.65 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 27,497 | 23,411 | . | 3.14 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 299 | 45,121 | 43,624 | 39,044 | 3.29 | 2.72 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.7762

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.49

BED SIZE: 114
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.29

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 38 | 40,654 | 42,871 | 40,371 | 4.53 | 4.36 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 16 | 30,733 | 30,303 | 27,138 | 2.53 | 2.35 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 45 | 17,031 | 16,753 | 13,720 | 2.63 | 2.89 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 16 | 19,512 | 19,378 | 19,434 | 2.38 | 2.26 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 88 | 14,482 | 15,419 | 14,898 | 1.45 | 1.67 | 1.57 |
| 370 Cesarean section with cc | 25 | 15,290 | 14,472 | 14,657 | 3.20 | 3.56 | 3.87 |
| 371 Cesarean section without cc | 151 | 14,164 | 13,523 | 11,759 | 3.05 | 3.18 | 3.24 |
| 372 Vaginal delivery w complicating diag | 37 | 11,534 | 8,795 | 8,392 | 2.27 | 2.10 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 586 | 8,134 | 7,344 | 6,661 | 1.86 | 1.84 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 8 | 12,125 | 12,268 | 10,362 | 2.00 | 2.05 | 2.01 |
| 383 Other antepartum diag w med complic | 6 | 6,889 | 10,706 | 10,990 | 1.50 | 2.78 | 2.71 |
| 385 Neonates died/transf to acute care fac | 20 | 5,646 | 11,241 | 19,166 | 1.30 | 2.39 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 53,220 | 101,092 | . | 17.11 | 26.08 |
| 387 Prematurity w major problems | 6 | 30,871 | 29,523 | 48,843 | 9.67 | 11.18 | 15.14 |
| 389 Full term neonate w major problems | 39 | 12,440 | 11,553 | 15,544 | 4.08 | 4.14 | 4.66 |
| 390 Neonate w other significant problems | 158 | 3,400 | 3,643 | 3,854 | 2.00 | 2.28 | 2.27 |
| 391 Normal newborn | 579 | 2,746 | 2,260 | 2,436 | 1.90 | 1.89 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 39,178 | 23,836 | . | 6.38 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 21 | 71,857 | 68,012 | 72,347 | 8.19 | 8.18 | 9.12 |
| 430 Psychoses | 157 | 10,303 | 14,160 | 14,101 | 3.88 | 5.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 28 | 11,150 | 13,074 | 13,612 | 3.00 | 3.73 | 3.30 |
| 462 Rehabilitation | . | . | 26,041 | 40,385 | . | 11.45 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 9 | 55,166 | 66,562 | 55,889 | 5.00 | 6.55 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 1 | 61,911 | 107,688 | 108,196 | 6.00 | 12.78 | 12.99 |
| 481 Bone marrow transplant | . | . | 199,765 | 204,971 | . | 26.55 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 230,662 | 295,955 | . | 20.71 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 101,893 | 93,495 | . | 9.68 | 8.69 |
| 499 Back & neck procedures w cc | . | . | 29,428 | 25,581 | . | 2.67 | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | 23,680 | 16,304 | . | 1.96 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 21,113 | 20,794 | 20,364 | 4.00 | 2.70 | 2.68 |
| 470 Ungroupable | 9 | 9,877 | 9,757 | 12,546 | 3.56 | 3.15 | 3.65 |
| All Other DRGs | 1,415 | 22,848 | 26,200 | 26,338 | 2.98 | 3.57 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 114
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 21 | 20,654 | 19,117 | 17,504 | 2.26 | 2.41 | 2.39 |
| Major or Extreme SOI | 4 | 28,628 | 27,894 | 30,421 | 5.25 | 3.77 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 70 | 13,679 | 12,829 | 10,931 | 2.36 | 2.57 | 2.55 |
| Major or Extreme SOI | 41 | 22,307 | 24,533 | 20,864 | 3.45 | 4.20 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 14 | 9,544 | 10,411 | 8,532 | 1.79 | 2.15 | 1.99 |
| Major or Extreme SOI | 2 | 11,148 | 17,788 | 15,810 | 1.50 | 3.53 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 22 | 51,624 | 56,162 | 42,983 | 2.05 | 2.04 | 1.54 |
| Major or Extreme SOI | 6 | 60,440 | 77,382 | 68,036 | 2.67 | 3.90 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 8 | 22,093 | 22,794 | 17,963 | 1.20 | 1.94 | 2.03 |
| Major or Extreme SOI | 2 | 38,855 | 31,533 | 28,897 | 3.00 | 3.79 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 14 | 25,997 | 24,472 | 17,867 | 1.42 | 1.61 | 1.54 |
| Major or Extreme SOI | 3 | 36,127 | 31,528 | 25,935 | 3.00 | 2.47 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 19 | 14,369 | 15,059 | 13,972 | 1.84 | 2.82 | 2.96 |
| Major or Extreme SOI | 16 | 22,568 | 23,523 | 22,844 | 3.56 | 4.60 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 31 | 14,016 | 13,852 | 10,477 | 1.59 | 1.82 | 1.84 |
| Major or Extreme SOI | 10 | 18,942 | 19,428 | 17,274 | 2.33 | 3.18 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 11 | 33,926 | 31,873 | 33,294 | 4.82 | 4.40 | 4.80 |
| Major or Extreme SOI | 13 | 82,459 | 81,435 | 78,140 | 10.00 | 10.56 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 22 | 23,037 | 19,766 | 17,034 | 2.77 | 2.52 | 2.08 |
| Major or Extreme SOI | 1 | 25,220 | 48,157 | 36,530 | 2.00 | 5.42 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 14 | 9,068 | 11,884 | 9,467 | 2.38 | 2.28 | 2.01 |
| Major or Extreme SOI | 3 | 20,265 | 17,050 | 14,930 | 3.33 | 2.96 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 238 | 43,926 | 41,622 | 37,842 | 3.23 | 2.72 | 2.92 |
| Major or Extreme SOI | 14 | 49,371 | 53,754 | 48,873 | 4.14 | 4.03 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 28 | 27,591 | 28,374 | 27,280 | 2.62 | 2.53 | 2.61 |
| Major or Extreme SOI | 5 | 52,547 | 44,750 | 45,932 | 4.00 | 4.88 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 2 | 24,126 | 16,011 | 11,741 | 4.50 | 4.00 | 2.96 |
| Major or Extreme SOI | 1 | 26,757 | 23,784 | 22,625 | 4.00 | 4.73 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 114
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 96 | 15,030 | 16,037 | 15,305 | 1.57 | 1.69 | 1.62 |
| Major or Extreme SOI | . | . | 28,787 | 36,837 | . | 4.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 173 | 14,247 | 13,426 | 11,641 | 3.06 | 3.18 | 3.21 |
| Major or Extreme SOI | 3 | 18,237 | 19,640 | 21,704 | 4.00 | 4.78 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 615 | 8,238 | 7,400 | 6,731 | 1.87 | 1.85 | 1.79 |
| Major or Extreme SOI | 8 | 15,658 | 10,920 | 10,767 | 2.75 | 2.43 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 8 | 12,125 | 10,038 | 9,583 | 2.00 | 1.94 | 1.93 |
| Major or Extreme SOI | . | . | 74,138 | 21,300 | . | 5.50 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 109 | 9,413 | 11,999 | 11,599 | 3.85 | 5.16 | 5.19 |
| Major or Extreme SOI | 2 | 15,987 | 24,492 | 22,695 | 5.50 | 8.75 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 730 | 2,812 | 2,351 | 2,536 | 1.91 | 1.92 | 1.89 |
| Major or Extreme SOI | 7 | 9,923 | 8,368 | 8,321 | 3.43 | 3.42 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 57 | 11,063 | 9,807 | 10,069 | 3.45 | 3.12 | 2.88 |
| Major or Extreme SOI | 2 | 26,706 | 21,309 | 19,849 | 5.00 | 4.26 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | 22,764 | 16,988 | . | 2.00 | 1.89 |
| Major or Extreme SOI | . | . | 53,772 | 42,605 | . | 4.22 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 31 | 22,613 | 23,018 | 18,944 | 2.07 | 2.12 | 2.08 |
| Major or Extreme SOI | 13 | 50,075 | 40,422 | 34,924 | 5.67 | 4.92 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 9 | 17,833 | 15,031 | 13,298 | 2.63 | 2.20 | 2.15 |
| Major or Extreme SOI | 10 | 20,211 | 24,958 | 24,096 | 2.75 | 3.29 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 2 | 5,824 | 14,735 | 13,147 | 1.00 | 2.08 | 2.10 |
| Major or Extreme SOI | 4 | 22,933 | 29,343 | 23,048 | 2.75 | 3.79 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 10 | 12,891 | 13,711 | 12,049 | 1.80 | 2.40 | 2.47 |
| Major or Extreme SOI | 7 | 41,554 | 25,119 | 21,886 | 5.43 | 3.82 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 12 | 14,298 | 13,187 | 11,171 | 2.50 | 2.27 | 2.13 |
| Major or Extreme SOI | 5 | 19,200 | 22,002 | 21,005 | 2.20 | 3.24 | 3.64 |
| All other APRDRGs | 1,554 | 23,424 | 28,652 | 30,661 | 3.24 | 4.42 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Utah
 AFFILIATION: Mountainstar Healthcare BED SIZE: 114

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 2,665 | 65.0 | 62.7 | 61.8 |
| Male | 1,437 | 35.0 | 37.3 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 831 | 20.3 | 19.9 | 20.2 |
| 29-365 days | 45 | 1.1 | 0.5 | 0.9 |
| 1-4 years | 60 | 1.5 | 0.5 | 0.7 |
| 5-9 | 19 | 0.5 | 0.2 | 0.4 |
| 10-14 | 24 | 0.6 | 0.1 | 0.4 |
| 15-17 | 27 | 0.7 | 0.5 | 0.8 |
| 18-19 | 75 | 1.8 | 1.7 | 1.5 |
| 20-24 | 304 | 7.4 | 7.6 | 6.9 |
| 25-29 | 353 | 8.6 | 10.3 | 9.6 |
| 30-34 | 331 | 8.1 | 9.2 | 8.4 |
| 35-39 | 193 | 4.7 | 5.6 | 4.9 |
| 40-44 | 110 | 2.7 | 4.0 | 3.4 |
| 45-49 | 131 | 3.2 | 3.8 | 3.5 |
| 50-54 | 164 | 4.0 | 5.0 | 4.5 |
| 55-59 | 178 | 4.3 | 5.1 | 5.0 |
| 60-64 | 164 | 4.0 | 4.7 | 5.1 |
| 65-69 | 240 | 5.9 | 4.9 | 5.6 |
| 70-74 | 212 | 5.2 | 4.3 | 5.1 |
| 75-79 | 216 | 5.3 | 4.1 | 4.7 |
| 80-84 | 206 | 5.0 | 3.6 | 4.1 |
| 85-89 | 149 | 3.6 | 2.8 | 2.9 |
| 90 + | 70 | 1.7 | 1.5 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,797 | 43.8 | 26.0 | 14.1 |
| Urgent | 1,132 | 27.6 | 25.8 | 39.7 |
| Elective | 339 | 8.3 | 28.0 | 25.3 |
| Newborn | 816 | 19.9 | 19.9 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 18 | 0.4 | 0.4 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 2,176 | 53.0 | 58.2 | 49.6 |
| Clinic referral | 1,061 | 25.9 | 16.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 3 | 0.1 | 3.2 | 4.4 |
| Skilled nursing facility | 10 | 0.2 | 0.3 | 0.5 |
| Other health care facility | 12 | 0.3 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | . | . | 0.7 | 0.3 |
| Normal delivery/Born Inside | 813 | 19.8 | 19.6 | 20.1 |
| Premature delivery | . | . | 0.3 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Utah
 AFFILIATION: Mountainstar Healthcare BED SIZE: 114

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 9 | 0.2 | 0.4 | 0.6 |
| Not reported | 18 | 0.4 | 0.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 3,145 | 76.7 | 66.3 | 55.1 |
| Another hospital | 44 | 1.1 | 0.8 | 0.8 |
| Skilled nursing facility | 384 | 9.4 | 7.0 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 157 | 3.8 | 1.7 | 2.6 |
| Under care of home service | 311 | 7.6 | 6.9 | 5.7 |
| Left against medical advice | 21 | 0.5 | 0.6 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 37 | 0.9 | 1.1 | 1.1 |
| Not reported | 3 | 0.1 | 15.5 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,265 | 30.8 | 24.7 | 26.7 |
| Medicaid | 854 | 20.8 | 18.5 | 18.6 |
| Other government | 84 | 2.0 | 3.5 | 2.4 |
| Blue Cross/Blue Shield | 468 | 11.4 | 11.5 | 10.3 |
| Other commercial | 321 | 7.8 | 6.5 | 5.5 |
| Managed care | 960 | 23.4 | 29.1 | 30.9 |
| Self pay | 120 | 2.9 | 4.5 | 3.7 |
| Industrial/Worker's Comp | 10 | 0.2 | 0.2 | 0.5 |
| Charity | 20 | 0.5 | 1.4 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 2.4 | 5.4 |
| Central Utah | 374 | 9.1 | 1.1 | 2.9 |
| Davis County | 6 | 0.1 | 33.1 | 9.8 |
| Salt Lake County | 40 | 1.0 | 29.4 | 34.1 |
| Southeastern Utah | 141 | 3.4 | 0.5 | 1.8 |
| Southwest Utah | 7 | 0.2 | 0.3 | 8.0 |
| Summit County | . | . | 0.6 | 0.9 |
| Tooele County | 2 | 0.0 | 1.2 | 2.2 |
| Tri-County | 10 | 0.2 | 0.2 | 1.7 |
| Utah County | 3,477 | 84.8 | 9.7 | 17.8 |
| Wasatch County | 4 | 0.1 | 0.2 | 0.6 |
| Weber/Morgan | 4 | 0.1 | 18.4 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 36 | 0.9 | 2.8 | 5.2 |
| Unknown | . | . | 0.2 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

MOUNTAIN WEST MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Tooele
 OWNERSHIP: Investor-owned

BED SIZE: 44
 AFFILIATION: Community Health Sys.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,787 | 100.0 | 100.0 | 100.0 | 41,588,726 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 501 | 18.0 | 18.5 | 20.1 | 1,368,931 | 3.3 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 532 | 19.1 | 19.5 | 20.9 | 4,259,331 | 10.2 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 63 | 2.3 | 4.8 | 2.3 | 474,231 | 1.1 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 34 | 1.2 | 0.6 | 0.4 | 705,330 | 1.7 | 1.1 | 0.6 |
| Other Medical | 1,176 | 42.2 | 45.7 | 29.4 | 19,286,330 | 46.4 | 49.3 | 27.2 |
| Other Surgical | 469 | 16.8 | 10.1 | 22.0 | 15,374,166 | 37.0 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 2 | 0.1 | 0.3 | 3.9 | 26,968 | 0.1 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | 10 | 0.4 | 0.1 | 1.0 | 93,439 | 0.2 | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 48 | 1.7 | 2.6 | 4.1 | 688,429 | 1.7 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 18 | 0.6 | 1.0 | 0.6 | 199,199 | 0.5 | 0.7 | 0.5 |
| 4 Respiratory System | 318 | 11.4 | 13.7 | 6.4 | 5,657,000 | 13.6 | 15.4 | 6.8 |
| 5 Circulatory System | 191 | 6.9 | 6.0 | 7.5 | 3,590,292 | 8.6 | 6.7 | 15.5 |
| 6 Digestive System | 312 | 11.2 | 9.1 | 6.4 | 6,288,459 | 15.1 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 120 | 4.3 | 3.5 | 2.3 | 2,683,087 | 6.5 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 185 | 6.6 | 6.5 | 10.0 | 6,811,203 | 16.4 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 51 | 1.8 | 2.3 | 1.1 | 789,589 | 1.9 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 83 | 3.0 | 3.7 | 2.4 | 1,472,240 | 3.5 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 125 | 4.5 | 3.7 | 2.8 | 1,856,970 | 4.5 | 4.0 | 3.0 |
| 12 Male Reproductive System | 1 | 0.0 | 0.1 | 0.3 | 22,691 | 0.1 | 0.1 | 0.3 |
| 13 Female Reproductive System | 99 | 3.6 | 2.2 | 1.7 | 2,282,880 | 5.5 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 532 | 19.1 | 19.5 | 20.9 | 4,259,331 | 10.2 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 502 | 18.0 | 18.7 | 20.4 | 1,368,838 | 3.3 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 20 | 0.7 | 0.8 | 0.5 | 439,294 | 1.1 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 66 | 2.4 | 2.0 | 3.7 | 1,624,779 | 3.9 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 2 | 0.1 | 0.3 | 3.9 | 26,968 | 0.1 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 8 | 0.3 | 0.5 | 1.0 | 106,234 | 0.3 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 83 | 3.0 | 1.7 | 1.8 | 1,183,380 | 2.8 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 20 | 0.7 | 1.4 | 1.3 | 203,372 | 0.5 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.0 | 0.0 | 0.3 | 22,481 | 0.1 | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.0 | 7,839 | 0.0 | 0.0 | 0.1 |
| Unknown | 1 | 0.0 | 0.5 | 0.1 | 4,171 | 0.0 | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN WEST MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.6358

COUNTY: Tooele
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.73

BED SIZE: 44
 AFFILIATION: Community Health Sys.
 % LOS OUTLIER=1.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 2,787 | 41,588,655 | 114,581,002 | 5,319,068,336 | 6,491.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 41,588,726 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 14,922 | 10,066 | 21,172 | 2.33 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 22,636 | 16,258 | 20,004 | 3.59 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 20 | 13,868 | 10,331 | 21,721 | 2.10 | 2.58 | 3.12 |
| 075 Major chest procedures | 1 | 100,186 | 100,186 | 59,734 | 12.00 | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 76 | 16,598 | 11,079 | 16,240 | 3.00 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 16 | 8,989 | 6,181 | 8,064 | 2.00 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 22 | 6,843 | 5,668 | 7,590 | 1.45 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 2 | 47,972 | 47,972 | 39,075 | 4.00 | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 13 | 27,987 | 20,366 | 24,880 | 2.67 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 5 | 28,550 | 24,819 | 18,844 | 1.00 | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 4 | 24,645 | 24,645 | 26,849 | 1.25 | 1.25 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | 5 | 31,067 | 31,067 | 19,275 | 1.20 | 1.20 | 1.78 |
| 127 Heart failure & shock | 51 | 19,783 | 11,796 | 18,033 | 3.44 | 3.25 | 3.64 |
| 140 Angina pectoris | 4 | 15,295 | 11,358 | 11,228 | 1.25 | 1.25 | 1.30 |
| 143 Chest pain | 26 | 11,875 | 6,720 | 10,491 | 1.08 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 7 | 99,053 | 64,713 | 59,626 | 11.00 | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 1 | 87,794 | 50,502 | 77,655 | 13.00 | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 50 | 18,295 | 16,048 | 13,530 | 1.04 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 24 | 17,841 | 12,515 | 18,170 | 3.04 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 62 | 12,420 | 8,553 | 14,049 | 2.05 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 29 | 11,417 | 7,663 | 11,229 | 1.69 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 3 | 64,772 | 37,140 | 37,751 | 7.33 | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 3 | 50,907 | 47,035 | 23,411 | 4.67 | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 93 | 45,431 | 38,866 | 39,044 | 3.11 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN WEST MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.6358

COUNTY: Tooele
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.73

BED SIZE: 44
 AFFILIATION: Community Health Sys.
 % LOS OUTLIER=1.00

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 12 | 40,691 | 29,094 | 40,371 | 4.75 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 10 | 31,481 | 27,489 | 27,138 | 2.50 | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 12 | 12,093 | 8,608 | 13,720 | 2.18 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 9 | 29,930 | 19,017 | 19,434 | 2.67 | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 73 | 22,309 | 16,939 | 14,898 | 1.27 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 20 | 14,970 | 12,139 | 14,657 | 3.10 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 121 | 13,441 | 11,034 | 11,759 | 2.64 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 45 | 6,840 | 6,345 | 8,392 | 1.82 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 296 | 5,211 | 5,099 | 6,661 | 1.66 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 12 | 10,675 | 8,822 | 10,362 | 1.92 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 20 | 6,930 | 6,503 | 10,990 | 1.85 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 25 | 3,214 | 2,610 | 19,166 | 1.04 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 3 | 3,606 | 3,831 | 15,544 | 1.33 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 103 | 3,123 | 2,658 | 3,854 | 1.94 | 1.92 | 2.27 |
| 391 Normal newborn | 368 | 2,521 | 2,122 | 2,436 | 1.66 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 2 | 25,596 | 25,596 | 72,347 | 3.00 | 3.00 | 9.12 |
| 430 Psychoses | 1 | 17,017 | 5,041 | 14,101 | 4.00 | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 2 | 6,782 | 7,298 | 13,612 | 2.00 | 2.44 | 3.30 |
| 462 Rehabilitation | 10 | 9,344 | 10,919 | 40,385 | 5.60 | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 2 | 21,818 | 17,885 | 55,889 | 2.50 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | 1 | 4,171 | 7,368 | 12,546 | 3.00 | 2.52 | 3.65 |
| All Other DRGs | 1,123 | 17,677 | 11,484 | 26,338 | 2.57 | 2.66 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN WEST MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Tooele
 OWNERSHIP: Investor-owned

BED SIZE: 44
 AFFILIATION: Community Health Sys.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 16 | 14,540 | 11,029 | 17,504 | 2.14 | 2.61 | 2.39 |
| Major or Extreme SOI | 4 | 11,178 | 10,115 | 30,421 | 2.50 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 78 | 13,071 | 8,601 | 10,931 | 2.47 | 2.69 | 2.55 |
| Major or Extreme SOI | 30 | 22,349 | 15,114 | 20,864 | 3.62 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 26 | 10,642 | 6,962 | 8,532 | 2.55 | 2.09 | 1.99 |
| Major or Extreme SOI | 4 | 20,059 | 16,961 | 15,810 | 2.00 | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 12 | 24,344 | 20,684 | 17,963 | 1.75 | 1.83 | 2.03 |
| Major or Extreme SOI | 5 | 35,893 | 21,367 | 28,897 | 3.80 | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 9 | 27,856 | 27,856 | 17,867 | 1.33 | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 35 | 17,803 | 10,681 | 13,972 | 3.29 | 3.16 | 2.96 |
| Major or Extreme SOI | 16 | 24,402 | 14,304 | 22,844 | 3.93 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 25 | 13,636 | 8,759 | 10,477 | 1.74 | 1.91 | 1.84 |
| Major or Extreme SOI | 10 | 19,658 | 12,787 | 17,274 | 2.10 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 10 | 47,131 | 37,933 | 33,294 | 6.30 | 6.03 | 4.80 |
| Major or Extreme SOI | 4 | 136,475 | 95,500 | 78,140 | 13.75 | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 75 | 21,337 | 19,168 | 17,034 | 1.75 | 1.92 | 2.08 |
| Major or Extreme SOI | 1 | 63,576 | 31,438 | 36,530 | 8.00 | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 38 | 9,994 | 7,294 | 9,467 | 1.70 | 2.04 | 2.01 |
| Major or Extreme SOI | 12 | 13,849 | 10,963 | 14,930 | 2.42 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 82 | 44,892 | 39,599 | 37,842 | 3.06 | 3.14 | 2.92 |
| Major or Extreme SOI | 2 | 48,809 | 45,999 | 48,873 | 4.50 | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 15 | 34,327 | 25,814 | 27,280 | 2.87 | 2.95 | 2.61 |
| Major or Extreme SOI | 2 | 40,615 | 30,874 | 45,932 | 2.50 | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN WEST MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Tooele
 OWNERSHIP: Investor-owned

BED SIZE: 44
 AFFILIATION: Community Health Sys.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 71 | 22,511 | 16,877 | 15,305 | 1.30 | 1.44 | 1.62 |
| Major or Extreme SOI | 2 | 47,641 | 27,255 | 36,837 | 6.00 | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 138 | 13,751 | 11,227 | 11,641 | 2.71 | 2.61 | 3.21 |
| Major or Extreme SOI | 3 | 9,601 | 14,509 | 21,704 | 3.00 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 333 | 5,330 | 5,201 | 6,731 | 1.67 | 1.60 | 1.79 |
| Major or Extreme SOI | 8 | 9,539 | 7,295 | 10,767 | 2.25 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 11 | 10,489 | 8,634 | 9,583 | 1.73 | 1.77 | 1.93 |
| Major or Extreme SOI | 1 | 12,719 | 14,069 | 21,300 | 4.00 | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 465 | 2,655 | 2,218 | 2,536 | 1.73 | 1.73 | 1.89 |
| Major or Extreme SOI | . | . | 3,691 | 8,321 | . | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 4 | 8,550 | 5,962 | 10,069 | 1.33 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 55 | 24,234 | 20,365 | 18,944 | 1.82 | 2.00 | 2.08 |
| Major or Extreme SOI | 4 | 42,444 | 27,838 | 34,924 | 5.75 | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 8 | 10,973 | 9,511 | 13,298 | 1.38 | 2.24 | 2.15 |
| Major or Extreme SOI | 5 | 24,542 | 16,416 | 24,096 | 4.60 | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 7,121 | 5,514 | 13,147 | 2.00 | 1.33 | 2.10 |
| Major or Extreme SOI | 2 | 21,023 | 21,023 | 23,048 | 2.00 | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 15 | 12,207 | 8,734 | 12,049 | 2.20 | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 21 | 11,122 | 7,708 | 11,171 | 1.53 | 1.83 | 2.13 |
| Major or Extreme SOI | 2 | 13,277 | 11,198 | 21,005 | 2.50 | 2.14 | 3.64 |
| All other APRDRGs | 1,127 | 16,826 | 10,802 | 30,661 | 2.68 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MOUNTAIN WEST MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Community Health Sys.

COUNTY: Tooele
 BED SIZE: 44

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,830 | 65.7 | 64.5 | 61.8 |
| Male | 954 | 34.2 | 35.4 | 38.2 |
| Unknown | 3 | 0.1 | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 503 | 18.0 | 18.7 | 20.2 |
| 29-365 days | 8 | 0.3 | 1.1 | 0.9 |
| 1-4 years | 25 | 0.9 | 1.8 | 0.7 |
| 5-9 | 21 | 0.8 | 0.9 | 0.4 |
| 10-14 | 15 | 0.5 | 0.6 | 0.4 |
| 15-17 | 40 | 1.4 | 1.1 | 0.8 |
| 18-19 | 46 | 1.7 | 1.8 | 1.5 |
| 20-24 | 211 | 7.6 | 7.2 | 6.9 |
| 25-29 | 252 | 9.0 | 8.3 | 9.6 |
| 30-34 | 229 | 8.2 | 6.6 | 8.4 |
| 35-39 | 143 | 5.1 | 3.9 | 4.9 |
| 40-44 | 119 | 4.3 | 2.8 | 3.4 |
| 45-49 | 131 | 4.7 | 3.3 | 3.5 |
| 50-54 | 113 | 4.1 | 3.7 | 4.5 |
| 55-59 | 127 | 4.6 | 4.0 | 5.0 |
| 60-64 | 143 | 5.1 | 4.7 | 5.1 |
| 65-69 | 141 | 5.1 | 5.7 | 5.6 |
| 70-74 | 135 | 4.8 | 5.5 | 5.1 |
| 75-79 | 119 | 4.3 | 5.9 | 4.7 |
| 80-84 | 130 | 4.7 | 5.9 | 4.1 |
| 85-89 | 79 | 2.8 | 4.0 | 2.9 |
| 90 + | 57 | 2.0 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,408 | 50.5 | 27.0 | 14.1 |
| Urgent | 39 | 1.4 | 24.8 | 39.7 |
| Elective | 838 | 30.1 | 28.3 | 25.3 |
| Newborn | 502 | 18.0 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,405 | 50.4 | 56.4 | 49.6 |
| Clinic referral | 856 | 30.7 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 19 | 0.7 | 0.5 | 4.4 |
| Skilled nursing facility | 4 | 0.1 | 0.2 | 0.5 |
| Other health care facility | 1 | 0.0 | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 499 | 17.9 | 18.7 | 20.1 |
| Premature delivery | 2 | 0.1 | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

MOUNTAIN WEST MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Community Health Sys.

COUNTY: Tooele
 BED SIZE: 44

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.0 | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,191 | 78.6 | 67.8 | 55.1 |
| Another hospital | 99 | 3.6 | 3.9 | 0.8 |
| Skilled nursing facility | 141 | 5.1 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 72 | 2.6 | 3.6 | 2.6 |
| Under care of home service | 246 | 8.8 | 4.0 | 5.7 |
| Left against medical advice | 18 | 0.6 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 18 | 0.6 | 0.8 | 1.1 |
| Not reported | 2 | 0.1 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 737 | 26.4 | 31.3 | 26.7 |
| Medicaid | 613 | 22.0 | 21.7 | 18.6 |
| Other government | 66 | 2.4 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 386 | 13.9 | 10.5 | 10.3 |
| Other commercial | 167 | 6.0 | 7.0 | 5.5 |
| Managed care | 666 | 23.9 | 20.9 | 30.9 |
| Self pay | 141 | 5.1 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 11 | 0.4 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 4 | 0.1 | 4.7 | 5.4 |
| Central Utah | 4 | 0.1 | 34.6 | 2.9 |
| Davis County | 7 | 0.3 | 0.2 | 9.8 |
| Salt Lake County | 49 | 1.8 | 0.9 | 34.1 |
| Southeastern Utah | 1 | 0.0 | 9.0 | 1.8 |
| Southwest Utah | 4 | 0.1 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | 2,595 | 93.1 | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | 4 | 0.1 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | 6 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 112 | 4.0 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Weber
 OWNERSHIP: Investor-owned

BED SIZE: 232
 AFFILIATION: Mountainstar Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 9,671 | 100.0 | 100.0 | 100.0 | 220,962,403 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 2,446 | 25.3 | 19.9 | 20.1 | 13,875,162 | 6.3 | 4.6 | 7.7 |
| Obstetric (MDC 14) | 2,529 | 26.2 | 20.6 | 20.9 | 25,503,111 | 11.5 | 9.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 193 | 2.0 | 1.3 | 2.3 | 2,265,352 | 1.0 | 0.6 | 1.5 |
| Pediatric Surgical (Age 0-17) | 16 | 0.2 | 0.2 | 0.4 | 871,491 | 0.4 | 0.2 | 0.6 |
| Other Medical | 2,903 | 30.0 | 29.4 | 29.4 | 61,039,177 | 27.6 | 32.5 | 27.2 |
| Other Surgical | 1,569 | 16.2 | 18.9 | 22.0 | 117,277,419 | 53.1 | 45.7 | 49.8 |
| Psychiatric (MDC 19) | 6 | 0.1 | 9.5 | 3.9 | 81,228 | 0.0 | 6.7 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.2 | 2.0 |
| Unknown (DRG 469-470) | 9 | 0.1 | 0.1 | 0.0 | 49,463 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 292 | 3.0 | 2.2 | 4.1 | 9,474,583 | 4.3 | 3.0 | 6.0 |
| 2 Eye | 5 | 0.1 | 0.0 | 0.1 | 123,494 | 0.1 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 47 | 0.5 | 0.4 | 0.6 | 1,131,383 | 0.5 | 0.4 | 0.5 |
| 4 Respiratory System | 635 | 6.6 | 6.2 | 6.4 | 18,843,581 | 8.5 | 7.6 | 6.8 |
| 5 Circulatory System | 621 | 6.4 | 4.8 | 7.5 | 45,071,622 | 20.4 | 11.0 | 15.5 |
| 6 Digestive System | 464 | 4.8 | 5.8 | 6.4 | 17,733,988 | 8.0 | 8.2 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 173 | 1.8 | 2.0 | 2.3 | 6,508,530 | 2.9 | 2.8 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 753 | 7.8 | 9.8 | 10.0 | 41,082,501 | 18.6 | 21.2 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 119 | 1.2 | 0.9 | 1.1 | 3,205,616 | 1.5 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 190 | 2.0 | 2.3 | 2.4 | 4,308,884 | 2.0 | 2.2 | 2.1 |
| 11 Kidney & Urinary Tract | 275 | 2.8 | 2.4 | 2.8 | 7,620,035 | 3.4 | 2.7 | 3.0 |
| 12 Male Reproductive System | 27 | 0.3 | 0.3 | 0.3 | 893,490 | 0.4 | 0.3 | 0.3 |
| 13 Female Reproductive System | 74 | 0.8 | 1.7 | 1.7 | 1,733,259 | 0.8 | 1.5 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 2,529 | 26.2 | 20.6 | 20.9 | 25,503,111 | 11.5 | 9.3 | 8.6 |
| 15 Newborn & Other Neonates | 2,461 | 25.4 | 20.0 | 20.4 | 14,226,551 | 6.4 | 4.8 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 49 | 0.5 | 0.6 | 0.5 | 1,411,638 | 0.6 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 17 | 0.2 | 0.9 | 0.3 | 662,003 | 0.3 | 4.7 | 1.0 |
| 18 Infectious and Parasitic Diseases | 202 | 2.1 | 3.3 | 3.7 | 9,819,457 | 4.4 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 6 | 0.1 | 9.5 | 3.9 | 81,228 | 0.0 | 6.7 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 537 | 5.6 | 4.0 | 1.0 | 5,028,635 | 2.3 | 2.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 128 | 1.3 | 1.7 | 1.8 | 3,120,179 | 1.4 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 29 | 0.3 | 0.4 | 1.3 | 562,297 | 0.3 | 0.5 | 2.3 |
| 24 Multiple Significant Trauma | 28 | 0.3 | 0.1 | 0.3 | 2,765,291 | 1.3 | 0.4 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.1 | 0.1 |
| Unknown | 10 | 0.1 | 0.1 | 0.1 | 51,047 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.8269

COUNTY: Weber
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.90

BED SIZE: 232
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.62

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | | |
|--|---------------------------------|-------------|-------------|----------------------|----------|------------|------------|------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 9,671 | 220,962,425 | 864,967,561 | 5,319,068,336 | 29996.00 | 145,585.00 | 881,886.00 | | | |
| Facility Charges (total) | . | 220,962,403 | 863,495,261 | 5,296,755,067 | . | . | . | | | |
| Facility Charges & LOS (average) | . | 22,848 | 20,466 | 21,172 | 3.10 | 3.45 | 3.53 | | | |
| Facility Charges & LOS (adjusted average)* | . | 24,324 | 21,795 | 20,004 | 3.59 | 3.84 | 3.53 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | | |
| 001 Craniotomy age >17 with CC | 5 | 99,737 | 69,647 | 62,383 | 8.00 | 5.40 | 6.29 | | | |
| 003 Craniotomy age 0-17 | 1 | 66,260 | 66,260 | 70,042 | 4.00 | 4.00 | 6.13 | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 80 | 22,627 | 21,362 | 21,721 | 2.76 | 2.73 | 3.12 | | | |
| 075 Major chest procedures | 44 | 89,668 | 85,848 | 59,734 | 5.82 | 6.26 | 7.19 | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 127 | 18,772 | 19,129 | 16,240 | 2.94 | 3.35 | 3.26 | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | 21 | 9,072 | 7,873 | 8,064 | 1.90 | 2.24 | 2.31 | | | |
| 098 Bronchitis & asthma Age 0-17 | 68 | 10,018 | 7,883 | 7,590 | 2.43 | 2.28 | 2.06 | | | |
| 104 Cardiac valve/cardi thor w card cath | 12 | 259,392 | 235,441 | 131,342 | 10.50 | 9.77 | 9.28 | | | |
| 105 Cardiac valve/cardi thor w/o card cath | 22 | 189,442 | 189,442 | 117,359 | 7.55 | 7.55 | 7.94 | | | |
| 547 Coronary bypass with card cath w/ MCV | 25 | 192,391 | 192,391 | 114,735 | 7.64 | 7.64 | 9.60 | | | |
| 549 Coronary bypass w/o card cath w/ MCV | 4 | 126,829 | 126,829 | 103,627 | 5.25 | 5.25 | 8.21 | | | |
| 108 Other cardiothoracic procedures | 9 | 144,509 | 144,509 | 92,602 | 5.44 | 5.44 | 7.28 | | | |
| 110 Major cardiovascular procedures w cc | 23 | 113,417 | 102,680 | 87,590 | 4.09 | 4.95 | 6.14 | | | |
| 555 Perc. cardiovascular procedures w MCV | 21 | 68,338 | 61,903 | 48,932 | 3.57 | 3.05 | 3.08 | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | 11 | 55,303 | 49,297 | 39,075 | 2.33 | 2.64 | 2.30 | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 19 | 31,931 | 28,182 | 24,880 | 4.00 | 3.55 | 3.56 | | | |
| 122 Circ disrd w AMI w/o comp disch alive | 10 | 25,423 | 23,851 | 18,844 | 2.78 | 1.82 | 1.96 | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | 29 | 26,955 | 30,768 | 26,849 | 2.45 | 2.88 | 3.44 | | | |
| 125 Circ disrd exc AMI w card cath w/o cx | 18 | 25,967 | 27,265 | 19,275 | 1.83 | 1.89 | 1.78 | | | |
| 127 Heart failure & shock | 82 | 18,030 | 19,404 | 18,033 | 3.55 | 3.72 | 3.64 | | | |
| 140 Angina pectoris | 7 | 13,625 | 14,167 | 11,228 | 1.29 | 1.25 | 1.30 | | | |
| 143 Chest pain | 40 | 15,058 | 14,232 | 10,491 | 1.28 | 1.26 | 1.33 | | | |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 21 | 119,531 | 67,129 | 59,626 | 11.55 | 9.10 | 9.04 | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 4 | 87,484 | 58,365 | 77,655 | 10.00 | 6.54 | 9.70 | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 3 | 27,853 | 14,305 | 13,530 | 1.67 | 1.10 | 1.11 | | | |
| 174 G.I. hemorrhage w cc | 78 | 20,392 | 19,831 | 18,170 | 2.57 | 2.68 | 2.81 | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 75 | 17,198 | 16,553 | 14,049 | 2.58 | 2.75 | 2.61 | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 25 | 15,033 | 13,315 | 11,229 | 2.44 | 2.18 | 2.10 | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | 3 | 40,024 | 45,504 | 37,751 | 4.33 | 5.65 | 5.36 | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 2 | 40,833 | 27,497 | 23,411 | 4.00 | 3.14 | 3.09 | | | |
| 544 Mjr jnt replace/reattach, low extrem | 258 | 55,095 | 43,624 | 39,044 | 3.04 | 2.72 | 2.99 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDBB CASE MIX INDEX = 0.8269

COUNTY: Weber
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.90

BED SIZE: 232
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.62

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 22 | 55,019 | 42,871 | 40,371 | 3.77 | 4.36 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 28 | 34,339 | 30,303 | 27,138 | 2.07 | 2.35 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 65 | 19,097 | 16,753 | 13,720 | 2.72 | 2.89 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 11 | 25,122 | 19,378 | 19,434 | 2.10 | 2.26 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 44 | 20,327 | 15,419 | 14,898 | 1.70 | 1.67 | 1.57 |
| 370 Cesarean section with cc | 70 | 20,232 | 14,472 | 14,657 | 4.03 | 3.56 | 3.87 |
| 371 Cesarean section without cc | 548 | 16,819 | 13,523 | 11,759 | 3.13 | 3.18 | 3.24 |
| 372 Vaginal delivery w complicating diag | 120 | 9,237 | 8,795 | 8,392 | 2.39 | 2.10 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,662 | 7,279 | 7,344 | 6,661 | 1.89 | 1.84 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 13 | 11,320 | 12,268 | 10,362 | 2.00 | 2.05 | 2.01 |
| 383 Other antepartum diag w med complic | 45 | 10,638 | 10,706 | 10,990 | 2.49 | 2.78 | 2.71 |
| 385 Neonates died/transf to acute care fac | 4 | 101,420 | 11,241 | 19,166 | 18.75 | 2.39 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 94 | 61,178 | 53,220 | 101,092 | 15.30 | 17.11 | 26.08 |
| 387 Prematurity w major problems | 14 | 33,965 | 29,523 | 48,843 | 10.50 | 11.18 | 15.14 |
| 389 Full term neonate w major problems | 46 | 14,161 | 11,553 | 15,544 | 4.39 | 4.14 | 4.66 |
| 390 Neonate w other significant problems | 231 | 3,129 | 3,643 | 3,854 | 2.08 | 2.28 | 2.27 |
| 391 Normal newborn | 2,018 | 2,267 | 2,260 | 2,436 | 1.87 | 1.89 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 2 | 37,197 | 39,178 | 23,836 | 4.50 | 6.38 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 14 | 118,106 | 68,012 | 72,347 | 9.38 | 8.18 | 9.12 |
| 430 Psychoses | 5 | 14,322 | 14,160 | 14,101 | 2.20 | 5.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 139 | 9,360 | 13,074 | 13,612 | 3.47 | 3.73 | 3.30 |
| 462 Rehabilitation | . | . | 26,041 | 40,385 | . | 11.45 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 23 | 83,323 | 66,562 | 55,889 | 6.09 | 6.55 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 5 | 118,649 | 107,688 | 108,196 | 13.40 | 12.78 | 12.99 |
| 481 Bone marrow transplant | . | . | 199,765 | 204,971 | . | 26.55 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 11 | 240,101 | 230,662 | 295,955 | 18.40 | 20.71 | 26.00 |
| 486 Other OR proc for mult signif trauma | 17 | 109,414 | 101,893 | 93,495 | 10.24 | 9.68 | 8.69 |
| 499 Back & neck procedures w cc | 14 | 36,010 | 29,428 | 25,581 | 2.57 | 2.67 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 32 | 25,370 | 23,680 | 16,304 | 2.13 | 1.96 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 30,760 | 20,794 | 20,364 | 3.00 | 2.70 | 2.68 |
| 470 Ungroupable | 10 | 5,105 | 9,757 | 12,546 | 2.10 | 3.15 | 3.65 |
| All Other DRGs | 3,215 | 30,041 | 26,200 | 26,338 | 3.51 | 3.57 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Weber
 OWNERSHIP: Investor-owned

BED SIZE: 232
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 47 | 21,143 | 19,117 | 17,504 | 2.50 | 2.41 | 2.39 |
| Major or Extreme SOI | 23 | 25,808 | 27,894 | 30,421 | 3.26 | 3.77 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 75 | 12,773 | 12,829 | 10,931 | 2.38 | 2.57 | 2.55 |
| Major or Extreme SOI | 78 | 22,832 | 24,533 | 20,864 | 3.45 | 4.20 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 20 | 10,537 | 10,411 | 8,532 | 2.00 | 2.15 | 1.99 |
| Major or Extreme SOI | 4 | 21,387 | 17,788 | 15,810 | 4.50 | 3.53 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 36 | 69,377 | 56,162 | 42,983 | 2.06 | 2.04 | 1.54 |
| Major or Extreme SOI | 10 | 65,307 | 77,382 | 68,036 | 2.70 | 3.90 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 13 | 25,068 | 22,794 | 17,963 | 2.36 | 1.94 | 2.03 |
| Major or Extreme SOI | 17 | 32,765 | 31,533 | 28,897 | 4.63 | 3.79 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 26 | 23,940 | 24,472 | 17,867 | 1.80 | 1.61 | 1.54 |
| Major or Extreme SOI | 5 | 31,068 | 31,528 | 25,935 | 2.40 | 2.47 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 40 | 17,012 | 15,059 | 13,972 | 3.03 | 2.82 | 2.96 |
| Major or Extreme SOI | 45 | 19,695 | 23,523 | 22,844 | 4.04 | 4.60 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 31 | 12,454 | 13,852 | 10,477 | 1.93 | 1.82 | 1.84 |
| Major or Extreme SOI | 20 | 19,298 | 19,428 | 17,274 | 2.89 | 3.18 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 52 | 47,168 | 31,873 | 33,294 | 4.80 | 4.40 | 4.80 |
| Major or Extreme SOI | 18 | 135,570 | 81,435 | 78,140 | 12.78 | 10.56 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 22 | 34,703 | 19,766 | 17,034 | 4.21 | 2.52 | 2.08 |
| Major or Extreme SOI | 4 | 65,357 | 48,157 | 36,530 | 6.50 | 5.42 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 44 | 12,619 | 11,884 | 9,467 | 2.14 | 2.28 | 2.01 |
| Major or Extreme SOI | 17 | 17,990 | 17,050 | 14,930 | 2.75 | 2.96 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 181 | 52,593 | 41,622 | 37,842 | 2.98 | 2.72 | 2.92 |
| Major or Extreme SOI | 4 | 70,455 | 53,754 | 48,873 | 4.00 | 4.03 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 52 | 33,034 | 28,374 | 27,280 | 2.18 | 2.53 | 2.61 |
| Major or Extreme SOI | 5 | 57,170 | 44,750 | 45,932 | 4.40 | 4.88 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 22,828 | 16,011 | 11,741 | 7.00 | 4.00 | 2.96 |
| Major or Extreme SOI | 3 | 29,022 | 23,784 | 22,625 | 4.00 | 4.73 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Weber
 OWNERSHIP: Investor-owned

BED SIZE: 232
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 40 | 20,732 | 16,037 | 15,305 | 1.76 | 1.69 | 1.62 |
| Major or Extreme SOI | 1 | 37,841 | 28,787 | 36,837 | 3.00 | 4.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 595 | 16,810 | 13,426 | 11,641 | 3.12 | 3.18 | 3.21 |
| Major or Extreme SOI | 23 | 27,143 | 19,640 | 21,704 | 6.14 | 4.78 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,755 | 7,332 | 7,400 | 6,731 | 1.91 | 1.85 | 1.79 |
| Major or Extreme SOI | 27 | 12,475 | 10,920 | 10,767 | 3.11 | 2.43 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 13 | 11,320 | 10,038 | 9,583 | 2.00 | 1.94 | 1.93 |
| Major or Extreme SOI | . | . | 74,138 | 21,300 | . | 5.50 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 2 | 14,047 | 11,999 | 11,599 | 2.00 | 5.16 | 5.19 |
| Major or Extreme SOI | 1 | 23,140 | 24,492 | 22,695 | 4.00 | 8.75 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 2,216 | 2,288 | 2,351 | 2,536 | 1.88 | 1.92 | 1.89 |
| Major or Extreme SOI | 26 | 9,078 | 8,368 | 8,321 | 4.00 | 3.42 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 181 | 6,645 | 9,807 | 10,069 | 2.57 | 3.12 | 2.88 |
| Major or Extreme SOI | 18 | 16,502 | 21,309 | 19,849 | 3.67 | 4.26 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 39 | 24,278 | 22,764 | 16,988 | 2.08 | 2.00 | 1.89 |
| Major or Extreme SOI | 6 | 60,947 | 53,772 | 42,605 | 4.83 | 4.22 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 41 | 29,382 | 23,018 | 18,944 | 2.34 | 2.12 | 2.08 |
| Major or Extreme SOI | 4 | 57,505 | 40,422 | 34,924 | 6.00 | 4.92 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 13 | 17,612 | 15,031 | 13,298 | 2.08 | 2.20 | 2.15 |
| Major or Extreme SOI | 21 | 23,304 | 24,958 | 24,096 | 2.95 | 3.29 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 4 | 16,353 | 14,735 | 13,147 | 1.50 | 2.08 | 2.10 |
| Major or Extreme SOI | 8 | 37,745 | 29,343 | 23,048 | 4.38 | 3.79 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 26 | 15,728 | 13,711 | 12,049 | 2.60 | 2.40 | 2.47 |
| Major or Extreme SOI | 10 | 17,074 | 25,119 | 21,886 | 2.44 | 3.82 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 15 | 14,086 | 13,187 | 11,171 | 2.00 | 2.27 | 2.13 |
| Major or Extreme SOI | 7 | 24,235 | 22,002 | 21,005 | 3.50 | 3.24 | 3.64 |
| All other APRDRGs | 3,686 | 35,917 | 28,652 | 30,661 | 4.14 | 4.42 | 4.63 |

* Including all general acute care hospitals only. ** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Weber
 AFFILIATION: Mountainstar Healthcare BED SIZE: 232

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 6,102 | 63.1 | 62.7 | 61.8 |
| Male | 3,569 | 36.9 | 37.3 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,448 | 25.3 | 19.9 | 20.2 |
| 29-365 days | 72 | 0.7 | 0.5 | 0.9 |
| 1-4 years | 71 | 0.7 | 0.5 | 0.7 |
| 5-9 | 26 | 0.3 | 0.2 | 0.4 |
| 10-14 | 16 | 0.2 | 0.1 | 0.4 |
| 15-17 | 54 | 0.6 | 0.5 | 0.8 |
| 18-19 | 144 | 1.5 | 1.7 | 1.5 |
| 20-24 | 845 | 8.7 | 7.6 | 6.9 |
| 25-29 | 1,120 | 11.6 | 10.3 | 9.6 |
| 30-34 | 834 | 8.6 | 9.2 | 8.4 |
| 35-39 | 377 | 3.9 | 5.6 | 4.9 |
| 40-44 | 278 | 2.9 | 4.0 | 3.4 |
| 45-49 | 279 | 2.9 | 3.8 | 3.5 |
| 50-54 | 384 | 4.0 | 5.0 | 4.5 |
| 55-59 | 460 | 4.8 | 5.1 | 5.0 |
| 60-64 | 450 | 4.7 | 4.7 | 5.1 |
| 65-69 | 444 | 4.6 | 4.9 | 5.6 |
| 70-74 | 367 | 3.8 | 4.3 | 5.1 |
| 75-79 | 358 | 3.7 | 4.1 | 4.7 |
| 80-84 | 300 | 3.1 | 3.6 | 4.1 |
| 85-89 | 219 | 2.3 | 2.8 | 2.9 |
| 90 + | 125 | 1.3 | 1.5 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 3,488 | 36.1 | 26.0 | 14.1 |
| Urgent | 392 | 4.1 | 25.8 | 39.7 |
| Elective | 3,222 | 33.3 | 28.0 | 25.3 |
| Newborn | 2,447 | 25.3 | 19.9 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 122 | 1.3 | 0.4 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 4,783 | 49.5 | 58.2 | 49.6 |
| Clinic referral | 2,155 | 22.3 | 16.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 105 | 1.1 | 3.2 | 4.4 |
| Skilled nursing facility | 40 | 0.4 | 0.3 | 0.5 |
| Other health care facility | 17 | 0.2 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | . | . | 0.7 | 0.3 |
| Normal delivery/Born Inside | 2,445 | 25.3 | 19.6 | 20.1 |
| Premature delivery | 1 | 0.0 | 0.3 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Weber
 AFFILIATION: Mountainstar Healthcare BED SIZE: 232

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.0 | 0.0 | 0.0 |
| Unknown | 2 | 0.0 | 0.4 | 0.6 |
| Not reported | 122 | 1.3 | 0.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 7,937 | 82.1 | 66.3 | 55.1 |
| Another hospital | 27 | 0.3 | 0.8 | 0.8 |
| Skilled nursing facility | 649 | 6.7 | 7.0 | 5.3 |
| Intermediate care | 1 | 0.0 | 0.1 | 0.1 |
| Another type of institution | 225 | 2.3 | 1.7 | 2.6 |
| Under care of home service | 660 | 6.8 | 6.9 | 5.7 |
| Left against medical advice | 61 | 0.6 | 0.6 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 107 | 1.1 | 1.1 | 1.1 |
| Not reported | 4 | 0.0 | 15.5 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 2,096 | 21.7 | 24.7 | 26.7 |
| Medicaid | 1,733 | 17.9 | 18.5 | 18.6 |
| Other government | 428 | 4.4 | 3.5 | 2.4 |
| Blue Cross/Blue Shield | 2,012 | 20.8 | 11.5 | 10.3 |
| Other commercial | 605 | 6.3 | 6.5 | 5.5 |
| Managed care | 2,375 | 24.6 | 29.1 | 30.9 |
| Self pay | 356 | 3.7 | 4.5 | 3.7 |
| Industrial/Worker's Comp | 32 | 0.3 | 0.2 | 0.5 |
| Charity | 32 | 0.3 | 1.4 | 1.1 |
| Children's Health Insurance Plan | 1 | 0.0 | 0.0 | 0.1 |
| Not reported | 1 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 716 | 7.4 | 2.4 | 5.4 |
| Central Utah | 1 | 0.0 | 1.1 | 2.9 |
| Davis County | 2,381 | 24.6 | 33.1 | 9.8 |
| Salt Lake County | 83 | 0.9 | 29.4 | 34.1 |
| Southeastern Utah | 2 | 0.0 | 0.5 | 1.8 |
| Southwest Utah | 8 | 0.1 | 0.3 | 8.0 |
| Summit County | 34 | 0.4 | 0.6 | 0.9 |
| Tooele County | 11 | 0.1 | 1.2 | 2.2 |
| Tri-County | 9 | 0.1 | 0.2 | 1.7 |
| Utah County | 21 | 0.2 | 9.7 | 17.8 |
| Wasatch County | 3 | 0.0 | 0.2 | 0.6 |
| Weber/Morgan | 6,064 | 62.7 | 18.4 | 9.5 |
| Unknown Utah | 4 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 327 | 3.4 | 2.8 | 5.2 |
| Unknown | 7 | 0.1 | 0.2 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 24
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,438 | 100.0 | 100.0 | 100.0 | 15,035,681 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 1,175 | 48.2 | 31.6 | 20.1 | 4,691,555 | 31.2 | 14.6 | 7.7 |
| Obstetric (MDC 14) | 1,165 | 47.8 | 32.0 | 20.9 | 8,571,435 | 57.0 | 19.3 | 8.6 |
| Pediatric Medical (Age 0-17) | . | . | 3.1 | 2.3 | . | . | 2.1 | 1.5 |
| Pediatric Surgical (Age 0-17) | . | . | 0.2 | 0.4 | . | . | 0.4 | 0.6 |
| Other Medical | 4 | 0.2 | 19.2 | 29.4 | 36,197 | 0.2 | 25.0 | 27.2 |
| Other Surgical | 94 | 3.9 | 13.6 | 22.0 | 1,736,493 | 11.5 | 38.0 | 49.8 |
| Psychiatric (MDC 19) | . | . | 0.1 | 3.9 | . | . | 0.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.6 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 2 | 0.1 | 1.3 | 4.1 | 57,010 | 0.4 | 1.9 | 6.0 |
| 2 Eye | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | . | . | 0.5 | 0.6 | . | . | 0.5 | 0.5 |
| 4 Respiratory System | . | . | 5.3 | 6.4 | . | . | 6.3 | 6.8 |
| 5 Circulatory System | . | . | 2.7 | 7.5 | . | . | 7.4 | 15.5 |
| 6 Digestive System | . | . | 4.9 | 6.4 | . | . | 7.9 | 7.5 |
| 7 Hepatobiliary System & Pancreas | . | . | 1.8 | 2.3 | . | . | 2.9 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 15 | 0.6 | 6.1 | 10.0 | 289,730 | 1.9 | 19.1 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 3 | 0.1 | 0.9 | 1.1 | 51,699 | 0.3 | 1.5 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | . | . | 1.7 | 2.4 | . | . | 1.6 | 2.1 |
| 11 Kidney & Urinary Tract | . | . | 2.1 | 2.8 | . | . | 2.7 | 3.0 |
| 12 Male Reproductive System | . | . | 0.2 | 0.3 | . | . | 0.4 | 0.3 |
| 13 Female Reproductive System | 65 | 2.7 | 3.4 | 1.7 | 1,081,312 | 7.2 | 4.0 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 1,165 | 47.8 | 32.0 | 20.9 | 8,571,435 | 57.0 | 19.3 | 8.6 |
| 15 Newborn & Other Neonates | 1,175 | 48.2 | 31.9 | 20.4 | 4,691,555 | 31.2 | 15.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | . | . | 0.3 | 0.5 | . | . | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.0 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 1 | 0.0 | 2.8 | 3.7 | 10,390 | 0.1 | 5.7 | 6.1 |
| 19 Mental Diseases and Disorders | . | . | 0.1 | 3.9 | . | . | 0.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.1 | 1.0 | . | . | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | 1.4 | 1.8 | . | . | 1.6 | 1.8 |
| 22 Burns | . | . | . | 0.1 | . | . | . | 0.4 |
| 23 Factors Influencing Health Status | 12 | 0.5 | 0.5 | 1.3 | 282,549 | 1.9 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.1 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.1 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDDDB CASE MIX INDEX = 0.3170

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.38

BED SIZE: 24
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.99

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 2,438 | 15,036,307 | 496,073,671 | 5,319,068,336 | 5,308.00 | 103,041.00 | 881,886.00 |
| Facility Charges (total) | . | 15,035,681 | 494,598,429 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 6,167 | 12,997 | 21,172 | 2.18 | 2.71 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 19,301 | 19,388 | 20,004 | 6.64 | 4.32 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | 19,807 | 21,721 | . | 2.69 | 3.12 |
| 075 Major chest procedures | . | . | 74,108 | 59,734 | . | 6.63 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | 16,182 | 16,240 | . | 3.33 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | 7,417 | 8,064 | . | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | . | . | 6,067 | 7,590 | . | 1.79 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 236,644 | 131,342 | . | 9.00 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 137,595 | 117,359 | . | 5.00 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 166,894 | 114,735 | . | 5.67 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 123,100 | 103,627 | . | 6.00 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 62,425 | 87,590 | . | 2.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 70,511 | 48,932 | . | 2.42 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 51,192 | 39,075 | . | 2.50 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch alive | . | . | 25,291 | 24,880 | . | 2.54 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,987 | 18,844 | . | 2.13 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 32,896 | 26,849 | . | 3.00 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 25,660 | 19,275 | . | 1.46 | 1.78 |
| 127 Heart failure & shock | . | . | 17,708 | 18,033 | . | 3.38 | 3.64 |
| 140 Angina pectoris | . | . | 9,017 | 11,228 | . | 1.17 | 1.30 |
| 143 Chest pain | . | . | 9,816 | 10,491 | . | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | . | . | 47,389 | 59,626 | . | 7.32 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 75,675 | 77,655 | . | 8.67 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | 15,441 | 13,530 | . | 1.14 | 1.11 |
| 174 G.I. hemorrhage w cc | . | . | 16,025 | 18,170 | . | 2.64 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | 13,634 | 14,049 | . | 2.59 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | 11,641 | 11,229 | . | 2.28 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,652 | 37,751 | . | 5.29 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,892 | 23,411 | . | 2.75 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 40,696 | 39,044 | . | 3.17 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDBB CASE MIX INDEX = 0.3170

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.38

BED SIZE: 24
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.99

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|--------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 39,471 | 40,371 | . | 4.98 | 4.58 | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,192 | 27,138 | . | 2.11 | 2.34 | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | . | 13,572 | 13,720 | . | 2.60 | 2.71 | . | . |
| 358 Uterine & adnexa prcd nonmalig w cc | 12 | 18,477 | 17,397 | 19,434 | 1.45 | 2.12 | 2.31 | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 48 | 15,937 | 14,215 | 14,898 | 1.48 | 1.51 | 1.57 | . | . |
| 370 Cesarean section with cc | 25 | 12,392 | 12,536 | 14,657 | 3.76 | 3.59 | 3.87 | . | . |
| 371 Cesarean section without cc | 196 | 10,732 | 11,240 | 11,759 | 3.48 | 3.29 | 3.24 | . | . |
| 372 Vaginal delivery w complicating diag | 84 | 7,683 | 7,582 | 8,392 | 1.83 | 2.02 | 2.05 | . | . |
| 373 Vaginal deliv w/o complicating diag | 842 | 6,312 | 6,458 | 6,661 | 1.74 | 1.82 | 1.77 | . | . |
| 374 Vaginal delivery w sterilization/D&C | 11 | 8,498 | 9,039 | 10,362 | 1.82 | 1.89 | 2.01 | . | . |
| 383 Other antepartum diag w med complic | 4 | 7,239 | 10,026 | 10,990 | 1.75 | 2.34 | 2.71 | . | . |
| 385 Neonates died/transf to acute care fac | 20 | 5,099 | 7,828 | 19,166 | 1.53 | 1.79 | 3.49 | . | . |
| 386 Extreme immatur/resp dist synd,neonate | 21 | 12,975 | 60,249 | 101,092 | 5.43 | 16.69 | 26.08 | . | . |
| 387 Prematurity w major problems | 12 | 15,623 | 31,946 | 48,843 | 8.25 | 10.92 | 15.14 | . | . |
| 389 Full term neonate w major problems | 72 | 6,636 | 17,121 | 15,544 | 3.21 | 5.07 | 4.66 | . | . |
| 390 Neonate w other significant problems | 191 | 4,073 | 4,490 | 3,854 | 2.31 | 2.41 | 2.27 | . | . |
| 391 Normal newborn | 841 | 3,020 | 2,716 | 2,436 | 1.84 | 1.90 | 1.83 | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | 23,836 | . | . | 3.47 | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | 71,472 | 72,347 | . | 8.60 | 9.12 | . | . |
| 430 Psychoses | . | . | 11,837 | 14,101 | . | 2.40 | 6.08 | . | . |
| 521 Alc/drug abuse or depnd w cc | . | . | 12,321 | 13,612 | . | 2.14 | 3.30 | . | . |
| 462 Rehabilitation | . | . | 29,391 | 40,385 | . | 10.62 | 12.94 | . | . |
| 468 Extensive OR proc unrelated to p.d. | 2 | 28,505 | 33,895 | 55,889 | 2.00 | 4.09 | 6.47 | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 88,232 | 108,196 | . | 11.50 | 12.99 | . | . |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 251,199 | 295,955 | . | 25.80 | 26.00 | . | . |
| 486 Other OR proc for mult signif trauma | . | . | 52,599 | 93,495 | . | 7.00 | 8.69 | . | . |
| 499 Back & neck procedures w cc | . | . | 29,012 | 25,581 | . | 2.56 | 2.86 | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | 17,769 | 16,304 | . | 1.60 | 1.73 | . | . |
| 502 Knee procedures w/o cc | . | . | 11,466 | 20,364 | . | 1.40 | 2.68 | . | . |
| 470 Ungroupable | . | . | 9,830 | 12,546 | . | 1.67 | 3.65 | . | . |
| All Other DRGs | 57 | 15,943 | 21,293 | 26,338 | 2.37 | 3.02 | 3.44 | . | . |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 24
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 16,873 | 17,504 | . | 2.31 | 2.39 |
| Major or Extreme SOI | . | . | 24,660 | 30,421 | . | 3.60 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | . | . | 10,121 | 10,931 | . | 2.52 | 2.55 |
| Major or Extreme SOI | . | . | 20,552 | 20,864 | . | 4.08 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | 6,721 | 8,532 | . | 1.79 | 1.99 |
| Major or Extreme SOI | . | . | 15,119 | 15,810 | . | 3.85 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 58,092 | 42,983 | . | 1.63 | 1.54 |
| Major or Extreme SOI | . | . | 80,986 | 68,036 | . | 3.85 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,648 | 17,963 | . | 2.15 | 2.03 |
| Major or Extreme SOI | . | . | 31,838 | 28,897 | . | 3.10 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 24,183 | 17,867 | . | 1.29 | 1.54 |
| Major or Extreme SOI | . | . | 43,257 | 25,935 | . | 4.25 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | . | . | 14,732 | 13,972 | . | 2.74 | 2.96 |
| Major or Extreme SOI | . | . | 20,169 | 22,844 | . | 4.04 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 10,524 | 10,477 | . | 1.83 | 1.84 |
| Major or Extreme SOI | . | . | 15,309 | 17,274 | . | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 31,921 | 33,294 | . | 4.51 | 4.80 |
| Major or Extreme SOI | . | . | 65,565 | 78,140 | . | 9.58 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 18,445 | 17,034 | . | 2.09 | 2.08 |
| Major or Extreme SOI | . | . | 39,816 | 36,530 | . | 4.20 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | . | . | 8,204 | 9,467 | . | 1.91 | 2.01 |
| Major or Extreme SOI | . | . | 14,552 | 14,930 | . | 2.86 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 40,121 | 37,842 | . | 3.09 | 2.92 |
| Major or Extreme SOI | . | . | 51,550 | 48,873 | . | 4.27 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 2 | 24,988 | 28,054 | 27,280 | 1.50 | 2.44 | 2.61 |
| Major or Extreme SOI | . | . | 51,684 | 45,932 | . | 5.84 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 6,611 | 11,741 | . | 2.17 | 2.96 |
| Major or Extreme SOI | . | . | 16,017 | 22,625 | . | 2.33 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 24
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 55 | 16,056 | 14,487 | 15,305 | 1.37 | 1.54 | 1.62 |
| Major or Extreme SOI | 1 | 23,465 | 25,951 | 36,837 | 3.00 | 3.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 212 | 10,838 | 11,286 | 11,641 | 3.51 | 3.31 | 3.21 |
| Major or Extreme SOI | 9 | 12,852 | 15,205 | 21,704 | 3.67 | 4.14 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 899 | 6,375 | 6,524 | 6,731 | 1.75 | 1.84 | 1.79 |
| Major or Extreme SOI | 27 | 8,501 | 8,867 | 10,767 | 1.78 | 2.30 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 10 | 8,092 | 9,031 | 9,583 | 1.80 | 1.89 | 1.93 |
| Major or Extreme SOI | 1 | 12,550 | 9,402 | 21,300 | 2.00 | 2.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 7,441 | 11,599 | . | 2.00 | 5.19 |
| Major or Extreme SOI | . | . | 20,374 | 22,695 | . | 3.00 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 1,040 | 3,188 | 2,825 | 2,536 | 1.92 | 1.95 | 1.89 |
| Major or Extreme SOI | 42 | 6,884 | 9,743 | 8,321 | 2.88 | 3.51 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | . | . | 10,786 | 10,069 | . | 2.48 | 2.88 |
| Major or Extreme SOI | . | . | 13,906 | 19,849 | . | 2.00 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | 18,286 | 16,988 | . | 2.02 | 1.89 |
| Major or Extreme SOI | . | . | 32,887 | 42,605 | . | 4.00 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | 19,568 | 18,944 | . | 2.12 | 2.08 |
| Major or Extreme SOI | . | . | 34,521 | 34,924 | . | 4.86 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | 13,114 | 13,298 | . | 2.18 | 2.15 |
| Major or Extreme SOI | . | . | 22,815 | 24,096 | . | 3.80 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 11,099 | 13,147 | . | 1.93 | 2.10 |
| Major or Extreme SOI | . | . | 27,046 | 23,048 | . | 4.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | 11,821 | 12,049 | . | 2.48 | 2.47 |
| Major or Extreme SOI | . | . | 22,411 | 21,886 | . | 3.66 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 10,286 | 11,171 | . | 2.12 | 2.13 |
| Major or Extreme SOI | . | . | 21,043 | 21,005 | . | 3.75 | 3.64 |
| All other APRDRGs | 140 | 12,593 | 22,833 | 30,661 | 3.89 | 3.83 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Utah
 AFFILIATION: Intermountain Healthcare BED SIZE: 24

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,835 | 75.3 | 68.8 | 61.8 |
| Male | 603 | 24.7 | 31.2 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,175 | 48.2 | 31.8 | 20.2 |
| 29-365 days | . | . | 1.0 | 0.9 |
| 1-4 years | . | . | 1.1 | 0.7 |
| 5-9 | . | . | 0.4 | 0.4 |
| 10-14 | . | . | 0.2 | 0.4 |
| 15-17 | 4 | 0.2 | 0.5 | 0.8 |
| 18-19 | 28 | 1.1 | 1.3 | 1.5 |
| 20-24 | 311 | 12.8 | 7.8 | 6.9 |
| 25-29 | 448 | 18.4 | 12.7 | 9.6 |
| 30-34 | 291 | 11.9 | 10.7 | 8.4 |
| 35-39 | 109 | 4.5 | 5.5 | 4.9 |
| 40-44 | 26 | 1.1 | 2.7 | 3.4 |
| 45-49 | 12 | 0.5 | 2.3 | 3.5 |
| 50-54 | 7 | 0.3 | 2.7 | 4.5 |
| 55-59 | 9 | 0.4 | 2.9 | 5.0 |
| 60-64 | 6 | 0.2 | 2.9 | 5.1 |
| 65-69 | 6 | 0.2 | 3.0 | 5.6 |
| 70-74 | 2 | 0.1 | 2.8 | 5.1 |
| 75-79 | 1 | 0.0 | 2.4 | 4.7 |
| 80-84 | 3 | 0.1 | 2.3 | 4.1 |
| 85-89 | . | . | 1.6 | 2.9 |
| 90 + | . | . | 1.1 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 2 | 0.1 | 8.8 | 14.1 |
| Urgent | 793 | 32.5 | 36.1 | 39.7 |
| Elective | 468 | 19.2 | 23.4 | 25.3 |
| Newborn | 1,175 | 48.2 | 31.7 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 681 | 27.9 | 44.3 | 49.6 |
| Clinic referral | 581 | 23.8 | 23.6 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.2 | 4.4 |
| Skilled nursing facility | 1 | 0.0 | 0.1 | 0.5 |
| Other health care facility | . | . | 0.0 | 0.2 |
| Emergency room | . | . | 0.0 | 0.0 |
| Court/law enforcement | . | . | 0.0 | 0.3 |
| Normal delivery/Born Inside | 1,173 | 48.1 | 31.6 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Utah
 AFFILIATION: Intermountain Healthcare BED SIZE: 24

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 2 | 0.1 | 0.1 | 0.0 |
| Unknown | . | . | 0.0 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,187 | 48.7 | 59.4 | 55.1 |
| Another hospital | 7 | 0.3 | 0.8 | 0.8 |
| Skilled nursing facility | 1 | 0.0 | 3.0 | 5.3 |
| Intermediate care | . | . | 0.0 | 0.1 |
| Another type of institution | 3 | 0.1 | 1.1 | 2.6 |
| Under care of home service | 2 | 0.1 | 3.4 | 5.7 |
| Left against medical advice | . | . | 0.1 | 0.3 |
| Under care of a home iv provider | . | . | . | 0.0 |
| Expired | 1 | 0.0 | 0.4 | 1.1 |
| Not reported | 1,237 | 50.7 | 31.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 17 | 0.7 | 15.4 | 26.7 |
| Medicaid | 869 | 35.6 | 17.3 | 18.6 |
| Other government | 34 | 1.4 | 1.9 | 2.4 |
| Blue Cross/Blue Shield | 79 | 3.2 | 11.4 | 10.3 |
| Other commercial | 88 | 3.6 | 5.2 | 5.5 |
| Managed care | 1,270 | 52.1 | 44.9 | 30.9 |
| Self pay | 71 | 2.9 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 4 | 0.2 | 0.1 | 0.5 |
| Charity | 1 | 0.0 | 0.4 | 1.1 |
| Children's Health Insurance Plan | 4 | 0.2 | 0.2 | 0.1 |
| Not reported | 1 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 0.1 | 5.4 |
| Central Utah | 41 | 1.7 | 0.6 | 2.9 |
| Davis County | 2 | 0.1 | 0.5 | 9.8 |
| Salt Lake County | 39 | 1.6 | 48.1 | 34.1 |
| Southeastern Utah | 12 | 0.5 | 0.4 | 1.8 |
| Southwest Utah | . | . | 0.3 | 8.0 |
| Summit County | 2 | 0.1 | 0.1 | 0.9 |
| Tooele County | 1 | 0.0 | 0.7 | 2.2 |
| Tri-County | . | . | 0.2 | 1.7 |
| Utah County | 2,303 | 94.5 | 46.9 | 17.8 |
| Wasatch County | 19 | 0.8 | 0.3 | 0.6 |
| Weber/Morgan | 1 | 0.0 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 18 | 0.7 | 1.6 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

PARK CITY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Summit
 OWNERSHIP: Not for profit

BED SIZE: 26
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,582 | 100.0 | 100.0 | 100.0 | 28,531,727 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 294 | 18.6 | 19.5 | 20.1 | 860,675 | 3.0 | 6.8 | 7.7 |
| Obstetric (MDC 14) | 303 | 19.2 | 20.1 | 20.9 | 2,226,153 | 7.8 | 8.9 | 8.6 |
| Pediatric Medical (Age 0-17) | 15 | 0.9 | 3.2 | 2.3 | 119,552 | 0.4 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 6 | 0.4 | 0.6 | 0.4 | 115,025 | 0.4 | 0.6 | 0.6 |
| Other Medical | 328 | 20.7 | 30.8 | 29.4 | 4,043,046 | 14.2 | 29.7 | 27.2 |
| Other Surgical | 636 | 40.2 | 21.9 | 22.0 | 21,167,277 | 74.2 | 48.6 | 49.8 |
| Psychiatric (MDC 19) | . | . | 3.2 | 3.9 | . | . | 2.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.7 | 1.0 | . | . | 1.5 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 16 | 1.0 | 3.0 | 4.1 | 231,609 | 0.8 | 3.0 | 6.0 |
| 2 Eye | 1 | 0.1 | 0.1 | 0.1 | 11,939 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 4 | 0.3 | 0.7 | 0.6 | 38,440 | 0.1 | 0.6 | 0.5 |
| 4 Respiratory System | 93 | 5.9 | 7.1 | 6.4 | 1,117,270 | 3.9 | 7.2 | 6.8 |
| 5 Circulatory System | 27 | 1.7 | 8.4 | 7.5 | 363,946 | 1.3 | 16.8 | 15.5 |
| 6 Digestive System | 92 | 5.8 | 7.1 | 6.4 | 1,562,553 | 5.5 | 8.3 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 33 | 2.1 | 2.6 | 2.3 | 407,305 | 1.4 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 553 | 35.0 | 11.2 | 10.0 | 19,408,796 | 68.0 | 22.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 13 | 0.8 | 1.1 | 1.1 | 152,495 | 0.5 | 1.2 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 18 | 1.1 | 2.2 | 2.4 | 243,802 | 0.9 | 1.8 | 2.1 |
| 11 Kidney & Urinary Tract | 22 | 1.4 | 3.3 | 2.8 | 287,530 | 1.0 | 3.1 | 3.0 |
| 12 Male Reproductive System | 1 | 0.1 | 0.3 | 0.3 | 17,365 | 0.1 | 0.3 | 0.3 |
| 13 Female Reproductive System | 24 | 1.5 | 1.5 | 1.7 | 364,431 | 1.3 | 1.4 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 303 | 19.2 | 20.1 | 20.9 | 2,226,153 | 7.8 | 8.9 | 8.6 |
| 15 Newborn & Other Neonates | 295 | 18.6 | 19.8 | 20.4 | 874,871 | 3.1 | 7.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 3 | 0.2 | 0.7 | 0.5 | 37,660 | 0.1 | 0.9 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | 0.2 | 0.3 | . | . | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 63 | 4.0 | 3.8 | 3.7 | 908,581 | 3.2 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | . | . | 3.2 | 3.9 | . | . | 2.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 6 | 0.4 | 0.6 | 1.0 | 74,251 | 0.3 | 0.5 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 8 | 0.5 | 1.8 | 1.8 | 126,048 | 0.4 | 1.8 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 6 | 0.4 | 1.1 | 1.3 | 61,317 | 0.2 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.1 | 0.1 | 0.3 | 15,363 | 0.1 | 0.2 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PARK CITY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.9592

COUNTY: Summit
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.57

BED SIZE: 26
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.38

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 1,582 | 28,973,182 | 586,183,828 | 5,319,068,336 | 3,651.00 | 104,062.00 | 881,886.00 |
| Facility Charges (total) | . | 28,531,727 | 581,373,314 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 18,035 | 15,573 | 21,172 | 2.31 | 2.79 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 18,671 | 17,486 | 20,004 | 2.39 | 3.22 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | 70,211 | 62,383 | . | 7.67 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 5 | 18,778 | 14,474 | 21,721 | 2.20 | 2.52 | 3.12 |
| 075 Major chest procedures | . | . | 49,632 | 59,734 | . | 6.80 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 31 | 10,998 | 14,513 | 16,240 | 1.84 | 3.21 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 8 | 8,086 | 7,655 | 8,064 | 2.50 | 2.37 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 4 | 7,460 | 7,027 | 7,590 | 2.25 | 2.09 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 106,105 | 131,342 | . | 9.87 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 83,398 | 117,359 | . | 6.81 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 87,486 | 114,735 | . | 8.94 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 69,173 | 103,627 | . | 6.36 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 68,749 | 92,602 | . | 6.71 | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 80,813 | 87,590 | . | 6.07 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 41,337 | 48,932 | . | 3.18 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 36,133 | 39,075 | . | 2.40 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 27,718 | 18,710 | 24,880 | 4.00 | 3.06 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 1 | 3,905 | 13,481 | 18,844 | 1.00 | 1.76 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 21,220 | 26,849 | . | 3.02 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 15,635 | 19,275 | . | 1.60 | 1.78 |
| 127 Heart failure & shock | 3 | 21,628 | 15,314 | 18,033 | 4.67 | 3.40 | 3.64 |
| 140 Angina pectoris | . | . | 9,127 | 11,228 | . | 1.24 | 1.30 |
| 143 Chest pain | 4 | 15,117 | 9,220 | 10,491 | 1.25 | 1.34 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 7 | 37,695 | 42,619 | 59,626 | 6.71 | 7.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 49,810 | 77,655 | . | 7.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 12 | 12,796 | 11,472 | 13,530 | 1.17 | 1.08 | 1.11 |
| 174 G.I. hemorrhage w cc | 2 | 12,187 | 15,367 | 18,170 | 3.00 | 2.78 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 15 | 11,529 | 11,828 | 14,049 | 1.80 | 2.43 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 7 | 9,416 | 9,827 | 11,229 | 1.43 | 1.99 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 26,079 | 37,751 | . | 4.36 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,301 | 23,411 | . | 3.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 385 | 34,197 | 32,656 | 39,044 | 2.95 | 2.96 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PARK CITY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDBB CASE MIX INDEX = 0.9592

COUNTY: Summit
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.57

BED SIZE: 26
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.38

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 1 | 38,392 | 31,341 | 40,371 | 5.00 | 4.13 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 21 | 25,774 | 22,759 | 27,138 | 1.71 | 1.93 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 8 | 12,071 | 10,999 | 13,720 | 2.13 | 2.36 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 9 | 15,453 | 15,986 | 19,434 | 1.89 | 2.06 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 12 | 15,238 | 12,770 | 14,898 | 1.42 | 1.61 | 1.57 |
| 370 Cesarean section with cc | 9 | 11,538 | 12,068 | 14,657 | 2.89 | 2.92 | 3.87 |
| 371 Cesarean section without cc | 64 | 10,641 | 9,910 | 11,759 | 2.41 | 2.57 | 3.24 |
| 372 Vaginal delivery w complicating diag | 38 | 7,232 | 6,664 | 8,392 | 1.87 | 1.72 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 182 | 5,691 | 5,492 | 6,661 | 1.56 | 1.48 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 3 | 10,075 | 8,792 | 10,362 | 2.00 | 1.72 | 2.01 |
| 383 Other antepartum diag w med complic | 1 | 9,082 | 9,026 | 10,990 | 1.00 | 2.03 | 2.71 |
| 385 Neonates died/transf to acute care fac | 7 | 3,296 | 18,080 | 19,166 | 1.14 | 3.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 66,174 | 101,092 | . | 16.19 | 26.08 |
| 387 Prematurity w major problems | 3 | 4,553 | 39,421 | 48,843 | 2.67 | 11.10 | 15.14 |
| 389 Full term neonate w major problems | 23 | 4,711 | 10,255 | 15,544 | 2.39 | 3.25 | 4.66 |
| 390 Neonate w other significant problems | 43 | 3,602 | 4,131 | 3,854 | 2.07 | 2.02 | 2.27 |
| 391 Normal newborn | 215 | 2,592 | 2,227 | 2,436 | 1.78 | 1.58 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 15,287 | 23,836 | . | 2.07 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 5 | 32,865 | 58,387 | 72,347 | 5.00 | 8.24 | 9.12 |
| 430 Psychoses | . | . | 10,896 | 14,101 | . | 4.50 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 5 | 12,490 | 13,402 | 13,612 | 2.00 | 2.90 | 3.30 |
| 462 Rehabilitation | . | . | 31,671 | 40,385 | . | 12.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 2 | 21,934 | 46,772 | 55,889 | 1.00 | 6.53 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 89,736 | 108,196 | . | 11.29 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 233,071 | 295,955 | . | 23.10 | 26.00 |
| 486 Other OR proc for mult signif trauma | 1 | 15,363 | 49,815 | 93,495 | 2.00 | 6.71 | 8.69 |
| 499 Back & neck procedures w cc | . | . | 17,694 | 25,581 | . | 2.00 | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | 13,697 | 16,304 | . | 1.40 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 32,099 | 20,739 | 20,364 | 2.00 | 2.86 | 2.68 |
| 470 Ungroupable | . | . | 9,674 | 12,546 | . | 3.00 | 3.65 |
| All Other DRGs | 444 | 21,333 | 19,757 | 26,338 | 2.37 | 2.90 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PARK CITY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Summit
 OWNERSHIP: Not for profit

BED SIZE: 26
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 3 | 19,227 | 13,079 | 17,504 | 3.00 | 2.18 | 2.39 |
| Major or Extreme SOI | 1 | 21,154 | 19,474 | 30,421 | 1.00 | 3.42 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 36 | 10,508 | 10,517 | 10,931 | 1.97 | 2.58 | 2.55 |
| Major or Extreme SOI | 1 | 9,376 | 17,568 | 20,864 | 2.00 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 8 | 9,783 | 7,162 | 8,532 | 2.13 | 1.82 | 1.99 |
| Major or Extreme SOI | 1 | 11,718 | 11,773 | 15,810 | 3.00 | 2.56 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 41,081 | 42,983 | . | 1.41 | 1.54 |
| Major or Extreme SOI | . | . | 57,171 | 68,036 | . | 3.21 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 3,905 | 13,898 | 17,963 | . | 1.98 | 2.03 |
| Major or Extreme SOI | 1 | 27,718 | 21,647 | 28,897 | 4.00 | 3.74 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 15,242 | 17,867 | . | 1.56 | 1.54 |
| Major or Extreme SOI | . | . | 19,721 | 25,935 | . | 2.94 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 2 | 13,298 | 12,543 | 13,972 | 2.50 | 2.80 | 2.96 |
| Major or Extreme SOI | 1 | 38,288 | 19,446 | 22,844 | 9.00 | 4.32 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 10 | 10,224 | 9,532 | 10,477 | 1.78 | 1.83 | 1.84 |
| Major or Extreme SOI | 1 | 11,399 | 15,157 | 17,274 | 2.00 | 2.84 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 8 | 28,933 | 29,382 | 33,294 | 4.00 | 4.83 | 4.80 |
| Major or Extreme SOI | 3 | 57,475 | 55,977 | 78,140 | 10.00 | 9.72 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 20 | 14,770 | 14,665 | 17,034 | 1.25 | 1.96 | 2.08 |
| Major or Extreme SOI | 1 | 47,681 | 33,344 | 36,530 | 10.00 | 4.92 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 9 | 11,367 | 8,552 | 9,467 | 1.56 | 1.99 | 2.01 |
| Major or Extreme SOI | 2 | 9,471 | 10,620 | 14,930 | 2.50 | 2.50 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 367 | 36,474 | 32,193 | 37,842 | 3.10 | 2.87 | 2.92 |
| Major or Extreme SOI | 11 | 49,333 | 41,374 | 48,873 | 4.45 | 4.45 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 35 | 26,830 | 22,362 | 27,280 | 1.94 | 2.14 | 2.61 |
| Major or Extreme SOI | 1 | 18,701 | 48,855 | 45,932 | 3.00 | 6.00 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 14,164 | 11,741 | . | 3.25 | 2.96 |
| Major or Extreme SOI | . | . | 9,535 | 22,625 | . | 3.00 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PARK CITY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Summit
 OWNERSHIP: Not for profit

BED SIZE: 26
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 11 | 14,099 | 13,281 | 15,305 | 1.70 | 1.69 | 1.62 |
| Major or Extreme SOI | . | . | 25,116 | 36,837 | . | 3.44 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 72 | 10,758 | 9,977 | 11,641 | 2.47 | 2.57 | 3.21 |
| Major or Extreme SOI | 1 | 10,279 | 17,833 | 21,704 | 2.00 | 4.06 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 211 | 5,808 | 5,538 | 6,731 | 1.61 | 1.50 | 1.79 |
| Major or Extreme SOI | 9 | 9,310 | 8,527 | 10,767 | 2.11 | 1.98 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 3 | 10,075 | 8,488 | 9,583 | 2.00 | 1.71 | 1.93 |
| Major or Extreme SOI | . | . | 13,781 | 21,300 | . | 2.33 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 9,035 | 11,599 | . | 3.94 | 5.19 |
| Major or Extreme SOI | . | . | 14,746 | 22,695 | . | 6.50 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 260 | 2,717 | 2,356 | 2,536 | 1.84 | 1.63 | 1.89 |
| Major or Extreme SOI | 9 | 4,150 | 8,781 | 8,321 | 2.44 | 2.84 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 2 | 15,159 | 9,490 | 10,069 | 3.50 | 2.34 | 2.88 |
| Major or Extreme SOI | 1 | 5,310 | 19,226 | 19,849 | 1.00 | 4.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | 13,995 | 16,988 | . | 1.44 | 1.89 |
| Major or Extreme SOI | . | . | 35,921 | 42,605 | . | 6.33 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 6 | 15,311 | 16,427 | 18,944 | 1.50 | 2.02 | 2.08 |
| Major or Extreme SOI | 3 | 18,410 | 26,177 | 34,924 | 2.00 | 4.09 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 3 | 14,891 | 11,482 | 13,298 | 4.00 | 2.11 | 2.15 |
| Major or Extreme SOI | . | . | 19,121 | 24,096 | . | 3.41 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 19,227 | 13,147 | . | 3.60 | 2.10 |
| Major or Extreme SOI | . | . | 18,827 | 23,048 | . | 3.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 8 | 9,179 | 11,184 | 12,049 | 1.38 | 2.50 | 2.47 |
| Major or Extreme SOI | . | . | 17,894 | 21,886 | . | 4.00 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 6 | 10,581 | 10,166 | 11,171 | 1.67 | 2.19 | 2.13 |
| Major or Extreme SOI | 1 | 20,588 | 15,464 | 21,005 | 5.00 | 2.97 | 3.64 |
| All other APRDRGs | 453 | 18,563 | 21,901 | 30,661 | 2.27 | 3.65 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PARK CITY MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=7)

AFFILIATION: Intermountain Healthcare

COUNTY: Summit

BED SIZE: 26

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 931 | 58.8 | 61.0 | 61.8 |
| Male | 651 | 41.2 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 295 | 18.6 | 19.7 | 20.2 |
| 29-365 days | 1 | 0.1 | 0.9 | 0.9 |
| 1-4 years | 7 | 0.4 | 1.0 | 0.7 |
| 5-9 | 1 | 0.1 | 0.6 | 0.4 |
| 10-14 | 2 | 0.1 | 0.6 | 0.4 |
| 15-17 | 15 | 0.9 | 0.9 | 0.8 |
| 18-19 | 14 | 0.9 | 1.5 | 1.5 |
| 20-24 | 74 | 4.7 | 7.0 | 6.9 |
| 25-29 | 99 | 6.3 | 8.7 | 9.6 |
| 30-34 | 116 | 7.3 | 6.7 | 8.4 |
| 35-39 | 86 | 5.4 | 3.7 | 4.9 |
| 40-44 | 67 | 4.2 | 2.8 | 3.4 |
| 45-49 | 66 | 4.2 | 2.7 | 3.5 |
| 50-54 | 99 | 6.3 | 4.0 | 4.5 |
| 55-59 | 147 | 9.3 | 4.3 | 5.0 |
| 60-64 | 156 | 9.9 | 5.1 | 5.1 |
| 65-69 | 138 | 8.7 | 6.6 | 5.6 |
| 70-74 | 100 | 6.3 | 6.4 | 5.1 |
| 75-79 | 37 | 2.3 | 6.2 | 4.7 |
| 80-84 | 32 | 2.0 | 4.9 | 4.1 |
| 85-89 | 20 | 1.3 | 3.6 | 2.9 |
| 90 + | 10 | 0.6 | 2.0 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 6 | 0.4 | 6.6 | 14.1 |
| Urgent | 413 | 26.1 | 45.9 | 39.7 |
| Elective | 869 | 54.9 | 28.0 | 25.3 |
| Newborn | 294 | 18.6 | 19.5 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 819 | 51.8 | 41.5 | 49.6 |
| Clinic referral | 466 | 29.5 | 36.4 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 2 | 0.1 | 2.2 | 4.4 |
| Skilled nursing facility | . | . | 0.1 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 1 | 0.1 | 0.1 | 0.3 |
| Normal delivery/Born Inside | 294 | 18.6 | 19.4 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PARK CITY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7) COUNTY: Summit
 AFFILIATION: Intermountain Healthcare BED SIZE: 26

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 0.1 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 503 | 31.8 | 45.8 | 55.1 |
| Another hospital | 14 | 0.9 | 1.0 | 0.8 |
| Skilled nursing facility | 41 | 2.6 | 4.3 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 18 | 1.1 | 2.2 | 2.6 |
| Under care of home service | 189 | 11.9 | 4.4 | 5.7 |
| Left against medical advice | 1 | 0.1 | 0.2 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | . | . | 1.1 | 1.1 |
| Not reported | 816 | 51.6 | 40.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 325 | 20.5 | 31.3 | 26.7 |
| Medicaid | 155 | 9.8 | 20.7 | 18.6 |
| Other government | 27 | 1.7 | 2.0 | 2.4 |
| Blue Cross/Blue Shield | 259 | 16.4 | 10.5 | 10.3 |
| Other commercial | 82 | 5.2 | 5.3 | 5.5 |
| Managed care | 653 | 41.3 | 25.2 | 30.9 |
| Self pay | 37 | 2.3 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 23 | 1.5 | 0.4 | 0.5 |
| Charity | 19 | 1.2 | 1.2 | 1.1 |
| Children's Health Insurance Plan | 2 | 0.1 | 0.2 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 11 | 0.7 | 25.6 | 5.4 |
| Central Utah | 4 | 0.3 | 0.6 | 2.9 |
| Davis County | 21 | 1.3 | 0.3 | 9.8 |
| Salt Lake County | 151 | 9.5 | 1.1 | 34.1 |
| Southeastern Utah | 8 | 0.5 | 5.6 | 1.8 |
| Southwest Utah | 15 | 0.9 | 48.3 | 8.0 |
| Summit County | 776 | 49.1 | 2.1 | 0.9 |
| Tooele County | 4 | 0.3 | 0.1 | 2.2 |
| Tri-County | 23 | 1.5 | 5.1 | 1.7 |
| Utah County | 50 | 3.2 | 0.6 | 17.8 |
| Wasatch County | 251 | 15.9 | 0.7 | 0.6 |
| Weber/Morgan | 23 | 1.5 | 0.5 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 240 | 15.2 | 9.4 | 5.2 |
| Unknown | 5 | 0.3 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 139
 AFFILIATION: IASIS Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 3,936 | 100.0 | 100.0 | 100.0 | 76,713,087 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 424 | 10.8 | 19.9 | 20.1 | 1,431,950 | 1.9 | 4.6 | 7.7 |
| Obstetric (MDC 14) | 459 | 11.7 | 20.6 | 20.9 | 4,706,488 | 6.1 | 9.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 6 | 0.2 | 1.3 | 2.3 | 59,082 | 0.1 | 0.6 | 1.5 |
| Pediatric Surgical (Age 0-17) | 4 | 0.1 | 0.2 | 0.4 | 117,408 | 0.2 | 0.2 | 0.6 |
| Other Medical | 1,417 | 36.0 | 29.4 | 29.4 | 32,109,560 | 41.9 | 32.5 | 27.2 |
| Other Surgical | 487 | 12.4 | 18.9 | 22.0 | 25,333,028 | 33.0 | 45.7 | 49.8 |
| Psychiatric (MDC 19) | 1,135 | 28.8 | 9.5 | 3.9 | 12,843,540 | 16.7 | 6.7 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.2 | 2.0 |
| Unknown (DRG 469-470) | 4 | 0.1 | 0.1 | 0.0 | 112,031 | 0.1 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 108 | 2.7 | 2.2 | 4.1 | 2,350,711 | 3.1 | 3.0 | 6.0 |
| 2 Eye | 1 | 0.0 | 0.0 | 0.1 | 12,864 | 0.0 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 5 | 0.1 | 0.4 | 0.6 | 109,840 | 0.1 | 0.4 | 0.5 |
| 4 Respiratory System | 342 | 8.7 | 6.2 | 6.4 | 8,707,992 | 11.4 | 7.6 | 6.8 |
| 5 Circulatory System | 270 | 6.9 | 4.8 | 7.5 | 11,090,851 | 14.5 | 11.0 | 15.5 |
| 6 Digestive System | 213 | 5.4 | 5.8 | 6.4 | 6,401,182 | 8.3 | 8.2 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 126 | 3.2 | 2.0 | 2.3 | 3,183,996 | 4.2 | 2.8 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 230 | 5.8 | 9.8 | 10.0 | 10,180,739 | 13.3 | 21.2 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 36 | 0.9 | 0.9 | 1.1 | 859,869 | 1.1 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 107 | 2.7 | 2.3 | 2.4 | 2,006,982 | 2.6 | 2.2 | 2.1 |
| 11 Kidney & Urinary Tract | 98 | 2.5 | 2.4 | 2.8 | 2,298,158 | 3.0 | 2.7 | 3.0 |
| 12 Male Reproductive System | 13 | 0.3 | 0.3 | 0.3 | 434,562 | 0.6 | 0.3 | 0.3 |
| 13 Female Reproductive System | 22 | 0.6 | 1.7 | 1.7 | 448,339 | 0.6 | 1.5 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 459 | 11.7 | 20.6 | 20.9 | 4,706,488 | 6.1 | 9.3 | 8.6 |
| 15 Newborn & Other Neonates | 426 | 10.8 | 20.0 | 20.4 | 1,434,810 | 1.9 | 4.8 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 20 | 0.5 | 0.6 | 0.5 | 329,667 | 0.4 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 2 | 0.1 | 0.9 | 0.3 | 55,788 | 0.1 | 4.7 | 1.0 |
| 18 Infectious and Parasitic Diseases | 138 | 3.5 | 3.3 | 3.7 | 5,212,536 | 6.8 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 1,135 | 28.8 | 9.5 | 3.9 | 12,843,540 | 16.7 | 6.7 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 28 | 0.7 | 4.0 | 1.0 | 586,590 | 0.8 | 2.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 135 | 3.4 | 1.7 | 1.8 | 2,792,783 | 3.6 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 14 | 0.4 | 0.4 | 1.3 | 404,744 | 0.5 | 0.5 | 2.3 |
| 24 Multiple Significant Trauma | 2 | 0.1 | 0.1 | 0.3 | 83,445 | 0.1 | 0.4 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 2 | 0.1 | 0.0 | 0.0 | 64,581 | 0.1 | 0.1 | 0.1 |
| Unknown | 4 | 0.1 | 0.1 | 0.1 | 112,031 | 0.1 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.8695

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.16

BED SIZE: 139
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=1.02

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|-------------|---------------|----------------------|------------|------------|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 3,936 | 76,713,087 | 864,967,561 | 5,319,068,336 | 15172.00 | 145,585.00 | 881,886.00 |
| Facility Charges (total) | . | 76,713,087 | 863,495,261 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 19,490 | 20,466 | 21,172 | 3.85 | 3.45 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 21,352 | 21,795 | 20,004 | 4.36 | 3.84 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | 69,647 | 62,383 | . | 5.40 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | 66,260 | 70,042 | . | 4.00 | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 41 | 22,644 | 21,362 | 21,721 | 2.55 | 2.73 | 3.12 |
| 075 Major chest procedures | . | . | 85,848 | 59,734 | . | 6.26 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 89 | 20,053 | 19,129 | 16,240 | 3.34 | 3.35 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | 7,873 | 8,064 | . | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | . | . | 7,883 | 7,590 | . | 2.28 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 235,441 | 131,342 | . | 9.77 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 189,442 | 117,359 | . | 7.55 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 192,391 | 114,735 | . | 7.64 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 126,829 | 103,627 | . | 5.25 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 144,509 | 92,602 | . | 5.44 | 7.28 |
| 110 Major cardiovascular procedures w cc | 2 | 129,391 | 102,680 | 87,590 | 3.50 | 4.95 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 12 | 56,440 | 61,903 | 48,932 | 2.67 | 3.05 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 1 | 33,283 | 49,297 | 39,075 | 1.00 | 2.64 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 10 | 27,839 | 28,182 | 24,880 | 2.60 | 3.55 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 7 | 25,849 | 23,851 | 18,844 | 2.14 | 1.82 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 20 | 38,914 | 30,768 | 26,849 | 3.75 | 2.88 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | 7 | 37,167 | 27,265 | 19,275 | 3.00 | 1.89 | 1.78 |
| 127 Heart failure & shock | 52 | 18,483 | 19,404 | 18,033 | 3.15 | 3.72 | 3.64 |
| 140 Angina pectoris | 1 | 21,664 | 14,167 | 11,228 | 2.00 | 1.25 | 1.30 |
| 143 Chest pain | 4 | 13,116 | 14,232 | 10,491 | 1.50 | 1.26 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 14 | 69,287 | 67,129 | 59,626 | 7.31 | 9.10 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 4 | 76,240 | 58,365 | 77,655 | 7.00 | 6.54 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 4 | 18,948 | 14,305 | 13,530 | 1.00 | 1.10 | 1.11 |
| 174 G.I. hemorrhage w cc | 46 | 24,401 | 19,831 | 18,170 | 2.91 | 2.68 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 26 | 14,664 | 16,553 | 14,049 | 2.56 | 2.75 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 6 | 12,736 | 13,315 | 11,229 | 1.50 | 2.18 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 5 | 56,509 | 45,504 | 37,751 | 5.80 | 5.65 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 1 | 22,397 | 27,497 | 23,411 | 3.00 | 3.14 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 96 | 49,099 | 43,624 | 39,044 | 3.41 | 2.72 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.8695

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.16

BED SIZE: 139
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=1.02

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 18 | 53,715 | 42,871 | 40,371 | 6.00 | 4.36 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 11 | 32,941 | 30,303 | 27,138 | 2.82 | 2.35 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 26 | 18,587 | 16,753 | 13,720 | 3.00 | 2.89 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 5 | 24,401 | 19,378 | 19,434 | 3.20 | 2.26 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 10 | 15,928 | 15,419 | 14,898 | 2.00 | 1.67 | 1.57 |
| 370 Cesarean section with cc | 38 | 14,898 | 14,472 | 14,657 | 2.97 | 3.56 | 3.87 |
| 371 Cesarean section without cc | 75 | 14,091 | 13,523 | 11,759 | 2.92 | 3.18 | 3.24 |
| 372 Vaginal delivery w complicating diag | 25 | 9,114 | 8,795 | 8,392 | 2.12 | 2.10 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 253 | 8,039 | 7,344 | 6,661 | 1.92 | 1.84 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 19 | 11,576 | 12,268 | 10,362 | 1.95 | 2.05 | 2.01 |
| 383 Other antepartum diag w med complic | 15 | 8,432 | 10,706 | 10,990 | 2.93 | 2.78 | 2.71 |
| 385 Neonates died/transf to acute care fac | 16 | 5,129 | 11,241 | 19,166 | 1.07 | 2.39 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 3 | 14,312 | 53,220 | 101,092 | 7.00 | 17.11 | 26.08 |
| 387 Prematurity w major problems | 2 | 24,905 | 29,523 | 48,843 | 20.00 | 11.18 | 15.14 |
| 389 Full term neonate w major problems | 16 | 11,790 | 11,553 | 15,544 | 3.46 | 4.14 | 4.66 |
| 390 Neonate w other significant problems | 32 | 3,924 | 3,643 | 3,854 | 2.31 | 2.28 | 2.27 |
| 391 Normal newborn | 341 | 2,276 | 2,260 | 2,436 | 1.99 | 1.89 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 39,178 | 23,836 | . | 6.38 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 14 | 69,505 | 68,012 | 72,347 | 6.43 | 8.18 | 9.12 |
| 430 Psychoses | 1,088 | 11,154 | 14,160 | 14,101 | 5.75 | 5.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 20 | 19,554 | 13,074 | 13,612 | 4.05 | 3.73 | 3.30 |
| 462 Rehabilitation | . | . | 26,041 | 40,385 | . | 11.45 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 11 | 78,916 | 66,562 | 55,889 | 8.73 | 6.55 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 8 | 80,270 | 107,688 | 108,196 | 9.25 | 12.78 | 12.99 |
| 481 Bone marrow transplant | . | . | 199,765 | 204,971 | . | 26.55 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 1 | 139,591 | 230,662 | 295,955 | 17.00 | 20.71 | 26.00 |
| 486 Other OR proc for mult signif trauma | 2 | 41,723 | 101,893 | 93,495 | 5.00 | 9.68 | 8.69 |
| 499 Back & neck procedures w cc | 1 | 15,773 | 29,428 | 25,581 | 1.00 | 2.67 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 1 | 13,690 | 23,680 | 16,304 | 1.00 | 1.96 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 21,607 | 20,794 | 20,364 | 3.00 | 2.70 | 2.68 |
| 470 Ungroupable | 4 | 19,249 | 9,757 | 12,546 | 3.33 | 3.15 | 3.65 |
| All Other DRGs | 1,431 | 25,290 | 26,200 | 26,338 | 3.29 | 3.57 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 139
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 26 | 20,966 | 19,117 | 17,504 | 2.25 | 2.41 | 2.39 |
| Major or Extreme SOI | 13 | 28,153 | 27,894 | 30,421 | 3.62 | 3.77 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 50 | 16,087 | 12,829 | 10,931 | 2.82 | 2.57 | 2.55 |
| Major or Extreme SOI | 41 | 25,574 | 24,533 | 20,864 | 4.08 | 4.20 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 37 | 12,109 | 10,411 | 8,532 | 2.16 | 2.15 | 1.99 |
| Major or Extreme SOI | 3 | 19,458 | 17,788 | 15,810 | 4.00 | 3.53 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 5 | 61,181 | 56,162 | 42,983 | 1.60 | 2.04 | 1.54 |
| Major or Extreme SOI | 7 | 105,155 | 77,382 | 68,036 | 4.60 | 3.90 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 14 | 25,681 | 22,794 | 17,963 | 2.31 | 1.94 | 2.03 |
| Major or Extreme SOI | 5 | 31,921 | 31,533 | 28,897 | 4.00 | 3.79 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 7 | 26,292 | 24,472 | 17,867 | 1.86 | 1.61 | 1.54 |
| Major or Extreme SOI | . | . | 31,528 | 25,935 | . | 2.47 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 20 | 16,368 | 15,059 | 13,972 | 3.00 | 2.82 | 2.96 |
| Major or Extreme SOI | 31 | 21,224 | 23,523 | 22,844 | 3.52 | 4.60 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 13 | 16,068 | 13,852 | 10,477 | 2.15 | 1.82 | 1.84 |
| Major or Extreme SOI | 13 | 19,538 | 19,428 | 17,274 | 2.77 | 3.18 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 11 | 37,985 | 31,873 | 33,294 | 4.89 | 4.40 | 4.80 |
| Major or Extreme SOI | 10 | 92,278 | 81,435 | 78,140 | 8.70 | 10.56 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 12 | 26,589 | 19,766 | 17,034 | 4.00 | 2.52 | 2.08 |
| Major or Extreme SOI | 1 | 34,215 | 48,157 | 36,530 | 3.00 | 5.42 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 3 | 15,208 | 11,884 | 9,467 | 2.00 | 2.28 | 2.01 |
| Major or Extreme SOI | 7 | 13,744 | 17,050 | 14,930 | 3.43 | 2.96 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 63 | 45,158 | 41,622 | 37,842 | 3.10 | 2.72 | 2.92 |
| Major or Extreme SOI | 2 | 58,034 | 53,754 | 48,873 | 5.00 | 4.03 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 15 | 27,507 | 28,374 | 27,280 | 3.00 | 2.53 | 2.61 |
| Major or Extreme SOI | 2 | 34,301 | 44,750 | 45,932 | 3.50 | 4.88 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 16,011 | 11,741 | . | 4.00 | 2.96 |
| Major or Extreme SOI | 1 | 21,409 | 23,784 | 22,625 | 3.00 | 4.73 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 139
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 10 | 16,046 | 16,037 | 15,305 | 1.90 | 1.69 | 1.62 |
| Major or Extreme SOI | 2 | 30,391 | 28,787 | 36,837 | 4.00 | 4.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 113 | 14,364 | 13,426 | 11,641 | 2.94 | 3.18 | 3.21 |
| Major or Extreme SOI | . | . | 19,640 | 21,704 | . | 4.78 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 266 | 8,036 | 7,400 | 6,731 | 1.94 | 1.85 | 1.79 |
| Major or Extreme SOI | 10 | 10,081 | 10,920 | 10,767 | 2.20 | 2.43 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 19 | 11,576 | 10,038 | 9,583 | 1.95 | 1.94 | 1.93 |
| Major or Extreme SOI | . | . | 74,138 | 21,300 | . | 5.50 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 516 | 9,361 | 11,999 | 11,599 | 4.92 | 5.16 | 5.19 |
| Major or Extreme SOI | 10 | 13,679 | 24,492 | 22,695 | 6.00 | 8.75 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 371 | 2,337 | 2,351 | 2,536 | 2.01 | 1.92 | 1.89 |
| Major or Extreme SOI | 4 | 5,021 | 8,368 | 8,321 | 2.50 | 3.42 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 7 | 11,389 | 9,807 | 10,069 | 3.86 | 3.12 | 2.88 |
| Major or Extreme SOI | 12 | 24,846 | 21,309 | 19,849 | 4.64 | 4.26 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 2 | 14,732 | 22,764 | 16,988 | 1.00 | 2.00 | 1.89 |
| Major or Extreme SOI | . | . | 53,772 | 42,605 | . | 4.22 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 17 | 25,603 | 23,018 | 18,944 | 2.50 | 2.12 | 2.08 |
| Major or Extreme SOI | 9 | 34,525 | 40,422 | 34,924 | 4.33 | 4.92 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 6 | 14,745 | 15,031 | 13,298 | 3.00 | 2.20 | 2.15 |
| Major or Extreme SOI | 14 | 28,762 | 24,958 | 24,096 | 3.79 | 3.29 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 14,735 | 13,147 | . | 2.08 | 2.10 |
| Major or Extreme SOI | 4 | 38,541 | 29,343 | 23,048 | 4.67 | 3.79 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 5 | 12,493 | 13,711 | 12,049 | 1.60 | 2.40 | 2.47 |
| Major or Extreme SOI | 5 | 29,458 | 25,119 | 21,886 | 3.80 | 3.82 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 16 | 15,798 | 13,187 | 11,171 | 2.33 | 2.27 | 2.13 |
| Major or Extreme SOI | 4 | 30,828 | 22,002 | 21,005 | 2.75 | 3.24 | 3.64 |
| All other APRDRGs | 2,102 | 23,322 | 28,652 | 30,661 | 4.36 | 4.42 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PIIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Salt Lake
 AFFILIATION: IASIS Healthcare BED SIZE: 139

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 2,278 | 57.9 | 62.7 | 61.8 |
| Male | 1,658 | 42.1 | 37.3 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 426 | 10.8 | 19.9 | 20.2 |
| 29-365 days | . | . | 0.5 | 0.9 |
| 1-4 years | . | . | 0.5 | 0.7 |
| 5-9 | . | . | 0.2 | 0.4 |
| 10-14 | 2 | 0.1 | 0.1 | 0.4 |
| 15-17 | 17 | 0.4 | 0.5 | 0.8 |
| 18-19 | 108 | 2.7 | 1.7 | 1.5 |
| 20-24 | 365 | 9.3 | 7.6 | 6.9 |
| 25-29 | 407 | 10.3 | 10.3 | 9.6 |
| 30-34 | 323 | 8.2 | 9.2 | 8.4 |
| 35-39 | 306 | 7.8 | 5.6 | 4.9 |
| 40-44 | 257 | 6.5 | 4.0 | 3.4 |
| 45-49 | 236 | 6.0 | 3.8 | 3.5 |
| 50-54 | 289 | 7.3 | 5.0 | 4.5 |
| 55-59 | 235 | 6.0 | 5.1 | 5.0 |
| 60-64 | 191 | 4.9 | 4.7 | 5.1 |
| 65-69 | 178 | 4.5 | 4.9 | 5.6 |
| 70-74 | 181 | 4.6 | 4.3 | 5.1 |
| 75-79 | 165 | 4.2 | 4.1 | 4.7 |
| 80-84 | 124 | 3.2 | 3.6 | 4.1 |
| 85-89 | 88 | 2.2 | 2.8 | 2.9 |
| 90 + | 38 | 1.0 | 1.5 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,338 | 34.0 | 26.0 | 14.1 |
| Urgent | 1,593 | 40.5 | 25.8 | 39.7 |
| Elective | 579 | 14.7 | 28.0 | 25.3 |
| Newborn | 424 | 10.8 | 19.9 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 2 | 0.1 | 0.4 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 3,395 | 86.3 | 58.2 | 49.6 |
| Clinic referral | 4 | 0.1 | 16.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 13 | 0.3 | 3.2 | 4.4 |
| Skilled nursing facility | . | . | 0.3 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | . | . | 0.7 | 0.3 |
| Normal delivery/Born Inside | 299 | 7.6 | 19.6 | 20.1 |
| Premature delivery | 120 | 3.0 | 0.3 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=7) COUNTY: Salt Lake
 AFFILIATION: IASIS Healthcare BED SIZE: 139

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 5 | 0.1 | 0.0 | 0.0 |
| Unknown | 93 | 2.4 | 0.4 | 0.6 |
| Not reported | 7 | 0.2 | 0.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,962 | 75.3 | 66.3 | 55.1 |
| Another hospital | 99 | 2.5 | 0.8 | 0.8 |
| Skilled nursing facility | 273 | 6.9 | 7.0 | 5.3 |
| Intermediate care | 3 | 0.1 | 0.1 | 0.1 |
| Another type of institution | 9 | 0.2 | 1.7 | 2.6 |
| Under care of home service | 281 | 7.1 | 6.9 | 5.7 |
| Left against medical advice | 35 | 0.9 | 0.6 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 62 | 1.6 | 1.1 | 1.1 |
| Not reported | 212 | 5.4 | 15.5 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,158 | 29.4 | 24.7 | 26.7 |
| Medicaid | 952 | 24.2 | 18.5 | 18.6 |
| Other government | 101 | 2.6 | 3.5 | 2.4 |
| Blue Cross/Blue Shield | 274 | 7.0 | 11.5 | 10.3 |
| Other commercial | 551 | 14.0 | 6.5 | 5.5 |
| Managed care | 359 | 9.1 | 29.1 | 30.9 |
| Self pay | 532 | 13.5 | 4.5 | 3.7 |
| Industrial/Worker's Comp | 6 | 0.2 | 0.2 | 0.5 |
| Charity | . | . | 1.4 | 1.1 |
| Children's Health Insurance Plan | 1 | 0.0 | 0.0 | 0.1 |
| Not reported | 2 | 0.1 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 7 | 0.2 | 2.4 | 5.4 |
| Central Utah | 6 | 0.2 | 1.1 | 2.9 |
| Davis County | 80 | 2.0 | 33.1 | 9.8 |
| Salt Lake County | 3,508 | 89.1 | 29.4 | 34.1 |
| Southeastern Utah | 2 | 0.1 | 0.5 | 1.8 |
| Southwest Utah | 8 | 0.2 | 0.3 | 8.0 |
| Summit County | 4 | 0.1 | 0.6 | 0.9 |
| Tooele County | 85 | 2.2 | 1.2 | 2.2 |
| Tri-County | 4 | 0.1 | 0.2 | 1.7 |
| Utah County | 32 | 0.8 | 9.7 | 17.8 |
| Wasatch County | 3 | 0.1 | 0.2 | 0.6 |
| Weber/Morgan | 15 | 0.4 | 18.4 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 177 | 4.5 | 2.8 | 5.2 |
| Unknown | 5 | 0.1 | 0.2 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

RIVERTON HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 97
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 7,306 | 100.0 | 100.0 | 100.0 | 57,121,077 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 2,350 | 32.2 | 31.6 | 20.1 | 7,771,662 | 13.6 | 14.6 | 7.7 |
| Obstetric (MDC 14) | 2,377 | 32.5 | 32.0 | 20.9 | 15,473,680 | 27.1 | 19.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 736 | 10.1 | 3.1 | 2.3 | 4,459,953 | 7.8 | 2.1 | 1.5 |
| Pediatric Surgical (Age 0-17) | 29 | 0.4 | 0.2 | 0.4 | 464,966 | 0.8 | 0.4 | 0.6 |
| Other Medical | 1,072 | 14.7 | 19.2 | 29.4 | 12,497,405 | 21.9 | 25.0 | 27.2 |
| Other Surgical | 741 | 10.1 | 13.6 | 22.0 | 16,443,916 | 28.8 | 38.0 | 49.8 |
| Psychiatric (MDC 19) | 1 | 0.0 | 0.1 | 3.9 | 9,495 | 0.0 | 0.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.6 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 30 | 0.4 | 1.3 | 4.1 | 330,649 | 0.6 | 1.9 | 6.0 |
| 2 Eye | 2 | 0.0 | 0.0 | 0.1 | 12,052 | 0.0 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 59 | 0.8 | 0.5 | 0.6 | 535,356 | 0.9 | 0.5 | 0.5 |
| 4 Respiratory System | 632 | 8.7 | 5.3 | 6.4 | 4,997,581 | 8.7 | 6.3 | 6.8 |
| 5 Circulatory System | 85 | 1.2 | 2.7 | 7.5 | 865,899 | 1.5 | 7.4 | 15.5 |
| 6 Digestive System | 357 | 4.9 | 4.9 | 6.4 | 5,275,749 | 9.2 | 7.9 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 120 | 1.6 | 1.8 | 2.3 | 1,875,690 | 3.3 | 2.9 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 271 | 3.7 | 6.1 | 10.0 | 8,630,953 | 15.1 | 19.1 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 46 | 0.6 | 0.9 | 1.1 | 455,938 | 0.8 | 1.5 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 144 | 2.0 | 1.7 | 2.4 | 1,166,719 | 2.0 | 1.6 | 2.1 |
| 11 Kidney & Urinary Tract | 105 | 1.4 | 2.1 | 2.8 | 1,053,945 | 1.8 | 2.7 | 3.0 |
| 12 Male Reproductive System | 6 | 0.1 | 0.2 | 0.3 | 58,835 | 0.1 | 0.4 | 0.3 |
| 13 Female Reproductive System | 308 | 4.2 | 3.4 | 1.7 | 3,729,309 | 6.5 | 4.0 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 2,377 | 32.5 | 32.0 | 20.9 | 15,473,680 | 27.1 | 19.3 | 8.6 |
| 15 Newborn & Other Neonates | 2,400 | 32.8 | 31.9 | 20.4 | 8,062,410 | 14.1 | 15.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 10 | 0.1 | 0.3 | 0.5 | 86,323 | 0.2 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 1 | 0.0 | 0.0 | 0.3 | 25,334 | 0.0 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 222 | 3.0 | 2.8 | 3.7 | 3,113,884 | 5.5 | 5.7 | 6.1 |
| 19 Mental Diseases and Disorders | 1 | 0.0 | 0.1 | 3.9 | 9,495 | 0.0 | 0.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 14 | 0.2 | 0.1 | 1.0 | 170,549 | 0.3 | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 94 | 1.3 | 1.4 | 1.8 | 1,030,699 | 1.8 | 1.6 | 1.8 |
| 22 Burns | . | . | . | 0.1 | . | . | . | 0.4 |
| 23 Factors Influencing Health Status | 22 | 0.3 | 0.5 | 1.3 | 160,027 | 0.3 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.1 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.1 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

RIVERTON HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDBB CASE MIX INDEX = 0.4825

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.41

BED SIZE: 97
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.42

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 7,306 | 57,848,222 | 496,073,671 | 5,319,068,336 | 16581.00 | 103,041.00 | 881,886.00 |
| Facility Charges (total) | . | 57,121,077 | 494,598,429 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 7,818 | 12,997 | 21,172 | 2.27 | 2.71 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 16,134 | 19,388 | 20,004 | 4.54 | 4.32 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | 19,807 | 21,721 | . | 2.69 | 3.12 |
| 075 Major chest procedures | . | . | 74,108 | 59,734 | . | 6.63 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 77 | 11,198 | 16,182 | 16,240 | 2.54 | 3.33 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 92 | 6,437 | 7,417 | 8,064 | 1.87 | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 311 | 5,688 | 6,067 | 7,590 | 1.63 | 1.79 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 236,644 | 131,342 | . | 9.00 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 137,595 | 117,359 | . | 5.00 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 166,894 | 114,735 | . | 5.67 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 123,100 | 103,627 | . | 6.00 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 62,425 | 87,590 | . | 2.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 70,511 | 48,932 | . | 2.42 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 51,192 | 39,075 | . | 2.50 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch alive | . | . | 25,291 | 24,880 | . | 2.54 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 1 | 3,256 | 24,987 | 18,844 | 1.00 | 2.13 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 32,896 | 26,849 | . | 3.00 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 25,660 | 19,275 | . | 1.46 | 1.78 |
| 127 Heart failure & shock | 25 | 12,910 | 17,708 | 18,033 | 2.24 | 3.38 | 3.64 |
| 140 Angina pectoris | . | . | 9,017 | 11,228 | . | 1.17 | 1.30 |
| 143 Chest pain | 9 | 8,273 | 9,816 | 10,491 | 1.00 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 19 | 37,918 | 47,389 | 59,626 | 6.79 | 7.32 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 75,675 | 77,655 | . | 8.67 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 15 | 13,197 | 15,441 | 13,530 | 1.07 | 1.14 | 1.11 |
| 174 G.I. hemorrhage w cc | 33 | 11,515 | 16,025 | 18,170 | 2.18 | 2.64 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 50 | 9,060 | 13,634 | 14,049 | 1.94 | 2.59 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 16 | 10,140 | 11,641 | 11,229 | 2.19 | 2.28 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 1 | 26,962 | 37,652 | 37,751 | 5.00 | 5.29 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 3 | 20,378 | 19,892 | 23,411 | 3.00 | 2.75 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 103 | 32,518 | 40,696 | 39,044 | 3.23 | 3.17 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

RIVERTON HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDBB CASE MIX INDEX = 0.4825

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.41

BED SIZE: 97
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.42

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 11 | 31,723 | 39,471 | 40,371 | 4.27 | 4.98 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 12 | 23,422 | 27,192 | 27,138 | 2.08 | 2.11 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 26 | 11,397 | 13,572 | 13,720 | 2.19 | 2.60 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 48 | 15,094 | 17,397 | 19,434 | 2.36 | 2.12 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 228 | 11,635 | 14,215 | 14,898 | 1.77 | 1.51 | 1.57 |
| 370 Cesarean section with cc | 127 | 9,914 | 12,536 | 14,657 | 3.53 | 3.59 | 3.87 |
| 371 Cesarean section without cc | 385 | 8,763 | 11,240 | 11,759 | 3.30 | 3.29 | 3.24 |
| 372 Vaginal delivery w complicating diag | 204 | 6,778 | 7,582 | 8,392 | 1.93 | 2.02 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,583 | 5,545 | 6,458 | 6,661 | 1.74 | 1.82 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 24 | 6,833 | 9,039 | 10,362 | 1.96 | 1.89 | 2.01 |
| 383 Other antepartum diag w med complic | 14 | 7,362 | 10,026 | 10,990 | 1.64 | 2.34 | 2.71 |
| 385 Neonates died/transf to acute care fac | 47 | 2,370 | 7,828 | 19,166 | 1.26 | 1.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 8 | 10,164 | 60,249 | 101,092 | 3.14 | 16.69 | 26.08 |
| 387 Prematurity w major problems | 33 | 10,068 | 31,946 | 48,843 | 5.94 | 10.92 | 15.14 |
| 389 Full term neonate w major problems | 112 | 6,589 | 17,121 | 15,544 | 3.55 | 5.07 | 4.66 |
| 390 Neonate w other significant problems | 463 | 3,395 | 4,490 | 3,854 | 2.20 | 2.41 | 2.27 |
| 391 Normal newborn | 1,665 | 2,653 | 2,716 | 2,436 | 1.90 | 1.90 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | 23,836 | . | . | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 10 | 32,621 | 71,472 | 72,347 | 5.90 | 8.60 | 9.12 |
| 430 Psychoses | 1 | 9,495 | 11,837 | 14,101 | 1.00 | 2.40 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 11 | 13,271 | 12,321 | 13,612 | 2.55 | 2.14 | 3.30 |
| 462 Rehabilitation | . | . | 29,391 | 40,385 | . | 10.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 3 | 10,640 | 33,895 | 55,889 | 1.33 | 4.09 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | 88,232 | 108,196 | . | 11.50 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 251,199 | 295,955 | . | 25.80 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 52,599 | 93,495 | . | 7.00 | 8.69 |
| 499 Back & neck procedures w cc | 1 | 17,711 | 29,012 | 25,581 | 2.00 | 2.56 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 7 | 10,588 | 17,769 | 16,304 | 1.00 | 1.60 | 1.73 |
| 502 Knee procedures w/o cc | 3 | 8,853 | 11,466 | 20,364 | 1.33 | 1.40 | 2.68 |
| 470 Ungroupable | . | . | 9,830 | 12,546 | . | 1.67 | 3.65 |
| All Other DRGs | 1,525 | 13,547 | 21,293 | 26,338 | 2.50 | 3.02 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

RIVERTON HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 97
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 16,873 | 17,504 | . | 2.31 | 2.39 |
| Major or Extreme SOI | . | . | 24,660 | 30,421 | . | 3.60 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 137 | 7,125 | 10,121 | 10,931 | 1.99 | 2.52 | 2.55 |
| Major or Extreme SOI | 35 | 14,397 | 20,552 | 20,864 | 3.19 | 4.08 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 100 | 5,268 | 6,721 | 8,532 | 1.45 | 1.79 | 1.99 |
| Major or Extreme SOI | 6 | 18,339 | 15,119 | 15,810 | 4.83 | 3.85 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 58,092 | 42,983 | . | 1.63 | 1.54 |
| Major or Extreme SOI | . | . | 80,986 | 68,036 | . | 3.85 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 3,256 | 20,648 | 17,963 | . | 2.15 | 2.03 |
| Major or Extreme SOI | . | . | 31,838 | 28,897 | . | 3.10 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 24,183 | 17,867 | . | 1.29 | 1.54 |
| Major or Extreme SOI | . | . | 43,257 | 25,935 | . | 4.25 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 16 | 12,266 | 14,732 | 13,972 | 2.14 | 2.74 | 2.96 |
| Major or Extreme SOI | 11 | 14,211 | 20,169 | 22,844 | 2.55 | 4.04 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 15 | 8,011 | 10,524 | 10,477 | 1.70 | 1.83 | 1.84 |
| Major or Extreme SOI | 7 | 13,452 | 15,309 | 17,274 | 2.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 28 | 26,229 | 31,921 | 33,294 | 4.32 | 4.51 | 4.80 |
| Major or Extreme SOI | 10 | 49,003 | 65,565 | 78,140 | 8.20 | 9.58 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 32 | 15,893 | 18,445 | 17,034 | 2.27 | 2.09 | 2.08 |
| Major or Extreme SOI | 1 | 28,114 | 39,816 | 36,530 | 2.00 | 4.20 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 53 | 6,417 | 8,204 | 9,467 | 1.71 | 1.91 | 2.01 |
| Major or Extreme SOI | 12 | 9,238 | 14,552 | 14,930 | 2.17 | 2.86 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 72 | 32,489 | 40,121 | 37,842 | 3.13 | 3.09 | 2.92 |
| Major or Extreme SOI | 1 | 37,116 | 51,550 | 48,873 | 4.00 | 4.27 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 21 | 18,622 | 28,054 | 27,280 | 1.90 | 2.44 | 2.61 |
| Major or Extreme SOI | 4 | 29,529 | 51,684 | 45,932 | 4.25 | 5.84 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 4 | 5,792 | 6,611 | 11,741 | 2.00 | 2.17 | 2.96 |
| Major or Extreme SOI | . | . | 16,017 | 22,625 | . | 2.33 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

RIVERTON HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 97
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 232 | 12,079 | 14,487 | 15,305 | 1.81 | 1.54 | 1.62 |
| Major or Extreme SOI | 2 | 12,567 | 25,951 | 36,837 | 2.50 | 3.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 487 | 8,828 | 11,286 | 11,641 | 3.33 | 3.31 | 3.21 |
| Major or Extreme SOI | 25 | 13,288 | 15,205 | 21,704 | 4.22 | 4.14 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,750 | 5,644 | 6,524 | 6,731 | 1.76 | 1.84 | 1.79 |
| Major or Extreme SOI | 34 | 8,003 | 8,867 | 10,767 | 2.15 | 2.30 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 24 | 6,833 | 9,031 | 9,583 | 1.96 | 1.89 | 1.93 |
| Major or Extreme SOI | . | . | 9,402 | 21,300 | . | 2.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 1 | 9,495 | 7,441 | 11,599 | . | 2.00 | 5.19 |
| Major or Extreme SOI | . | . | 20,374 | 22,695 | . | 3.00 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 2,101 | 2,764 | 2,825 | 2,536 | 1.95 | 1.95 | 1.89 |
| Major or Extreme SOI | 70 | 6,517 | 9,743 | 8,321 | 3.27 | 3.51 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 7 | 13,661 | 10,786 | 10,069 | 3.29 | 2.48 | 2.88 |
| Major or Extreme SOI | 4 | 12,587 | 13,906 | 19,849 | 1.25 | 2.00 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 8 | 11,478 | 18,286 | 16,988 | 1.13 | 2.02 | 1.89 |
| Major or Extreme SOI | . | . | 32,887 | 42,605 | . | 4.00 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 40 | 17,424 | 19,568 | 18,944 | 2.05 | 2.12 | 2.08 |
| Major or Extreme SOI | 7 | 19,697 | 34,521 | 34,924 | 2.33 | 4.86 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 9 | 12,821 | 13,114 | 13,298 | 2.44 | 2.18 | 2.15 |
| Major or Extreme SOI | 3 | 9,803 | 22,815 | 24,096 | 1.67 | 3.80 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 6 | 8,489 | 11,099 | 13,147 | 2.00 | 1.93 | 2.10 |
| Major or Extreme SOI | . | . | 27,046 | 23,048 | . | 4.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 18 | 10,210 | 11,821 | 12,049 | 2.39 | 2.48 | 2.47 |
| Major or Extreme SOI | 2 | 11,237 | 22,411 | 21,886 | 2.50 | 3.66 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 44 | 6,659 | 10,286 | 11,171 | 1.81 | 2.12 | 2.13 |
| Major or Extreme SOI | 5 | 19,315 | 21,043 | 21,005 | 4.60 | 3.75 | 3.64 |
| All other APRDRGs | 1,861 | 12,421 | 22,833 | 30,661 | 2.69 | 3.83 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

RIVERTON HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 97

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 5,022 | 68.7 | 68.8 | 61.8 |
| Male | 2,284 | 31.3 | 31.2 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,431 | 33.3 | 31.8 | 20.2 |
| 29-365 days | 223 | 3.1 | 1.0 | 0.9 |
| 1-4 years | 272 | 3.7 | 1.1 | 0.7 |
| 5-9 | 105 | 1.4 | 0.4 | 0.4 |
| 10-14 | 42 | 0.6 | 0.2 | 0.4 |
| 15-17 | 62 | 0.8 | 0.5 | 0.8 |
| 18-19 | 88 | 1.2 | 1.3 | 1.5 |
| 20-24 | 531 | 7.3 | 7.8 | 6.9 |
| 25-29 | 990 | 13.6 | 12.7 | 9.6 |
| 30-34 | 823 | 11.3 | 10.7 | 8.4 |
| 35-39 | 400 | 5.5 | 5.5 | 4.9 |
| 40-44 | 190 | 2.6 | 2.7 | 3.4 |
| 45-49 | 161 | 2.2 | 2.3 | 3.5 |
| 50-54 | 147 | 2.0 | 2.7 | 4.5 |
| 55-59 | 153 | 2.1 | 2.9 | 5.0 |
| 60-64 | 145 | 2.0 | 2.9 | 5.1 |
| 65-69 | 147 | 2.0 | 3.0 | 5.6 |
| 70-74 | 114 | 1.6 | 2.8 | 5.1 |
| 75-79 | 95 | 1.3 | 2.4 | 4.7 |
| 80-84 | 84 | 1.1 | 2.3 | 4.1 |
| 85-89 | 63 | 0.9 | 1.6 | 2.9 |
| 90 + | 40 | 0.5 | 1.1 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 6 | 0.1 | 8.8 | 14.1 |
| Urgent | 2,912 | 39.9 | 36.1 | 39.7 |
| Elective | 2,038 | 27.9 | 23.4 | 25.3 |
| Newborn | 2,350 | 32.2 | 31.7 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 2,764 | 37.8 | 44.3 | 49.6 |
| Clinic referral | 2,162 | 29.6 | 23.6 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 27 | 0.4 | 0.2 | 4.4 |
| Skilled nursing facility | 1 | 0.0 | 0.1 | 0.5 |
| Other health care facility | 1 | 0.0 | 0.0 | 0.2 |
| Emergency room | . | . | 0.0 | 0.0 |
| Court/law enforcement | . | . | 0.0 | 0.3 |
| Normal delivery/Born Inside | 2,349 | 32.2 | 31.6 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

RIVERTON HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 97

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.0 | 0.1 | 0.0 |
| Unknown | 1 | 0.0 | 0.0 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 3,376 | 46.2 | 59.4 | 55.1 |
| Another hospital | 58 | 0.8 | 0.8 | 0.8 |
| Skilled nursing facility | 75 | 1.0 | 3.0 | 5.3 |
| Intermediate care | . | . | 0.0 | 0.1 |
| Another type of institution | 71 | 1.0 | 1.1 | 2.6 |
| Under care of home service | 99 | 1.4 | 3.4 | 5.7 |
| Left against medical advice | 4 | 0.1 | 0.1 | 0.3 |
| Under care of a home iv provider | . | . | . | 0.0 |
| Expired | 9 | 0.1 | 0.4 | 1.1 |
| Not reported | 3,614 | 49.5 | 31.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 588 | 8.0 | 15.4 | 26.7 |
| Medicaid | 1,121 | 15.3 | 17.3 | 18.6 |
| Other government | 142 | 1.9 | 1.9 | 2.4 |
| Blue Cross/Blue Shield | 350 | 4.8 | 11.4 | 10.3 |
| Other commercial | 337 | 4.6 | 5.2 | 5.5 |
| Managed care | 4,541 | 62.2 | 44.9 | 30.9 |
| Self pay | 130 | 1.8 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 15 | 0.2 | 0.1 | 0.5 |
| Charity | 59 | 0.8 | 0.4 | 1.1 |
| Children's Health Insurance Plan | 22 | 0.3 | 0.2 | 0.1 |
| Not reported | 1 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 5 | 0.1 | 0.1 | 5.4 |
| Central Utah | 16 | 0.2 | 0.6 | 2.9 |
| Davis County | 59 | 0.8 | 0.5 | 9.8 |
| Salt Lake County | 6,331 | 86.7 | 48.1 | 34.1 |
| Southeastern Utah | 3 | 0.0 | 0.4 | 1.8 |
| Southwest Utah | 26 | 0.4 | 0.3 | 8.0 |
| Summit County | 7 | 0.1 | 0.1 | 0.9 |
| Tooele County | 64 | 0.9 | 0.7 | 2.2 |
| Tri-County | 2 | 0.0 | 0.2 | 1.7 |
| Utah County | 721 | 9.9 | 46.9 | 17.8 |
| Wasatch County | 3 | 0.0 | 0.3 | 0.6 |
| Weber/Morgan | 7 | 0.1 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 61 | 0.8 | 1.6 | 5.2 |
| Unknown | 1 | 0.0 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 158
 AFFILIATION: IASIS Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4,411 | 100.0 | 100.0 | 100.0 | 132,226,953 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 652 | 14.8 | 17.6 | 20.1 | 1,436,517 | 1.1 | 7.9 | 7.7 |
| Obstetric (MDC 14) | 666 | 15.1 | 18.5 | 20.9 | 5,168,727 | 3.9 | 7.1 | 8.6 |
| Pediatric Medical (Age 0-17) | 2 | 0.0 | 2.8 | 2.3 | 18,378 | 0.0 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 2 | 0.0 | 0.6 | 0.4 | 56,740 | 0.0 | 0.6 | 0.6 |
| Other Medical | 889 | 20.2 | 27.4 | 29.4 | 20,484,809 | 15.5 | 23.7 | 27.2 |
| Other Surgical | 1,746 | 39.6 | 26.5 | 22.0 | 93,096,682 | 70.4 | 53.7 | 49.8 |
| Psychiatric (MDC 19) | 259 | 5.9 | 5.5 | 3.9 | 5,766,311 | 4.4 | 3.4 | 2.7 |
| Rehabilitation (DRG 462) | 193 | 4.4 | 1.2 | 1.0 | 6,163,190 | 4.7 | 1.8 | 2.0 |
| Unknown (DRG 469-470) | 2 | 0.0 | 0.0 | 0.0 | 35,599 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 143 | 3.2 | 4.2 | 4.1 | 4,537,782 | 3.4 | 5.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 33 | 0.7 | 0.7 | 0.6 | 1,154,802 | 0.9 | 0.6 | 0.5 |
| 4 Respiratory System | 164 | 3.7 | 6.2 | 6.4 | 4,830,869 | 3.7 | 6.4 | 6.8 |
| 5 Circulatory System | 324 | 7.3 | 8.3 | 7.5 | 22,667,699 | 17.1 | 16.2 | 15.5 |
| 6 Digestive System | 327 | 7.4 | 6.7 | 6.4 | 14,772,075 | 11.2 | 8.0 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 108 | 2.4 | 2.2 | 2.3 | 8,223,217 | 6.2 | 2.7 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 804 | 18.2 | 12.3 | 10.0 | 33,262,434 | 25.2 | 21.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 56 | 1.3 | 1.1 | 1.1 | 936,928 | 0.7 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 330 | 7.5 | 3.0 | 2.4 | 10,968,104 | 8.3 | 3.0 | 2.1 |
| 11 Kidney & Urinary Tract | 70 | 1.6 | 2.8 | 2.8 | 1,820,218 | 1.4 | 2.5 | 3.0 |
| 12 Male Reproductive System | 31 | 0.7 | 0.3 | 0.3 | 929,940 | 0.7 | 0.3 | 0.3 |
| 13 Female Reproductive System | 60 | 1.4 | 1.6 | 1.7 | 1,426,059 | 1.1 | 1.3 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 666 | 15.1 | 18.5 | 20.9 | 5,168,727 | 3.9 | 7.1 | 8.6 |
| 15 Newborn & Other Neonates | 652 | 14.8 | 18.1 | 20.4 | 1,436,517 | 1.1 | 8.7 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 13 | 0.3 | 0.5 | 0.5 | 262,182 | 0.2 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 14 | 0.3 | 0.2 | 0.3 | 404,931 | 0.3 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 87 | 2.0 | 3.5 | 3.7 | 4,464,824 | 3.4 | 5.5 | 6.1 |
| 19 Mental Diseases and Disorders | 259 | 5.9 | 5.5 | 3.9 | 5,766,311 | 4.4 | 3.4 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 15 | 0.3 | 0.5 | 1.0 | 358,770 | 0.3 | 0.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 46 | 1.0 | 1.8 | 1.8 | 2,287,426 | 1.7 | 1.6 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 206 | 4.7 | 1.6 | 1.3 | 6,485,733 | 4.9 | 2.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.3 | 0.3 | . | . | 1.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.0 | 25,806 | 0.0 | 0.1 | 0.1 |
| Unknown | 2 | 0.0 | 0.0 | 0.1 | 35,599 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDDDB CASE MIX INDEX = 1.3156

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.52

BED SIZE: 158
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=2.29

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | | |
|--|---------------------------------|-------------|---------------|----------------------|----------|------------|------------|------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 4,411 | 132,226,953 | 1,639,416,606 | 5,319,068,336 | 21053.00 | 254,278.00 | 881,886.00 | | | |
| Facility Charges (total) | . | 132,226,953 | 1,632,457,214 | 5,296,755,067 | . | . | . | | | |
| Facility Charges & LOS (average) | . | 29,977 | 23,911 | 21,172 | 4.77 | 3.72 | 3.53 | | | |
| Facility Charges & LOS (adjusted average)* | . | 21,488 | 20,758 | 20,004 | 3.40 | 3.28 | 3.53 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | | |
| 001 Craniotomy age >17 with CC | 2 | 38,496 | 69,547 | 62,383 | 2.00 | 7.33 | 6.29 | | | |
| 003 Craniotomy age 0-17 | . | . | 46,481 | 70,042 | . | 4.25 | 6.13 | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 12 | 23,231 | 21,412 | 21,721 | 3.00 | 3.06 | 3.12 | | | |
| 075 Major chest procedures | 10 | 89,382 | 51,651 | 59,734 | 11.22 | 6.52 | 7.19 | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 44 | 19,674 | 18,354 | 16,240 | 3.66 | 3.37 | 3.26 | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | 11,178 | 8,064 | . | 2.48 | 2.31 | | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | 9,799 | 7,590 | . | 2.23 | 2.06 | | | |
| 104 Cardiac valve/cardiotor w card cath | 3 | 166,617 | 134,716 | 131,342 | 10.00 | 9.03 | 9.28 | | | |
| 105 Cardiac valve/cardiotor w/o card cath | 27 | 170,911 | 118,383 | 117,359 | 10.04 | 7.41 | 7.94 | | | |
| 547 Coronary bypass with card cath w/ MCV | 11 | 170,527 | 106,951 | 114,735 | 13.82 | 9.03 | 9.60 | | | |
| 549 Coronary bypass w/o card cath w/ MCV | 8 | 157,859 | 109,350 | 103,627 | 10.63 | 9.03 | 8.21 | | | |
| 108 Other cardiothoracic procedures | 4 | 102,369 | 87,644 | 92,602 | 6.25 | 6.19 | 7.28 | | | |
| 110 Major cardiovascular procedures w cc | 10 | 82,344 | 82,865 | 87,590 | 5.90 | 4.75 | 6.14 | | | |
| 555 Perc. cardiovascular procedures w MCV | 13 | 47,195 | 46,687 | 48,932 | 2.38 | 2.76 | 3.08 | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | 1 | 59,696 | 43,825 | 39,075 | 4.00 | 2.23 | 2.30 | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 4 | 28,287 | 25,258 | 24,880 | 3.33 | 3.87 | 3.56 | | | |
| 122 Circ disrd w AMI w/o comp disch alive | 8 | 24,312 | 18,428 | 18,844 | 2.13 | 1.89 | 1.96 | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | 17 | 32,188 | 24,694 | 26,849 | 4.18 | 2.81 | 3.44 | | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | 7 | 23,666 | 18,124 | 19,275 | 2.86 | 1.50 | 1.78 | | | |
| 127 Heart failure & shock | 47 | 19,673 | 18,815 | 18,033 | 3.87 | 3.53 | 3.64 | | | |
| 140 Angina pectoris | . | . | 11,543 | 11,228 | . | 1.47 | 1.30 | | | |
| 143 Chest pain | 2 | 8,023 | 11,523 | 10,491 | 1.00 | 1.38 | 1.33 | | | |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 19 | 91,018 | 65,223 | 59,626 | 12.50 | 9.55 | 9.04 | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 17 | 118,489 | 93,831 | 77,655 | 11.65 | 11.13 | 9.70 | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 1 | 19,610 | 13,248 | 13,530 | 1.00 | 1.12 | 1.11 | | | |
| 174 G.I. hemorrhage w cc | 20 | 28,439 | 20,628 | 18,170 | 4.05 | 3.03 | 2.81 | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 28 | 17,972 | 15,599 | 14,049 | 3.19 | 2.62 | 2.61 | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 8 | 10,244 | 12,411 | 11,229 | 2.63 | 2.13 | 2.10 | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 44,979 | 37,751 | . | 6.19 | 5.36 | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,018 | 23,411 | . | 2.50 | 3.09 | | | |
| 544 Mjr jnt replace/reattach, low extrem | 454 | 38,067 | 40,500 | 39,044 | 3.04 | 3.06 | 2.99 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDBB CASE MIX INDEX = 1.3156

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.52

BED SIZE: 158
 AFFILIATION: IASIS Healthcare
 % LOS OUTLIER=2.29

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 23 | 47,537 | 42,657 | 40,371 | 5.00 | 4.49 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 3 | 19,437 | 27,177 | 27,138 | 1.33 | 2.34 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 14 | 13,682 | 14,649 | 13,720 | 2.86 | 2.76 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 12 | 31,516 | 22,210 | 19,434 | 3.27 | 2.46 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 33 | 17,767 | 15,961 | 14,898 | 1.66 | 1.60 | 1.57 |
| 370 Cesarean section with cc | 21 | 13,539 | 14,078 | 14,657 | 3.76 | 3.83 | 3.87 |
| 371 Cesarean section without cc | 137 | 10,394 | 11,634 | 11,759 | 2.97 | 3.33 | 3.24 |
| 372 Vaginal delivery w complicating diag | 48 | 6,996 | 8,713 | 8,392 | 2.15 | 2.01 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 430 | 6,157 | 6,839 | 6,661 | 1.94 | 1.79 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 9 | 12,360 | 10,972 | 10,362 | 2.33 | 2.06 | 2.01 |
| 383 Other antepartum diag w med complic | 7 | 13,636 | 11,269 | 10,990 | 3.43 | 2.80 | 2.71 |
| 385 Neonates died/transf to acute care fac | 3 | 2,647 | 29,599 | 19,166 | 1.50 | 5.37 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 5 | 11,849 | 109,292 | 101,092 | 6.00 | 28.30 | 26.08 |
| 387 Prematurity w major problems | 1 | 14,832 | 56,798 | 48,843 | 6.00 | 17.62 | 15.14 |
| 389 Full term neonate w major problems | 18 | 11,402 | 17,670 | 15,544 | 3.87 | 4.77 | 4.66 |
| 390 Neonate w other significant problems | 46 | 2,954 | 4,421 | 3,854 | 2.31 | 2.31 | 2.27 |
| 391 Normal newborn | 573 | 1,668 | 2,670 | 2,436 | 1.89 | 1.88 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 20,330 | 23,836 | . | 2.40 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 10 | 114,642 | 74,780 | 72,347 | 15.00 | 9.40 | 9.12 |
| 430 Psychoses | 237 | 19,452 | 14,072 | 14,101 | 13.45 | 6.05 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 12 | 19,939 | 15,708 | 13,612 | 5.27 | 3.10 | 3.30 |
| 462 Rehabilitation | 193 | 31,679 | 35,268 | 40,385 | 12.56 | 12.20 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 6 | 38,377 | 57,949 | 55,889 | 4.40 | 6.11 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 2 | 118,238 | 102,052 | 108,196 | 12.50 | 12.09 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 10 | 297,589 | 252,623 | 295,955 | 31.90 | 24.67 | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | 92,784 | 93,495 | . | 9.39 | 8.69 |
| 499 Back & neck procedures w cc | 8 | 34,175 | 24,403 | 25,581 | 2.00 | 2.85 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 12 | 18,349 | 15,181 | 16,304 | 1.30 | 1.67 | 1.73 |
| 502 Knee procedures w/o cc | 3 | 16,941 | 26,343 | 20,364 | 2.00 | 3.50 | 2.68 |
| 470 Ungroupable | 2 | 17,800 | 20,093 | 12,546 | 1.50 | 3.75 | 3.65 |
| All Other DRGs | 1,756 | 37,168 | 28,461 | 26,338 | 4.15 | 3.40 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 158
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 7 | 19,871 | 18,103 | 17,504 | 2.00 | 2.37 | 2.39 |
| Major or Extreme SOI | 5 | 27,937 | 28,837 | 30,421 | 4.20 | 4.07 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 29 | 14,847 | 12,522 | 10,931 | 2.79 | 2.42 | 2.55 |
| Major or Extreme SOI | 21 | 24,243 | 22,762 | 20,864 | 4.48 | 4.19 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 3 | 9,961 | 9,175 | 8,532 | 2.33 | 1.96 | 1.99 |
| Major or Extreme SOI | . | . | 20,082 | 15,810 | . | 3.67 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 16 | 51,298 | 41,532 | 42,983 | 2.25 | 1.55 | 1.54 |
| Major or Extreme SOI | 2 | 130,393 | 63,901 | 68,036 | 8.50 | 4.18 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 7 | 22,165 | 17,938 | 17,963 | 2.00 | 2.00 | 2.03 |
| Major or Extreme SOI | 4 | 32,777 | 30,643 | 28,897 | 3.67 | 4.21 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 2 | 18,557 | 17,067 | 17,867 | 2.00 | 1.42 | 1.54 |
| Major or Extreme SOI | 3 | 24,168 | 23,555 | 25,935 | 2.67 | 2.58 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 27 | 15,471 | 14,750 | 13,972 | 3.33 | 2.94 | 2.96 |
| Major or Extreme SOI | 20 | 25,345 | 24,022 | 22,844 | 4.60 | 4.38 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 35 | 9,856 | 10,936 | 10,477 | 2.14 | 1.94 | 1.84 |
| Major or Extreme SOI | 14 | 37,932 | 18,783 | 17,274 | 4.14 | 3.03 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 29 | 34,017 | 35,643 | 33,294 | 5.04 | 4.85 | 4.80 |
| Major or Extreme SOI | 14 | 144,425 | 84,059 | 78,140 | 17.07 | 11.85 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 4 | 30,196 | 17,058 | 17,034 | 6.00 | 2.18 | 2.08 |
| Major or Extreme SOI | . | . | 35,025 | 36,530 | . | 5.11 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 8 | 11,943 | 10,282 | 9,467 | 2.25 | 1.88 | 2.01 |
| Major or Extreme SOI | 2 | 27,778 | 16,574 | 14,930 | 5.50 | 3.02 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 388 | 37,208 | 38,636 | 37,842 | 2.95 | 3.01 | 2.92 |
| Major or Extreme SOI | 12 | 52,436 | 47,913 | 48,873 | 4.82 | 4.11 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 14 | 22,456 | 27,397 | 27,280 | 2.31 | 2.66 | 2.61 |
| Major or Extreme SOI | 1 | 43,855 | 42,997 | 45,932 | 7.00 | 4.81 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 9,145 | 11,741 | . | 2.13 | 2.96 |
| Major or Extreme SOI | 1 | 7,398 | 18,768 | 22,625 | 2.00 | 5.30 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 158
 AFFILIATION: IASIS Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 29 | 18,499 | 16,381 | 15,305 | 1.59 | 1.63 | 1.62 |
| Major or Extreme SOI | 3 | 58,657 | 50,718 | 36,837 | 6.00 | 5.89 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 155 | 10,487 | 11,327 | 11,641 | 3.01 | 3.27 | 3.21 |
| Major or Extreme SOI | 3 | 26,556 | 22,120 | 21,704 | 6.67 | 5.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 473 | 6,221 | 6,913 | 6,731 | 1.96 | 1.79 | 1.79 |
| Major or Extreme SOI | 6 | 7,438 | 11,218 | 10,767 | 2.33 | 2.38 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 9 | 12,360 | 10,731 | 9,583 | 2.33 | 2.03 | 1.93 |
| Major or Extreme SOI | . | . | 15,206 | 21,300 | . | 2.63 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 111 | 14,102 | 12,003 | 11,599 | 11.50 | 5.43 | 5.19 |
| Major or Extreme SOI | 50 | 21,565 | 19,545 | 22,695 | 12.21 | 9.03 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 609 | 1,714 | 2,793 | 2,536 | 1.91 | 1.93 | 1.89 |
| Major or Extreme SOI | 5 | 6,181 | 8,923 | 8,321 | 3.80 | 3.21 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 4 | 11,556 | 12,019 | 10,069 | 7.00 | 2.63 | 2.88 |
| Major or Extreme SOI | 6 | 30,461 | 22,199 | 19,849 | 5.20 | 3.90 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 16 | 19,043 | 16,185 | 16,988 | 1.43 | 1.84 | 1.89 |
| Major or Extreme SOI | . | . | 38,988 | 42,605 | . | 4.88 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 14 | 29,405 | 19,283 | 18,944 | 3.08 | 2.18 | 2.08 |
| Major or Extreme SOI | 5 | 54,118 | 37,471 | 34,924 | 8.60 | 5.31 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 11 | 17,166 | 14,564 | 13,298 | 3.11 | 2.12 | 2.15 |
| Major or Extreme SOI | 4 | 28,360 | 27,204 | 24,096 | 4.50 | 3.83 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 21,130 | 13,590 | 13,147 | 1.00 | 2.00 | 2.10 |
| Major or Extreme SOI | . | . | 24,531 | 23,048 | . | 3.59 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 5 | 13,389 | 12,656 | 12,049 | 2.80 | 2.50 | 2.47 |
| Major or Extreme SOI | 2 | 20,822 | 24,131 | 21,886 | 2.50 | 4.14 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 14 | 17,565 | 11,831 | 11,171 | 3.00 | 1.97 | 2.13 |
| Major or Extreme SOI | 7 | 34,037 | 23,504 | 21,005 | 5.14 | 3.82 | 3.64 |
| All other APRDRGs | 2,201 | 41,137 | 32,872 | 30,661 | 5.81 | 4.71 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Salt Lake
 AFFILIATION: IASIS Healthcare BED SIZE: 158

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 2,712 | 61.5 | 61.0 | 61.8 |
| Male | 1,699 | 38.5 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 651 | 14.8 | 17.6 | 20.2 |
| 29-365 days | 1 | 0.0 | 1.2 | 0.9 |
| 1-4 years | . | . | 0.9 | 0.7 |
| 5-9 | . | . | 0.5 | 0.4 |
| 10-14 | 1 | 0.0 | 0.6 | 0.4 |
| 15-17 | 10 | 0.2 | 1.0 | 0.8 |
| 18-19 | 27 | 0.6 | 1.3 | 1.5 |
| 20-24 | 149 | 3.4 | 6.5 | 6.9 |
| 25-29 | 281 | 6.4 | 8.7 | 9.6 |
| 30-34 | 308 | 7.0 | 7.6 | 8.4 |
| 35-39 | 201 | 4.6 | 4.7 | 4.9 |
| 40-44 | 184 | 4.2 | 3.5 | 3.4 |
| 45-49 | 182 | 4.1 | 3.6 | 3.5 |
| 50-54 | 246 | 5.6 | 4.9 | 4.5 |
| 55-59 | 306 | 6.9 | 5.4 | 5.0 |
| 60-64 | 299 | 6.8 | 5.3 | 5.1 |
| 65-69 | 411 | 9.3 | 6.1 | 5.6 |
| 70-74 | 354 | 8.0 | 5.7 | 5.1 |
| 75-79 | 322 | 7.3 | 5.4 | 4.7 |
| 80-84 | 197 | 4.5 | 4.6 | 4.1 |
| 85-89 | 176 | 4.0 | 3.2 | 2.9 |
| 90 + | 103 | 2.3 | 1.8 | 1.6 |
| Unknown | 2 | 0.0 | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 944 | 21.4 | 11.0 | 14.1 |
| Urgent | 636 | 14.4 | 43.9 | 39.7 |
| Elective | 2,142 | 48.6 | 27.0 | 25.3 |
| Newborn | 652 | 14.8 | 17.6 | 20.2 |
| Trauma Center | . | . | 0.4 | 0.6 |
| Unknown | 37 | 0.8 | 0.1 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 3,514 | 79.7 | 47.1 | 49.6 |
| Clinic referral | 1 | 0.0 | 29.7 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 190 | 4.3 | 4.2 | 4.4 |
| Skilled nursing facility | 1 | 0.0 | 0.8 | 0.5 |
| Other health care facility | 1 | 0.0 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 2 | 0.0 | 0.3 | 0.3 |
| Normal delivery/Born Inside | 645 | 14.6 | 17.6 | 20.1 |
| Premature delivery | . | . | 0.0 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Salt Lake
 AFFILIATION: IASIS Healthcare BED SIZE: 158

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 2 | 0.0 | 0.0 | 0.0 |
| Unknown | 1 | 0.0 | 0.1 | 0.6 |
| Not reported | 54 | 1.2 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,719 | 61.6 | 49.8 | 55.1 |
| Another hospital | 65 | 1.5 | 0.4 | 0.8 |
| Skilled nursing facility | 545 | 12.4 | 6.1 | 5.3 |
| Intermediate care | 7 | 0.2 | 0.0 | 0.1 |
| Another type of institution | 11 | 0.2 | 2.7 | 2.6 |
| Under care of home service | 788 | 17.9 | 6.2 | 5.7 |
| Left against medical advice | 24 | 0.5 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 49 | 1.1 | 1.1 | 1.1 |
| Not reported | 203 | 4.6 | 33.4 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,743 | 39.5 | 29.7 | 26.7 |
| Medicaid | 478 | 10.8 | 18.4 | 18.6 |
| Other government | 135 | 3.1 | 2.8 | 2.4 |
| Blue Cross/Blue Shield | 821 | 18.6 | 9.5 | 10.3 |
| Other commercial | 384 | 8.7 | 4.7 | 5.5 |
| Managed care | 681 | 15.4 | 30.4 | 30.9 |
| Self pay | 137 | 3.1 | 2.9 | 3.7 |
| Industrial/Worker's Comp | 13 | 0.3 | 0.5 | 0.5 |
| Charity | 17 | 0.4 | 1.0 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.1 |
| Not reported | 2 | 0.0 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 75 | 1.7 | 2.3 | 5.4 |
| Central Utah | 33 | 0.7 | 3.0 | 2.9 |
| Davis County | 558 | 12.7 | 10.1 | 9.8 |
| Salt Lake County | 2,728 | 61.8 | 26.0 | 34.1 |
| Southeastern Utah | 24 | 0.5 | 1.1 | 1.8 |
| Southwest Utah | 18 | 0.4 | 0.6 | 8.0 |
| Summit County | 48 | 1.1 | 0.5 | 0.9 |
| Tooele County | 144 | 3.3 | 0.9 | 2.2 |
| Tri-County | 69 | 1.6 | 0.7 | 1.7 |
| Utah County | 160 | 3.6 | 29.4 | 17.8 |
| Wasatch County | 20 | 0.5 | 0.6 | 0.6 |
| Weber/Morgan | 172 | 3.9 | 21.8 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 339 | 7.7 | 2.9 | 5.2 |
| Unknown | 22 | 0.5 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

SAN JUAN HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: San Juan
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Management

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 451 | 100.0 | 100.0 | 100.0 | 4,039,004 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 62 | 13.7 | 18.5 | 20.1 | 130,760 | 3.2 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 77 | 17.1 | 19.5 | 20.9 | 636,274 | 15.8 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 26 | 5.8 | 4.8 | 2.3 | 102,131 | 2.5 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 1 | 0.2 | 0.6 | 0.4 | 15,879 | 0.4 | 1.1 | 0.6 |
| Other Medical | 212 | 47.0 | 45.7 | 29.4 | 1,395,544 | 34.6 | 49.3 | 27.2 |
| Other Surgical | 71 | 15.7 | 10.1 | 22.0 | 1,747,734 | 43.3 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 2 | 0.4 | 0.3 | 3.9 | 10,681 | 0.3 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 13 | 2.9 | 2.6 | 4.1 | 120,854 | 3.0 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 6 | 1.3 | 1.0 | 0.6 | 26,596 | 0.7 | 0.7 | 0.5 |
| 4 Respiratory System | 86 | 19.1 | 13.7 | 6.4 | 496,133 | 12.3 | 15.4 | 6.8 |
| 5 Circulatory System | 23 | 5.1 | 6.0 | 7.5 | 162,909 | 4.0 | 6.7 | 15.5 |
| 6 Digestive System | 35 | 7.8 | 9.1 | 6.4 | 319,800 | 7.9 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 9 | 2.0 | 3.5 | 2.3 | 86,740 | 2.1 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 39 | 8.6 | 6.5 | 10.0 | 1,219,934 | 30.2 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 16 | 3.5 | 2.3 | 1.1 | 108,456 | 2.7 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 18 | 4.0 | 3.7 | 2.4 | 110,213 | 2.7 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 16 | 3.5 | 3.7 | 2.8 | 91,368 | 2.3 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | 23 | 5.1 | 2.2 | 1.7 | 357,255 | 8.8 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 77 | 17.1 | 19.5 | 20.9 | 636,274 | 15.8 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 62 | 13.7 | 18.7 | 20.4 | 130,760 | 3.2 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 5 | 1.1 | 0.8 | 0.5 | 26,493 | 0.7 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 2 | 0.4 | 0.1 | 0.3 | 20,116 | 0.5 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 9 | 2.0 | 2.0 | 3.7 | 62,134 | 1.5 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 2 | 0.4 | 0.3 | 3.9 | 10,681 | 0.3 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.4 | 0.5 | 1.0 | 9,615 | 0.2 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 5 | 1.1 | 1.7 | 1.8 | 21,781 | 0.5 | 1.9 | 1.8 |
| 22 Burns | 1 | 0.2 | 0.0 | 0.1 | 7,560 | 0.2 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 2 | 0.4 | 1.4 | 1.3 | 13,331 | 0.3 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.6285

COUNTY: San Juan
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.67

BED SIZE: 25
 AFFILIATION: Management
 % LOS OUTLIER=1.77

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 451 | 4,039,004 | 114,581,002 | 5,319,068,336 | 1,053.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 4,039,004 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 8,956 | 10,066 | 21,172 | 2.33 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 14,079 | 16,258 | 20,004 | 3.55 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | 10,331 | 21,721 | . | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 29 | 6,015 | 11,079 | 16,240 | 2.52 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 9 | 3,372 | 6,181 | 8,064 | 1.89 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 11 | 3,694 | 5,668 | 7,590 | 2.00 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 26,027 | 20,366 | 24,880 | 1.00 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 8 | 4,581 | 11,796 | 18,033 | 2.38 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 1 | 8,601 | 6,720 | 10,491 | 3.00 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dx1 & w/o cc | 1 | 8,980 | 16,048 | 13,530 | 2.00 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 3 | 10,276 | 12,515 | 18,170 | 4.33 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 6 | 5,654 | 8,553 | 14,049 | 2.33 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 3 | 5,865 | 7,663 | 11,229 | 1.67 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 30 | 37,909 | 38,866 | 39,044 | 3.24 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.6285

COUNTY: San Juan
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.67

BED SIZE: 25
 AFFILIATION: Management
 % LOS OUTLIER=1.77

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 7 | 7,419 | 8,608 | 13,720 | 2.43 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 3 | 17,356 | 19,017 | 19,434 | 1.33 | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 15 | 17,495 | 16,939 | 14,898 | 1.20 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 6 | 14,870 | 12,139 | 14,657 | 2.50 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 11 | 15,061 | 11,034 | 11,759 | 2.64 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 9 | 7,198 | 6,345 | 8,392 | 2.00 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 36 | 5,920 | 5,099 | 6,661 | 1.75 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 1 | 12,754 | 8,822 | 10,362 | 3.00 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 8 | 5,797 | 6,503 | 10,990 | 2.13 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 2 | 1,887 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | . | . | 3,831 | 15,544 | . | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 3 | 2,430 | 2,658 | 3,854 | 2.00 | 1.92 | 2.27 |
| 391 Normal newborn | 56 | 2,092 | 2,122 | 2,436 | 1.69 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 2 | 4,808 | 7,298 | 13,612 | 2.00 | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 190 | 7,156 | 11,484 | 26,338 | 2.38 | 2.66 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: San Juan
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Management

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | 11,029 | 17,504 | . | 2.61 | 2.39 |
| Major or Extreme SOI | . | . | 10,115 | 30,421 | . | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 37 | 5,308 | 8,601 | 10,931 | 2.39 | 2.69 | 2.55 |
| Major or Extreme SOI | 3 | 6,184 | 15,114 | 20,864 | 3.00 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 3 | 4,343 | 6,962 | 8,532 | 2.00 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 26,027 | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 7 | 3,726 | 10,681 | 13,972 | 2.00 | 3.16 | 2.96 |
| Major or Extreme SOI | 1 | 10,563 | 14,304 | 22,844 | 5.00 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 5 | 10,469 | 8,759 | 10,477 | 2.67 | 1.91 | 1.84 |
| Major or Extreme SOI | . | . | 12,787 | 17,274 | . | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | 37,933 | 33,294 | . | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 3 | 13,296 | 19,168 | 17,034 | 2.50 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 3 | 4,594 | 7,294 | 9,467 | 2.33 | 2.04 | 2.01 |
| Major or Extreme SOI | 2 | 9,456 | 10,963 | 14,930 | 3.00 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 22 | 38,156 | 39,599 | 37,842 | 3.10 | 3.14 | 2.92 |
| Major or Extreme SOI | 2 | 42,616 | 45,999 | 48,873 | 4.50 | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | 1 | 16,339 | 17,599 | 22,625 | 3.00 | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: San Juan
 OWNERSHIP: Government

BED SIZE: 25
 AFFILIATION: Management

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 16 | 17,516 | 16,877 | 15,305 | 1.25 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 17 | 14,997 | 11,227 | 11,641 | 2.59 | 2.61 | 3.21 |
| Major or Extreme SOI | . | . | 14,509 | 21,704 | . | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 42 | 6,153 | 5,201 | 6,731 | 1.78 | 1.60 | 1.79 |
| Major or Extreme SOI | 2 | 6,907 | 7,295 | 10,767 | 2.50 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 1 | 12,754 | 8,634 | 9,583 | 3.00 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 58 | 2,110 | 2,218 | 2,536 | 1.73 | 1.73 | 1.89 |
| Major or Extreme SOI | . | . | 3,691 | 8,321 | . | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 2 | 4,808 | 5,962 | 10,069 | 2.00 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 2 | 17,135 | 20,365 | 18,944 | 2.00 | 2.00 | 2.08 |
| Major or Extreme SOI | . | . | 27,838 | 34,924 | . | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 2 | 8,058 | 9,511 | 13,298 | 3.00 | 2.24 | 2.15 |
| Major or Extreme SOI | . | . | 16,416 | 24,096 | . | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 2 | 6,955 | 8,734 | 12,049 | 2.00 | 2.32 | 2.47 |
| Major or Extreme SOI | . | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 2 | 2,457 | 7,708 | 11,171 | 1.00 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 215 | 7,552 | 10,802 | 30,661 | 2.40 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SAN JUAN HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: San Juan
 AFFILIATION: Management BED SIZE: 25

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 288 | 63.9 | 64.5 | 61.8 |
| Male | 160 | 35.5 | 35.4 | 38.2 |
| Unknown | 3 | 0.7 | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 63 | 14.0 | 18.7 | 20.2 |
| 29-365 days | 12 | 2.7 | 1.1 | 0.9 |
| 1-4 years | 4 | 0.9 | 1.8 | 0.7 |
| 5-9 | 4 | 0.9 | 0.9 | 0.4 |
| 10-14 | 4 | 0.9 | 0.6 | 0.4 |
| 15-17 | 5 | 1.1 | 1.1 | 0.8 |
| 18-19 | 3 | 0.7 | 1.8 | 1.5 |
| 20-24 | 32 | 7.1 | 7.2 | 6.9 |
| 25-29 | 23 | 5.1 | 8.3 | 9.6 |
| 30-34 | 26 | 5.8 | 6.6 | 8.4 |
| 35-39 | 19 | 4.2 | 3.9 | 4.9 |
| 40-44 | 10 | 2.2 | 2.8 | 3.4 |
| 45-49 | 13 | 2.9 | 3.3 | 3.5 |
| 50-54 | 22 | 4.9 | 3.7 | 4.5 |
| 55-59 | 30 | 6.7 | 4.0 | 5.0 |
| 60-64 | 29 | 6.4 | 4.7 | 5.1 |
| 65-69 | 46 | 10.2 | 5.7 | 5.6 |
| 70-74 | 31 | 6.9 | 5.5 | 5.1 |
| 75-79 | 29 | 6.4 | 5.9 | 4.7 |
| 80-84 | 21 | 4.7 | 5.9 | 4.1 |
| 85-89 | 15 | 3.3 | 4.0 | 2.9 |
| 90 + | 10 | 2.2 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 166 | 36.8 | 27.0 | 14.1 |
| Urgent | 222 | 49.2 | 24.8 | 39.7 |
| Elective | . | . | 28.3 | 25.3 |
| Newborn | 62 | 13.7 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | 1 | 0.2 | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 389 | 86.3 | 56.4 | 49.6 |
| Clinic referral | . | . | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 62 | 13.7 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SAN JUAN HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: San Juan
 AFFILIATION: Management BED SIZE: 25

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 408 | 90.5 | 67.8 | 55.1 |
| Another hospital | 23 | 5.1 | 3.9 | 0.8 |
| Skilled nursing facility | 16 | 3.5 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 2 | 0.4 | 3.6 | 2.6 |
| Under care of home service | . | . | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 2 | 0.4 | 0.8 | 1.1 |
| Not reported | . | . | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 142 | 31.5 | 31.3 | 26.7 |
| Medicaid | 74 | 16.4 | 21.7 | 18.6 |
| Other government | 4 | 0.9 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 70 | 15.5 | 10.5 | 10.3 |
| Other commercial | 23 | 5.1 | 7.0 | 5.5 |
| Managed care | 97 | 21.5 | 20.9 | 30.9 |
| Self pay | 27 | 6.0 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 14 | 3.1 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.7 | 5.4 |
| Central Utah | . | . | 34.6 | 2.9 |
| Davis County | . | . | 0.2 | 9.8 |
| Salt Lake County | . | . | 0.9 | 34.1 |
| Southeastern Utah | 323 | 71.6 | 9.0 | 1.8 |
| Southwest Utah | 1 | 0.2 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | . | . | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 127 | 28.2 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

SANPETE VALLEY HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sanpete
 OWNERSHIP: Not for profit

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 540 | 100.0 | 100.0 | 100.0 | 3,946,434 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 132 | 24.4 | 18.5 | 20.1 | 347,926 | 8.8 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 136 | 25.2 | 19.5 | 20.9 | 959,001 | 24.3 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 35 | 6.5 | 4.8 | 2.3 | 226,883 | 5.7 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 3 | 0.6 | 0.6 | 0.4 | 52,950 | 1.3 | 1.1 | 0.6 |
| Other Medical | 222 | 41.1 | 45.7 | 29.4 | 2,169,586 | 55.0 | 49.3 | 27.2 |
| Other Surgical | 11 | 2.0 | 10.1 | 22.0 | 187,777 | 4.8 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | . | . | 0.3 | 3.9 | . | . | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | 1 | 0.2 | 0.1 | 1.0 | 2,311 | 0.1 | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 13 | 2.4 | 2.6 | 4.1 | 107,044 | 2.7 | 2.3 | 6.0 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 6 | 1.1 | 1.0 | 0.6 | 46,919 | 1.2 | 0.7 | 0.5 |
| 4 Respiratory System | 82 | 15.2 | 13.7 | 6.4 | 760,521 | 19.3 | 15.4 | 6.8 |
| 5 Circulatory System | 11 | 2.0 | 6.0 | 7.5 | 78,570 | 2.0 | 6.7 | 15.5 |
| 6 Digestive System | 47 | 8.7 | 9.1 | 6.4 | 505,111 | 12.8 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 13 | 2.4 | 3.5 | 2.3 | 192,678 | 4.9 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 7 | 1.3 | 6.5 | 10.0 | 81,182 | 2.1 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 10 | 1.9 | 2.3 | 1.1 | 157,689 | 4.0 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 26 | 4.8 | 3.7 | 2.4 | 188,533 | 4.8 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 17 | 3.1 | 3.7 | 2.8 | 152,488 | 3.9 | 4.0 | 3.0 |
| 12 Male Reproductive System | . | . | 0.1 | 0.3 | . | . | 0.1 | 0.3 |
| 13 Female Reproductive System | 3 | 0.6 | 2.2 | 1.7 | 37,698 | 1.0 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 136 | 25.2 | 19.5 | 20.9 | 959,001 | 24.3 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 135 | 25.0 | 18.7 | 20.4 | 357,748 | 9.1 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 6 | 1.1 | 0.8 | 0.5 | 59,324 | 1.5 | 1.1 | 0.6 |
| 17 Myeloproliferative/ Poorly Diff. Neoplasm | . | . | 0.1 | 0.3 | . | . | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 13 | 2.4 | 2.0 | 3.7 | 172,253 | 4.4 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | . | . | 0.3 | 3.9 | . | . | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 3 | 0.6 | 0.5 | 1.0 | 18,453 | 0.5 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 4 | 0.7 | 1.7 | 1.8 | 12,291 | 0.3 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 8 | 1.5 | 1.4 | 1.3 | 58,932 | 1.5 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.4781

COUNTY: Sanpete
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.93

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.48

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 540 | 4,154,203 | 114,581,002 | 5,319,068,336 | 1,169.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 3,946,434 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 7,308 | 10,066 | 21,172 | 2.16 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 14,819 | 16,258 | 20,004 | 4.32 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 5 | 10,893 | 10,331 | 21,721 | 3.60 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 37 | 9,475 | 11,079 | 16,240 | 3.03 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 8 | 7,169 | 6,181 | 8,064 | 2.25 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 14 | 6,643 | 5,668 | 7,590 | 2.14 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch alive | . | . | 20,366 | 24,880 | . | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 3 | 8,046 | 11,796 | 18,033 | 3.00 | 3.25 | 3.64 |
| 140 Angina pectoris | . | . | 11,358 | 11,228 | . | 1.25 | 1.30 |
| 143 Chest pain | 2 | 9,232 | 6,720 | 10,491 | 2.50 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | . | . | 64,713 | 59,626 | . | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 1 | 13,201 | 16,048 | 13,530 | 1.00 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 15 | 11,638 | 12,515 | 18,170 | 2.93 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 5 | 5,434 | 8,553 | 14,049 | 1.60 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 1 | 4,615 | 7,663 | 11,229 | 2.00 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | . | . | 38,866 | 39,044 | . | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDB CASE MIX INDEX = 0.4781

COUNTY: Sanpete
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.93

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.48

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | 29,094 | 40,371 | . | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | 27,489 | 27,138 | . | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 13 | 7,243 | 8,608 | 13,720 | 2.46 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | 19,017 | 19,434 | . | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 1 | 21,991 | 16,939 | 14,898 | 1.00 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 8 | 9,960 | 12,139 | 14,657 | 2.25 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 25 | 10,619 | 11,034 | 11,759 | 2.21 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 20 | 6,308 | 6,345 | 8,392 | 1.55 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 74 | 5,307 | 5,099 | 6,661 | 1.16 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 5 | 7,197 | 8,822 | 10,362 | 1.20 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 4 | 7,331 | 6,503 | 10,990 | 2.00 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 10 | 2,993 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | 1 | 7,155 | 4,232 | 48,843 | 3.00 | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 11 | 4,242 | 3,831 | 15,544 | 2.27 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 12 | 3,289 | 2,658 | 3,854 | 1.92 | 1.92 | 2.27 |
| 391 Normal newborn | 101 | 2,268 | 2,122 | 2,436 | 1.33 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 1 | 3,885 | 7,298 | 13,612 | 1.00 | 2.44 | 3.30 |
| 462 Rehabilitation | 1 | 2,311 | 10,919 | 40,385 | 1.00 | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 17,885 | 55,889 | . | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 162 | 9,917 | 11,484 | 26,338 | 2.69 | 2.66 | 3.44 |

* Adjusted by UHDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sanpete
 OWNERSHIP: Not for profit

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 5 | 10,893 | 11,029 | 17,504 | 3.60 | 2.61 | 2.39 |
| Major or Extreme SOI | . | . | 10,115 | 30,421 | . | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 36 | 8,693 | 8,601 | 10,931 | 2.89 | 2.69 | 2.55 |
| Major or Extreme SOI | 10 | 9,575 | 15,114 | 20,864 | 2.50 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 4 | 4,178 | 6,962 | 8,532 | 1.25 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 2 | 7,312 | 10,681 | 13,972 | 3.00 | 3.16 | 2.96 |
| Major or Extreme SOI | 1 | 9,515 | 14,304 | 22,844 | 3.00 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 8,110 | 8,759 | 10,477 | 2.00 | 1.91 | 1.84 |
| Major or Extreme SOI | 2 | 6,495 | 12,787 | 17,274 | 2.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 1 | 11,356 | 37,933 | 33,294 | 3.00 | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 5 | 18,131 | 19,168 | 17,034 | 3.00 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 2 | 3,776 | 7,294 | 9,467 | 1.00 | 2.04 | 2.01 |
| Major or Extreme SOI | 1 | 8,104 | 10,963 | 14,930 | 3.00 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | 39,599 | 37,842 | . | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | 25,814 | 27,280 | . | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sanpete
 OWNERSHIP: Not for profit

BED SIZE: 18
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 21,991 | 16,877 | 15,305 | 1.00 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 33 | 10,454 | 11,227 | 11,641 | 2.22 | 2.61 | 3.21 |
| Major or Extreme SOI | . | . | 14,509 | 21,704 | . | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 91 | 5,418 | 5,201 | 6,731 | 1.24 | 1.60 | 1.79 |
| Major or Extreme SOI | 3 | 8,657 | 7,295 | 10,767 | 1.67 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 5 | 7,197 | 8,634 | 9,583 | 1.20 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 114 | 2,427 | 2,218 | 2,536 | 1.44 | 1.73 | 1.89 |
| Major or Extreme SOI | 4 | 4,371 | 3,691 | 8,321 | 2.75 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 2 | 4,279 | 5,962 | 10,069 | 1.00 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 2 | 11,028 | 20,365 | 18,944 | 3.00 | 2.00 | 2.08 |
| Major or Extreme SOI | 3 | 20,554 | 27,838 | 34,924 | 4.00 | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 5 | 9,559 | 9,511 | 13,298 | 2.60 | 2.24 | 2.15 |
| Major or Extreme SOI | 1 | 10,132 | 16,416 | 24,096 | 2.00 | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 1 | 6,686 | 8,734 | 12,049 | 1.00 | 2.32 | 2.47 |
| Major or Extreme SOI | 1 | 27,444 | 11,896 | 21,886 | 9.00 | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 2 | 4,558 | 7,708 | 11,171 | 1.00 | 1.83 | 2.13 |
| Major or Extreme SOI | 1 | 8,849 | 11,198 | 21,005 | 2.00 | 2.14 | 3.64 |
| All other APRDRGs | 201 | 8,781 | 10,802 | 30,661 | 2.68 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SANPETE VALLEY HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Sanpete
 AFFILIATION: Intermountain Healthcare BED SIZE: 18

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 353 | 65.4 | 64.5 | 61.8 |
| Male | 187 | 34.6 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 134 | 24.8 | 18.7 | 20.2 |
| 29-365 days | 11 | 2.0 | 1.1 | 0.9 |
| 1-4 years | 10 | 1.9 | 1.8 | 0.7 |
| 5-9 | 7 | 1.3 | 0.9 | 0.4 |
| 10-14 | 3 | 0.6 | 0.6 | 0.4 |
| 15-17 | 9 | 1.7 | 1.1 | 0.8 |
| 18-19 | 10 | 1.9 | 1.8 | 1.5 |
| 20-24 | 60 | 11.1 | 7.2 | 6.9 |
| 25-29 | 46 | 8.5 | 8.3 | 9.6 |
| 30-34 | 35 | 6.5 | 6.6 | 8.4 |
| 35-39 | 18 | 3.3 | 3.9 | 4.9 |
| 40-44 | 5 | 0.9 | 2.8 | 3.4 |
| 45-49 | 15 | 2.8 | 3.3 | 3.5 |
| 50-54 | 20 | 3.7 | 3.7 | 4.5 |
| 55-59 | 16 | 3.0 | 4.0 | 5.0 |
| 60-64 | 23 | 4.3 | 4.7 | 5.1 |
| 65-69 | 15 | 2.8 | 5.7 | 5.6 |
| 70-74 | 31 | 5.7 | 5.5 | 5.1 |
| 75-79 | 28 | 5.2 | 5.9 | 4.7 |
| 80-84 | 13 | 2.4 | 5.9 | 4.1 |
| 85-89 | 21 | 3.9 | 4.0 | 2.9 |
| 90 + | 10 | 1.9 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 13 | 2.4 | 27.0 | 14.1 |
| Urgent | 132 | 24.4 | 24.8 | 39.7 |
| Elective | 263 | 48.7 | 28.3 | 25.3 |
| Newborn | 132 | 24.4 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 250 | 46.3 | 56.4 | 49.6 |
| Clinic referral | 153 | 28.3 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 3 | 0.6 | 0.5 | 4.4 |
| Skilled nursing facility | 2 | 0.4 | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 131 | 24.3 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SANPETE VALLEY HOSPITAL-CAH
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Sanpete
 AFFILIATION: Intermountain Healthcare BED SIZE: 18

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 1 | 0.2 | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 234 | 43.3 | 67.8 | 55.1 |
| Another hospital | 21 | 3.9 | 3.9 | 0.8 |
| Skilled nursing facility | 4 | 0.7 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 11 | 2.0 | 3.6 | 2.6 |
| Under care of home service | 12 | 2.2 | 4.0 | 5.7 |
| Left against medical advice | 1 | 0.2 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 4 | 0.7 | 0.8 | 1.1 |
| Not reported | 253 | 46.9 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 135 | 25.0 | 31.3 | 26.7 |
| Medicaid | 186 | 34.4 | 21.7 | 18.6 |
| Other government | 8 | 1.5 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 27 | 5.0 | 10.5 | 10.3 |
| Other commercial | 27 | 5.0 | 7.0 | 5.5 |
| Managed care | 125 | 23.1 | 20.9 | 30.9 |
| Self pay | 18 | 3.3 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 2 | 0.4 | 0.5 | 0.5 |
| Charity | 11 | 2.0 | 0.3 | 1.1 |
| Children's Health Insurance Plan | 1 | 0.2 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 3 | 0.6 | 4.7 | 5.4 |
| Central Utah | 522 | 96.7 | 34.6 | 2.9 |
| Davis County | 1 | 0.2 | 0.2 | 9.8 |
| Salt Lake County | 3 | 0.6 | 0.9 | 34.1 |
| Southeastern Utah | 1 | 0.2 | 9.0 | 1.8 |
| Southwest Utah | . | . | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | 3 | 0.6 | 0.9 | 17.8 |
| Wasatch County | . | . | 3.7 | 0.6 |
| Weber/Morgan | 1 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 6 | 1.1 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

SEVIER VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sevier
 OWNERSHIP: Not for profit

BED SIZE: 42
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,068 | 100.0 | 100.0 | 100.0 | 9,955,169 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 188 | 17.6 | 18.5 | 20.1 | 461,573 | 4.6 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 200 | 18.7 | 19.5 | 20.9 | 1,339,678 | 13.5 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 34 | 3.2 | 4.8 | 2.3 | 183,411 | 1.8 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 7 | 0.7 | 0.6 | 0.4 | 84,340 | 0.8 | 1.1 | 0.6 |
| Other Medical | 490 | 45.9 | 45.7 | 29.4 | 4,439,684 | 44.6 | 49.3 | 27.2 |
| Other Surgical | 145 | 13.6 | 10.1 | 22.0 | 3,426,822 | 34.4 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 4 | 0.4 | 0.3 | 3.9 | 19,659 | 0.2 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.5 | 0.0 | . | . | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 29 | 2.7 | 2.6 | 4.1 | 260,783 | 2.6 | 2.3 | 6.0 |
| 2 Eye | 1 | 0.1 | 0.1 | 0.1 | 15,339 | 0.2 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 6 | 0.6 | 1.0 | 0.6 | 31,797 | 0.3 | 0.7 | 0.5 |
| 4 Respiratory System | 120 | 11.2 | 13.7 | 6.4 | 1,177,723 | 11.8 | 15.4 | 6.8 |
| 5 Circulatory System | 48 | 4.5 | 6.0 | 7.5 | 414,746 | 4.2 | 6.7 | 15.5 |
| 6 Digestive System | 164 | 15.4 | 9.1 | 6.4 | 2,268,027 | 22.8 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 40 | 3.7 | 3.5 | 2.3 | 680,333 | 6.8 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 69 | 6.5 | 6.5 | 10.0 | 1,552,084 | 15.6 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 20 | 1.9 | 2.3 | 1.1 | 181,071 | 1.8 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 50 | 4.7 | 3.7 | 2.4 | 403,232 | 4.1 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 28 | 2.6 | 3.7 | 2.8 | 265,624 | 2.7 | 4.0 | 3.0 |
| 12 Male Reproductive System | 1 | 0.1 | 0.1 | 0.3 | 17,190 | 0.2 | 0.1 | 0.3 |
| 13 Female Reproductive System | 9 | 0.8 | 2.2 | 1.7 | 167,586 | 1.7 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 200 | 18.7 | 19.5 | 20.9 | 1,339,678 | 13.5 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 188 | 17.6 | 18.7 | 20.4 | 461,573 | 4.6 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 7 | 0.7 | 0.8 | 0.5 | 74,984 | 0.8 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 1 | 0.1 | 0.1 | 0.3 | 4,359 | 0.0 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 20 | 1.9 | 2.0 | 3.7 | 192,026 | 1.9 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 4 | 0.4 | 0.3 | 3.9 | 19,659 | 0.2 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 9 | 0.8 | 0.5 | 1.0 | 60,666 | 0.6 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 20 | 1.9 | 1.7 | 1.8 | 113,133 | 1.1 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 31 | 2.9 | 1.4 | 1.3 | 235,218 | 2.4 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.1 | 0.0 | 0.3 | 8,362 | 0.1 | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 2 | 0.2 | 0.0 | 0.0 | 9,975 | 0.1 | 0.0 | 0.1 |
| Unknown | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDDDB CASE MIX INDEX = 0.6128

COUNTY: Sevier
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 42
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.50

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 1,068 | 10,148,069 | 114,581,002 | 5,319,068,336 | 2,593.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 9,955,169 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 9,321 | 10,066 | 21,172 | 2.43 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 15,211 | 16,258 | 20,004 | 3.83 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 13 | 11,339 | 10,331 | 21,721 | 3.00 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 51 | 9,907 | 11,079 | 16,240 | 2.88 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 10 | 5,085 | 6,181 | 8,064 | 1.80 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 12 | 6,893 | 5,668 | 7,590 | 2.55 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 4,597 | 20,366 | 24,880 | 1.00 | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 15 | 11,088 | 11,796 | 18,033 | 3.60 | 3.25 | 3.64 |
| 140 Angina pectoris | 1 | 4,783 | 11,358 | 11,228 | 1.00 | 1.25 | 1.30 |
| 143 Chest pain | 3 | 3,902 | 6,720 | 10,491 | 1.00 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 3 | 43,744 | 64,713 | 59,626 | 8.67 | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 2 | 43,079 | 50,502 | 77,655 | 9.50 | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 13 | 13,015 | 16,048 | 13,530 | 1.25 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 10 | 8,081 | 12,515 | 18,170 | 1.90 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 11 | 8,824 | 8,553 | 14,049 | 2.36 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 11 | 7,757 | 7,663 | 11,229 | 2.00 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 4 | 29,471 | 37,140 | 37,751 | 4.75 | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 1 | 35,420 | 47,035 | 23,411 | 6.00 | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 19 | 34,639 | 38,866 | 39,044 | 3.26 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.6128

COUNTY: Sevier
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 42
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=1.50

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 7 | 21,973 | 29,094 | 40,371 | 3.29 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 2 | 34,893 | 27,489 | 27,138 | 6.50 | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 26 | 9,044 | 8,608 | 13,720 | 2.85 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 4 | 15,452 | 19,017 | 19,434 | 2.25 | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 4 | 21,652 | 16,939 | 14,898 | 2.33 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 4 | 14,102 | 12,139 | 14,657 | 2.75 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 39 | 10,498 | 11,034 | 11,759 | 2.56 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 12 | 4,727 | 6,345 | 8,392 | 1.17 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 125 | 5,359 | 5,099 | 6,661 | 1.35 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 9 | 8,423 | 8,822 | 10,362 | 1.67 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 3 | 5,805 | 6,503 | 10,990 | 2.33 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 3 | 2,305 | 2,610 | 19,166 | 1.00 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | . | . | 4,232 | 48,843 | . | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 2 | 2,927 | 3,831 | 15,544 | 2.00 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 20 | 3,062 | 2,658 | 3,854 | 1.90 | 1.92 | 2.27 |
| 391 Normal newborn | 163 | 2,378 | 2,122 | 2,436 | 1.57 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | 2 | 5,037 | 5,041 | 14,101 | 2.00 | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 5 | 8,001 | 7,298 | 13,612 | 2.80 | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 2 | 15,432 | 17,885 | 55,889 | 3.50 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | . | . | 7,368 | 12,546 | . | 2.52 | 3.65 |
| All Other DRGs | 456 | 11,151 | 11,484 | 26,338 | 2.69 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sevier
 OWNERSHIP: Not for profit

BED SIZE: 42
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 9 | 12,274 | 11,029 | 17,504 | 3.13 | 2.61 | 2.39 |
| Major or Extreme SOI | 2 | 8,822 | 10,115 | 30,421 | 2.50 | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 45 | 8,348 | 8,601 | 10,931 | 2.40 | 2.69 | 2.55 |
| Major or Extreme SOI | 17 | 11,411 | 15,114 | 20,864 | 3.59 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 9 | 7,513 | 6,962 | 8,532 | 2.33 | 2.09 | 1.99 |
| Major or Extreme SOI | . | . | 16,961 | 15,810 | . | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | 2 | 4,328 | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 10 | 8,506 | 10,681 | 13,972 | 3.22 | 3.16 | 2.96 |
| Major or Extreme SOI | 5 | 16,253 | 14,304 | 22,844 | 4.80 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 7 | 7,548 | 8,759 | 10,477 | 2.29 | 1.91 | 1.84 |
| Major or Extreme SOI | 6 | 8,810 | 12,787 | 17,274 | 2.17 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 6 | 36,975 | 37,933 | 33,294 | 6.67 | 6.03 | 4.80 |
| Major or Extreme SOI | 1 | 87,303 | 95,500 | 78,140 | 17.00 | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 21 | 17,111 | 19,168 | 17,034 | 1.61 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 12 | 7,807 | 7,294 | 9,467 | 2.36 | 2.04 | 2.01 |
| Major or Extreme SOI | 3 | 8,420 | 10,963 | 14,930 | 2.67 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 11 | 35,122 | 39,599 | 37,842 | 3.18 | 3.14 | 2.92 |
| Major or Extreme SOI | . | . | 45,999 | 48,873 | . | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 3 | 24,872 | 25,814 | 27,280 | 2.67 | 2.95 | 2.61 |
| Major or Extreme SOI | 3 | 29,597 | 30,874 | 45,932 | 4.00 | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 9,070 | 7,648 | 11,741 | 3.00 | 3.50 | 2.96 |
| Major or Extreme SOI | 1 | 5,894 | 17,599 | 22,625 | 3.00 | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Sevier
 OWNERSHIP: Not for profit

BED SIZE: 42
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 5 | 19,353 | 16,877 | 15,305 | 2.00 | 1.44 | 1.62 |
| Major or Extreme SOI | 2 | 17,062 | 27,255 | 36,837 | 2.50 | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 41 | 10,773 | 11,227 | 11,641 | 2.61 | 2.61 | 3.21 |
| Major or Extreme SOI | 2 | 12,057 | 14,509 | 21,704 | 2.00 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 136 | 5,308 | 5,201 | 6,731 | 1.35 | 1.60 | 1.79 |
| Major or Extreme SOI | 1 | 4,736 | 7,295 | 10,767 | 1.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 9 | 8,423 | 8,634 | 9,583 | 1.67 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 2 | 5,037 | 4,489 | 11,599 | 2.00 | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 184 | 2,453 | 2,218 | 2,536 | 1.64 | 1.73 | 1.89 |
| Major or Extreme SOI | 1 | 3,223 | 3,691 | 8,321 | 2.00 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 6 | 4,861 | 5,962 | 10,069 | 1.60 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 15 | 15,719 | 20,365 | 18,944 | 2.40 | 2.00 | 2.08 |
| Major or Extreme SOI | 4 | 21,875 | 27,838 | 34,924 | 3.75 | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 4 | 8,808 | 9,511 | 13,298 | 2.25 | 2.24 | 2.15 |
| Major or Extreme SOI | 1 | 6,331 | 16,416 | 24,096 | 2.00 | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 5 | 8,327 | 8,734 | 12,049 | 2.40 | 2.32 | 2.47 |
| Major or Extreme SOI | 2 | 13,025 | 11,896 | 21,886 | 4.00 | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 9 | 7,211 | 7,708 | 11,171 | 1.63 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 465 | 11,111 | 10,802 | 30,661 | 2.81 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SEVIER VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Sevier
 AFFILIATION: Intermountain Healthcare BED SIZE: 42

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 671 | 62.8 | 64.5 | 61.8 |
| Male | 397 | 37.2 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 188 | 17.6 | 18.7 | 20.2 |
| 29-365 days | 7 | 0.7 | 1.1 | 0.9 |
| 1-4 years | 14 | 1.3 | 1.8 | 0.7 |
| 5-9 | 6 | 0.6 | 0.9 | 0.4 |
| 10-14 | 7 | 0.7 | 0.6 | 0.4 |
| 15-17 | 11 | 1.0 | 1.1 | 0.8 |
| 18-19 | 15 | 1.4 | 1.8 | 1.5 |
| 20-24 | 64 | 6.0 | 7.2 | 6.9 |
| 25-29 | 83 | 7.8 | 8.3 | 9.6 |
| 30-34 | 69 | 6.5 | 6.6 | 8.4 |
| 35-39 | 34 | 3.2 | 3.9 | 4.9 |
| 40-44 | 25 | 2.3 | 2.8 | 3.4 |
| 45-49 | 16 | 1.5 | 3.3 | 3.5 |
| 50-54 | 61 | 5.7 | 3.7 | 4.5 |
| 55-59 | 46 | 4.3 | 4.0 | 5.0 |
| 60-64 | 51 | 4.8 | 4.7 | 5.1 |
| 65-69 | 83 | 7.8 | 5.7 | 5.6 |
| 70-74 | 60 | 5.6 | 5.5 | 5.1 |
| 75-79 | 73 | 6.8 | 5.9 | 4.7 |
| 80-84 | 82 | 7.7 | 5.9 | 4.1 |
| 85-89 | 48 | 4.5 | 4.0 | 2.9 |
| 90 + | 25 | 2.3 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 109 | 10.2 | 27.0 | 14.1 |
| Urgent | 448 | 41.9 | 24.8 | 39.7 |
| Elective | 323 | 30.2 | 28.3 | 25.3 |
| Newborn | 188 | 17.6 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 611 | 57.2 | 56.4 | 49.6 |
| Clinic referral | 259 | 24.3 | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.5 | 4.4 |
| Skilled nursing facility | 8 | 0.7 | 0.2 | 0.5 |
| Other health care facility | 2 | 0.2 | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 188 | 17.6 | 18.7 | 20.1 |
| Premature delivery | . | . | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SEVIER VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Sevier
 AFFILIATION: Intermountain Healthcare BED SIZE: 42

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 388 | 36.3 | 67.8 | 55.1 |
| Another hospital | 30 | 2.8 | 3.9 | 0.8 |
| Skilled nursing facility | 68 | 6.4 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 4 | 0.4 | 3.6 | 2.6 |
| Under care of home service | 25 | 2.3 | 4.0 | 5.7 |
| Left against medical advice | 2 | 0.2 | 0.3 | 0.3 |
| Under care of a home iv provider | 1 | 0.1 | 0.0 | 0.0 |
| Expired | 7 | 0.7 | 0.8 | 1.1 |
| Not reported | 543 | 50.8 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 404 | 37.8 | 31.3 | 26.7 |
| Medicaid | 243 | 22.8 | 21.7 | 18.6 |
| Other government | 19 | 1.8 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 66 | 6.2 | 10.5 | 10.3 |
| Other commercial | 55 | 5.1 | 7.0 | 5.5 |
| Managed care | 237 | 22.2 | 20.9 | 30.9 |
| Self pay | 31 | 2.9 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 1 | 0.1 | 0.5 | 0.5 |
| Charity | 9 | 0.8 | 0.3 | 1.1 |
| Children's Health Insurance Plan | 3 | 0.3 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.1 | 4.7 | 5.4 |
| Central Utah | 991 | 92.8 | 34.6 | 2.9 |
| Davis County | 2 | 0.2 | 0.2 | 9.8 |
| Salt Lake County | 11 | 1.0 | 0.9 | 34.1 |
| Southeastern Utah | 15 | 1.4 | 9.0 | 1.8 |
| Southwest Utah | 17 | 1.6 | 8.0 | 8.0 |
| Summit County | . | . | 0.5 | 0.9 |
| Tooele County | . | . | 23.1 | 2.2 |
| Tri-County | . | . | 9.5 | 1.7 |
| Utah County | 10 | 0.9 | 0.9 | 17.8 |
| Wasatch County | 2 | 0.2 | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | 1 | 0.1 | 0.0 | 0.0 |
| Outside Utah | 18 | 1.7 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

ST MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 294
 AFFILIATION: Mountainstar Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 17,402 | 100.0 | 100.0 | 100.0 | 515,288,982 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 3,079 | 17.7 | 17.6 | 20.1 | 36,309,329 | 7.0 | 7.9 | 7.7 |
| Obstetric (MDC 14) | 3,245 | 18.6 | 18.5 | 20.9 | 31,409,828 | 6.1 | 7.1 | 8.6 |
| Pediatric Medical (Age 0-17) | 33 | 0.2 | 2.8 | 2.3 | 2,567,194 | 0.5 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 15 | 0.1 | 0.6 | 0.4 | 459,831 | 0.1 | 0.6 | 0.6 |
| Other Medical | 5,775 | 33.2 | 27.4 | 29.4 | 128,713,587 | 25.0 | 23.7 | 27.2 |
| Other Surgical | 5,109 | 29.4 | 26.5 | 22.0 | 311,852,726 | 60.5 | 53.7 | 49.8 |
| Psychiatric (MDC 19) | 16 | 0.1 | 5.5 | 3.9 | 318,971 | 0.1 | 3.4 | 2.7 |
| Rehabilitation (DRG 462) | 129 | 0.7 | 1.2 | 1.0 | 3,592,364 | 0.7 | 1.8 | 2.0 |
| Unknown (DRG 469-470) | 1 | 0.0 | 0.0 | 0.0 | 65,152 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 577 | 3.3 | 4.2 | 4.1 | 18,964,338 | 3.7 | 5.3 | 6.0 |
| 2 Eye | 7 | 0.0 | 0.1 | 0.1 | 97,243 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 85 | 0.5 | 0.7 | 0.6 | 1,751,814 | 0.3 | 0.6 | 0.5 |
| 4 Respiratory System | 1,286 | 7.4 | 6.2 | 6.4 | 36,537,065 | 7.1 | 6.4 | 6.8 |
| 5 Circulatory System | 1,574 | 9.0 | 8.3 | 7.5 | 92,735,614 | 18.0 | 16.2 | 15.5 |
| 6 Digestive System | 1,360 | 7.8 | 6.7 | 6.4 | 45,257,972 | 8.8 | 8.0 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 381 | 2.2 | 2.2 | 2.3 | 12,357,099 | 2.4 | 2.7 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 2,461 | 14.1 | 12.3 | 10.0 | 140,176,984 | 27.2 | 21.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 254 | 1.5 | 1.1 | 1.1 | 6,299,101 | 1.2 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 681 | 3.9 | 3.0 | 2.4 | 21,745,439 | 4.2 | 3.0 | 2.1 |
| 11 Kidney & Urinary Tract | 556 | 3.2 | 2.8 | 2.8 | 14,158,788 | 2.7 | 2.5 | 3.0 |
| 12 Male Reproductive System | 42 | 0.2 | 0.3 | 0.3 | 961,596 | 0.2 | 0.3 | 0.3 |
| 13 Female Reproductive System | 404 | 2.3 | 1.6 | 1.7 | 9,942,032 | 1.9 | 1.3 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 3,245 | 18.6 | 18.5 | 20.9 | 31,409,828 | 6.1 | 7.1 | 8.6 |
| 15 Newborn & Other Neonates | 3,095 | 17.8 | 18.1 | 20.4 | 38,640,148 | 7.5 | 8.7 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 104 | 0.6 | 0.5 | 0.5 | 2,222,315 | 0.4 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 64 | 0.4 | 0.2 | 0.3 | 2,115,250 | 0.4 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 594 | 3.4 | 3.5 | 3.7 | 24,739,151 | 4.8 | 5.5 | 6.1 |
| 19 Mental Diseases and Disorders | 16 | 0.1 | 5.5 | 3.9 | 318,971 | 0.1 | 3.4 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 87 | 0.5 | 0.5 | 1.0 | 1,709,210 | 0.3 | 0.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 294 | 1.7 | 1.8 | 1.8 | 7,067,744 | 1.4 | 1.6 | 1.8 |
| 22 Burns | 1 | 0.0 | 0.0 | 0.1 | 13,359 | 0.0 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 216 | 1.2 | 1.6 | 1.3 | 5,237,808 | 1.0 | 2.1 | 2.3 |
| 24 Multiple Significant Trauma | 13 | 0.1 | 0.3 | 0.3 | 670,324 | 0.1 | 1.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 4 | 0.0 | 0.0 | 0.0 | 94,637 | 0.0 | 0.1 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 65,152 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ST MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDDDB CASE MIX INDEX = 1.0994

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=6.08

BED SIZE: 294
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=2.77

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|---------------|---------------|----------------------|------------|------------|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 17,402 | 515,288,982 | 1,639,416,606 | 5,319,068,336 | 61782.00 | 254,278.00 | 881,886.00 |
| Facility Charges (total) | . | 515,288,982 | 1,632,457,214 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 29,611 | 23,911 | 21,172 | 3.55 | 3.72 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 24,490 | 20,758 | 20,004 | 3.08 | 3.28 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | 11 | 62,768 | 69,547 | 62,383 | 5.18 | 7.33 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | 46,481 | 70,042 | . | 4.25 | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 125 | 29,209 | 21,412 | 21,721 | 3.74 | 3.06 | 3.12 |
| 075 Major chest procedures | 73 | 61,895 | 51,651 | 59,734 | 5.92 | 6.52 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 379 | 19,640 | 18,354 | 16,240 | 3.50 | 3.37 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 1 | 6,257 | 11,178 | 8,064 | 1.00 | 2.48 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | . | . | 9,799 | 7,590 | . | 2.23 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | 27 | 172,504 | 134,716 | 131,342 | 8.78 | 9.03 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | 89 | 126,334 | 118,383 | 117,359 | 6.31 | 7.41 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | 17 | 153,510 | 106,951 | 114,735 | 10.00 | 9.03 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | 14 | 127,658 | 109,350 | 103,627 | 10.86 | 9.03 | 8.21 |
| 108 Other cardiothoracic procedures | 7 | 87,816 | 87,644 | 92,602 | 5.29 | 6.19 | 7.28 |
| 110 Major cardiovascular procedures w cc | 69 | 125,873 | 82,865 | 87,590 | 5.21 | 4.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 55 | 68,843 | 46,687 | 48,932 | 3.24 | 2.76 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 31 | 65,386 | 43,825 | 39,075 | 2.76 | 2.23 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 26 | 25,445 | 25,258 | 24,880 | 4.08 | 3.87 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 11 | 27,095 | 18,428 | 18,844 | 2.18 | 1.89 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 30 | 34,287 | 24,694 | 26,849 | 3.14 | 2.81 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | 49 | 26,327 | 18,124 | 19,275 | 1.40 | 1.50 | 1.78 |
| 127 Heart failure & shock | 194 | 20,747 | 18,815 | 18,033 | 3.61 | 3.53 | 3.64 |
| 140 Angina pectoris | 7 | 12,442 | 11,543 | 11,228 | 1.29 | 1.47 | 1.30 |
| 143 Chest pain | 89 | 13,027 | 11,523 | 10,491 | 1.41 | 1.38 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 93 | 71,209 | 65,223 | 59,626 | 8.88 | 9.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 16 | 74,465 | 93,831 | 77,655 | 8.33 | 11.13 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 22 | 19,789 | 13,248 | 13,530 | 1.21 | 1.12 | 1.11 |
| 174 G.I. hemorrhage w cc | 128 | 23,582 | 20,628 | 18,170 | 3.15 | 3.03 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 211 | 16,534 | 15,599 | 14,049 | 2.50 | 2.62 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 86 | 13,757 | 12,411 | 11,229 | 2.14 | 2.13 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 8 | 72,947 | 44,979 | 37,751 | 7.38 | 6.19 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 1 | . | 19,018 | 23,411 | 5.00 | 2.50 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 893 | 48,293 | 40,500 | 39,044 | 3.25 | 3.06 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ST MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDDDB CASE MIX INDEX = 1.0994

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=6.08

BED SIZE: 294
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=2.77

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 95 | 51,270 | 42,657 | 40,371 | 4.95 | 4.49 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 51 | 32,870 | 27,177 | 27,138 | 2.39 | 2.34 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 114 | 16,143 | 14,649 | 13,720 | 3.02 | 2.76 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 70 | 27,335 | 22,210 | 19,434 | 2.63 | 2.46 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 222 | 18,282 | 15,961 | 14,898 | 1.57 | 1.60 | 1.57 |
| 370 Cesarean section with cc | 164 | 13,279 | 14,078 | 14,657 | 3.96 | 3.83 | 3.87 |
| 371 Cesarean section without cc | 701 | 11,502 | 11,634 | 11,759 | 3.56 | 3.33 | 3.24 |
| 372 Vaginal delivery w complicating diag | 243 | 9,676 | 8,713 | 8,392 | 2.32 | 2.01 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,876 | 8,036 | 6,839 | 6,661 | 2.03 | 1.79 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 49 | 14,469 | 10,972 | 10,362 | 2.35 | 2.06 | 2.01 |
| 383 Other antepartum diag w med complic | 74 | 11,299 | 11,269 | 10,990 | 2.47 | 2.80 | 2.71 |
| 385 Neonates died/transf to acute care fac | 5 | 853 | 29,599 | 19,166 | 1.00 | 5.37 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 113 | 128,474 | 109,292 | 101,092 | 25.88 | 28.30 | 26.08 |
| 387 Prematurity w major problems | 69 | 64,985 | 56,798 | 48,843 | 16.09 | 17.62 | 15.14 |
| 389 Full term neonate w major problems | 173 | 23,632 | 17,670 | 15,544 | 5.69 | 4.77 | 4.66 |
| 390 Neonate w other significant problems | 595 | 4,822 | 4,421 | 3,854 | 2.41 | 2.31 | 2.27 |
| 391 Normal newborn | 1,996 | 3,169 | 2,670 | 2,436 | 2.02 | 1.88 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 31 | 19,615 | 20,330 | 23,836 | 1.52 | 2.40 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 65 | 87,274 | 74,780 | 72,347 | 9.19 | 9.40 | 9.12 |
| 430 Psychoses | 4 | 11,801 | 14,072 | 14,101 | 1.50 | 6.05 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 70 | 19,808 | 15,708 | 13,612 | 3.24 | 3.10 | 3.30 |
| 462 Rehabilitation | 129 | 27,848 | 35,268 | 40,385 | 11.93 | 12.20 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 56 | 68,244 | 57,949 | 55,889 | 5.98 | 6.11 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 14 | 101,173 | 102,052 | 108,196 | 11.07 | 12.09 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 10 | 281,434 | 252,623 | 295,955 | 19.78 | 24.67 | 26.00 |
| 486 Other OR proc for mult signif trauma | 4 | 67,550 | 92,784 | 93,495 | 6.75 | 9.39 | 8.69 |
| 499 Back & neck procedures w cc | 29 | 25,109 | 24,403 | 25,581 | 2.57 | 2.85 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 114 | 19,484 | 15,181 | 16,304 | 1.68 | 1.67 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 55,814 | 26,343 | 20,364 | 6.00 | 3.50 | 2.68 |
| 470 Ungroupable | 1 | . | 20,093 | 12,546 | 9.00 | 3.75 | 3.65 |
| All Other DRGs | 7,502 | 33,589 | 28,461 | 26,338 | 3.40 | 3.40 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ST MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 294
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 78 | 24,431 | 18,103 | 17,504 | 2.88 | 2.37 | 2.39 |
| Major or Extreme SOI | 39 | 38,651 | 28,837 | 30,421 | 5.25 | 4.07 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 183 | 14,834 | 12,522 | 10,931 | 2.67 | 2.42 | 2.55 |
| Major or Extreme SOI | 227 | 23,293 | 22,762 | 20,864 | 4.13 | 4.19 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 22 | 9,391 | 9,175 | 8,532 | 2.14 | 1.96 | 1.99 |
| Major or Extreme SOI | 7 | 20,776 | 20,082 | 15,810 | 4.00 | 3.67 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 72 | 61,616 | 41,532 | 42,983 | 1.90 | 1.55 | 1.54 |
| Major or Extreme SOI | 30 | 76,938 | 63,901 | 68,036 | 4.78 | 4.18 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 22 | 23,556 | 17,938 | 17,963 | 2.35 | 2.00 | 2.03 |
| Major or Extreme SOI | 17 | 32,868 | 30,643 | 28,897 | 5.06 | 4.21 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 45 | 24,265 | 17,067 | 17,867 | 1.31 | 1.42 | 1.54 |
| Major or Extreme SOI | 6 | 36,467 | 23,555 | 25,935 | 2.80 | 2.58 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 109 | 15,927 | 14,750 | 13,972 | 2.90 | 2.94 | 2.96 |
| Major or Extreme SOI | 96 | 25,921 | 24,022 | 22,844 | 4.55 | 4.38 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 122 | 13,042 | 10,936 | 10,477 | 2.08 | 1.94 | 1.84 |
| Major or Extreme SOI | 57 | 18,358 | 18,783 | 17,274 | 3.09 | 3.03 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 203 | 43,476 | 35,643 | 33,294 | 4.66 | 4.85 | 4.80 |
| Major or Extreme SOI | 73 | 85,370 | 84,059 | 78,140 | 10.42 | 11.85 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 59 | 26,231 | 17,058 | 17,034 | 2.32 | 2.18 | 2.08 |
| Major or Extreme SOI | 5 | 43,134 | 35,025 | 36,530 | 5.75 | 5.11 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 70 | 13,692 | 10,282 | 9,467 | 1.99 | 1.88 | 2.01 |
| Major or Extreme SOI | 29 | 19,955 | 16,574 | 14,930 | 3.15 | 3.02 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 538 | 44,862 | 38,636 | 37,842 | 3.15 | 3.01 | 2.92 |
| Major or Extreme SOI | 19 | 66,684 | 47,913 | 48,873 | 5.27 | 4.11 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 90 | 34,156 | 27,397 | 27,280 | 3.14 | 2.66 | 2.61 |
| Major or Extreme SOI | 12 | 54,288 | 42,997 | 45,932 | 7.17 | 4.81 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 3 | 12,596 | 9,145 | 11,741 | 1.67 | 2.13 | 2.96 |
| Major or Extreme SOI | 4 | 27,674 | 18,768 | 22,625 | 5.25 | 5.30 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ST MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 294
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 257 | 18,687 | 16,381 | 15,305 | 1.57 | 1.63 | 1.62 |
| Major or Extreme SOI | 6 | 73,992 | 50,718 | 36,837 | 8.83 | 5.89 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 813 | 11,240 | 11,327 | 11,641 | 3.53 | 3.27 | 3.21 |
| Major or Extreme SOI | 52 | 21,130 | 22,120 | 21,704 | 5.50 | 5.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 2,047 | 8,084 | 6,913 | 6,731 | 2.04 | 1.79 | 1.79 |
| Major or Extreme SOI | 70 | 12,185 | 11,218 | 10,767 | 2.68 | 2.38 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 46 | 14,438 | 10,731 | 9,583 | 2.35 | 2.03 | 1.93 |
| Major or Extreme SOI | 3 | 14,905 | 15,206 | 21,300 | 2.33 | 2.63 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 2 | 5,410 | 12,003 | 11,599 | 1.00 | 5.43 | 5.19 |
| Major or Extreme SOI | . | . | 19,545 | 22,695 | . | 9.03 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 2,564 | 3,248 | 2,793 | 2,536 | 2.05 | 1.93 | 1.89 |
| Major or Extreme SOI | 136 | 13,410 | 8,923 | 8,321 | 4.27 | 3.21 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 37 | 14,407 | 12,019 | 10,069 | 2.19 | 2.63 | 2.88 |
| Major or Extreme SOI | 31 | 26,883 | 22,199 | 19,849 | 4.65 | 3.90 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 141 | 20,400 | 16,185 | 16,988 | 1.88 | 1.84 | 1.89 |
| Major or Extreme SOI | 33 | 44,524 | 38,988 | 42,605 | 4.67 | 4.88 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 98 | 26,709 | 19,283 | 18,944 | 2.22 | 2.18 | 2.08 |
| Major or Extreme SOI | 37 | 42,205 | 37,471 | 34,924 | 4.89 | 5.31 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 54 | 16,337 | 14,564 | 13,298 | 2.19 | 2.12 | 2.15 |
| Major or Extreme SOI | 46 | 32,133 | 27,204 | 24,096 | 4.02 | 3.83 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 7 | 16,915 | 13,590 | 13,147 | 2.00 | 2.00 | 2.10 |
| Major or Extreme SOI | 9 | 26,365 | 24,531 | 23,048 | 3.44 | 3.59 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 65 | 13,523 | 12,656 | 12,049 | 2.48 | 2.50 | 2.47 |
| Major or Extreme SOI | 17 | 19,826 | 24,131 | 21,886 | 3.56 | 4.14 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 70 | 14,137 | 11,831 | 11,171 | 2.03 | 1.97 | 2.13 |
| Major or Extreme SOI | 27 | 25,706 | 23,504 | 21,005 | 3.59 | 3.82 | 3.64 |
| All other APRDRGs | 8,497 | 39,387 | 32,872 | 30,661 | 4.21 | 4.71 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ST MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Salt Lake
 AFFILIATION: Mountainstar Healthcare BED SIZE: 294

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 11,125 | 63.9 | 61.0 | 61.8 |
| Male | 6,275 | 36.1 | 39.0 | 38.2 |
| Unknown | 2 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 3,050 | 17.5 | 17.6 | 20.2 |
| 29-365 days | 45 | 0.3 | 1.2 | 0.9 |
| 1-4 years | . | . | 0.9 | 0.7 |
| 5-9 | . | . | 0.5 | 0.4 |
| 10-14 | 4 | 0.0 | 0.6 | 0.4 |
| 15-17 | 78 | 0.4 | 1.0 | 0.8 |
| 18-19 | 142 | 0.8 | 1.3 | 1.5 |
| 20-24 | 867 | 5.0 | 6.5 | 6.9 |
| 25-29 | 1,386 | 8.0 | 8.7 | 9.6 |
| 30-34 | 1,318 | 7.6 | 7.6 | 8.4 |
| 35-39 | 818 | 4.7 | 4.7 | 4.9 |
| 40-44 | 626 | 3.6 | 3.5 | 3.4 |
| 45-49 | 581 | 3.3 | 3.6 | 3.5 |
| 50-54 | 874 | 5.0 | 4.9 | 4.5 |
| 55-59 | 1,028 | 5.9 | 5.4 | 5.0 |
| 60-64 | 1,038 | 6.0 | 5.3 | 5.1 |
| 65-69 | 1,160 | 6.7 | 6.1 | 5.6 |
| 70-74 | 1,052 | 6.0 | 5.7 | 5.1 |
| 75-79 | 1,004 | 5.8 | 5.4 | 4.7 |
| 80-84 | 1,085 | 6.2 | 4.6 | 4.1 |
| 85-89 | 746 | 4.3 | 3.2 | 2.9 |
| 90 + | 500 | 2.9 | 1.8 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 6,190 | 35.6 | 11.0 | 14.1 |
| Urgent | 2,256 | 13.0 | 43.9 | 39.7 |
| Elective | 5,875 | 33.8 | 27.0 | 25.3 |
| Newborn | 3,080 | 17.7 | 17.6 | 20.2 |
| Trauma Center | . | . | 0.4 | 0.6 |
| Unknown | 1 | 0.0 | 0.1 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 13,093 | 75.2 | 47.1 | 49.6 |
| Clinic referral | 751 | 4.3 | 29.7 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 170 | 1.0 | 4.2 | 4.4 |
| Skilled nursing facility | 244 | 1.4 | 0.8 | 0.5 |
| Other health care facility | 41 | 0.2 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 3 | 0.0 | 0.3 | 0.3 |
| Normal delivery/Born Inside | 3,077 | 17.7 | 17.6 | 20.1 |
| Premature delivery | . | . | 0.0 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

ST MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Salt Lake
 AFFILIATION: Mountainstar Healthcare BED SIZE: 294

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.0 | 0.0 | 0.0 |
| Unknown | 21 | 0.1 | 0.1 | 0.6 |
| Not reported | 1 | 0.0 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 12,682 | 72.9 | 49.8 | 55.1 |
| Another hospital | 62 | 0.4 | 0.4 | 0.8 |
| Skilled nursing facility | 2,033 | 11.7 | 6.1 | 5.3 |
| Intermediate care | 5 | 0.0 | 0.0 | 0.1 |
| Another type of institution | 614 | 3.5 | 2.7 | 2.6 |
| Under care of home service | 1,651 | 9.5 | 6.2 | 5.7 |
| Left against medical advice | 115 | 0.7 | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 215 | 1.2 | 1.1 | 1.1 |
| Not reported | 25 | 0.1 | 33.4 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 6,182 | 35.5 | 29.7 | 26.7 |
| Medicaid | 2,801 | 16.1 | 18.4 | 18.6 |
| Other government | 213 | 1.2 | 2.8 | 2.4 |
| Blue Cross/Blue Shield | 3,373 | 19.4 | 9.5 | 10.3 |
| Other commercial | 739 | 4.2 | 4.7 | 5.5 |
| Managed care | 3,439 | 19.8 | 30.4 | 30.9 |
| Self pay | 491 | 2.8 | 2.9 | 3.7 |
| Industrial/Worker's Comp | 70 | 0.4 | 0.5 | 0.5 |
| Charity | 93 | 0.5 | 1.0 | 1.1 |
| Children's Health Insurance Plan | 1 | 0.0 | 0.1 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 57 | 0.3 | 2.3 | 5.4 |
| Central Utah | 61 | 0.4 | 3.0 | 2.9 |
| Davis County | 613 | 3.5 | 10.1 | 9.8 |
| Salt Lake County | 14,292 | 82.1 | 26.0 | 34.1 |
| Southeastern Utah | 66 | 0.4 | 1.1 | 1.8 |
| Southwest Utah | 128 | 0.7 | 0.6 | 8.0 |
| Summit County | 208 | 1.2 | 0.5 | 0.9 |
| Tooele County | 417 | 2.4 | 0.9 | 2.2 |
| Tri-County | 136 | 0.8 | 0.7 | 1.7 |
| Utah County | 603 | 3.5 | 29.4 | 17.8 |
| Wasatch County | 60 | 0.3 | 0.6 | 0.6 |
| Weber/Morgan | 140 | 0.8 | 21.8 | 9.5 |
| Unknown Utah | 8 | 0.0 | 0.0 | 0.0 |
| Outside Utah | 599 | 3.4 | 2.9 | 5.2 |
| Unknown | 14 | 0.1 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

TIMPANOGOS REGIONAL HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 122
 AFFILIATION: Mountainstar Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 5,956 | 100.0 | 100.0 | 100.0 | 128,042,585 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 1,847 | 31.0 | 31.6 | 20.1 | 25,357,747 | 19.8 | 14.6 | 7.7 |
| Obstetric (MDC 14) | 1,860 | 31.2 | 32.0 | 20.9 | 17,804,868 | 13.9 | 19.3 | 8.6 |
| Pediatric Medical (Age 0-17) | 144 | 2.4 | 3.1 | 2.3 | 3,077,513 | 2.4 | 2.1 | 1.5 |
| Pediatric Surgical (Age 0-17) | 27 | 0.5 | 0.2 | 0.4 | 607,440 | 0.5 | 0.4 | 0.6 |
| Other Medical | 878 | 14.7 | 19.2 | 29.4 | 18,694,185 | 14.6 | 25.0 | 27.2 |
| Other Surgical | 1,194 | 20.0 | 13.6 | 22.0 | 62,378,690 | 48.7 | 38.0 | 49.8 |
| Psychiatric (MDC 19) | 6 | 0.1 | 0.1 | 3.9 | 122,142 | 0.1 | 0.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.2 | 1.0 | . | . | 0.6 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 76 | 1.3 | 1.3 | 4.1 | 1,703,678 | 1.3 | 1.9 | 6.0 |
| 2 Eye | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 20 | 0.3 | 0.5 | 0.6 | 403,191 | 0.3 | 0.5 | 0.5 |
| 4 Respiratory System | 188 | 3.2 | 5.3 | 6.4 | 4,261,017 | 3.3 | 6.3 | 6.8 |
| 5 Circulatory System | 319 | 5.4 | 2.7 | 7.5 | 18,171,826 | 14.2 | 7.4 | 15.5 |
| 6 Digestive System | 258 | 4.3 | 4.9 | 6.4 | 7,820,966 | 6.1 | 7.9 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 98 | 1.6 | 1.8 | 2.3 | 2,598,618 | 2.0 | 2.9 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 546 | 9.2 | 6.1 | 10.0 | 29,494,511 | 23.0 | 19.1 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 42 | 0.7 | 0.9 | 1.1 | 1,519,590 | 1.2 | 1.5 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 96 | 1.6 | 1.7 | 2.4 | 1,244,496 | 1.0 | 1.6 | 2.1 |
| 11 Kidney & Urinary Tract | 129 | 2.2 | 2.1 | 2.8 | 3,117,110 | 2.4 | 2.7 | 3.0 |
| 12 Male Reproductive System | 18 | 0.3 | 0.2 | 0.3 | 438,757 | 0.3 | 0.4 | 0.3 |
| 13 Female Reproductive System | 205 | 3.4 | 3.4 | 1.7 | 4,387,462 | 3.4 | 4.0 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 1,860 | 31.2 | 32.0 | 20.9 | 17,804,868 | 13.9 | 19.3 | 8.6 |
| 15 Newborn & Other Neonates | 1,877 | 31.5 | 31.9 | 20.4 | 27,394,210 | 21.4 | 15.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 24 | 0.4 | 0.3 | 0.5 | 722,373 | 0.6 | 0.5 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 8 | 0.1 | 0.0 | 0.3 | 292,765 | 0.2 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 118 | 2.0 | 2.8 | 3.7 | 5,036,651 | 3.9 | 5.7 | 6.1 |
| 19 Mental Diseases and Disorders | 6 | 0.1 | 0.1 | 3.9 | 122,142 | 0.1 | 0.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 8 | 0.1 | 0.1 | 1.0 | 114,983 | 0.1 | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 44 | 0.7 | 1.4 | 1.8 | 585,274 | 0.5 | 1.6 | 1.8 |
| 22 Burns | . | . | . | 0.1 | . | . | . | 0.4 |
| 23 Factors Influencing Health Status | 11 | 0.2 | 0.5 | 1.3 | 403,547 | 0.3 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.0 | 0.0 | 0.3 | 39,350 | 0.0 | 0.1 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 2 | 0.0 | 0.0 | 0.0 | 356,801 | 0.3 | 0.1 | 0.1 |
| Unknown | 2 | 0.0 | 0.0 | 0.1 | 8,399 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDDDB CASE MIX INDEX = 0.7999

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=5.09

BED SIZE: 122
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.83

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|-------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 5,956 | 128,042,905 | 496,073,671 | 5,319,068,336 | 18899.00 | 103,041.00 | 881,886.00 |
| Facility Charges (total) | . | 128,042,585 | 494,598,429 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 21,498 | 12,997 | 21,172 | 3.17 | 2.71 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 24,254 | 19,388 | 20,004 | 3.80 | 4.32 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 24 | 23,825 | 19,807 | 21,721 | 2.88 | 2.69 | 3.12 |
| 075 Major chest procedures | 12 | 65,891 | 74,108 | 59,734 | 5.17 | 6.63 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 42 | 16,974 | 16,182 | 16,240 | 3.10 | 3.33 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 30 | 9,603 | 7,417 | 8,064 | 2.83 | 2.24 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 27 | 6,411 | 6,067 | 7,590 | 2.00 | 1.79 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | 1 | 236,644 | 236,644 | 131,342 | 9.00 | 9.00 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | 8 | 137,595 | 137,595 | 117,359 | 5.00 | 5.00 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | 3 | 166,894 | 166,894 | 114,735 | 5.67 | 5.67 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | 6 | 123,100 | 123,100 | 103,627 | 6.00 | 6.00 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | 2 | 82,694 | 62,425 | 87,590 | 4.00 | 2.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 13 | 63,573 | 70,511 | 48,932 | 2.31 | 2.42 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 8 | 56,357 | 51,192 | 39,075 | 2.25 | 2.50 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 5 | 25,003 | 25,291 | 24,880 | 2.00 | 2.54 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 3 | 25,916 | 24,987 | 18,844 | 1.33 | 2.13 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 15 | 27,902 | 32,896 | 26,849 | 2.00 | 3.00 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | 16 | 25,971 | 25,660 | 19,275 | 1.31 | 1.46 | 1.78 |
| 127 Heart failure & shock | 26 | 20,414 | 17,708 | 18,033 | 3.64 | 3.38 | 3.64 |
| 140 Angina pectoris | . | . | 9,017 | 11,228 | . | 1.17 | 1.30 |
| 143 Chest pain | 11 | 11,735 | 9,816 | 10,491 | 1.27 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 8 | 71,038 | 47,389 | 59,626 | 9.13 | 7.32 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 1 | 163,721 | 75,675 | 77,655 | 15.00 | 8.67 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 19 | 21,338 | 15,441 | 13,530 | 1.28 | 1.14 | 1.11 |
| 174 G.I. hemorrhage w cc | 23 | 18,393 | 16,025 | 18,170 | 2.78 | 2.64 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 25 | 18,522 | 13,634 | 14,049 | 2.84 | 2.59 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 16 | 13,631 | 11,641 | 11,229 | 2.25 | 2.28 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 1 | 43,093 | 37,652 | 37,751 | 5.00 | 5.29 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,892 | 23,411 | . | 2.75 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 235 | 56,222 | 40,696 | 39,044 | 3.06 | 3.17 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)
 UHDDDB CASE MIX INDEX = 0.7999

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=5.09

BED SIZE: 122
 AFFILIATION: Mountainstar Healthcare
 % LOS OUTLIER=1.83

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 20 | 39,098 | 39,471 | 40,371 | 4.20 | 4.98 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 22 | 32,010 | 27,192 | 27,138 | 1.82 | 2.11 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 18 | 14,509 | 13,572 | 13,720 | 2.39 | 2.60 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 26 | 23,733 | 17,397 | 19,434 | 2.54 | 2.12 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 149 | 19,187 | 14,215 | 14,898 | 1.32 | 1.51 | 1.57 |
| 370 Cesarean section with cc | 40 | 16,264 | 12,536 | 14,657 | 4.03 | 3.59 | 3.87 |
| 371 Cesarean section without cc | 315 | 12,785 | 11,240 | 11,759 | 3.41 | 3.29 | 3.24 |
| 372 Vaginal delivery w complicating diag | 89 | 9,675 | 7,582 | 8,392 | 2.43 | 2.02 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,328 | 7,692 | 6,458 | 6,661 | 1.94 | 1.82 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 15 | 10,939 | 9,039 | 10,362 | 1.93 | 1.89 | 2.01 |
| 383 Other antepartum diag w med complic | 20 | 14,419 | 10,026 | 10,990 | 2.85 | 2.34 | 2.71 |
| 385 Neonates died/transf to acute care fac | 5 | 123,661 | 7,828 | 19,166 | 14.60 | 1.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 75 | 101,867 | 60,249 | 101,092 | 24.14 | 16.69 | 26.08 |
| 387 Prematurity w major problems | 60 | 57,572 | 31,946 | 48,843 | 14.29 | 10.92 | 15.14 |
| 389 Full term neonate w major problems | 212 | 33,151 | 17,121 | 15,544 | 7.18 | 5.07 | 4.66 |
| 390 Neonate w other significant problems | 251 | 6,332 | 4,490 | 3,854 | 2.51 | 2.41 | 2.27 |
| 391 Normal newborn | 1,243 | 3,232 | 2,716 | 2,436 | 1.86 | 1.90 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | 23,836 | . | . | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 16 | 88,475 | 71,472 | 72,347 | 8.94 | 8.60 | 9.12 |
| 430 Psychoses | 2 | 7,365 | 11,837 | 14,101 | 2.00 | 2.40 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 7 | 14,362 | 12,321 | 13,612 | 2.00 | 2.14 | 3.30 |
| 462 Rehabilitation | . | . | 29,391 | 40,385 | . | 10.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 7 | 26,409 | 33,895 | 55,889 | 2.14 | 4.09 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 1 | 169,887 | 88,232 | 108,196 | 11.00 | 11.50 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | 251,199 | 295,955 | . | 25.80 | 26.00 |
| 486 Other OR proc for mult signif trauma | 1 | 39,350 | 52,599 | 93,495 | 5.00 | 7.00 | 8.69 |
| 499 Back & neck procedures w cc | 6 | 26,503 | 29,012 | 25,581 | 3.17 | 2.56 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 18 | 18,493 | 17,769 | 16,304 | 1.82 | 1.60 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 14,817 | 11,466 | 20,364 | 1.00 | 1.40 | 2.68 |
| 470 Ungroupable | 2 | 4,200 | 9,830 | 12,546 | 1.00 | 1.67 | 3.65 |
| All Other DRGs | 1,426 | 32,146 | 21,293 | 26,338 | 3.09 | 3.02 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 122
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 15 | 19,394 | 16,873 | 17,504 | 2.29 | 2.31 | 2.39 |
| Major or Extreme SOI | 9 | 31,210 | 24,660 | 30,421 | 4.00 | 3.60 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 53 | 10,967 | 10,121 | 10,931 | 2.64 | 2.52 | 2.55 |
| Major or Extreme SOI | 14 | 26,905 | 20,552 | 20,864 | 4.29 | 4.08 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 12 | 5,573 | 6,721 | 8,532 | 1.45 | 1.79 | 1.99 |
| Major or Extreme SOI | . | . | 15,119 | 15,810 | . | 3.85 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 27 | 54,845 | 58,092 | 42,983 | 1.50 | 1.63 | 1.54 |
| Major or Extreme SOI | 9 | 74,601 | 80,986 | 68,036 | 4.00 | 3.85 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 4 | 22,900 | 20,648 | 17,963 | 1.50 | 2.15 | 2.03 |
| Major or Extreme SOI | 7 | 29,008 | 31,838 | 28,897 | 2.80 | 3.10 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 17 | 24,339 | 24,183 | 17,867 | 1.31 | 1.29 | 1.54 |
| Major or Extreme SOI | 1 | 44,794 | 43,257 | 25,935 | 5.00 | 4.25 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 14 | 16,623 | 14,732 | 13,972 | 3.15 | 2.74 | 2.96 |
| Major or Extreme SOI | 12 | 25,239 | 20,169 | 22,844 | 4.45 | 4.04 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 24 | 11,211 | 10,524 | 10,477 | 1.68 | 1.83 | 1.84 |
| Major or Extreme SOI | 13 | 18,888 | 15,309 | 17,274 | 3.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 26 | 39,603 | 31,921 | 33,294 | 4.65 | 4.51 | 4.80 |
| Major or Extreme SOI | 9 | 75,564 | 65,565 | 78,140 | 9.89 | 9.58 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 39 | 25,028 | 18,445 | 17,034 | 2.22 | 2.09 | 2.08 |
| Major or Extreme SOI | . | . | 39,816 | 36,530 | . | 4.20 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 21 | 6,891 | 8,204 | 9,467 | 1.65 | 1.91 | 2.01 |
| Major or Extreme SOI | 4 | 24,022 | 14,552 | 14,930 | 4.00 | 2.86 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 166 | 55,316 | 40,121 | 37,842 | 3.03 | 3.09 | 2.92 |
| Major or Extreme SOI | 12 | 63,825 | 51,550 | 48,873 | 3.83 | 4.27 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 36 | 34,388 | 28,054 | 27,280 | 1.94 | 2.44 | 2.61 |
| Major or Extreme SOI | 4 | 68,884 | 51,684 | 45,932 | 6.00 | 5.84 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 6,611 | 11,741 | . | 2.17 | 2.96 |
| Major or Extreme SOI | . | . | 16,017 | 22,625 | . | 2.33 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=6)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 122
 AFFILIATION: Mountainstar Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 152 | 19,415 | 14,487 | 15,305 | 1.44 | 1.54 | 1.62 |
| Major or Extreme SOI | 5 | 29,868 | 25,951 | 36,837 | 3.40 | 3.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 341 | 12,958 | 11,286 | 11,641 | 3.44 | 3.31 | 3.21 |
| Major or Extreme SOI | 14 | 18,116 | 15,205 | 21,704 | 4.36 | 4.14 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 1,396 | 7,780 | 6,524 | 6,731 | 1.95 | 1.84 | 1.79 |
| Major or Extreme SOI | 18 | 10,772 | 8,867 | 10,767 | 3.12 | 2.30 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 15 | 10,939 | 9,031 | 9,583 | 1.93 | 1.89 | 1.93 |
| Major or Extreme SOI | . | . | 9,402 | 21,300 | . | 2.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 2 | 7,365 | 7,441 | 11,599 | 2.00 | 2.00 | 5.19 |
| Major or Extreme SOI | . | . | 20,374 | 22,695 | . | 3.00 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 1,442 | 3,303 | 2,825 | 2,536 | 1.88 | 1.95 | 1.89 |
| Major or Extreme SOI | 77 | 13,545 | 9,743 | 8,321 | 4.06 | 3.51 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 3 | 10,224 | 10,786 | 10,069 | 3.00 | 2.48 | 2.88 |
| Major or Extreme SOI | 4 | 16,862 | 13,906 | 19,849 | 2.50 | 2.00 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 22 | 20,677 | 18,286 | 16,988 | 2.29 | 2.02 | 1.89 |
| Major or Extreme SOI | 1 | 46,964 | 32,887 | 42,605 | 3.00 | 4.00 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 40 | 24,479 | 19,568 | 18,944 | 2.18 | 2.12 | 2.08 |
| Major or Extreme SOI | 10 | 54,817 | 34,521 | 34,924 | 7.10 | 4.86 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 10 | 16,349 | 13,114 | 13,298 | 2.40 | 2.18 | 2.15 |
| Major or Extreme SOI | 10 | 25,424 | 22,815 | 24,096 | 3.80 | 3.80 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 4 | 12,941 | 11,099 | 13,147 | 2.50 | 1.93 | 2.10 |
| Major or Extreme SOI | 1 | 16,745 | 27,046 | 23,048 | 3.00 | 4.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 12 | 11,667 | 11,821 | 12,049 | 2.67 | 2.48 | 2.47 |
| Major or Extreme SOI | 2 | 24,657 | 22,411 | 21,886 | 2.00 | 3.66 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 15 | 14,232 | 10,286 | 11,171 | 2.07 | 2.12 | 2.13 |
| Major or Extreme SOI | 2 | 39,221 | 21,043 | 21,005 | 7.00 | 3.75 | 3.64 |
| All other APRDRGs | 1,810 | 38,423 | 22,833 | 30,661 | 5.01 | 3.83 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

TIMPANOGOS REGIONAL HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=6)

AFFILIATION: Mountainstar Healthcare

COUNTY: Utah

BED SIZE: 122

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 4,035 | 67.7 | 68.8 | 61.8 |
| Male | 1,921 | 32.3 | 31.2 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,845 | 31.0 | 31.8 | 20.2 |
| 29-365 days | 76 | 1.3 | 1.0 | 0.9 |
| 1-4 years | 45 | 0.8 | 1.1 | 0.7 |
| 5-9 | 18 | 0.3 | 0.4 | 0.4 |
| 10-14 | 16 | 0.3 | 0.2 | 0.4 |
| 15-17 | 30 | 0.5 | 0.5 | 0.8 |
| 18-19 | 68 | 1.1 | 1.3 | 1.5 |
| 20-24 | 522 | 8.8 | 7.8 | 6.9 |
| 25-29 | 707 | 11.9 | 12.7 | 9.6 |
| 30-34 | 608 | 10.2 | 10.7 | 8.4 |
| 35-39 | 306 | 5.1 | 5.5 | 4.9 |
| 40-44 | 147 | 2.5 | 2.7 | 3.4 |
| 45-49 | 139 | 2.3 | 2.3 | 3.5 |
| 50-54 | 159 | 2.7 | 2.7 | 4.5 |
| 55-59 | 207 | 3.5 | 2.9 | 5.0 |
| 60-64 | 196 | 3.3 | 2.9 | 5.1 |
| 65-69 | 220 | 3.7 | 3.0 | 5.6 |
| 70-74 | 159 | 2.7 | 2.8 | 5.1 |
| 75-79 | 159 | 2.7 | 2.4 | 4.7 |
| 80-84 | 165 | 2.8 | 2.3 | 4.1 |
| 85-89 | 98 | 1.6 | 1.6 | 2.9 |
| 90 + | 66 | 1.1 | 1.1 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 871 | 14.6 | 8.8 | 14.1 |
| Urgent | 1,042 | 17.5 | 36.1 | 39.7 |
| Elective | 2,162 | 36.3 | 23.4 | 25.3 |
| Newborn | 1,876 | 31.5 | 31.7 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | 5 | 0.1 | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 4,002 | 67.2 | 44.3 | 49.6 |
| Clinic referral | 39 | 0.7 | 23.6 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 13 | 0.2 | 0.2 | 4.4 |
| Skilled nursing facility | 17 | 0.3 | 0.1 | 0.5 |
| Other health care facility | 2 | 0.0 | 0.0 | 0.2 |
| Emergency room | 1 | 0.0 | 0.0 | 0.0 |
| Court/law enforcement | . | . | 0.0 | 0.3 |
| Normal delivery/Born Inside | 1,863 | 31.3 | 31.6 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

TIMPANOGOS REGIONAL HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=6)

AFFILIATION: Mountainstar Healthcare

COUNTY: Utah

BED SIZE: 122

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 13 | 0.2 | 0.1 | 0.0 |
| Unknown | 1 | 0.0 | 0.0 | 0.6 |
| Not reported | 5 | 0.1 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 5,150 | 86.5 | 59.4 | 55.1 |
| Another hospital | 30 | 0.5 | 0.8 | 0.8 |
| Skilled nursing facility | 312 | 5.2 | 3.0 | 5.3 |
| Intermediate care | . | . | 0.0 | 0.1 |
| Another type of institution | 81 | 1.4 | 1.1 | 2.6 |
| Under care of home service | 339 | 5.7 | 3.4 | 5.7 |
| Left against medical advice | 4 | 0.1 | 0.1 | 0.3 |
| Under care of a home iv provider | . | . | . | 0.0 |
| Expired | 39 | 0.7 | 0.4 | 1.1 |
| Not reported | 1 | 0.0 | 31.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 1,136 | 19.1 | 15.4 | 26.7 |
| Medicaid | 813 | 13.7 | 17.3 | 18.6 |
| Other government | 63 | 1.1 | 1.9 | 2.4 |
| Blue Cross/Blue Shield | 1,448 | 24.3 | 11.4 | 10.3 |
| Other commercial | 427 | 7.2 | 5.2 | 5.5 |
| Managed care | 1,888 | 31.7 | 44.9 | 30.9 |
| Self pay | 162 | 2.7 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 14 | 0.2 | 0.1 | 0.5 |
| Charity | 4 | 0.1 | 0.4 | 1.1 |
| Children's Health Insurance Plan | 1 | 0.0 | 0.2 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 6 | 0.1 | 0.1 | 5.4 |
| Central Utah | 114 | 1.9 | 0.6 | 2.9 |
| Davis County | 6 | 0.1 | 0.5 | 9.8 |
| Salt Lake County | 159 | 2.7 | 48.1 | 34.1 |
| Southeastern Utah | 115 | 1.9 | 0.4 | 1.8 |
| Southwest Utah | 15 | 0.3 | 0.3 | 8.0 |
| Summit County | 3 | 0.1 | 0.1 | 0.9 |
| Tooele County | 10 | 0.2 | 0.7 | 2.2 |
| Tri-County | 25 | 0.4 | 0.2 | 1.7 |
| Utah County | 5,252 | 88.2 | 46.9 | 17.8 |
| Wasatch County | 49 | 0.8 | 0.3 | 0.6 |
| Weber/Morgan | 8 | 0.1 | 0.1 | 9.5 |
| Unknown Utah | 4 | 0.1 | 0.0 | 0.0 |
| Outside Utah | 149 | 2.5 | 1.6 | 5.2 |
| Unknown | 41 | 0.7 | 0.1 | 0.1 |

* Including all general acute care hospitals only.

SOURCE: Utah Hospital Discharge Database,

Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

UHC UNIVERSITY HOSPITALS & CLINICS
 PEER GROUP: Acute, urban, high CMI (n=2)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 592
 AFFILIATION: University Health Care

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 22,666 | 100.0 | 100.0 | 100.0 | 732,537,316 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 3,876 | 17.1 | 16.1 | 20.1 | 55,947,269 | 7.6 | 7.5 | 7.7 |
| Obstetric (MDC 14) | 4,246 | 18.7 | 17.4 | 20.9 | 44,493,002 | 6.1 | 6.0 | 8.6 |
| Pediatric Medical (Age 0-17) | 152 | 0.7 | 0.6 | 2.3 | 9,966,463 | 1.4 | 1.2 | 1.5 |
| Pediatric Surgical (Age 0-17) | 90 | 0.4 | 0.3 | 0.4 | 7,637,993 | 1.0 | 0.7 | 0.6 |
| Other Medical | 6,975 | 30.8 | 35.1 | 29.4 | 169,592,252 | 23.2 | 26.2 | 27.2 |
| Other Surgical | 5,913 | 26.1 | 27.1 | 22.0 | 392,727,199 | 53.6 | 53.6 | 49.8 |
| Psychiatric (MDC 19) | 623 | 2.7 | 1.3 | 3.9 | 13,663,322 | 1.9 | 0.9 | 2.7 |
| Rehabilitation (DRG 462) | 785 | 3.5 | 2.1 | 1.0 | 38,198,921 | 5.2 | 3.9 | 2.0 |
| Unknown (DRG 469-470) | 6 | 0.0 | 0.0 | 0.0 | 310,895 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 2,147 | 9.5 | 8.4 | 4.1 | 88,045,989 | 12.0 | 10.8 | 6.0 |
| 2 Eye | 34 | 0.2 | 0.1 | 0.1 | 818,016 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 129 | 0.6 | 0.6 | 0.6 | 2,734,600 | 0.4 | 0.4 | 0.5 |
| 4 Respiratory System | 1,042 | 4.6 | 5.5 | 6.4 | 42,115,692 | 5.7 | 6.1 | 6.8 |
| 5 Circulatory System | 1,945 | 8.6 | 11.6 | 7.5 | 122,990,302 | 16.8 | 19.9 | 15.5 |
| 6 Digestive System | 1,155 | 5.1 | 6.2 | 6.4 | 33,627,639 | 4.6 | 5.7 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 475 | 2.1 | 2.5 | 2.3 | 16,712,836 | 2.3 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 2,454 | 10.8 | 10.0 | 10.0 | 105,466,933 | 14.4 | 13.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 334 | 1.5 | 1.3 | 1.1 | 9,252,915 | 1.3 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 427 | 1.9 | 1.9 | 2.4 | 7,971,845 | 1.1 | 1.3 | 2.1 |
| 11 Kidney & Urinary Tract | 592 | 2.6 | 3.2 | 2.8 | 24,453,249 | 3.3 | 3.6 | 3.0 |
| 12 Male Reproductive System | 41 | 0.2 | 0.5 | 0.3 | 1,474,633 | 0.2 | 0.4 | 0.3 |
| 13 Female Reproductive System | 91 | 0.4 | 0.8 | 1.7 | 1,465,331 | 0.2 | 0.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 4,246 | 18.7 | 17.4 | 20.9 | 44,493,002 | 6.1 | 6.0 | 8.6 |
| 15 Newborn & Other Neonates | 3,944 | 17.4 | 16.4 | 20.4 | 63,805,662 | 8.7 | 8.4 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 85 | 0.4 | 0.5 | 0.5 | 2,762,477 | 0.4 | 0.4 | 0.6 |
| 17 Myeloproliferative/ Poorly Diff. Neoplasm | 20 | 0.1 | 0.3 | 0.3 | 2,529,688 | 0.3 | 0.4 | 1.0 |
| 18 Infectious and Parasitic Diseases | 1,015 | 4.5 | 5.2 | 3.7 | 50,334,110 | 6.9 | 6.9 | 6.1 |
| 19 Mental Diseases and Disorders | 623 | 2.7 | 1.3 | 3.9 | 13,663,322 | 1.9 | 0.9 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 65 | 0.3 | 0.2 | 1.0 | 914,421 | 0.1 | 0.1 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 509 | 2.2 | 2.3 | 1.8 | 14,786,254 | 2.0 | 2.1 | 1.8 |
| 22 Burns | 199 | 0.9 | 0.4 | 0.1 | 22,971,743 | 3.1 | 1.4 | 0.4 |
| 23 Factors Influencing Health Status | 842 | 3.7 | 2.4 | 1.3 | 40,877,793 | 5.6 | 4.3 | 2.3 |
| 24 Multiple Significant Trauma | 186 | 0.8 | 0.8 | 0.3 | 15,880,110 | 2.2 | 2.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 56 | 0.2 | 0.1 | 0.0 | 1,815,030 | 0.2 | 0.2 | 0.1 |
| Unknown | 10 | 0.0 | 0.0 | 0.1 | 573,722 | 0.1 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY HOSPITALS & CLINICS
 PEER GROUP: Acute, urban, high CMI (n=2)
 UHDDDB CASE MIX INDEX = 1.5004

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.93

BED SIZE: 592
 AFFILIATION: University Health Care
 % LOS OUTLIER=2.91

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | | |
|---|--------------|---------------------------------|---------------|---------------|----------------------|------------|------------|------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 22,666 | 732,537,391 | 1,617,845,667 | 5,319,068,336 | 123979.0 | 246,627.00 | 881,886.00 | | | |
| Facility Charges (total) | . | 732,537,316 | 1,611,799,795 | 5,296,755,067 | . | . | . | | | |
| Facility Charges & LOS (average) | . | 32,319 | 30,357 | 21,172 | 5.47 | 4.65 | 3.53 | | | |
| Facility Charges & LOS (adjusted average)* | . | 20,066 | 20,654 | 20,004 | 3.40 | 3.14 | 3.53 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 001 Craniotomy age >17 with CC | 254 | 60,818 | 59,977 | 62,383 | 6.10 | 5.99 | 6.29 | | | |
| 003 Craniotomy age 0-17 | 8 | 64,274 | 78,953 | 70,042 | 5.88 | 7.00 | 6.13 | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 422 | 26,562 | 26,737 | 21,721 | 3.96 | 3.68 | 3.12 | | | |
| 075 Major chest procedures | 45 | 59,412 | 63,874 | 59,734 | 7.62 | 8.27 | 7.19 | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 87 | 15,601 | 16,737 | 16,240 | 3.47 | 3.01 | 3.26 | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | . | 8,064 | . | . | 2.31 | | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | 11,333 | 7,590 | . | 2.00 | 2.06 | | | |
| 104 Cardiac valve/cardi thor w card cath | 18 | 220,951 | 132,465 | 131,342 | 15.50 | 9.22 | 9.28 | | | |
| 105 Cardiac valve/cardi thor w/o card cath | 104 | 130,645 | 119,944 | 117,359 | 9.84 | 8.85 | 7.94 | | | |
| 547 Coronary bypass with card cath w/ MCV | 30 | 139,990 | 125,865 | 114,735 | 12.97 | 11.77 | 9.60 | | | |
| 549 Coronary bypass w/o card cath w/ MCV | 29 | 101,692 | 102,953 | 103,627 | 8.24 | 8.51 | 8.21 | | | |
| 108 Other cardiothoracic procedures | 27 | 91,056 | 93,212 | 92,602 | 8.33 | 8.20 | 7.28 | | | |
| 110 Major cardiovascular procedures w cc | 87 | 98,869 | 90,857 | 87,590 | 8.68 | 7.81 | 6.14 | | | |
| 555 Perc. cardiovascular procedures w MCV | 69 | 51,130 | 47,288 | 48,932 | 4.42 | 3.34 | 3.08 | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | 28 | 31,376 | 33,866 | 39,075 | 2.57 | 2.20 | 2.30 | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 28 | 32,573 | 30,421 | 24,880 | 4.50 | 4.29 | 3.56 | | | |
| 122 Circ disrd w AMI w/o comp disch alive | 27 | 19,004 | 19,540 | 18,844 | 2.16 | 2.26 | 1.96 | | | |
| 124 Circ disrd exc AMI w card cath & complx | 151 | 30,275 | 28,575 | 26,849 | 4.76 | 4.21 | 3.44 | | | |
| 125 Circ disrd exc AMI w card cath w/o cx | 70 | 19,929 | 19,414 | 19,275 | 2.15 | 2.18 | 1.78 | | | |
| 127 Heart failure & shock | 185 | 20,582 | 20,825 | 18,033 | 4.65 | 4.13 | 3.64 | | | |
| 140 Angina pectoris | 7 | 11,803 | 11,326 | 11,228 | 1.29 | 1.42 | 1.30 | | | |
| 143 Chest pain | 89 | 10,232 | 11,196 | 10,491 | 1.39 | 1.33 | 1.33 | | | |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 61 | 69,526 | 64,747 | 59,626 | 11.93 | 10.50 | 9.04 | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 20 | 87,849 | 80,463 | 77,655 | 11.35 | 10.67 | 9.70 | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 15 | 11,878 | 14,204 | 13,530 | 1.36 | 1.07 | 1.11 | | | |
| 174 G.I. hemorrhage w cc | 167 | 18,890 | 18,566 | 18,170 | 2.98 | 2.80 | 2.81 | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 169 | 15,505 | 15,021 | 14,049 | 3.44 | 2.78 | 2.61 | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 42 | 11,054 | 12,040 | 11,229 | 2.54 | 2.18 | 2.10 | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | 11 | 30,350 | 28,404 | 37,751 | 6.09 | 4.78 | 5.36 | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 7 | 21,555 | 20,529 | 23,411 | 3.57 | 3.18 | 3.09 | | | |
| 544 Mjr jnt replace/reattach, low extrem | 466 | 34,156 | 37,353 | 39,044 | 3.12 | 3.18 | 2.99 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY HOSPITALS & CLINICS
 PEER GROUP: Acute, urban, high CMI (n=2)
 UHDDDB CASE MIX INDEX = 1.5004

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.93

BED SIZE: 592
 AFFILIATION: University Health Care
 % LOS OUTLIER=2.91

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 127 | 43,493 | 43,822 | 40,371 | 5.34 | 5.00 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 132 | 26,229 | 27,896 | 27,138 | 2.64 | 2.53 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 154 | 13,478 | 14,809 | 13,720 | 2.85 | 2.88 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 16 | 21,988 | 22,799 | 19,434 | 3.47 | 2.84 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 41 | 13,554 | 15,725 | 14,898 | 2.13 | 1.64 | 1.57 |
| 370 Cesarean section with cc | 325 | 18,912 | 18,137 | 14,657 | 5.34 | 4.87 | 3.87 |
| 371 Cesarean section without cc | 663 | 12,074 | 12,380 | 11,759 | 3.96 | 3.79 | 3.24 |
| 372 Vaginal delivery w complicating diag | 755 | 9,618 | 9,737 | 8,392 | 2.43 | 2.30 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 1,982 | 7,843 | 7,587 | 6,661 | 2.10 | 1.95 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 88 | 12,074 | 11,545 | 10,362 | 2.53 | 2.38 | 2.01 |
| 383 Other antepartum diag w med complic | 154 | 12,918 | 12,739 | 10,990 | 3.25 | 3.11 | 2.71 |
| 385 Neonates died/transf to acute care fac | 27 | 43,168 | 70,821 | 19,166 | 7.15 | 10.26 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 225 | 155,986 | 146,063 | 101,092 | 42.48 | 35.82 | 26.08 |
| 387 Prematurity w major problems | 154 | 60,927 | 61,053 | 48,843 | 21.01 | 18.09 | 15.14 |
| 389 Full term neonate w major problems | 294 | 16,488 | 17,989 | 15,544 | 5.72 | 5.62 | 4.66 |
| 390 Neonate w other significant problems | 1,527 | 2,635 | 2,972 | 3,854 | 2.17 | 2.26 | 2.27 |
| 391 Normal newborn | 1,463 | 1,937 | 2,123 | 2,436 | 1.86 | 1.93 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 1 | 36,786 | 23,527 | 23,836 | 3.00 | 3.96 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 132 | 89,864 | 78,708 | 72,347 | 10.94 | 9.89 | 9.12 |
| 430 Psychoses | 483 | 19,782 | 19,691 | 14,101 | 10.17 | 9.96 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 45 | 13,770 | 14,433 | 13,612 | 3.60 | 3.02 | 3.30 |
| 462 Rehabilitation | 785 | 43,684 | 48,714 | 40,385 | 13.09 | 13.93 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 125 | 54,790 | 58,897 | 55,889 | 7.17 | 7.15 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 27 | 122,873 | 120,893 | 108,196 | 14.81 | 14.58 | 12.99 |
| 481 Bone marrow transplant | 2 | 421,013 | 421,013 | 204,971 | 34.50 | 34.50 | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 89 | 382,248 | 325,997 | 295,955 | 30.50 | 27.45 | 26.00 |
| 486 Other OR proc for mult signif trauma | 98 | 99,730 | 95,247 | 93,495 | 8.85 | 8.41 | 8.69 |
| 499 Back & neck procedures w cc | 56 | 28,413 | 27,733 | 25,581 | 3.60 | 3.26 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 76 | 17,236 | 17,229 | 16,304 | 2.15 | 1.98 | 1.73 |
| 502 Knee procedures w/o cc | 2 | 15,630 | 16,191 | 20,364 | 2.50 | 2.25 | 2.68 |
| 470 Ungroupable | 10 | 57,372 | 42,371 | 12,546 | 14.40 | 10.64 | 3.65 |
| All Other DRGs | 9,885 | 35,372 | 32,481 | 26,338 | 4.77 | 3.99 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY HOSPITALS & CLINICS
 PEER GROUP: Acute, urban, high CMI (n=2)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 592
 AFFILIATION: University Health Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 192 | 17,729 | 19,530 | 17,504 | 2.44 | 2.50 | 2.39 |
| Major or Extreme SOI | 167 | 37,768 | 38,366 | 30,421 | 5.52 | 5.17 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 48 | 11,302 | 12,277 | 10,931 | 2.87 | 2.42 | 2.55 |
| Major or Extreme SOI | 50 | 20,082 | 20,487 | 20,864 | 3.96 | 3.53 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 34 | 10,760 | 10,766 | 8,532 | 2.81 | 2.26 | 1.99 |
| Major or Extreme SOI | 9 | 17,737 | 13,411 | 15,810 | 3.56 | 2.42 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 75 | 39,034 | 42,345 | 42,983 | 2.42 | 1.51 | 1.54 |
| Major or Extreme SOI | 60 | 63,398 | 71,079 | 68,036 | 4.69 | 4.60 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 35 | 18,663 | 18,342 | 17,963 | 2.00 | 2.13 | 2.03 |
| Major or Extreme SOI | 24 | 36,781 | 32,024 | 28,897 | 5.24 | 4.62 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 78 | 18,607 | 17,044 | 17,867 | 1.82 | 1.65 | 1.54 |
| Major or Extreme SOI | 22 | 23,669 | 26,629 | 25,935 | 2.82 | 3.18 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 82 | 13,635 | 15,100 | 13,972 | 3.41 | 3.18 | 2.96 |
| Major or Extreme SOI | 110 | 25,502 | 26,133 | 22,844 | 5.62 | 5.05 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 112 | 9,231 | 9,816 | 10,477 | 1.83 | 1.74 | 1.84 |
| Major or Extreme SOI | 72 | 16,034 | 17,055 | 17,274 | 3.45 | 3.04 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 81 | 30,860 | 33,677 | 33,294 | 5.72 | 5.13 | 4.80 |
| Major or Extreme SOI | 63 | 89,042 | 82,408 | 78,140 | 13.35 | 12.50 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 39 | 15,995 | 16,647 | 17,034 | 2.53 | 1.80 | 2.08 |
| Major or Extreme SOI | 3 | 24,857 | 23,673 | 36,530 | 3.00 | 2.50 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 35 | 10,856 | 11,541 | 9,467 | 2.42 | 2.10 | 2.01 |
| Major or Extreme SOI | 48 | 17,969 | 15,287 | 14,930 | 4.02 | 3.08 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 285 | 34,461 | 37,692 | 37,842 | 2.99 | 3.00 | 2.92 |
| Major or Extreme SOI | 43 | 43,116 | 51,163 | 48,873 | 4.17 | 4.65 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 182 | 27,165 | 29,008 | 27,280 | 2.89 | 2.83 | 2.61 |
| Major or Extreme SOI | 46 | 51,151 | 48,200 | 45,932 | 6.33 | 5.64 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 2 | 15,539 | 14,356 | 11,741 | 3.00 | 3.25 | 2.96 |
| Major or Extreme SOI | 9 | 16,314 | 29,608 | 22,625 | 5.25 | 7.05 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY HOSPITALS & CLINICS
 PEER GROUP: Acute, urban, high CMI (n=2)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 592
 AFFILIATION: University Health Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 35 | 13,914 | 16,603 | 15,305 | 2.29 | 1.82 | 1.62 |
| Major or Extreme SOI | 4 | 40,177 | 43,688 | 36,837 | 6.00 | 5.00 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 783 | 11,656 | 12,023 | 11,641 | 3.84 | 3.69 | 3.21 |
| Major or Extreme SOI | 205 | 24,501 | 24,946 | 21,704 | 6.65 | 6.41 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 2,444 | 7,925 | 7,654 | 6,731 | 2.10 | 1.95 | 1.79 |
| Major or Extreme SOI | 289 | 11,751 | 12,260 | 10,767 | 2.94 | 2.86 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 73 | 10,506 | 9,985 | 9,583 | 2.29 | 2.15 | 1.93 |
| Major or Extreme SOI | 15 | 19,601 | 18,907 | 21,300 | 3.73 | 3.44 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 169 | 11,654 | 11,842 | 11,599 | 7.20 | 7.06 | 5.19 |
| Major or Extreme SOI | 37 | 31,102 | 30,303 | 22,695 | 12.61 | 12.11 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 2,653 | 2,021 | 2,182 | 2,536 | 1.96 | 1.99 | 1.89 |
| Major or Extreme SOI | 292 | 4,185 | 5,928 | 8,321 | 2.91 | 3.08 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 19 | 12,129 | 11,947 | 10,069 | 3.00 | 2.37 | 2.88 |
| Major or Extreme SOI | 16 | 16,545 | 17,048 | 19,849 | 3.88 | 3.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 101 | 18,290 | 18,023 | 16,988 | 2.34 | 2.13 | 1.89 |
| Major or Extreme SOI | 9 | 41,992 | 55,229 | 42,605 | 6.00 | 7.88 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 51 | 20,205 | 17,948 | 18,944 | 2.79 | 1.95 | 2.08 |
| Major or Extreme SOI | 16 | 21,404 | 32,920 | 34,924 | 3.25 | 4.47 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 22 | 12,775 | 13,286 | 13,298 | 2.25 | 2.10 | 2.15 |
| Major or Extreme SOI | 30 | 29,124 | 23,765 | 24,096 | 3.63 | 3.27 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 6 | 10,380 | 12,554 | 13,147 | 2.33 | 2.10 | 2.10 |
| Major or Extreme SOI | 16 | 17,031 | 17,305 | 23,048 | 2.75 | 2.58 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 21 | 11,435 | 12,905 | 12,049 | 3.05 | 2.56 | 2.47 |
| Major or Extreme SOI | 14 | 21,191 | 19,143 | 21,886 | 4.08 | 3.58 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 58 | 12,240 | 12,274 | 11,171 | 2.65 | 2.33 | 2.13 |
| Major or Extreme SOI | 75 | 19,427 | 20,766 | 21,005 | 3.75 | 3.83 | 3.64 |
| All other APRDRGs | 13,207 | 43,234 | 40,008 | 30,661 | 6.78 | 5.73 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UHC UNIVERSITY HOSPITALS & CLINICS
 PEER GROUP: Acute, urban, high CMI (n=2) COUNTY: Salt Lake
 AFFILIATION: University Health Care BED SIZE: 592

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 12,927 | 57.0 | 57.2 | 61.8 |
| Male | 9,739 | 43.0 | 42.8 | 38.2 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 3,768 | 16.6 | 15.9 | 20.2 |
| 29-365 days | 189 | 0.8 | 0.6 | 0.9 |
| 1-4 years | 28 | 0.1 | 0.1 | 0.7 |
| 5-9 | 11 | 0.0 | 0.0 | 0.4 |
| 10-14 | 35 | 0.2 | 0.1 | 0.4 |
| 15-17 | 218 | 1.0 | 0.7 | 0.8 |
| 18-19 | 468 | 2.1 | 1.5 | 1.5 |
| 20-24 | 1,633 | 7.2 | 6.0 | 6.9 |
| 25-29 | 2,057 | 9.1 | 8.7 | 9.6 |
| 30-34 | 2,054 | 9.1 | 8.5 | 8.4 |
| 35-39 | 1,386 | 6.1 | 5.3 | 4.9 |
| 40-44 | 1,032 | 4.6 | 4.1 | 3.4 |
| 45-49 | 1,050 | 4.6 | 4.4 | 3.5 |
| 50-54 | 1,350 | 6.0 | 5.6 | 4.5 |
| 55-59 | 1,533 | 6.8 | 6.7 | 5.0 |
| 60-64 | 1,456 | 6.4 | 6.7 | 5.1 |
| 65-69 | 1,225 | 5.4 | 6.5 | 5.6 |
| 70-74 | 1,071 | 4.7 | 5.8 | 5.1 |
| 75-79 | 848 | 3.7 | 4.8 | 4.7 |
| 80-84 | 638 | 2.8 | 4.1 | 4.1 |
| 85-89 | 429 | 1.9 | 2.6 | 2.9 |
| 90 + | 187 | 0.8 | 1.3 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 7,605 | 33.6 | 14.9 | 14.1 |
| Urgent | 6,872 | 30.3 | 47.0 | 39.7 |
| Elective | 4,316 | 19.0 | 19.7 | 25.3 |
| Newborn | 3,873 | 17.1 | 16.1 | 20.2 |
| Trauma Center | . | . | 2.3 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 11,521 | 50.8 | 54.0 | 49.6 |
| Clinic referral | 2,399 | 10.6 | 15.8 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 3,417 | 15.1 | 10.9 | 4.4 |
| Skilled nursing facility | 194 | 0.9 | 0.6 | 0.5 |
| Other health care facility | 156 | 0.7 | 0.4 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 123 | 0.5 | 0.2 | 0.3 |
| Normal delivery/Born Inside | 3,859 | 17.0 | 16.1 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UHC UNIVERSITY HOSPITALS & CLINICS
 PEER GROUP: Acute, urban, high CMI (n=2) COUNTY: Salt Lake
 AFFILIATION: University Health Care BED SIZE: 592

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 14 | 0.1 | 0.0 | 0.0 |
| Unknown | 983 | 4.3 | 1.9 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 16,809 | 74.2 | 53.6 | 55.1 |
| Another hospital | 195 | 0.9 | 0.5 | 0.8 |
| Skilled nursing facility | 1,643 | 7.2 | 5.5 | 5.3 |
| Intermediate care | 26 | 0.1 | 0.1 | 0.1 |
| Another type of institution | 1,394 | 6.2 | 4.3 | 2.6 |
| Under care of home service | 1,954 | 8.6 | 7.0 | 5.7 |
| Left against medical advice | 76 | 0.3 | 0.2 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 430 | 1.9 | 1.7 | 1.1 |
| Not reported | 139 | 0.6 | 27.2 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 5,466 | 24.1 | 28.4 | 26.7 |
| Medicaid | 5,600 | 24.7 | 18.0 | 18.6 |
| Other government | 681 | 3.0 | 2.1 | 2.4 |
| Blue Cross/Blue Shield | 3,721 | 16.4 | 9.6 | 10.3 |
| Other commercial | 1,462 | 6.5 | 5.9 | 5.5 |
| Managed care | 3,742 | 16.5 | 29.2 | 30.9 |
| Self pay | 1,749 | 7.7 | 4.3 | 3.7 |
| Industrial/Worker's Comp | 225 | 1.0 | 0.9 | 0.5 |
| Charity | 1 | 0.0 | 1.6 | 1.1 |
| Children's Health Insurance Plan | 12 | 0.1 | 0.1 | 0.1 |
| Not reported | 7 | 0.0 | 0.1 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 465 | 2.1 | 1.6 | 5.4 |
| Central Utah | 159 | 0.7 | 0.6 | 2.9 |
| Davis County | 1,691 | 7.5 | 6.0 | 9.8 |
| Salt Lake County | 12,814 | 56.5 | 68.5 | 34.1 |
| Southeastern Utah | 310 | 1.4 | 0.8 | 1.8 |
| Southwest Utah | 212 | 0.9 | 1.0 | 8.0 |
| Summit County | 366 | 1.6 | 1.4 | 0.9 |
| Tooele County | 786 | 3.5 | 2.6 | 2.2 |
| Tri-County | 512 | 2.3 | 1.3 | 1.7 |
| Utah County | 789 | 3.5 | 4.1 | 17.8 |
| Wasatch County | 84 | 0.4 | 0.4 | 0.6 |
| Weber/Morgan | 550 | 2.4 | 1.6 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 3,924 | 17.3 | 9.9 | 5.2 |
| Unknown | 4 | 0.0 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Duchesne
 OWNERSHIP: Government

BED SIZE: 49
 AFFILIATION: Freestanding

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,086 | 100.0 | 100.0 | 100.0 | 7,077,123 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 264 | 24.3 | 18.5 | 20.1 | 368,555 | 5.2 | 4.3 | 7.7 |
| Obstetric (MDC 14) | 279 | 25.7 | 19.5 | 20.9 | 1,560,157 | 22.0 | 13.8 | 8.6 |
| Pediatric Medical (Age 0-17) | 61 | 5.6 | 4.8 | 2.3 | 325,129 | 4.6 | 2.7 | 1.5 |
| Pediatric Surgical (Age 0-17) | 3 | 0.3 | 0.6 | 0.4 | 28,822 | 0.4 | 1.1 | 0.6 |
| Other Medical | 405 | 37.3 | 45.7 | 29.4 | 3,601,669 | 50.9 | 49.3 | 27.2 |
| Other Surgical | 72 | 6.6 | 10.1 | 22.0 | 1,183,956 | 16.7 | 28.2 | 49.8 |
| Psychiatric (MDC 19) | 1 | 0.1 | 0.3 | 3.9 | 6,033 | 0.1 | 0.2 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 1.0 | . | . | 0.1 | 2.0 |
| Unknown (DRG 469-470) | 1 | 0.1 | 0.5 | 0.0 | 2,802 | 0.0 | 0.4 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 16 | 1.5 | 2.6 | 4.1 | 137,124 | 1.9 | 2.3 | 6.0 |
| 2 Eye | 1 | 0.1 | 0.1 | 0.1 | 12,713 | 0.2 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 11 | 1.0 | 1.0 | 0.6 | 65,952 | 0.9 | 0.7 | 0.5 |
| 4 Respiratory System | 106 | 9.8 | 13.7 | 6.4 | 795,240 | 11.2 | 15.4 | 6.8 |
| 5 Circulatory System | 65 | 6.0 | 6.0 | 7.5 | 455,570 | 6.4 | 6.7 | 15.5 |
| 6 Digestive System | 64 | 5.9 | 9.1 | 6.4 | 766,236 | 10.8 | 12.8 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 35 | 3.2 | 3.5 | 2.3 | 335,406 | 4.7 | 5.4 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 38 | 3.5 | 6.5 | 10.0 | 811,804 | 11.5 | 16.5 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 22 | 2.0 | 2.3 | 1.1 | 240,976 | 3.4 | 2.7 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 41 | 3.8 | 3.7 | 2.4 | 300,410 | 4.2 | 3.4 | 2.1 |
| 11 Kidney & Urinary Tract | 33 | 3.0 | 3.7 | 2.8 | 303,665 | 4.3 | 4.0 | 3.0 |
| 12 Male Reproductive System | 2 | 0.2 | 0.1 | 0.3 | 17,549 | 0.2 | 0.1 | 0.3 |
| 13 Female Reproductive System | 50 | 4.6 | 2.2 | 1.7 | 464,144 | 6.6 | 3.6 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 279 | 25.7 | 19.5 | 20.9 | 1,560,157 | 22.0 | 13.8 | 8.6 |
| 15 Newborn & Other Neonates | 270 | 24.9 | 18.7 | 20.4 | 377,563 | 5.3 | 4.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 9 | 0.8 | 0.8 | 0.5 | 56,546 | 0.8 | 1.1 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 1 | 0.1 | 0.1 | 0.3 | 20,060 | 0.3 | 0.1 | 1.0 |
| 18 Infectious and Parasitic Diseases | 11 | 1.0 | 2.0 | 3.7 | 122,067 | 1.7 | 3.0 | 6.1 |
| 19 Mental Diseases and Disorders | 1 | 0.1 | 0.3 | 3.9 | 6,033 | 0.1 | 0.2 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 5 | 0.5 | 0.5 | 1.0 | 40,804 | 0.6 | 0.4 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 17 | 1.6 | 1.7 | 1.8 | 147,480 | 2.1 | 1.9 | 1.8 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 8 | 0.7 | 1.4 | 1.3 | 36,821 | 0.5 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.0 | 0.3 | . | . | 0.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.1 |
| Unknown | 1 | 0.1 | 0.5 | 0.1 | 2,802 | 0.0 | 0.4 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.4844

COUNTY: Duchesne
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.64

BED SIZE: 49
 AFFILIATION: Freestanding
 % LOS OUTLIER=1.84

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|---------------------------------|-------------|---------------|----------------------|-----------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 1,086 | 7,504,246 | 114,581,002 | 5,319,068,336 | 2,531.00 | 28,293.00 | 881,886.00 |
| Facility Charges (total) | . | 7,077,123 | 113,031,053 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 6,517 | 10,066 | 21,172 | 2.33 | 2.52 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 13,041 | 16,258 | 20,004 | 4.56 | 4.07 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | . | 62,383 | . | . | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 6 | 8,052 | 10,331 | 21,721 | 1.83 | 2.58 | 3.12 |
| 075 Major chest procedures | . | . | 100,186 | 59,734 | . | 12.00 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 28 | 7,897 | 11,079 | 16,240 | 2.52 | 3.18 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 5 | 3,363 | 6,181 | 8,064 | 1.40 | 2.14 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 23 | 4,881 | 5,668 | 7,590 | 2.36 | 1.98 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | 131,342 | . | . | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | 117,359 | . | . | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | 114,735 | . | . | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | 103,627 | . | . | 8.21 |
| 108 Other cardiothoracic procedures | . | . | . | 92,602 | . | . | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | . | 87,590 | . | . | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | 48,932 | . | . | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 47,972 | 39,075 | . | 4.00 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch alive | . | . | 20,366 | 24,880 | . | 2.92 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | 24,819 | 18,844 | . | 1.00 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 24,645 | 26,849 | . | 1.25 | 3.44 |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | 31,067 | 19,275 | . | 1.20 | 1.78 |
| 127 Heart failure & shock | 25 | 7,572 | 11,796 | 18,033 | 2.84 | 3.25 | 3.64 |
| 140 Angina pectoris | 2 | 8,063 | 11,358 | 11,228 | 1.00 | 1.25 | 1.30 |
| 143 Chest pain | 10 | 6,187 | 6,720 | 10,491 | 1.50 | 1.24 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 1 | 25,919 | 64,713 | 59,626 | 8.00 | 9.00 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | 50,502 | 77,655 | . | 9.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 2 | 12,611 | 16,048 | 13,530 | 1.50 | 1.17 | 1.11 |
| 174 G.I. hemorrhage w cc | 5 | 8,761 | 12,515 | 18,170 | 2.00 | 2.67 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 13 | 8,528 | 8,553 | 14,049 | 3.27 | 2.34 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 6 | 6,199 | 7,663 | 11,229 | 1.67 | 1.85 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | 37,140 | 37,751 | . | 5.00 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 47,035 | 23,411 | . | 5.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 9 | 24,453 | 38,866 | 39,044 | 3.44 | 3.23 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 UHDBB CASE MIX INDEX = 0.4844

COUNTY: Duchesne
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.64

BED SIZE: 49
 AFFILIATION: Freestanding
 % LOS OUTLIER=1.84

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 1 | 15,567 | 29,094 | 40,371 | 3.00 | 4.21 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 1 | 18,599 | 27,489 | 27,138 | 5.00 | 2.96 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 14 | 5,862 | 8,608 | 13,720 | 2.00 | 2.58 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 2 | 9,383 | 19,017 | 19,434 | 2.00 | 2.19 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 23 | 9,415 | 16,939 | 14,898 | 1.78 | 1.38 | 1.57 |
| 370 Cesarean section with cc | 9 | 10,643 | 12,139 | 14,657 | 2.67 | 2.78 | 3.87 |
| 371 Cesarean section without cc | 33 | 8,069 | 11,034 | 11,759 | 2.33 | 2.58 | 3.24 |
| 372 Vaginal delivery w complicating diag | 38 | 6,285 | 6,345 | 8,392 | 1.92 | 1.82 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 172 | 4,730 | 5,099 | 6,661 | 1.81 | 1.56 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 7 | 6,720 | 8,822 | 10,362 | 1.86 | 1.81 | 2.01 |
| 383 Other antepartum diag w med complic | 3 | 5,320 | 6,503 | 10,990 | 2.67 | 1.98 | 2.71 |
| 385 Neonates died/transf to acute care fac | 7 | 2,116 | 2,610 | 19,166 | 1.86 | 1.13 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | . | . | 5,544 | 101,092 | . | 3.00 | 26.08 |
| 387 Prematurity w major problems | 1 | 1,406 | 4,232 | 48,843 | 2.00 | 2.67 | 15.14 |
| 389 Full term neonate w major problems | 3 | 2,049 | 3,831 | 15,544 | 2.67 | 2.33 | 4.66 |
| 390 Neonate w other significant problems | 32 | 1,618 | 2,658 | 3,854 | 2.13 | 1.92 | 2.27 |
| 391 Normal newborn | 214 | 1,314 | 2,122 | 2,436 | 1.96 | 1.66 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | . | . | 11,282 | 23,836 | . | 1.00 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | . | . | 25,596 | 72,347 | . | 3.00 | 9.12 |
| 430 Psychoses | . | . | 5,041 | 14,101 | . | 2.15 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 2 | 12,259 | 7,298 | 13,612 | 4.00 | 2.44 | 3.30 |
| 462 Rehabilitation | . | . | 10,919 | 40,385 | . | 7.79 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 26,110 | 17,885 | 55,889 | 7.00 | 3.30 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | 108,196 | . | . | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | 295,955 | . | . | 26.00 |
| 486 Other OR proc for mult signif trauma | . | . | . | 93,495 | . | . | 8.69 |
| 499 Back & neck procedures w cc | . | . | . | 25,581 | . | . | 2.86 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 16,304 | . | . | 1.73 |
| 502 Knee procedures w/o cc | . | . | . | 20,364 | . | . | 2.68 |
| 470 Ungroupable | 1 | 2,802 | 7,368 | 12,546 | 1.00 | 2.52 | 3.65 |
| All Other DRGs | 387 | 9,065 | 11,484 | 26,338 | 2.46 | 2.66 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Duchesne
 OWNERSHIP: Government

BED SIZE: 49
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 6 | 8,052 | 11,029 | 17,504 | 2.00 | 2.61 | 2.39 |
| Major or Extreme SOI | . | . | 10,115 | 30,421 | . | 2.59 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 31 | 5,905 | 8,601 | 10,931 | 2.18 | 2.69 | 2.55 |
| Major or Extreme SOI | 8 | 11,651 | 15,114 | 20,864 | 3.25 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 9 | 5,573 | 6,962 | 8,532 | 2.29 | 2.09 | 1.99 |
| Major or Extreme SOI | 1 | 18,003 | 16,961 | 15,810 | 6.00 | 2.80 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | 42,983 | . | . | 1.54 |
| Major or Extreme SOI | . | . | . | 68,036 | . | . | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | 20,684 | 17,963 | . | 1.83 | 2.03 |
| Major or Extreme SOI | . | . | 21,367 | 28,897 | . | 4.44 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 27,856 | 17,867 | . | 1.33 | 1.54 |
| Major or Extreme SOI | . | . | . | 25,935 | . | . | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 16 | 7,169 | 10,681 | 13,972 | 2.86 | 3.16 | 2.96 |
| Major or Extreme SOI | 9 | 8,289 | 14,304 | 22,844 | 3.22 | 3.83 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 11 | 5,418 | 8,759 | 10,477 | 1.40 | 1.91 | 1.84 |
| Major or Extreme SOI | 3 | 10,980 | 12,787 | 17,274 | 2.00 | 2.43 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 4 | 27,585 | 37,933 | 33,294 | 6.25 | 6.03 | 4.80 |
| Major or Extreme SOI | . | . | 95,500 | 78,140 | . | 12.63 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 2 | 12,611 | 19,168 | 17,034 | 1.50 | 1.92 | 2.08 |
| Major or Extreme SOI | . | . | 31,438 | 36,530 | . | 3.33 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 5 | 6,692 | 7,294 | 9,467 | 2.20 | 2.04 | 2.01 |
| Major or Extreme SOI | 2 | 10,782 | 10,963 | 14,930 | 4.50 | 2.91 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 11 | 30,939 | 39,599 | 37,842 | 3.33 | 3.14 | 2.92 |
| Major or Extreme SOI | 1 | 44,076 | 45,999 | 48,873 | 6.00 | 4.80 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 1 | 18,599 | 25,814 | 27,280 | 5.00 | 2.95 | 2.61 |
| Major or Extreme SOI | . | . | 30,874 | 45,932 | . | 4.56 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 7,648 | 11,741 | . | 3.50 | 2.96 |
| Major or Extreme SOI | . | . | 17,599 | 22,625 | . | 4.43 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)

COUNTY: Duchesne
 OWNERSHIP: Government

BED SIZE: 49
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 25 | 9,412 | 16,877 | 15,305 | 1.80 | 1.44 | 1.62 |
| Major or Extreme SOI | . | . | 27,255 | 36,837 | . | 4.25 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 39 | 8,376 | 11,227 | 11,641 | 2.38 | 2.61 | 3.21 |
| Major or Extreme SOI | 3 | 11,798 | 14,509 | 21,704 | 2.67 | 3.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 199 | 4,953 | 5,201 | 6,731 | 1.90 | 1.60 | 1.79 |
| Major or Extreme SOI | 11 | 6,089 | 7,295 | 10,767 | 2.00 | 2.09 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 7 | 6,720 | 8,634 | 9,583 | 1.86 | 1.77 | 1.93 |
| Major or Extreme SOI | . | . | 14,069 | 21,300 | . | 3.00 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | 4,489 | 11,599 | . | 2.20 | 5.19 |
| Major or Extreme SOI | . | . | . | 22,695 | . | . | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 250 | 1,362 | 2,218 | 2,536 | 2.00 | 1.73 | 1.89 |
| Major or Extreme SOI | 3 | 2,130 | 3,691 | 8,321 | 2.33 | 2.46 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 4 | 5,044 | 5,962 | 10,069 | 2.67 | 2.13 | 2.88 |
| Major or Extreme SOI | . | . | 9,576 | 19,849 | . | 2.80 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | 16,988 | . | . | 1.89 |
| Major or Extreme SOI | . | . | . | 42,605 | . | . | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 6 | 10,774 | 20,365 | 18,944 | 2.60 | 2.00 | 2.08 |
| Major or Extreme SOI | 1 | 9,972 | 27,838 | 34,924 | 2.00 | 4.14 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 6 | 11,257 | 9,511 | 13,298 | 3.00 | 2.24 | 2.15 |
| Major or Extreme SOI | 1 | 16,856 | 16,416 | 24,096 | 2.00 | 4.09 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | 5,514 | 13,147 | . | 1.33 | 2.10 |
| Major or Extreme SOI | . | . | 21,023 | 23,048 | . | 2.00 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 4 | 5,627 | 8,734 | 12,049 | 1.75 | 2.32 | 2.47 |
| Major or Extreme SOI | 1 | . | 11,896 | 21,886 | . | 3.33 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 13 | 8,821 | 7,708 | 11,171 | 1.70 | 1.83 | 2.13 |
| Major or Extreme SOI | . | . | 11,198 | 21,005 | . | 2.14 | 3.64 |
| All other APRDRGs | 393 | 8,228 | 10,802 | 30,661 | 2.61 | 2.72 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16)
 AFFILIATION: Freestanding

COUNTY: Duchesne
 BED SIZE: 49

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 751 | 69.2 | 64.5 | 61.8 |
| Male | 335 | 30.8 | 35.4 | 38.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 272 | 25.0 | 18.7 | 20.2 |
| 29-365 days | 15 | 1.4 | 1.1 | 0.9 |
| 1-4 years | 18 | 1.7 | 1.8 | 0.7 |
| 5-9 | 10 | 0.9 | 0.9 | 0.4 |
| 10-14 | 4 | 0.4 | 0.6 | 0.4 |
| 15-17 | 13 | 1.2 | 1.1 | 0.8 |
| 18-19 | 38 | 3.5 | 1.8 | 1.5 |
| 20-24 | 120 | 11.0 | 7.2 | 6.9 |
| 25-29 | 115 | 10.6 | 8.3 | 9.6 |
| 30-34 | 88 | 8.1 | 6.6 | 8.4 |
| 35-39 | 44 | 4.1 | 3.9 | 4.9 |
| 40-44 | 26 | 2.4 | 2.8 | 3.4 |
| 45-49 | 33 | 3.0 | 3.3 | 3.5 |
| 50-54 | 43 | 4.0 | 3.7 | 4.5 |
| 55-59 | 27 | 2.5 | 4.0 | 5.0 |
| 60-64 | 47 | 4.3 | 4.7 | 5.1 |
| 65-69 | 37 | 3.4 | 5.7 | 5.6 |
| 70-74 | 35 | 3.2 | 5.5 | 5.1 |
| 75-79 | 46 | 4.2 | 5.9 | 4.7 |
| 80-84 | 26 | 2.4 | 5.9 | 4.1 |
| 85-89 | 21 | 1.9 | 4.0 | 2.9 |
| 90 + | 8 | 0.7 | 2.4 | 1.6 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 4 | 0.4 | 27.0 | 14.1 |
| Urgent | 392 | 36.1 | 24.8 | 39.7 |
| Elective | 304 | 28.0 | 28.3 | 25.3 |
| Newborn | 386 | 35.5 | 19.6 | 20.2 |
| Trauma Center | . | . | . | 0.6 |
| Unknown | . | . | 0.3 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 663 | 61.0 | 56.4 | 49.6 |
| Clinic referral | . | . | 21.9 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | . | . | 0.5 | 4.4 |
| Skilled nursing facility | . | . | 0.2 | 0.5 |
| Other health care facility | . | . | 0.1 | 0.2 |
| Emergency room | . | . | 0.2 | 0.0 |
| Court/law enforcement | . | . | . | 0.3 |
| Normal delivery/Born Inside | 359 | 33.1 | 18.7 | 20.1 |
| Premature delivery | 3 | 0.3 | 0.1 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=16) COUNTY: Duchesne
 AFFILIATION: Freestanding BED SIZE: 49

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | 61 | 5.6 | 1.7 | 0.6 |
| Not reported | . | . | 0.3 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 918 | 84.5 | 67.8 | 55.1 |
| Another hospital | 47 | 4.3 | 3.9 | 0.8 |
| Skilled nursing facility | 27 | 2.5 | 3.5 | 5.3 |
| Intermediate care | . | . | 0.1 | 0.1 |
| Another type of institution | 34 | 3.1 | 3.6 | 2.6 |
| Under care of home service | 1 | 0.1 | 4.0 | 5.7 |
| Left against medical advice | . | . | 0.3 | 0.3 |
| Under care of a home iv provider | . | . | 0.0 | 0.0 |
| Expired | 6 | 0.6 | 0.8 | 1.1 |
| Not reported | 53 | 4.9 | 16.1 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 185 | 17.0 | 31.3 | 26.7 |
| Medicaid | 246 | 22.7 | 21.7 | 18.6 |
| Other government | 29 | 2.7 | 1.5 | 2.4 |
| Blue Cross/Blue Shield | 204 | 18.8 | 10.5 | 10.3 |
| Other commercial | 90 | 8.3 | 7.0 | 5.5 |
| Managed care | 178 | 16.4 | 20.9 | 30.9 |
| Self pay | 150 | 13.8 | 6.0 | 3.7 |
| Industrial/Worker's Comp | 2 | 0.2 | 0.5 | 0.5 |
| Charity | . | . | 0.3 | 1.1 |
| Children's Health Insurance Plan | 2 | 0.2 | 0.3 | 0.1 |
| Not reported | . | . | . | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 0.2 | 4.7 | 5.4 |
| Central Utah | . | . | 34.6 | 2.9 |
| Davis County | 1 | 0.1 | 0.2 | 9.8 |
| Salt Lake County | 2 | 0.2 | 0.9 | 34.1 |
| Southeastern Utah | 7 | 0.6 | 9.0 | 1.8 |
| Southwest Utah | . | . | 8.0 | 8.0 |
| Summit County | 3 | 0.3 | 0.5 | 0.9 |
| Tooele County | 1 | 0.1 | 23.1 | 2.2 |
| Tri-County | 1,050 | 96.7 | 9.5 | 1.7 |
| Utah County | 2 | 0.2 | 0.9 | 17.8 |
| Wasatch County | 2 | 0.2 | 3.7 | 0.6 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 16 | 1.5 | 4.7 | 5.2 |
| Unknown | . | . | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

UTAH VALLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 395
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 23,817 | 100.0 | 100.0 | 100.0 | 543,500,320 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 4,250 | 17.8 | 17.6 | 20.1 | 50,510,392 | 9.3 | 7.9 | 7.7 |
| Obstetric (MDC 14) | 4,389 | 18.4 | 18.5 | 20.9 | 43,705,463 | 8.0 | 7.1 | 8.6 |
| Pediatric Medical (Age 0-17) | 1,085 | 4.6 | 2.8 | 2.3 | 18,062,838 | 3.3 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 275 | 1.2 | 0.6 | 0.4 | 7,427,800 | 1.4 | 0.6 | 0.6 |
| Other Medical | 5,712 | 24.0 | 27.4 | 29.4 | 121,760,020 | 22.4 | 23.7 | 27.2 |
| Other Surgical | 6,617 | 27.8 | 26.5 | 22.0 | 270,978,487 | 49.9 | 53.7 | 49.8 |
| Psychiatric (MDC 19) | 1,207 | 5.1 | 5.5 | 3.9 | 18,126,587 | 3.3 | 3.4 | 2.7 |
| Rehabilitation (DRG 462) | 282 | 1.2 | 1.2 | 1.0 | 12,928,733 | 2.4 | 1.8 | 2.0 |
| Unknown (DRG 469-470) | . | . | 0.0 | 0.0 | . | . | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 1,286 | 5.4 | 4.2 | 4.1 | 42,726,193 | 7.9 | 5.3 | 6.0 |
| 2 Eye | 27 | 0.1 | 0.1 | 0.1 | 561,330 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 208 | 0.9 | 0.7 | 0.6 | 3,966,435 | 0.7 | 0.6 | 0.5 |
| 4 Respiratory System | 1,341 | 5.6 | 6.2 | 6.4 | 33,897,945 | 6.2 | 6.4 | 6.8 |
| 5 Circulatory System | 2,054 | 8.6 | 8.3 | 7.5 | 76,386,180 | 14.1 | 16.2 | 15.5 |
| 6 Digestive System | 1,542 | 6.5 | 6.7 | 6.4 | 40,651,225 | 7.5 | 8.0 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 508 | 2.1 | 2.2 | 2.3 | 12,922,546 | 2.4 | 2.7 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 3,055 | 12.8 | 12.3 | 10.0 | 106,837,600 | 19.7 | 21.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 264 | 1.1 | 1.1 | 1.1 | 5,312,596 | 1.0 | 1.0 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 512 | 2.1 | 3.0 | 2.4 | 9,612,072 | 1.8 | 3.0 | 2.1 |
| 11 Kidney & Urinary Tract | 708 | 3.0 | 2.8 | 2.8 | 14,434,885 | 2.7 | 2.5 | 3.0 |
| 12 Male Reproductive System | 74 | 0.3 | 0.3 | 0.3 | 1,147,572 | 0.2 | 0.3 | 0.3 |
| 13 Female Reproductive System | 445 | 1.9 | 1.6 | 1.7 | 7,067,918 | 1.3 | 1.3 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 4,389 | 18.4 | 18.5 | 20.9 | 43,705,463 | 8.0 | 7.1 | 8.6 |
| 15 Newborn & Other Neonates | 4,463 | 18.7 | 18.1 | 20.4 | 59,231,813 | 10.9 | 8.7 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 116 | 0.5 | 0.5 | 0.5 | 2,718,693 | 0.5 | 0.5 | 0.6 |
| 17 Myeloproliferative/ Poorly Diff. Neoplasm | 45 | 0.2 | 0.2 | 0.3 | 1,818,144 | 0.3 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 612 | 2.6 | 3.5 | 3.7 | 26,570,939 | 4.9 | 5.5 | 6.1 |
| 19 Mental Diseases and Disorders | 1,207 | 5.1 | 5.5 | 3.9 | 18,126,587 | 3.3 | 3.4 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 37 | 0.2 | 0.5 | 1.0 | 597,346 | 0.1 | 0.3 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 375 | 1.6 | 1.8 | 1.8 | 8,485,832 | 1.6 | 1.6 | 1.8 |
| 22 Burns | 5 | 0.0 | 0.0 | 0.1 | 54,951 | 0.0 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 391 | 1.6 | 1.6 | 1.3 | 15,424,436 | 2.8 | 2.1 | 2.3 |
| 24 Multiple Significant Trauma | 147 | 0.6 | 0.3 | 0.3 | 10,809,429 | 2.0 | 1.0 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 6 | 0.0 | 0.0 | 0.0 | 432,191 | 0.1 | 0.1 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDDDB CASE MIX INDEX = 1.0987

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.10

BED SIZE: 395
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.46

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------------|---------------|-----------------------|------------|------------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 23,817 | 543,940,799 | 1,639,416,606 | 5,319,068,336 | 95252.00 | 254,278.00 | 881,886.00 |
| Facility Charges (total) | . | 543,500,320 | 1,632,457,214 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 22,820 | 23,911 | 21,172 | 4.00 | 3.72 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 19,677 | 20,758 | 20,004 | 3.40 | 3.28 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | 79 | 73,646 | 69,547 | 62,383 | 8.08 | 7.33 | 6.29 |
| 003 Craniotomy age 0-17 | 3 | 19,256 | 46,481 | 70,042 | 2.33 | 4.25 | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 295 | 21,480 | 21,412 | 21,721 | 3.30 | 3.06 | 3.12 |
| 075 Major chest procedures | 72 | 47,183 | 51,651 | 59,734 | 7.49 | 6.52 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 259 | 18,794 | 18,354 | 16,240 | 3.58 | 3.37 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 67 | 11,055 | 11,178 | 8,064 | 2.34 | 2.48 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 243 | 10,421 | 9,799 | 7,590 | 2.19 | 2.23 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | 31 | 112,314 | 134,716 | 131,342 | 8.97 | 9.03 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | 48 | 104,247 | 118,383 | 117,359 | 7.79 | 7.41 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | 44 | 97,145 | 106,951 | 114,735 | 8.75 | 9.03 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | 9 | 73,943 | 109,350 | 103,627 | 6.67 | 9.03 | 8.21 |
| 108 Other cardiothoracic procedures | 14 | 83,216 | 87,644 | 92,602 | 5.38 | 6.19 | 7.28 |
| 110 Major cardiovascular procedures w cc | 71 | 60,791 | 82,865 | 87,590 | 4.71 | 4.75 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | 89 | 38,474 | 46,687 | 48,932 | 2.44 | 2.76 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | 56 | 37,622 | 43,825 | 39,075 | 2.23 | 2.23 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 24 | 22,292 | 25,258 | 24,880 | 3.78 | 3.87 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 36 | 14,393 | 18,428 | 18,844 | 1.67 | 1.89 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | 88 | 22,369 | 24,694 | 26,849 | 2.74 | 2.81 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | 99 | 14,663 | 18,124 | 19,275 | 1.43 | 1.50 | 1.78 |
| 127 Heart failure & shock | 179 | 18,540 | 18,815 | 18,033 | 3.81 | 3.53 | 3.64 |
| 140 Angina pectoris | 4 | 11,602 | 11,543 | 11,228 | 1.25 | 1.47 | 1.30 |
| 143 Chest pain | 91 | 10,479 | 11,523 | 10,491 | 1.36 | 1.38 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 90 | 65,071 | 65,223 | 59,626 | 11.01 | 9.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 12 | 108,572 | 93,831 | 77,655 | 15.55 | 11.13 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 175 | 12,798 | 13,248 | 13,530 | 1.11 | 1.12 | 1.11 |
| 174 G.I. hemorrhage w cc | 168 | 20,048 | 20,628 | 18,170 | 3.40 | 3.03 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 130 | 16,536 | 15,599 | 14,049 | 3.10 | 2.62 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 62 | 11,901 | 12,411 | 11,229 | 2.37 | 2.13 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 8 | 45,024 | 44,979 | 37,751 | 8.13 | 6.19 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 2 | 29,952 | 19,018 | 23,411 | 2.00 | 2.50 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 817 | 36,600 | 40,500 | 39,044 | 3.16 | 3.06 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 UHDBB CASE MIX INDEX = 1.0987

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.10

BED SIZE: 395
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.46

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 126 | 39,306 | 42,657 | 40,371 | 4.39 | 4.49 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 141 | 24,571 | 27,177 | 27,138 | 2.36 | 2.34 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 93 | 15,536 | 14,649 | 13,720 | 3.06 | 2.76 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 73 | 17,113 | 22,210 | 19,434 | 2.04 | 2.46 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 258 | 15,108 | 15,961 | 14,898 | 1.54 | 1.60 | 1.57 |
| 370 Cesarean section with cc | 179 | 15,679 | 14,078 | 14,657 | 3.85 | 3.83 | 3.87 |
| 371 Cesarean section without cc | 717 | 12,203 | 11,634 | 11,759 | 3.29 | 3.33 | 3.24 |
| 372 Vaginal delivery w complicating diag | 346 | 9,011 | 8,713 | 8,392 | 1.85 | 2.01 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 2,854 | 6,665 | 6,839 | 6,661 | 1.66 | 1.79 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 53 | 9,727 | 10,972 | 10,362 | 1.92 | 2.06 | 2.01 |
| 383 Other antepartum diag w med complic | 90 | 15,503 | 11,269 | 10,990 | 3.66 | 2.80 | 2.71 |
| 385 Neonates died/transf to acute care fac | 25 | 45,327 | 29,599 | 19,166 | 7.48 | 5.37 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 338 | 91,690 | 109,292 | 101,092 | 27.37 | 28.30 | 26.08 |
| 387 Prematurity w major problems | 148 | 50,707 | 56,798 | 48,843 | 18.17 | 17.62 | 15.14 |
| 389 Full term neonate w major problems | 410 | 14,908 | 17,670 | 15,544 | 4.47 | 4.77 | 4.66 |
| 390 Neonate w other significant problems | 616 | 4,225 | 4,421 | 3,854 | 2.20 | 2.31 | 2.27 |
| 391 Normal newborn | 2,872 | 2,670 | 2,670 | 2,436 | 1.79 | 1.88 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 8 | 34,794 | 20,330 | 23,836 | 4.88 | 2.40 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 78 | 83,922 | 74,780 | 72,347 | 11.23 | 9.40 | 9.12 |
| 430 Psychoses | 919 | 13,779 | 14,072 | 14,101 | 5.85 | 6.05 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 29 | 14,238 | 15,708 | 13,612 | 3.54 | 3.10 | 3.30 |
| 462 Rehabilitation | 282 | 44,385 | 35,268 | 40,385 | 12.58 | 12.20 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 65 | 53,112 | 57,949 | 55,889 | 6.37 | 6.11 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 21 | 102,159 | 102,052 | 108,196 | 14.00 | 12.09 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 23 | 246,853 | 252,623 | 295,955 | 28.14 | 24.67 | 26.00 |
| 486 Other OR proc for mult signif trauma | 51 | 96,750 | 92,784 | 93,495 | 10.68 | 9.39 | 8.69 |
| 499 Back & neck procedures w cc | 55 | 23,416 | 24,403 | 25,581 | 2.98 | 2.85 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 240 | 12,369 | 15,181 | 16,304 | 1.56 | 1.67 | 1.73 |
| 502 Knee procedures w/o cc | 3 | 30,561 | 26,343 | 20,364 | 4.50 | 3.50 | 2.68 |
| 470 Ungroupable | . | . | 20,093 | 12,546 | . | 3.75 | 3.65 |
| All Other DRGs | 9,339 | 27,129 | 28,461 | 26,338 | 3.59 | 3.40 | 3.44 |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 395
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 152 | 17,494 | 18,103 | 17,504 | 2.49 | 2.37 | 2.39 |
| Major or Extreme SOI | 110 | 29,066 | 28,837 | 30,421 | 4.30 | 4.07 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 197 | 11,759 | 12,522 | 10,931 | 2.35 | 2.42 | 2.55 |
| Major or Extreme SOI | 147 | 24,609 | 22,762 | 20,864 | 4.76 | 4.19 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 104 | 9,368 | 9,175 | 8,532 | 1.85 | 1.96 | 1.99 |
| Major or Extreme SOI | 6 | 21,102 | 20,082 | 15,810 | 4.00 | 3.67 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 286 | 35,416 | 41,532 | 42,983 | 1.44 | 1.55 | 1.54 |
| Major or Extreme SOI | 64 | 58,788 | 63,901 | 68,036 | 3.74 | 4.18 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 45 | 14,165 | 17,938 | 17,963 | 1.67 | 2.00 | 2.03 |
| Major or Extreme SOI | 18 | 26,229 | 30,643 | 28,897 | 3.50 | 4.21 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 105 | 14,301 | 17,067 | 17,867 | 1.33 | 1.42 | 1.54 |
| Major or Extreme SOI | 10 | 19,348 | 23,555 | 25,935 | 2.78 | 2.58 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 115 | 14,823 | 14,750 | 13,972 | 3.31 | 2.94 | 2.96 |
| Major or Extreme SOI | 68 | 25,050 | 24,022 | 22,844 | 4.81 | 4.38 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 135 | 9,594 | 10,936 | 10,477 | 1.79 | 1.94 | 1.84 |
| Major or Extreme SOI | 51 | 17,706 | 18,783 | 17,274 | 2.96 | 3.03 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 126 | 37,122 | 35,643 | 33,294 | 6.31 | 4.85 | 4.80 |
| Major or Extreme SOI | 64 | 77,844 | 84,059 | 78,140 | 13.28 | 11.85 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 274 | 16,338 | 17,058 | 17,034 | 2.24 | 2.18 | 2.08 |
| Major or Extreme SOI | 10 | 27,744 | 35,025 | 36,530 | 4.30 | 5.11 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 65 | 9,516 | 10,282 | 9,467 | 1.98 | 1.88 | 2.01 |
| Major or Extreme SOI | 20 | 14,774 | 16,574 | 14,930 | 3.10 | 3.02 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 568 | 36,304 | 38,636 | 37,842 | 3.14 | 3.01 | 2.92 |
| Major or Extreme SOI | 80 | 42,371 | 47,913 | 48,873 | 3.67 | 4.11 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 186 | 24,711 | 27,397 | 27,280 | 2.53 | 2.66 | 2.61 |
| Major or Extreme SOI | 28 | 35,372 | 42,997 | 45,932 | 3.96 | 4.81 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 5 | 9,704 | 9,145 | 11,741 | 2.20 | 2.13 | 2.96 |
| Major or Extreme SOI | 10 | 16,760 | 18,768 | 22,625 | 6.20 | 5.30 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 395
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 286 | 15,267 | 16,381 | 15,305 | 1.57 | 1.63 | 1.62 |
| Major or Extreme SOI | 4 | 24,473 | 50,718 | 36,837 | 4.00 | 5.89 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 795 | 11,818 | 11,327 | 11,641 | 3.14 | 3.27 | 3.21 |
| Major or Extreme SOI | 101 | 21,907 | 22,120 | 21,704 | 5.49 | 5.50 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 3,075 | 6,727 | 6,913 | 6,731 | 1.66 | 1.79 | 1.79 |
| Major or Extreme SOI | 120 | 12,156 | 11,218 | 10,767 | 2.41 | 2.38 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 49 | 9,177 | 10,731 | 9,583 | 1.81 | 2.03 | 1.93 |
| Major or Extreme SOI | 4 | 18,531 | 15,206 | 21,300 | 3.67 | 2.63 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 526 | 12,069 | 12,003 | 11,599 | 5.29 | 5.43 | 5.19 |
| Major or Extreme SOI | 21 | 17,603 | 19,545 | 22,695 | 6.40 | 9.03 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 3,424 | 2,793 | 2,793 | 2,536 | 1.84 | 1.93 | 1.89 |
| Major or Extreme SOI | 230 | 6,251 | 8,923 | 8,321 | 2.59 | 3.21 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 10 | 16,333 | 12,019 | 10,069 | 4.70 | 2.63 | 2.88 |
| Major or Extreme SOI | 4 | 25,672 | 22,199 | 19,849 | 4.33 | 3.90 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 282 | 13,325 | 16,185 | 16,988 | 1.72 | 1.84 | 1.89 |
| Major or Extreme SOI | 14 | 33,792 | 38,988 | 42,605 | 5.71 | 4.88 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 180 | 17,420 | 19,283 | 18,944 | 2.39 | 2.18 | 2.08 |
| Major or Extreme SOI | 59 | 34,382 | 37,471 | 34,924 | 5.45 | 5.31 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 44 | 14,099 | 14,564 | 13,298 | 2.10 | 2.12 | 2.15 |
| Major or Extreme SOI | 50 | 25,677 | 27,204 | 24,096 | 4.40 | 3.83 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 10 | 12,403 | 13,590 | 13,147 | 2.30 | 2.00 | 2.10 |
| Major or Extreme SOI | 13 | 28,352 | 24,531 | 23,048 | 4.17 | 3.59 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 47 | 12,348 | 12,656 | 12,049 | 2.81 | 2.50 | 2.47 |
| Major or Extreme SOI | 22 | 28,492 | 24,131 | 21,886 | 5.05 | 4.14 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 76 | 10,753 | 11,831 | 11,171 | 1.97 | 1.97 | 2.13 |
| Major or Extreme SOI | 39 | 26,095 | 23,504 | 21,005 | 4.82 | 3.82 | 3.64 |
| All other APRDRGs | 11,283 | 32,322 | 32,872 | 30,661 | 5.32 | 4.71 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UTAH VALLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Utah
 AFFILIATION: Intermountain Healthcare BED SIZE: 395

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 14,193 | 59.6 | 61.0 | 61.8 |
| Male | 9,624 | 40.4 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 4,304 | 18.1 | 17.6 | 20.2 |
| 29-365 days | 441 | 1.9 | 1.2 | 0.9 |
| 1-4 years | 326 | 1.4 | 0.9 | 0.7 |
| 5-9 | 196 | 0.8 | 0.5 | 0.4 |
| 10-14 | 183 | 0.8 | 0.6 | 0.4 |
| 15-17 | 226 | 0.9 | 1.0 | 0.8 |
| 18-19 | 341 | 1.4 | 1.3 | 1.5 |
| 20-24 | 1,840 | 7.7 | 6.5 | 6.9 |
| 25-29 | 2,211 | 9.3 | 8.7 | 9.6 |
| 30-34 | 1,725 | 7.2 | 7.6 | 8.4 |
| 35-39 | 1,080 | 4.5 | 4.7 | 4.9 |
| 40-44 | 778 | 3.3 | 3.5 | 3.4 |
| 45-49 | 847 | 3.6 | 3.6 | 3.5 |
| 50-54 | 1,093 | 4.6 | 4.9 | 4.5 |
| 55-59 | 1,201 | 5.0 | 5.4 | 5.0 |
| 60-64 | 1,219 | 5.1 | 5.3 | 5.1 |
| 65-69 | 1,335 | 5.6 | 6.1 | 5.6 |
| 70-74 | 1,322 | 5.6 | 5.7 | 5.1 |
| 75-79 | 1,228 | 5.2 | 5.4 | 4.7 |
| 80-84 | 977 | 4.1 | 4.6 | 4.1 |
| 85-89 | 624 | 2.6 | 3.2 | 2.9 |
| 90 + | 320 | 1.3 | 1.8 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 118 | 0.5 | 11.0 | 14.1 |
| Urgent | 13,680 | 57.4 | 43.9 | 39.7 |
| Elective | 5,644 | 23.7 | 27.0 | 25.3 |
| Newborn | 4,250 | 17.8 | 17.6 | 20.2 |
| Trauma Center | 125 | 0.5 | 0.4 | 0.6 |
| Unknown | . | . | 0.1 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 7,313 | 30.7 | 47.1 | 49.6 |
| Clinic referral | 9,970 | 41.9 | 29.7 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 2,070 | 8.7 | 4.2 | 4.4 |
| Skilled nursing facility | 152 | 0.6 | 0.8 | 0.5 |
| Other health care facility | 11 | 0.0 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | 42 | 0.2 | 0.3 | 0.3 |
| Normal delivery/Born Inside | 4,244 | 17.8 | 17.6 | 20.1 |
| Premature delivery | 1 | 0.0 | 0.0 | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UTAH VALLEY REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Utah
 AFFILIATION: Intermountain Healthcare BED SIZE: 395

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 5 | 0.0 | 0.0 | 0.0 |
| Unknown | 9 | 0.0 | 0.1 | 0.6 |
| Not reported | . | . | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 9,439 | 39.6 | 49.8 | 55.1 |
| Another hospital | 55 | 0.2 | 0.4 | 0.8 |
| Skilled nursing facility | 854 | 3.6 | 6.1 | 5.3 |
| Intermediate care | 6 | 0.0 | 0.0 | 0.1 |
| Another type of institution | 632 | 2.7 | 2.7 | 2.6 |
| Under care of home service | 844 | 3.5 | 6.2 | 5.7 |
| Left against medical advice | 8 | 0.0 | 0.3 | 0.3 |
| Under care of a home iv provider | 2 | 0.0 | 0.0 | 0.0 |
| Expired | 297 | 1.2 | 1.1 | 1.1 |
| Not reported | 11,680 | 49.0 | 33.4 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 6,270 | 26.3 | 29.7 | 26.7 |
| Medicaid | 4,830 | 20.3 | 18.4 | 18.6 |
| Other government | 449 | 1.9 | 2.8 | 2.4 |
| Blue Cross/Blue Shield | 759 | 3.2 | 9.5 | 10.3 |
| Other commercial | 1,255 | 5.3 | 4.7 | 5.5 |
| Managed care | 9,143 | 38.4 | 30.4 | 30.9 |
| Self pay | 402 | 1.7 | 2.9 | 3.7 |
| Industrial/Worker's Comp | 180 | 0.8 | 0.5 | 0.5 |
| Charity | 457 | 1.9 | 1.0 | 1.1 |
| Children's Health Insurance Plan | 60 | 0.3 | 0.1 | 0.1 |
| Not reported | 12 | 0.1 | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 37 | 0.2 | 2.3 | 5.4 |
| Central Utah | 1,959 | 8.2 | 3.0 | 2.9 |
| Davis County | 57 | 0.2 | 10.1 | 9.8 |
| Salt Lake County | 458 | 1.9 | 26.0 | 34.1 |
| Southeastern Utah | 630 | 2.6 | 1.1 | 1.8 |
| Southwest Utah | 225 | 0.9 | 0.6 | 8.0 |
| Summit County | 37 | 0.2 | 0.5 | 0.9 |
| Tooele County | 44 | 0.2 | 0.9 | 2.2 |
| Tri-County | 272 | 1.1 | 0.7 | 1.7 |
| Utah County | 19,264 | 80.9 | 29.4 | 17.8 |
| Wasatch County | 311 | 1.3 | 0.6 | 0.6 |
| Weber/Morgan | 37 | 0.2 | 21.8 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 483 | 2.0 | 2.9 | 5.2 |
| Unknown | 3 | 0.0 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Iron
 OWNERSHIP: Not for profit

BED SIZE: 48
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 3,756 | 100.0 | 100.0 | 100.0 | 38,077,658 | 100.0 | 100.0 | 100.0 |
| Liveborn infants (ICD-9: V30-V39) | 894 | 23.8 | 19.5 | 20.1 | 2,255,317 | 5.9 | 6.8 | 7.7 |
| Obstetric (MDC 14) | 903 | 24.0 | 20.1 | 20.9 | 4,898,538 | 12.9 | 8.9 | 8.6 |
| Pediatric Medical (Age 0-17) | 144 | 3.8 | 3.2 | 2.3 | 806,044 | 2.1 | 1.8 | 1.5 |
| Pediatric Surgical (Age 0-17) | 34 | 0.9 | 0.6 | 0.4 | 443,665 | 1.2 | 0.6 | 0.6 |
| Other Medical | 1,200 | 31.9 | 30.8 | 29.4 | 13,716,532 | 36.0 | 29.7 | 27.2 |
| Other Surgical | 561 | 14.9 | 21.9 | 22.0 | 15,841,696 | 41.6 | 48.6 | 49.8 |
| Psychiatric (MDC 19) | 19 | 0.5 | 3.2 | 3.9 | 110,215 | 0.3 | 2.1 | 2.7 |
| Rehabilitation (DRG 462) | . | . | 0.7 | 1.0 | . | . | 1.5 | 2.0 |
| Unknown (DRG 469-470) | 1 | 0.0 | 0.0 | 0.0 | 5,650 | 0.0 | 0.0 | 0.0 |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 122 | 3.2 | 3.0 | 4.1 | 1,263,572 | 3.3 | 3.0 | 6.0 |
| 2 Eye | 1 | 0.0 | 0.1 | 0.1 | 5,858 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 16 | 0.4 | 0.7 | 0.6 | 152,345 | 0.4 | 0.6 | 0.5 |
| 4 Respiratory System | 288 | 7.7 | 7.1 | 6.4 | 3,597,607 | 9.4 | 7.2 | 6.8 |
| 5 Circulatory System | 228 | 6.1 | 8.4 | 7.5 | 2,203,504 | 5.8 | 16.8 | 15.5 |
| 6 Digestive System | 250 | 6.7 | 7.1 | 6.4 | 4,329,182 | 11.4 | 8.3 | 7.5 |
| 7 Hepatobiliary System & Pancreas | 91 | 2.4 | 2.6 | 2.3 | 1,167,249 | 3.1 | 3.1 | 3.0 |
| 8 Musculoskeletal System & Conn Tissue | 394 | 10.5 | 11.2 | 10.0 | 10,652,032 | 28.0 | 22.9 | 19.1 |
| 9 Skin, Subcutaneous Tissue & Breast | 45 | 1.2 | 1.1 | 1.1 | 744,134 | 2.0 | 1.2 | 1.1 |
| 10 Endocrine, Nutritional & Metabolic | 82 | 2.2 | 2.2 | 2.4 | 719,234 | 1.9 | 1.8 | 2.1 |
| 11 Kidney & Urinary Tract | 105 | 2.8 | 3.3 | 2.8 | 1,128,657 | 3.0 | 3.1 | 3.0 |
| 12 Male Reproductive System | 7 | 0.2 | 0.3 | 0.3 | 99,220 | 0.3 | 0.3 | 0.3 |
| 13 Female Reproductive System | 41 | 1.1 | 1.5 | 1.7 | 1,086,271 | 2.9 | 1.4 | 1.4 |
| 14 Pregnancy, Childbirth & Puerperium | 903 | 24.0 | 20.1 | 20.9 | 4,898,538 | 12.9 | 8.9 | 8.6 |
| 15 Newborn & Other Neonates | 911 | 24.3 | 19.8 | 20.4 | 2,315,910 | 6.1 | 7.3 | 8.4 |
| 16 Blood and Blood-Forming Disorders | 35 | 0.9 | 0.7 | 0.5 | 312,371 | 0.8 | 0.9 | 0.6 |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 4 | 0.1 | 0.2 | 0.3 | 37,504 | 0.1 | 0.3 | 1.0 |
| 18 Infectious and Parasitic Diseases | 107 | 2.8 | 3.8 | 3.7 | 2,063,678 | 5.4 | 6.3 | 6.1 |
| 19 Mental Diseases and Disorders | 19 | 0.5 | 3.2 | 3.9 | 110,215 | 0.3 | 2.1 | 2.7 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 7 | 0.2 | 0.6 | 1.0 | 44,771 | 0.1 | 0.5 | 0.6 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 65 | 1.7 | 1.8 | 1.8 | 672,173 | 1.8 | 1.8 | 1.8 |
| 22 Burns | 1 | 0.0 | 0.0 | 0.1 | 4,091 | 0.0 | 0.0 | 0.4 |
| 23 Factors Influencing Health Status | 24 | 0.6 | 1.1 | 1.3 | 201,038 | 0.5 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 8 | 0.2 | 0.1 | 0.3 | 252,994 | 0.7 | 0.2 | 1.0 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.0 | 9,860 | 0.0 | 0.0 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 5,650 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.6549

COUNTY: Iron
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.40

BED SIZE: 48
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.83

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|-------------|---------------|----------------------|------------|------------|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 3,756 | 38,677,047 | 586,183,828 | 5,319,068,336 | 8,525.00 | 104,062.00 | 881,886.00 |
| Facility Charges (total) | . | 38,077,658 | 581,373,314 | 5,296,755,067 | . | . | . |
| Facility Charges & LOS (average) | . | 10,138 | 15,573 | 21,172 | 2.27 | 2.79 | 3.53 |
| Facility Charges & LOS (adjusted average)* | . | 15,205 | 17,486 | 20,004 | 3.38 | 3.22 | 3.53 |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | 70,211 | 62,383 | . | 7.67 | 6.29 |
| 003 Craniotomy age 0-17 | . | . | . | 70,042 | . | . | 6.13 |
| 014 Intracranial hemorrhage/ cereb infarc | 36 | 10,368 | 14,474 | 21,721 | 2.00 | 2.52 | 3.12 |
| 075 Major chest procedures | 2 | 31,388 | 49,632 | 59,734 | 8.50 | 6.80 | 7.19 |
| 089 Simple pneumonia & pleurisy >17 w CC | 98 | 14,086 | 14,513 | 16,240 | 3.47 | 3.21 | 3.26 |
| 091 Simple pneumonia & pleurisy age 0-17 | 31 | 5,830 | 7,655 | 8,064 | 1.87 | 2.37 | 2.31 |
| 098 Bronchitis & asthma Age 0-17 | 22 | 5,936 | 7,027 | 7,590 | 2.14 | 2.09 | 2.06 |
| 104 Cardiac valve/cardi thor w card cath | . | . | 106,105 | 131,342 | . | 9.87 | 9.28 |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | 83,398 | 117,359 | . | 6.81 | 7.94 |
| 547 Coronary bypass with card cath w/ MCV | . | . | 87,486 | 114,735 | . | 8.94 | 9.60 |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | 69,173 | 103,627 | . | 6.36 | 8.21 |
| 108 Other cardiothoracic procedures | . | . | 68,749 | 92,602 | . | 6.71 | 7.28 |
| 110 Major cardiovascular procedures w cc | . | . | 80,813 | 87,590 | . | 6.07 | 6.14 |
| 555 Perc. cardiovascular procedures w MCV | . | . | 41,337 | 48,932 | . | 3.18 | 3.08 |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | 36,133 | 39,075 | . | 2.40 | 2.30 |
| 121 Circ disrd w AMI & maj comp disch aliv | 6 | 11,653 | 18,710 | 24,880 | 2.67 | 3.06 | 3.56 |
| 122 Circ disrd w AMI w/o comp disch alive | 12 | 6,010 | 13,481 | 18,844 | 1.25 | 1.76 | 1.96 |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | 21,220 | 26,849 | . | 3.02 | 3.44 |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | 15,635 | 19,275 | . | 1.60 | 1.78 |
| 127 Heart failure & shock | 44 | 13,257 | 15,314 | 18,033 | 3.27 | 3.40 | 3.64 |
| 140 Angina pectoris | 7 | 7,164 | 9,127 | 11,228 | 1.14 | 1.24 | 1.30 |
| 143 Chest pain | 71 | 7,496 | 9,220 | 10,491 | 1.26 | 1.34 | 1.33 |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 25 | 38,300 | 42,619 | 59,626 | 7.42 | 7.55 | 9.04 |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 2 | 54,966 | 49,810 | 77,655 | 9.50 | 7.00 | 9.70 |
| 167 Appendectomy w/o compl dxl & w/o cc | 23 | 10,367 | 11,472 | 13,530 | 1.17 | 1.08 | 1.11 |
| 174 G.I. hemorrhage w cc | 22 | 11,113 | 15,367 | 18,170 | 2.45 | 2.78 | 2.81 |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 22 | 9,870 | 11,828 | 14,049 | 2.41 | 2.43 | 2.61 |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 23 | 8,236 | 9,827 | 11,229 | 1.87 | 1.99 | 2.10 |
| 197 Cholecystectomy exc lap w/o CDE w cc | 1 | 21,051 | 26,079 | 37,751 | 4.00 | 4.36 | 5.36 |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | 19,301 | 23,411 | . | 3.00 | 3.09 |
| 544 Mjr jnt replace/reattach, low extrem | 209 | 29,651 | 32,656 | 39,044 | 3.01 | 2.96 | 2.99 |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 UHDDDB CASE MIX INDEX = 0.6549

COUNTY: Iron
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.40

BED SIZE: 48
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=0.83

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|-------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 23 | 23,928 | 31,341 | 40,371 | 4.61 | 4.13 | 4.58 |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 12 | 20,001 | 22,759 | 27,138 | 2.33 | 1.93 | 2.34 |
| 296 Nutrition/misc metabol disrdr >17 w cc | 20 | 10,065 | 10,999 | 13,720 | 2.55 | 2.36 | 2.71 |
| 358 Uterine & adnexa prcd nonmalig w cc | 16 | 16,579 | 15,986 | 19,434 | 1.64 | 2.06 | 2.31 |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 13 | 13,079 | 12,770 | 14,898 | 1.75 | 1.61 | 1.57 |
| 370 Cesarean section with cc | 25 | 8,891 | 12,068 | 14,657 | 2.40 | 2.92 | 3.87 |
| 371 Cesarean section without cc | 123 | 7,954 | 9,910 | 11,759 | 2.19 | 2.57 | 3.24 |
| 372 Vaginal delivery w complicating diag | 99 | 5,272 | 6,664 | 8,392 | 1.55 | 1.72 | 2.05 |
| 373 Vaginal deliv w/o complicating diag | 634 | 4,593 | 5,492 | 6,661 | 1.42 | 1.48 | 1.77 |
| 374 Vaginal delivery w sterilization/D&C | 2 | 7,629 | 8,792 | 10,362 | 2.00 | 1.72 | 2.01 |
| 383 Other antepartum diag w med complic | 8 | 5,321 | 9,026 | 10,990 | 2.29 | 2.03 | 2.71 |
| 385 Neonates died/transf to acute care fac | 12 | 3,233 | 18,080 | 19,166 | 1.08 | 3.79 | 3.49 |
| 386 Extreme immatur/resp dist synd,neonate | 12 | 10,973 | 66,174 | 101,092 | 5.58 | 16.19 | 26.08 |
| 387 Prematurity w major problems | 7 | 8,134 | 39,421 | 48,843 | 5.71 | 11.10 | 15.14 |
| 389 Full term neonate w major problems | 50 | 5,547 | 10,255 | 15,544 | 3.14 | 3.25 | 4.66 |
| 390 Neonate w other significant problems | 102 | 3,075 | 4,131 | 3,854 | 1.91 | 2.02 | 2.27 |
| 391 Normal newborn | 709 | 1,970 | 2,227 | 2,436 | 1.50 | 1.58 | 1.83 |
| 410 Chemo w/o acute leukemia as sec dia | 1 | 8,871 | 15,287 | 23,836 | 2.00 | 2.07 | 3.47 |
| 578 Infect/parasitic diseases with OR proc | 7 | 26,140 | 58,387 | 72,347 | 5.14 | 8.24 | 9.12 |
| 430 Psychoses | 9 | 4,532 | 10,896 | 14,101 | 1.11 | 4.50 | 6.08 |
| 521 Alc/drug abuse or depnd w cc | 5 | 7,177 | 13,402 | 13,612 | 1.80 | 2.90 | 3.30 |
| 462 Rehabilitation | . | . | 31,671 | 40,385 | . | 12.62 | 12.94 |
| 468 Extensive OR proc unrelated to p.d. | 4 | 20,051 | 46,772 | 55,889 | 3.50 | 6.53 | 6.47 |
| 565 Resp sys diagnos with vent supp 96+ hr | 1 | 38,057 | 89,736 | 108,196 | 5.00 | 11.29 | 12.99 |
| 481 Bone marrow transplant | . | . | . | 204,971 | . | . | 26.74 |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 1 | 245,640 | 233,071 | 295,955 | 39.00 | 23.10 | 26.00 |
| 486 Other OR proc for mult signif trauma | 1 | 60,222 | 49,815 | 93,495 | 15.00 | 6.71 | 8.69 |
| 499 Back & neck procedures w cc | 2 | 10,658 | 17,694 | 25,581 | 1.00 | 2.00 | 2.86 |
| 500 Back & Neck Procedures w/o CC | 11 | 12,135 | 13,697 | 16,304 | 1.36 | 1.40 | 1.73 |
| 502 Knee procedures w/o cc | 1 | 6,877 | 20,739 | 20,364 | 1.00 | 2.86 | 2.68 |
| 470 Ungroupable | 1 | 5,650 | 9,674 | 12,546 | 2.00 | 3.00 | 3.65 |
| All Other DRGs | 1,189 | 14,019 | 19,757 | 26,338 | 2.67 | 2.90 | 3.44 |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Including all general acute care hospitals only.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Iron
 OWNERSHIP: Not for profit

BED SIZE: 48
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 26 | 9,973 | 13,079 | 17,504 | 2.13 | 2.18 | 2.39 |
| Major or Extreme SOI | 9 | 11,846 | 19,474 | 30,421 | 2.00 | 3.42 | 4.32 |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 113 | 9,754 | 10,517 | 10,931 | 2.56 | 2.58 | 2.55 |
| Major or Extreme SOI | 38 | 19,210 | 17,568 | 20,864 | 4.74 | 3.86 | 3.99 |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 13 | 7,279 | 7,162 | 8,532 | 1.92 | 1.82 | 1.99 |
| Major or Extreme SOI | 1 | 10,333 | 11,773 | 15,810 | 3.00 | 2.56 | 3.14 |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | 41,081 | 42,983 | . | 1.41 | 1.54 |
| Major or Extreme SOI | . | . | 57,171 | 68,036 | . | 3.21 | 4.24 |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 15 | 7,201 | 13,898 | 17,963 | 1.75 | 1.98 | 2.03 |
| Major or Extreme SOI | 2 | 10,220 | 21,647 | 28,897 | 2.50 | 3.74 | 4.07 |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | 15,242 | 17,867 | . | 1.56 | 1.54 |
| Major or Extreme SOI | . | . | 19,721 | 25,935 | . | 2.94 | 2.92 |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 31 | 11,332 | 12,543 | 13,972 | 2.84 | 2.80 | 2.96 |
| Major or Extreme SOI | 14 | 17,590 | 19,446 | 22,844 | 4.14 | 4.32 | 4.52 |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 33 | 9,160 | 9,532 | 10,477 | 1.83 | 1.83 | 1.84 |
| Major or Extreme SOI | 7 | 13,553 | 15,157 | 17,274 | 3.00 | 2.84 | 2.94 |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 18 | 32,115 | 29,382 | 33,294 | 6.33 | 4.83 | 4.80 |
| Major or Extreme SOI | 10 | 70,985 | 55,977 | 78,140 | 12.78 | 9.72 | 11.27 |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 45 | 13,743 | 14,665 | 17,034 | 2.29 | 1.96 | 2.08 |
| Major or Extreme SOI | 2 | 24,951 | 33,344 | 36,530 | 5.00 | 4.92 | 4.68 |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 18 | 7,345 | 8,552 | 9,467 | 2.06 | 1.99 | 2.01 |
| Major or Extreme SOI | . | . | 10,620 | 14,930 | . | 2.50 | 2.95 |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 144 | 28,559 | 32,193 | 37,842 | 2.85 | 2.87 | 2.92 |
| Major or Extreme SOI | 2 | 38,992 | 41,374 | 48,873 | 4.50 | 4.45 | 4.31 |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 18 | 16,751 | 22,362 | 27,280 | 2.35 | 2.14 | 2.61 |
| Major or Extreme SOI | 1 | 64,170 | 48,855 | 45,932 | 10.00 | 6.00 | 5.32 |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | 14,164 | 11,741 | . | 3.25 | 2.96 |
| Major or Extreme SOI | . | . | 9,535 | 22,625 | . | 3.00 | 5.45 |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)

COUNTY: Iron
 OWNERSHIP: Not for profit

BED SIZE: 48
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 25 | 14,333 | 13,281 | 15,305 | 1.73 | 1.69 | 1.62 |
| Major or Extreme SOI | 2 | 24,219 | 25,116 | 36,837 | 2.00 | 3.44 | 4.47 |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | 143 | 7,976 | 9,977 | 11,641 | 2.20 | 2.57 | 3.21 |
| Major or Extreme SOI | 5 | 12,004 | 17,833 | 21,704 | 3.00 | 4.06 | 5.49 |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | 710 | 4,627 | 5,538 | 6,731 | 1.43 | 1.50 | 1.79 |
| Major or Extreme SOI | 21 | 6,530 | 8,527 | 10,767 | 1.75 | 1.98 | 2.49 |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | 2 | 7,629 | 8,488 | 9,583 | 2.00 | 1.71 | 1.93 |
| Major or Extreme SOI | . | . | 13,781 | 21,300 | . | 2.33 | 3.23 |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 4 | 4,838 | 9,035 | 11,599 | 1.00 | 3.94 | 5.19 |
| Major or Extreme SOI | 1 | 4,032 | 14,746 | 22,695 | 1.00 | 6.50 | 9.12 |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 820 | 2,114 | 2,356 | 2,536 | 1.57 | 1.63 | 1.89 |
| Major or Extreme SOI | 12 | 4,246 | 8,781 | 8,321 | 2.42 | 2.84 | 3.23 |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 4 | 5,580 | 9,490 | 10,069 | 1.50 | 2.34 | 2.88 |
| Major or Extreme SOI | 2 | 9,047 | 19,226 | 19,849 | 3.00 | 4.50 | 3.83 |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 13 | 11,908 | 13,995 | 16,988 | 1.31 | 1.44 | 1.89 |
| Major or Extreme SOI | . | . | 35,921 | 42,605 | . | 6.33 | 5.34 |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 32 | 15,975 | 16,427 | 18,944 | 2.34 | 2.02 | 2.08 |
| Major or Extreme SOI | 7 | 18,009 | 26,177 | 34,924 | 2.57 | 4.09 | 4.83 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 20 | 10,178 | 11,482 | 13,298 | 2.05 | 2.11 | 2.15 |
| Major or Extreme SOI | 3 | 16,862 | 19,121 | 24,096 | 4.33 | 3.41 | 3.53 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 20,814 | 19,227 | 13,147 | 6.00 | 3.60 | 2.10 |
| Major or Extreme SOI | . | . | 18,827 | 23,048 | . | 3.43 | 3.35 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 19 | 8,957 | 11,184 | 12,049 | 2.21 | 2.50 | 2.47 |
| Major or Extreme SOI | 1 | 10,078 | 17,894 | 21,886 | 3.00 | 4.00 | 3.83 |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 16 | 10,154 | 10,166 | 11,171 | 2.06 | 2.19 | 2.13 |
| Major or Extreme SOI | 1 | 15,017 | 15,464 | 21,005 | 4.00 | 2.97 | 3.64 |
| All other APRDRGs | 1,332 | 14,350 | 21,901 | 30,661 | 2.87 | 3.65 | 4.63 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 AFFILIATION: Intermountain Healthcare

COUNTY: Iron
 BED SIZE: 48

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 2,353 | 62.6 | 61.0 | 61.8 |
| Male | 1,403 | 37.4 | 39.0 | 38.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 914 | 24.3 | 19.7 | 20.2 |
| 29-365 days | 28 | 0.7 | 0.9 | 0.9 |
| 1-4 years | 52 | 1.4 | 1.0 | 0.7 |
| 5-9 | 23 | 0.6 | 0.6 | 0.4 |
| 10-14 | 36 | 1.0 | 0.6 | 0.4 |
| 15-17 | 37 | 1.0 | 0.9 | 0.8 |
| 18-19 | 70 | 1.9 | 1.5 | 1.5 |
| 20-24 | 316 | 8.4 | 7.0 | 6.9 |
| 25-29 | 343 | 9.1 | 8.7 | 9.6 |
| 30-34 | 269 | 7.2 | 6.7 | 8.4 |
| 35-39 | 109 | 2.9 | 3.7 | 4.9 |
| 40-44 | 88 | 2.3 | 2.8 | 3.4 |
| 45-49 | 97 | 2.6 | 2.7 | 3.5 |
| 50-54 | 153 | 4.1 | 4.0 | 4.5 |
| 55-59 | 143 | 3.8 | 4.3 | 5.0 |
| 60-64 | 180 | 4.8 | 5.1 | 5.1 |
| 65-69 | 204 | 5.4 | 6.6 | 5.6 |
| 70-74 | 194 | 5.2 | 6.4 | 5.1 |
| 75-79 | 175 | 4.7 | 6.2 | 4.7 |
| 80-84 | 159 | 4.2 | 4.9 | 4.1 |
| 85-89 | 103 | 2.7 | 3.6 | 2.9 |
| 90 + | 63 | 1.7 | 2.0 | 1.6 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 607 | 16.2 | 6.6 | 14.1 |
| Urgent | 1,102 | 29.3 | 45.9 | 39.7 |
| Elective | 1,153 | 30.7 | 28.0 | 25.3 |
| Newborn | 894 | 23.8 | 19.5 | 20.2 |
| Trauma Center | . | . | 0.0 | 0.6 |
| Unknown | . | . | 0.0 | 0.1 |
| Not reported | . | . | . | . |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,251 | 33.3 | 41.5 | 49.6 |
| Clinic referral | 1,599 | 42.6 | 36.4 | 24.3 |
| HMO Referral | . | . | . | . |
| Other hospital | 10 | 0.3 | 2.2 | 4.4 |
| Skilled nursing facility | . | . | 0.1 | 0.5 |
| Other health care facility | 2 | 0.1 | 0.1 | 0.2 |
| Emergency room | . | . | . | 0.0 |
| Court/law enforcement | . | . | 0.1 | 0.3 |
| Normal delivery/Born Inside | 894 | 23.8 | 19.4 | 20.1 |
| Premature delivery | . | . | . | 0.1 |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=7)
 AFFILIATION: Intermountain Healthcare

COUNTY: Iron
 BED SIZE: 48

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | 0.0 | 0.0 |
| Unknown | . | . | 0.1 | 0.6 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,526 | 40.6 | 45.8 | 55.1 |
| Another hospital | 54 | 1.4 | 1.0 | 0.8 |
| Skilled nursing facility | 151 | 4.0 | 4.3 | 5.3 |
| Intermediate care | 1 | 0.0 | 0.1 | 0.1 |
| Another type of institution | 30 | 0.8 | 2.2 | 2.6 |
| Under care of home service | 109 | 2.9 | 4.4 | 5.7 |
| Left against medical advice | 7 | 0.2 | 0.2 | 0.3 |
| Under care of a home iv provider | 1 | 0.0 | 0.0 | 0.0 |
| Expired | 20 | 0.5 | 1.1 | 1.1 |
| Not reported | 1,857 | 49.4 | 40.8 | 29.1 |
| PRIMARY PAYER | | | | |
| Medicare | 994 | 26.5 | 31.3 | 26.7 |
| Medicaid | 1,127 | 30.0 | 20.7 | 18.6 |
| Other government | 72 | 1.9 | 2.0 | 2.4 |
| Blue Cross/Blue Shield | 301 | 8.0 | 10.5 | 10.3 |
| Other commercial | 178 | 4.7 | 5.3 | 5.5 |
| Managed care | 952 | 25.3 | 25.2 | 30.9 |
| Self pay | 62 | 1.7 | 3.2 | 3.7 |
| Industrial/Worker's Comp | 14 | 0.4 | 0.4 | 0.5 |
| Charity | 41 | 1.1 | 1.2 | 1.1 |
| Children's Health Insurance Plan | 15 | 0.4 | 0.2 | 0.1 |
| Not reported | . | . | 0.0 | 0.0 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 3 | 0.1 | 25.6 | 5.4 |
| Central Utah | 99 | 2.6 | 0.6 | 2.9 |
| Davis County | 2 | 0.1 | 0.3 | 9.8 |
| Salt Lake County | 15 | 0.4 | 1.1 | 34.1 |
| Southeastern Utah | 6 | 0.2 | 5.6 | 1.8 |
| Southwest Utah | 3,465 | 92.3 | 48.3 | 8.0 |
| Summit County | . | . | 2.1 | 0.9 |
| Tooele County | 2 | 0.1 | 0.1 | 2.2 |
| Tri-County | . | . | 5.1 | 1.7 |
| Utah County | 12 | 0.3 | 0.6 | 17.8 |
| Wasatch County | 2 | 0.1 | 0.7 | 0.6 |
| Weber/Morgan | . | . | 0.5 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.0 |
| Outside Utah | 145 | 3.9 | 9.4 | 5.2 |
| Unknown | 5 | 0.1 | 0.1 | 0.1 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

BENCHMARK BEHAVIORAL HEALTH SYSTEMS
 PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 84
 AFFILIATION: Ramsay Hlth Care

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 66 | 100.0 | 100.0 | | 15,009,599 | 100.0 | 100.0 | |
| Liveborn infants (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | . | . | 0.1 | | . | . | 0.1 | |
| Pediatric Medical (Age 0-17) | . | . | 0.3 | | . | . | 0.3 | |
| Pediatric Surgical (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | . | . | 24.1 | | . | . | 15.2 | |
| Other Surgical | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 66 | 100.0 | 75.3 | | 15,009,599 | 100.0 | 84.3 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Unknown (DRG 469-470) | . | . | 0.2 | | . | . | 0.1 | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | . | . | 0.1 | | . | . | 0.0 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | . | | . | . | . | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | . | . | 0.1 | | . | . | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | 0.0 | | . | . | 0.0 | |
| 8 Musculoskeletal System & Conn Tissue | . | . | 0.0 | | . | . | 0.0 | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | . | | . | . | . | |
| 10 Endocrine, Nutritional & Metabolic | . | . | 0.0 | | . | . | 0.1 | |
| 11 Kidney & Urinary Tract | . | . | 0.0 | | . | . | 0.0 | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | 0.1 | | . | . | 0.1 | |
| 15 Newborn & Other Neonates | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic Diseases | . | . | . | | . | . | . | |
| 19 Mental Diseases and Disorders | 66 | 100.0 | 75.3 | | 15,009,599 | 100.0 | 84.3 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 24.2 | | . | . | 15.2 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | . | | . | . | . | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | . | . | 0.0 | | . | . | 0.0 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | | . | . | 0.1 | |
| Unknown | . | . | 0.2 | | . | . | 0.1 | |

* Not comparable with non-psychiatric/substance abuse hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK BEHAVIORAL HEALTH SYSTEMS
 PEER GROUP: Psychiatric & substance abuse (n=5)
 UHDBB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=42.4

BED SIZE: 84
 AFFILIATION: Ramsay Hlth Care
 % LOS OUTLIER=43.9

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|------------|-----------------------|------------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 66 | 15,009,599 | 90,320,190 | 28854.00 | 74,111.00 | | |
| Facility Charges (total) | . | 15,009,599 | 89,984,467 | . | . | | |
| Facility Charges & LOS (average) | . | 227,418 | 16,857 | 437.18 | 13.88 | | |
| Facility Charges & LOS (adjusted average)* | . | 216,513 | 14,652 | 428.35 | 10.88 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | Average LOS (days)*** | | | |
| 001 Craniotomy age >17 with CC | . | . | . | . | . | | |
| 003 Craniotomy age 0-17 | . | . | . | . | . | | |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | . | . | . | | |
| 075 Major chest procedures | . | . | . | . | . | | |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | . | . | . | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | . | . | . | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | . | . | . | | |
| 104 Cardiac valve/cardiorthor w card cath | . | . | . | . | . | | |
| 105 Cardiac valve/cardiorthor w/o card cath | . | . | . | . | . | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | . | . | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | . | . | | |
| 108 Other cardiothoracic procedures | . | . | . | . | . | | |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | . | . | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | . | . | . | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | . | . | . | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | . | . | . | | |
| 124 Circ disrd exc AMI w card cath & cmlpx | . | . | . | . | . | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | . | . | . | | |
| 127 Heart failure & shock | . | . | . | . | . | | |
| 140 Angina pectoris | . | . | . | . | . | | |
| 143 Chest pain | . | . | . | . | . | | |
| 569 Mjr sm & lg bowel procdrs w cc w mjr gi | . | . | . | . | . | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | . | . | . | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | . | . | . | | |
| 174 G.I. hemorrhage w cc | . | . | . | . | . | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | . | . | . | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | . | . | . | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | . | . | . | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | . | . | . | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | . | . | . | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK BEHAVIORAL HEALTH SYSTEMS
 PEER GROUP: Psychiatric & substance abuse (n=5)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=42.4

BED SIZE: 84
 AFFILIATION: Ramsay Hlth Care
 % LOS OUTLIER=43.9

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|--------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | . | . | . | . | |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | . | . | . | . | |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | . | . | . | . | . | |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | |
| 370 Cesarean section with cc | . | . | . | . | . | . | |
| 371 Cesarean section without cc | . | . | . | . | . | . | |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | |
| 383 Other antepartum diag w med complic | . | . | 4,960 | . | 3.00 | . | |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | |
| 387 Prematurity w major problems | . | . | . | . | . | . | |
| 389 Full term neonate w major problems | . | . | . | . | . | . | |
| 390 Neonate w other significant problems | . | . | . | . | . | . | |
| 391 Normal newborn | . | . | . | . | . | . | |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | . | . | . | |
| 578 Infect/parasitic diseases with OR proc | . | . | . | . | . | . | |
| 430 Psychoses | 18 | 107,422 | 14,676 | 276.50 | 8.91 | . | |
| 521 Alc/drug abuse or depnd w cc | . | . | 12,102 | . | 6.58 | . | |
| 462 Rehabilitation | . | . | . | . | . | . | |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . | . | |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | . | . | . | |
| 481 Bone marrow transplant | . | . | . | . | . | . | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | . | . | . | |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | |
| 499 Back & neck procedures w cc | . | . | . | . | . | . | |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . | . | |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | |
| 470 Ungroupable | . | . | 10,244 | . | 8.70 | . | |
| All Other DRGs | 48 | 225,864 | 14,913 | 437.03 | 15.41 | . | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.
 ** Not comparable to non-psychiatric/substance abuse hospitals.
 *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK BEHAVIORAL HEALTH SYSTEMS
 PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 84
 AFFILIATION: Ramsay Hlth Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 4 | 32,000 | 11,243 | . | 7.16 | . | . |
| Major or Extreme SOI | . | . | 26,741 | . | 12.56 | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE & DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | . | . | 10,625 | . | 5.72 | . | . |
| Major or Extreme SOI | . | . | 22,490 | . | 7.00 | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| All other APRDRGs | 62 | 221,500 | 16,050 | 428.35 | 13.17 | | |

* Not comparable with non-psychiatric/substance abuse hospitals. ** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BENCHMARK BEHAVIORAL HEALTH SYSTEMS

PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Davis

AFFILIATION: Ramsay Hlth Care

BED SIZE: 84

| Patient Profile | Discharges | | | |
|-----------------------------|------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | . | . | 49.2 | |
| Male | 66 | 100.0 | 50.8 | |
| Unknown | . | . | . | |
| Not reported | . | . | . | |
| AGE | | | | |
| 1-28 days | . | . | . | |
| 29-365 days | . | . | . | |
| 1-4 years | . | . | 0.1 | |
| 5-9 | . | . | 2.3 | |
| 10-14 | 7 | 10.6 | 8.2 | |
| 15-17 | 31 | 47.0 | 12.5 | |
| 18-19 | 25 | 37.9 | 5.1 | |
| 20-24 | 3 | 4.5 | 13.0 | |
| 25-29 | . | . | 10.4 | |
| 30-34 | . | . | 9.5 | |
| 35-39 | . | . | 8.9 | |
| 40-44 | . | . | 7.9 | |
| 45-49 | . | . | 6.6 | |
| 50-54 | . | . | 6.0 | |
| 55-59 | . | . | 4.5 | |
| 60-64 | . | . | 2.7 | |
| 65-69 | . | . | 1.3 | |
| 70-74 | . | . | 0.6 | |
| 75-79 | . | . | 0.2 | |
| 80-84 | . | . | 0.0 | |
| 85-89 | . | . | 0.1 | |
| 90 + | . | . | . | |
| Unknown | . | . | . | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | 0.3 | |
| Urgent | 66 | 100.0 | 66.7 | |
| Elective | . | . | 32.7 | |
| Newborn | . | . | . | |
| Trauma Center | . | . | . | |
| Unknown | . | . | 0.3 | |
| Not reported | . | . | . | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | . | . | 18.6 | |
| Clinic referral | . | . | 26.0 | |
| HMO Referral | . | . | 0.4 | |
| Other hospital | . | . | 52.9 | |
| Skilled nursing facility | . | . | 0.0 | |
| Other health care facility | . | . | 0.2 | |
| Emergency room | . | . | . | |
| Court/law enforcement | . | . | 0.1 | |
| Normal delivery/Born Inside | . | . | . | |
| Premature delivery | . | . | . | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

BENCHMARK BEHAVIORAL HEALTH SYSTEMS
 PEER GROUP: Psychiatric & substance abuse (n=5) COUNTY: Davis
 AFFILIATION: Ramsay Hlth Care BED SIZE: 84

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | 66 | 100.0 | 1.4 | |
| Not reported | . | . | 0.4 | |
| DISCHARGE STATUS | | | | |
| Home self care | 54 | 81.8 | 82.9 | |
| Another hospital | . | . | 1.3 | |
| Skilled nursing facility | . | . | 0.1 | |
| Intermediate care | . | . | 0.1 | |
| Another type of institution | 12 | 18.2 | 12.9 | |
| Under care of home service | . | . | 0.3 | |
| Left against medical advice | . | . | 2.0 | |
| Under care of a home iv provider | . | . | . | |
| Expired | . | . | . | |
| Not reported | . | . | 0.5 | |
| PRIMARY PAYER | | | | |
| Medicare | . | . | 10.7 | |
| Medicaid | 5 | 7.6 | 6.2 | |
| Other government | 14 | 21.2 | 7.5 | |
| Blue Cross/Blue Shield | 3 | 4.5 | 16.0 | |
| Other commercial | 43 | 65.2 | 32.7 | |
| Managed care | 1 | 1.5 | 13.9 | |
| Self pay | . | . | 12.0 | |
| Industrial/Worker's Comp | . | . | 0.1 | |
| Charity | . | . | 0.2 | |
| Children's Health Insurance Plan | . | . | 0.6 | |
| Not reported | . | . | 0.1 | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 1.2 | |
| Central Utah | . | . | 0.4 | |
| Davis County | . | . | 7.0 | |
| Salt Lake County | . | . | 61.4 | |
| Southeastern Utah | . | . | 0.6 | |
| Southwest Utah | . | . | 0.9 | |
| Summit County | . | . | 1.6 | |
| Tooele County | . | . | 2.6 | |
| Tri-County | . | . | 1.1 | |
| Utah County | . | . | 5.8 | |
| Wasatch County | . | . | 0.4 | |
| Weber/Morgan | . | . | 4.0 | |
| Unknown Utah | . | . | 0.1 | |
| Outside Utah | 66 | 100.0 | 12.8 | |
| Unknown | . | . | 0.1 | |

* Not comparable with non-psychiatric/substance abuse hospitals.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 83
 AFFILIATION: Am. Intl. Hlth. Sys.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,228 | 100.0 | 100.0 | | 11,844,585 | 100.0 | 100.0 | |
| Liveborn infants (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | 1 | 0.1 | 0.1 | | 6,750 | 0.1 | 0.1 | |
| Pediatric Medical (Age 0-17) | . | . | 0.3 | | . | . | 0.3 | |
| Pediatric Surgical (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | 529 | 43.1 | 24.1 | | 5,354,670 | 45.2 | 15.2 | |
| Other Surgical | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 690 | 56.2 | 75.3 | | 6,403,865 | 54.1 | 84.3 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Unknown (DRG 469-470) | 8 | 0.7 | 0.2 | | 79,300 | 0.7 | 0.1 | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | . | . | 0.1 | | . | . | 0.0 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | . | | . | . | . | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | . | . | 0.1 | | . | . | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | 0.0 | | . | . | 0.0 | |
| 8 Musculoskeletal System & Conn Tissue | . | . | 0.0 | | . | . | 0.0 | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | . | | . | . | . | |
| 10 Endocrine, Nutritional & Metabolic | . | . | 0.0 | | . | . | 0.1 | |
| 11 Kidney & Urinary Tract | . | . | 0.0 | | . | . | 0.0 | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | 1 | 0.1 | 0.1 | | 6,750 | 0.1 | 0.1 | |
| 15 Newborn & Other Neonates | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic Diseases | . | . | . | | . | . | . | |
| 19 Mental Diseases and Disorders | 690 | 56.2 | 75.3 | | 6,403,865 | 54.1 | 84.3 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 529 | 43.1 | 24.2 | | 5,354,670 | 45.2 | 15.2 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | . | | . | . | . | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | . | . | 0.0 | | . | . | 0.0 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | | . | . | 0.1 | |
| Unknown | 8 | 0.7 | 0.2 | | 79,300 | 0.7 | 0.1 | |

* Not comparable with non-psychiatric/substance abuse hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=5)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.55

BED SIZE: 83
 AFFILIATION: Am. Intl. Hlth. Sys.
 % LOS OUTLIER=9.77

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|------------|---------|-----------------------|-----------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 1,228 | 12,180,308 | 90,320,190 | | 10324.00 | 74,111.00 | |
| Facility Charges (total) | . | 11,844,585 | 89,984,467 | | . | . | |
| Facility Charges & LOS (average) | . | 9,645 | 16,857 | | 8.41 | 13.88 | |
| Facility Charges & LOS (adjusted average)* | . | 9,293 | 14,652 | | 6.42 | 10.88 | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . | . |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . | . |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | . | . | . | . | . |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | . | . | . | . | . |
| 098 Bronchitis & asthma Age 0-17 | . | . | . | . | . | . | . |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | . | . | . | . |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | . | . | . | . |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | . | . | . | . |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . | . |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | . | . | . | . |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | . | . | . | . | . |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | . | . | . | . | . |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | . | . | . | . | . |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | . | . | . | . | . |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | . | . | . | . | . |
| 127 Heart failure & shock | . | . | . | . | . | . | . |
| 140 Angina pectoris | . | . | . | . | . | . | . |
| 143 Chest pain | . | . | . | . | . | . | . |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | . | . | . | . | . |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | . | . | . | . | . |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | . | . | . | . | . |
| 174 G.I. hemorrhage w cc | . | . | . | . | . | . | . |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | . | . | . | . | . |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | . | . | . | . | . |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | . | . | . | . | . |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | . | . | . | . | . |
| 544 Mjr jnt replace/reattach, low extrem | . | . | . | . | . | . | . |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=5)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.55

BED SIZE: 83
 AFFILIATION: Am. Intl. Hlth. Sys.
 % LOS OUTLIER=9.77

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|--------|---------|----------------------|-------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | . | . | . | . | . | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | . | . | . | . | . | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | . | . | . | . | . | . | . | . |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | . | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | . | . | . |
| 370 Cesarean section with cc | . | . | . | . | . | . | . | . | . |
| 371 Cesarean section without cc | . | . | . | . | . | . | . | . | . |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | . | . | . |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | . | . | . |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | 4,960 | . | . | . | . | 3.00 | . |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | . | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . | . | . | . | . |
| 389 Full term neonate w major problems | . | . | . | . | . | . | . | . | . |
| 390 Neonate w other significant problems | . | . | . | . | . | . | . | . | . |
| 391 Normal newborn | . | . | . | . | . | . | . | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | . | . | . | . | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | . | . | . | . | . | . | . |
| 430 Psychoses | 654 | 9,320 | 14,676 | 6.88 | 8.91 | | | | |
| 521 Alc/drug abuse or depnd w cc | 51 | 11,539 | 12,102 | 6.95 | 6.58 | | | | |
| 462 Rehabilitation | . | . | . | . | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . | . | . | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | . | . | . | . | . | . |
| 481 Bone marrow transplant | . | . | . | . | . | . | . | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | . | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | . | . | . |
| 470 Ungroupable | 8 | 9,913 | 10,244 | 9.25 | 8.70 | | | | |
| All Other DRGs | 515 | 9,022 | 14,913 | 5.60 | 15.41 | | | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Not comparable to non-psychiatric/substance abuse hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 83
 AFFILIATION: Am. Intl. Hlth. Sys.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. _____Average Facility Charges (\$)*** _____ | | | ____Length of Stay (Day)**_____ | | |
|--|--|------|--------|---------------------------------|------|--------|
| | _____ Hospital_____ | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 139 OTHER PNEUMONIA | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 141 ASTHMA | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 194 HEART FAILURE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 225 APPENDECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 302 KNEE JOINT REPLACEMENT | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 83
 AFFILIATION: Am. Intl. Hlth. Sys.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 316 | 7,981 | 11,243 | 5.93 | 7.16 | | |
| Major or Extreme SOI | 6 | 8,100 | 26,741 | 6.00 | 12.56 | | |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE & DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 213 | 11,485 | 10,625 | 6.24 | 5.72 | | |
| Major or Extreme SOI | 5 | 20,171 | 22,490 | 7.50 | 7.00 | | |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| All other APRDRGs | 688 | 9,151 | 16,050 | 6.71 | 13.17 | | |

* Not comparable with non-psychiatric/substance abuse hospitals. ** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=5) COUNTY: Salt Lake
 AFFILIATION: Am. Intl. Hlth. Sys. BED SIZE: 83

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 565 | 46.0 | 49.2 | |
| Male | 663 | 54.0 | 50.8 | |
| Unknown | . | . | . | |
| Not reported | . | . | . | |
| AGE | | | | |
| 1-28 days | . | . | . | |
| 29-365 days | . | . | . | |
| 1-4 years | . | . | 0.1 | |
| 5-9 | . | . | 2.3 | |
| 10-14 | 18 | 1.5 | 8.2 | |
| 15-17 | 33 | 2.7 | 12.5 | |
| 18-19 | 68 | 5.5 | 5.1 | |
| 20-24 | 229 | 18.6 | 13.0 | |
| 25-29 | 163 | 13.3 | 10.4 | |
| 30-34 | 156 | 12.7 | 9.5 | |
| 35-39 | 139 | 11.3 | 8.9 | |
| 40-44 | 109 | 8.9 | 7.9 | |
| 45-49 | 88 | 7.2 | 6.6 | |
| 50-54 | 106 | 8.6 | 6.0 | |
| 55-59 | 73 | 5.9 | 4.5 | |
| 60-64 | 35 | 2.9 | 2.7 | |
| 65-69 | 8 | 0.7 | 1.3 | |
| 70-74 | 1 | 0.1 | 0.6 | |
| 75-79 | 1 | 0.1 | 0.2 | |
| 80-84 | . | . | 0.0 | |
| 85-89 | 1 | 0.1 | 0.1 | |
| 90 + | . | . | . | |
| Unknown | . | . | . | |
| TYPE OF ADMISSION | | | | |
| Emergency | 10 | 0.8 | 0.3 | |
| Urgent | 181 | 14.7 | 66.7 | |
| Elective | 1,035 | 84.3 | 32.7 | |
| Newborn | . | . | . | |
| Trauma Center | . | . | . | |
| Unknown | 2 | 0.2 | 0.3 | |
| Not reported | . | . | . | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 572 | 46.6 | 18.6 | |
| Clinic referral | 3 | 0.2 | 26.0 | |
| HMO Referral | . | . | 0.4 | |
| Other hospital | 643 | 52.4 | 52.9 | |
| Skilled nursing facility | 1 | 0.1 | 0.0 | |
| Other health care facility | 1 | 0.1 | 0.2 | |
| Emergency room | . | . | . | |
| Court/law enforcement | 1 | 0.1 | 0.1 | |
| Normal delivery/Born Inside | . | . | . | |
| Premature delivery | . | . | . | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=5) COUNTY: Salt Lake
 AFFILIATION: Am. Intl. Hlth. Sys. BED SIZE: 83

| Patient Profile | Discharges | | |
|----------------------------------|---------------|-----------|-------------|
| | Hospital # | Peer % | State* % |
| Sick baby | . | . | . |
| Extramural birth/Born Outside | . | . | . |
| Unknown | 2 | 0.2 | 1.4 |
| Not reported | 5 | 0.4 | 0.4 |
| DISCHARGE STATUS | | | |
| Home self care | 1,094 | 89.1 | 82.9 |
| Another hospital | 13 | 1.1 | 1.3 |
| Skilled nursing facility | 1 | 0.1 | 0.1 |
| Intermediate care | 4 | 0.3 | 0.1 |
| Another type of institution | 45 | 3.7 | 12.9 |
| Under care of home service | 2 | 0.2 | 0.3 |
| Left against medical advice | 63 | 5.1 | 2.0 |
| Under care of a home iv provider | . | . | . |
| Expired | . | . | . |
| Not reported | 6 | 0.5 | 0.5 |
| PRIMARY PAYER | | | |
| Medicare | 123 | 10.0 | 10.7 |
| Medicaid | 178 | 14.5 | 6.2 |
| Other government | 99 | 8.1 | 7.5 |
| Blue Cross/Blue Shield | 160 | 13.0 | 16.0 |
| Other commercial | 329 | 26.8 | 32.7 |
| Managed care | 232 | 18.9 | 13.9 |
| Self pay | 93 | 7.6 | 12.0 |
| Industrial/Worker's Comp | . | . | 0.1 |
| Charity | 10 | 0.8 | 0.2 |
| Children's Health Insurance Plan | . | . | 0.6 |
| Not reported | 4 | 0.3 | 0.1 |
| LOCAL HEALTH DISTRICT | | | |
| Bear River | 13 | 1.1 | 1.2 |
| Central Utah | 4 | 0.3 | 0.4 |
| Davis County | 66 | 5.4 | 7.0 |
| Salt Lake County | 767 | 62.5 | 61.4 |
| Southeastern Utah | 7 | 0.6 | 0.6 |
| Southwest Utah | 18 | 1.5 | 0.9 |
| Summit County | 9 | 0.7 | 1.6 |
| Tooele County | 41 | 3.3 | 2.6 |
| Tri-County | 22 | 1.8 | 1.1 |
| Utah County | 89 | 7.2 | 5.8 |
| Wasatch County | 5 | 0.4 | 0.4 |
| Weber/Morgan | 64 | 5.2 | 4.0 |
| Unknown Utah | 3 | 0.2 | 0.1 |
| Outside Utah | 120 | 9.8 | 12.8 |
| Unknown | . | . | 0.1 |

* Not comparable with non-psychiatric/substance abuse hospitals.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 178
 AFFILIATION: University Health Care

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4,044 | 100.0 | 100.0 | | 63,130,283 | 100.0 | 100.0 | |
| Liveborn infants (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | 7 | 0.2 | 0.1 | | 94,826 | 0.2 | 0.1 | |
| Pediatric Medical (Age 0-17) | 17 | 0.4 | 0.3 | | 275,705 | 0.4 | 0.3 | |
| Pediatric Surgical (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | 757 | 18.7 | 24.1 | | 8,320,052 | 13.2 | 15.2 | |
| Other Surgical | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 3,261 | 80.6 | 75.3 | | 54,416,560 | 86.2 | 84.3 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Unknown (DRG 469-470) | 2 | 0.0 | 0.2 | | 23,139 | 0.0 | 0.1 | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 3 | 0.1 | 0.1 | | 31,427 | 0.0 | 0.0 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | . | | . | . | . | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | 3 | 0.1 | 0.1 | | 54,010 | 0.1 | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | 1 | 0.0 | 0.0 | | 7,932 | 0.0 | 0.0 | |
| 8 Musculoskeletal System & Conn Tissue | 1 | 0.0 | 0.0 | | 26,529 | 0.0 | 0.0 | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | . | | . | . | . | |
| 10 Endocrine, Nutritional & Metabolic | 2 | 0.0 | 0.0 | | 48,731 | 0.1 | 0.1 | |
| 11 Kidney & Urinary Tract | 1 | 0.0 | 0.0 | | 39,711 | 0.1 | 0.0 | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | 7 | 0.2 | 0.1 | | 94,826 | 0.2 | 0.1 | |
| 15 Newborn & Other Neonates | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic Diseases | . | . | . | | . | . | . | |
| 19 Mental Diseases and Disorders | 3,261 | 80.6 | 75.3 | | 54,416,560 | 86.2 | 84.3 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 761 | 18.8 | 24.2 | | 8,328,484 | 13.2 | 15.2 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | . | | . | . | . | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | 1 | 0.0 | 0.0 | | 4,028 | 0.0 | 0.0 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | | 54,905 | 0.1 | 0.1 | |
| Unknown | 2 | 0.0 | 0.2 | | 23,139 | 0.0 | 0.1 | |

* Not comparable with non-psychiatric/substance abuse hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=5)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.30

BED SIZE: 178
 AFFILIATION: University Health Care
 % LOS OUTLIER=1.71

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|----------------------------------|------------|---------|-----------------------|-----------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 4,044 | 63,130,283 | 90,320,190 | | 34933.00 | 74,111.00 | |
| Facility Charges (total) | . | 63,130,283 | 89,984,467 | | . | . | |
| Facility Charges & LOS (average) | . | 15,611 | 16,857 | | 8.64 | 13.88 | |
| Facility Charges & LOS (adjusted average)* | . | 14,350 | 14,652 | | 8.23 | 10.88 | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | . | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . | . |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . | . |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | . | . | . | . | . |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | . | . | . | . | . |
| 098 Bronchitis & asthma Age 0-17 | . | . | . | . | . | . | . |
| 104 Cardiac valve/cardi thor w card cath | . | . | . | . | . | . | . |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | . | . | . | . | . |
| 547 Coronary bypass with card cath w/ MCV | . | . | . | . | . | . | . |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . | . |
| 555 Perc. cardiovascular procedures w MCV | . | . | . | . | . | . | . |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | . | . | . | . | . |
| 121 Circ disrd w AMI & maj comp disch alive | . | . | . | . | . | . | . |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | . | . | . | . | . |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | . | . | . | . | . |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | . | . | . | . | . |
| 127 Heart failure & shock | . | . | . | . | . | . | . |
| 140 Angina pectoris | . | . | . | . | . | . | . |
| 143 Chest pain | . | . | . | . | . | . | . |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | . | . | . | . | . |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | . | . | . | . | . |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | . | . | . | . | . |
| 174 G.I. hemorrhage w cc | . | . | . | . | . | . | . |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | . | . | . | . | . |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | . | . | . | . | . |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | . | . | . | . | . |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | . | . | . | . | . |
| 544 Mjr jnt replace/reattach, low extrem | . | . | . | . | . | . | . |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=5)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.30

BED SIZE: 178
 AFFILIATION: University Health Care
 % LOS OUTLIER=1.71

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|--------|---------|----------------------|-------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | . | . | . | . | . | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | . | . | . | . | . | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | . | . | . | . | . | . | . | . |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | . | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | . | . | . |
| 370 Cesarean section with cc | . | . | . | . | . | . | . | . | . |
| 371 Cesarean section without cc | . | . | . | . | . | . | . | . | . |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | . | . | . |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | . | . | . |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | . | . | . |
| 383 Other antepartum diag w med complic | 3 | 4,960 | 4,960 | 3.00 | 3.00 | | | | |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | . | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . | . | . | . | . |
| 389 Full term neonate w major problems | . | . | . | . | . | . | . | . | . |
| 390 Neonate w other significant problems | . | . | . | . | . | . | . | . | . |
| 391 Normal newborn | . | . | . | . | . | . | . | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | . | . | . | . | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | . | . | . | . | . | . | . |
| 430 Psychoses | 2,701 | 15,897 | 14,676 | 9.20 | 8.91 | | | | |
| 521 Alc/drug abuse or depnd w cc | 132 | 12,322 | 12,102 | 6.47 | 6.58 | | | | |
| 462 Rehabilitation | . | . | . | . | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . | . | . | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | . | . | . | . | . | . |
| 481 Bone marrow transplant | . | . | . | . | . | . | . | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | . | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | . | . | . |
| 470 Ungroupable | 2 | 11,570 | 10,244 | 6.50 | 8.70 | | | | |
| All Other DRGs | 1,206 | 11,145 | 14,913 | 6.23 | 15.41 | | | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** Not comparable to non-psychiatric/substance abuse hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=5)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 178
 AFFILIATION: University Health Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 1,154 | 12,142 | 11,243 | 7.50 | 7.16 | | |
| Major or Extreme SOI | 163 | 27,440 | 26,741 | 12.81 | 12.56 | | |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE & DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 196 | 9,686 | 10,625 | 5.31 | 5.72 | | |
| Major or Extreme SOI | 7 | 24,147 | 22,490 | 6.80 | 7.00 | | |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| All other APRDRGs | 2,524 | 14,845 | 16,050 | 8.59 | 13.17 | | |

* Not comparable with non-psychiatric/substance abuse hospitals. ** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=5) COUNTY: Salt Lake
 AFFILIATION: University Health Care BED SIZE: 178

| Patient Profile | Discharges | | |
|-----------------------------|---------------|-----------|-------------|
| | Hospital # | Peer % | State* % |
| GENDER | | | |
| Female | 2,062 | 51.0 | 49.2 |
| Male | 1,982 | 49.0 | 50.8 |
| Unknown | . | . | . |
| Not reported | . | . | . |
| AGE | | | |
| 1-28 days | . | . | . |
| 29-365 days | . | . | . |
| 1-4 years | 7 | 0.2 | 0.1 |
| 5-9 | 122 | 3.0 | 2.3 |
| 10-14 | 414 | 10.2 | 8.2 |
| 15-17 | 601 | 14.9 | 12.5 |
| 18-19 | 181 | 4.5 | 5.1 |
| 20-24 | 464 | 11.5 | 13.0 |
| 25-29 | 393 | 9.7 | 10.4 |
| 30-34 | 353 | 8.7 | 9.5 |
| 35-39 | 338 | 8.4 | 8.9 |
| 40-44 | 312 | 7.7 | 7.9 |
| 45-49 | 265 | 6.6 | 6.6 |
| 50-54 | 212 | 5.2 | 6.0 |
| 55-59 | 166 | 4.1 | 4.5 |
| 60-64 | 109 | 2.7 | 2.7 |
| 65-69 | 59 | 1.5 | 1.3 |
| 70-74 | 33 | 0.8 | 0.6 |
| 75-79 | 9 | 0.2 | 0.2 |
| 80-84 | 2 | 0.0 | 0.0 |
| 85-89 | 4 | 0.1 | 0.1 |
| 90 + | . | . | . |
| Unknown | . | . | . |
| TYPE OF ADMISSION | | | |
| Emergency | 5 | 0.1 | 0.3 |
| Urgent | 3,316 | 82.0 | 66.7 |
| Elective | 708 | 17.5 | 32.7 |
| Newborn | . | . | . |
| Trauma Center | . | . | . |
| Unknown | 15 | 0.4 | 0.3 |
| Not reported | . | . | . |
| SOURCE OF ADMISSION | | | |
| Physician referral | 420 | 10.4 | 18.6 |
| Clinic referral | 1,383 | 34.2 | 26.0 |
| HMO Referral | 24 | 0.6 | 0.4 |
| Other hospital | 2,179 | 53.9 | 52.9 |
| Skilled nursing facility | 1 | 0.0 | 0.0 |
| Other health care facility | 10 | 0.2 | 0.2 |
| Emergency room | . | . | . |
| Court/law enforcement | 3 | 0.1 | 0.1 |
| Normal delivery/Born Inside | . | . | . |
| Premature delivery | . | . | . |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=5) COUNTY: Salt Lake
 AFFILIATION: University Health Care BED SIZE: 178

| Patient Profile | Discharges | | |
|----------------------------------|---------------|---------------|---------------------|
| | Hospital # | Hospital % | Peer % State* |
| Sick baby | . | . | . |
| Extramural birth/Born Outside | . | . | . |
| Unknown | 9 | 0.2 | 1.4 |
| Not reported | 15 | 0.4 | 0.4 |
| DISCHARGE STATUS | | | |
| Home self care | 3,275 | 81.0 | 82.9 |
| Another hospital | 56 | 1.4 | 1.3 |
| Skilled nursing facility | 2 | 0.0 | 0.1 |
| Intermediate care | 1 | 0.0 | 0.1 |
| Another type of institution | 633 | 15.7 | 12.9 |
| Under care of home service | 16 | 0.4 | 0.3 |
| Left against medical advice | 42 | 1.0 | 2.0 |
| Under care of a home iv provider | . | . | . |
| Expired | . | . | . |
| Not reported | 19 | 0.5 | 0.5 |
| PRIMARY PAYER | | | |
| Medicare | 448 | 11.1 | 10.7 |
| Medicaid | 148 | 3.7 | 6.2 |
| Other government | 289 | 7.1 | 7.5 |
| Blue Cross/Blue Shield | 690 | 17.1 | 16.0 |
| Other commercial | 1,373 | 34.0 | 32.7 |
| Managed care | 511 | 12.6 | 13.9 |
| Self pay | 547 | 13.5 | 12.0 |
| Industrial/Worker's Comp | 5 | 0.1 | 0.1 |
| Charity | . | . | 0.2 |
| Children's Health Insurance Plan | 32 | 0.8 | 0.6 |
| Not reported | 1 | 0.0 | 0.1 |
| LOCAL HEALTH DISTRICT | | | |
| Bear River | 49 | 1.2 | 1.2 |
| Central Utah | 20 | 0.5 | 0.4 |
| Davis County | 305 | 7.5 | 7.0 |
| Salt Lake County | 2,512 | 62.1 | 61.4 |
| Southeastern Utah | 23 | 0.6 | 0.6 |
| Southwest Utah | 28 | 0.7 | 0.9 |
| Summit County | 79 | 2.0 | 1.6 |
| Tooele County | 98 | 2.4 | 2.6 |
| Tri-County | 37 | 0.9 | 1.1 |
| Utah County | 221 | 5.5 | 5.8 |
| Wasatch County | 18 | 0.4 | 0.4 |
| Weber/Morgan | 150 | 3.7 | 4.0 |
| Unknown Utah | . | . | 0.1 |
| Outside Utah | 498 | 12.3 | 12.8 |
| Unknown | 6 | 0.1 | 0.1 |

* Not comparable with non-psychiatric/substance abuse hospitals.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

CACHE VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Cache
 OWNERSHIP: Investor-owned

BED SIZE: 22
 AFFILIATION: Nat. Surgical Hosp.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 633 | 100.0 | | | 17,991,033 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | 11 | 1.7 | | | 61,509 | 0.3 | | |
| Pediatric Surgical (Age 0-17) | 3 | 0.5 | | | 173,983 | 1.0 | | |
| Other Medical | 138 | 21.8 | | | 1,425,250 | 7.9 | | |
| Other Surgical | 481 | 76.0 | | | 16,330,290 | 90.8 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 14 | 2.2 | | | 174,738 | 1.0 | | |
| 2 Eye | 1 | 0.2 | | | 5,858 | 0.0 | | |
| 3 Ear, Nose, Mouth & Throat | 3 | 0.5 | | | 18,553 | 0.1 | | |
| 4 Respiratory System | 44 | 7.0 | | | 535,153 | 3.0 | | |
| 5 Circulatory System | 21 | 3.3 | | | 179,722 | 1.0 | | |
| 6 Digestive System | 33 | 5.2 | | | 651,035 | 3.6 | | |
| 7 Hepatobiliary System & Pancreas | 7 | 1.1 | | | 142,444 | 0.8 | | |
| 8 Musculoskeletal System & Conn Tissue | 391 | 61.8 | | | 14,569,462 | 81.0 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 10 | 1.6 | | | 252,640 | 1.4 | | |
| 10 Endocrine, Nutritional & Metabolic | 21 | 3.3 | | | 215,669 | 1.2 | | |
| 11 Kidney & Urinary Tract | 13 | 2.1 | | | 142,148 | 0.8 | | |
| 12 Male Reproductive System | 10 | 1.6 | | | 167,451 | 0.9 | | |
| 13 Female Reproductive System | 31 | 4.9 | | | 397,876 | 2.2 | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | 2 | 0.3 | | | 52,130 | 0.3 | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 3 | 0.5 | | | 31,958 | 0.2 | | |
| 18 Infectious and Parasitic Diseases | 14 | 2.2 | | | 207,613 | 1.2 | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.3 | | | 18,299 | 0.1 | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 12 | 1.9 | | | 191,711 | 1.1 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | . | . | | | . | . | | |
| 24 Multiple Significant Trauma | 1 | 0.2 | | | 36,572 | 0.2 | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CACHE VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Cache
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.63

BED SIZE: 22
 AFFILIATION: Nat. Surgical Hosp.
 % LOS OUTLIER=1.11

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|------|---------|----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 633 | 17,991,033 | | | 1,824.00 | | |
| Facility Charges (total) | . | 17,991,033 | | | . | | |
| Facility Charges & LOS (average) | . | 28,422 | | | 2.88 | | |
| Facility Charges & LOS (adjusted average)* | . | 28,159 | | | 2.83 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | | | . | | |
| 003 Craniotomy age 0-17 | . | . | | | . | | |
| 014 Intracranial hemorrhage/ cereb infarc | 4 | 10,899 | | | 3.75 | | |
| 075 Major chest procedures | 1 | 17,971 | | | 5.00 | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 12 | 8,688 | | | 2.33 | | |
| 091 Simple pneumonia & pleurisy age 0-17 | 1 | 4,504 | | | 2.00 | | |
| 098 Bronchitis & asthma Age 0-17 | 4 | 6,064 | | | 2.25 | | |
| 104 Cardiac valve/cardi thor w card cath | . | . | | | . | | |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | | | . | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | | . | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | | . | | |
| 108 Other cardiothoracic procedures | . | . | | | . | | |
| 110 Major cardiovascular procedures w cc | . | . | | | . | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | | | . | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | | | . | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | | | . | | |
| 122 Circ disrd w AMI w/o comp disch alive | 2 | 4,287 | | | 1.00 | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | | | . | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | | | . | | |
| 127 Heart failure & shock | 6 | 8,697 | | | 2.67 | | |
| 140 Angina pectoris | . | . | | | . | | |
| 143 Chest pain | . | . | | | . | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 1 | 59,696 | | | 10.00 | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 2 | 23,918 | | | 6.00 | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 1 | 12,253 | | | 1.00 | | |
| 174 G.I. hemorrhage w cc | 1 | 6,322 | | | 1.00 | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 1 | 3,555 | | | 1.00 | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 3 | 8,864 | | | 2.87 | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | 1 | 21,725 | | | 4.00 | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | | | . | | |
| 544 Mjr jnt replace/reattach, low extrem | 239 | 36,975 | | | 2.98 | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CACHE VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Cache
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.63

BED SIZE: 22
 AFFILIATION: Nat. Surgical Hosp.
 % LOS OUTLIER=1.11

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|------|---------|----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 8 | 26,294 | | | 3.38 | | |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 6 | 17,201 | | | 1.83 | | |
| 296 Nutrition/misc metabol disrdr >17 w cc | 3 | 9,999 | | | 3.00 | | |
| 358 Uterine & adnexa prcd nonmalig w cc | 1 | 15,587 | | | 2.00 | | |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 19 | 9,362 | | | 1.32 | | |
| 370 Cesarean section with cc | . | . | | | . | | |
| 371 Cesarean section without cc | . | . | | | . | | |
| 372 Vaginal delivery w complicating diag | . | . | | | . | | |
| 373 Vaginal deliv w/o complicating diag | . | . | | | . | | |
| 374 Vaginal delivery w sterilization/D&C | . | . | | | . | | |
| 383 Other antepartum diag w med complic | . | . | | | . | | |
| 385 Neonates died/transf to acute care fac | . | . | | | . | | |
| 386 Extreme immatur/resp dist synd,neonate | . | . | | | . | | |
| 387 Prematurity w major problems | . | . | | | . | | |
| 389 Full term neonate w major problems | . | . | | | . | | |
| 390 Neonate w other significant problems | . | . | | | . | | |
| 391 Normal newborn | . | . | | | . | | |
| 410 Chemo w/o acute leukemia as sec dia | . | . | | | . | | |
| 578 Infect/parasitic diseases with OR proc | . | . | | | . | | |
| 430 Psychoses | . | . | | | . | | |
| 521 Alc/drug abuse or depnd w cc | 2 | 9,150 | | | 2.50 | | |
| 462 Rehabilitation | . | . | | | . | | |
| 468 Extensive OR proc unrelated to p.d. | . | . | | | . | | |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | | | . | | |
| 481 Bone marrow transplant | . | . | | | . | | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | | | . | | |
| 486 Other OR proc for mult signif trauma | . | . | | | . | | |
| 499 Back & neck procedures w cc | 2 | 27,825 | | | 2.00 | | |
| 500 Back & Neck Procedures w/o CC | 6 | 12,255 | | | 2.17 | | |
| 502 Knee procedures w/o cc | . | . | | | . | | |
| 470 Ungroupable | . | . | | | . | | |
| All Other DRGs | 307 | 25,622 | | | 2.82 | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CACHE VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Cache
 OWNERSHIP: Investor-owned

BED SIZE: 22
 AFFILIATION: Nat. Surgical Hosp.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$)*** | | | Length of Stay (Day)** | | |
|--|------------|----------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 3 | 5,592 | | | 1.67 | | |
| Major or Extreme SOI | 1 | 26,819 | | | 10.00 | | |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 14 | 8,590 | | | 2.38 | | |
| Major or Extreme SOI | 3 | 9,176 | | | 3.00 | | |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 8 | 11,534 | | | 3.14 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 2 | 4,287 | | | 1.00 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 4 | 9,204 | | | 2.75 | | |
| Major or Extreme SOI | 2 | 7,682 | | | 2.50 | | |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 1 | 5,563 | | | 2.00 | | |
| Major or Extreme SOI | 1 | 3,560 | | | 1.00 | | |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 6 | 40,730 | | | 8.40 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 5 | 16,873 | | | 4.00 | | |
| Major or Extreme SOI | 1 | 25,612 | | | 6.00 | | |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 3 | 4,539 | | | 1.33 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 219 | 37,246 | | | 2.97 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 13 | 20,858 | | | 2.62 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CACHE VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Cache
 OWNERSHIP: Investor-owned

BED SIZE: 22
 AFFILIATION: Nat. Surgical Hosp.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 13 | 9,387 | | | 1.15 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 1 | 7,919 | | | 2.00 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 7 | 12,757 | | | 2.14 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 2 | 23,735 | | | 3.50 | | |
| Major or Extreme SOI | 2 | 25,748 | | | 4.00 | | |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | 1 | 8,841 | | | 3.00 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| All other APRDRGs | 321 | 26,040 | | | 2.74 | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

CACHE VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: Nat. Surgical Hosp.

COUNTY: Cache
 BED SIZE: 22

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 371 | 58.6 | | |
| Male | 262 | 41.4 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | 1 | 0.2 | | |
| 1-4 years | 3 | 0.5 | | |
| 5-9 | 6 | 0.9 | | |
| 10-14 | 1 | 0.2 | | |
| 15-17 | 3 | 0.5 | | |
| 18-19 | 3 | 0.5 | | |
| 20-24 | 10 | 1.6 | | |
| 25-29 | 7 | 1.1 | | |
| 30-34 | 21 | 3.3 | | |
| 35-39 | 26 | 4.1 | | |
| 40-44 | 23 | 3.6 | | |
| 45-49 | 35 | 5.5 | | |
| 50-54 | 65 | 10.3 | | |
| 55-59 | 72 | 11.4 | | |
| 60-64 | 68 | 10.7 | | |
| 65-69 | 98 | 15.5 | | |
| 70-74 | 64 | 10.1 | | |
| 75-79 | 48 | 7.6 | | |
| 80-84 | 42 | 6.6 | | |
| 85-89 | 28 | 4.4 | | |
| 90 + | 9 | 1.4 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | 163 | 25.8 | | |
| Urgent | 3 | 0.5 | | |
| Elective | 467 | 73.8 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | . | . | | |
| Clinic referral | . | . | | |
| HMO Referral | . | . | | |
| Other hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

CACHE VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: Nat. Surgical Hosp.

COUNTY: Cache
 BED SIZE: 22

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | . | . | . | . |
| Not reported | 633 | 100.0 | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 633 | 100.0 | . | . |
| Another hospital | . | . | . | . |
| Skilled nursing facility | . | . | . | . |
| Intermediate care | . | . | . | . |
| Another type of institution | . | . | . | . |
| Under care of home service | . | . | . | . |
| Left against medical advice | . | . | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | . | . | . | . |
| Not reported | . | . | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 312 | 49.3 | . | . |
| Medicaid | 21 | 3.3 | . | . |
| Other government | 14 | 2.2 | . | . |
| Blue Cross/Blue Shield | 126 | 19.9 | . | . |
| Other commercial | 34 | 5.4 | . | . |
| Managed care | 97 | 15.3 | . | . |
| Self pay | 14 | 2.2 | . | . |
| Industrial/Worker's Comp | 15 | 2.4 | . | . |
| Charity | . | . | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | . | . | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 499 | 78.8 | . | . |
| Central Utah | . | . | . | . |
| Davis County | 3 | 0.5 | . | . |
| Salt Lake County | 3 | 0.5 | . | . |
| Southeastern Utah | . | . | . | . |
| Southwest Utah | . | . | . | . |
| Summit County | . | . | . | . |
| Tooele County | . | . | . | . |
| Tri-County | . | . | . | . |
| Utah County | 1 | 0.2 | . | . |
| Wasatch County | . | . | . | . |
| Weber/Morgan | 12 | 1.9 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 115 | 18.2 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

HEALTHSOUTH REHAB. HOSPITAL OF UTAH
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 63
 AFFILIATION: Rehab. Svcs. Corp.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 627 | 100.0 | | | 13,916,896 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgical (Age 0-17) | . | . | | | . | . | | |
| Other Medical | 2 | 0.3 | | | 17,988 | 0.1 | | |
| Other Surgical | 1 | 0.2 | | | 23,010 | 0.2 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | 624 | 99.5 | | | 13,875,898 | 99.7 | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | . | . | | | . | . | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | . | . | | | . | . | | |
| 4 Respiratory System | . | . | | | . | . | | |
| 5 Circulatory System | . | . | | | . | . | | |
| 6 Digestive System | . | . | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | . | . | | | . | . | | |
| 8 Musculoskeletal System & Conn Tissue | 1 | 0.2 | | | 5,956 | 0.0 | | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | | | . | . | | |
| 10 Endocrine, Nutritional & Metabolic | . | . | | | . | . | | |
| 11 Kidney & Urinary Tract | . | . | | | . | . | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | | | . | . | | |
| 18 Infectious and Parasitic Diseases | . | . | | | . | . | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | | | . | . | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | 626 | 99.8 | | | 13,910,940 | 100.0 | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

| | | |
|--|---------------------------|---------------------------------|
| HEALTHSOUTH REHAB. HOSPITAL OF UTAH | COUNTY: Salt Lake | BED SIZE: 63 |
| PEER GROUP: None (n=11) | OWNERSHIP: Investor-owned | AFFILIATION: Rehab. Svcs. Corp. |
| UHDDDB CASE MIX INDEX = Not calculated for this hospital | % CHARGE OUTLIER=0.64 | % LOS OUTLIER=2.23 |

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|-----------------------|------------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 627 | 13,916,896 | | 8,633.00 | | | |
| Facility Charges (total) | . | 13,916,896 | | . | | | |
| Facility Charges & LOS (average) | . | 22,196 | | 13.77 | | | |
| Facility Charges & LOS (adjusted average)* | . | 21,172 | | 12.49 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | Average LOS (days)*** | | | |
| 001 Craniotomy age >17 with CC | . | . | | . | | | |
| 003 Craniotomy age 0-17 | . | . | | . | | | |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | | . | | | |
| 075 Major chest procedures | . | . | | . | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | | . | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | | . | | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | | . | | | |
| 104 Cardiac valve/cardiotor w card cath | . | . | | . | | | |
| 105 Cardiac valve/cardiotor w/o card cath | . | . | | . | | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | . | | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | . | | | |
| 108 Other cardiothoracic procedures | . | . | | . | | | |
| 110 Major cardiovascular procedures w cc | . | . | | . | | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | | . | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | | . | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | | . | | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | | . | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | | . | | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | | . | | | |
| 127 Heart failure & shock | . | . | | . | | | |
| 140 Angina pectoris | . | . | | . | | | |
| 143 Chest pain | . | . | | . | | | |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | . | . | | . | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | | . | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | | . | | | |
| 174 G.I. hemorrhage w cc | . | . | | . | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | | . | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | | . | | | |
| 197 Cholocystectomy exc lap w/o CDE w cc | . | . | | . | | | |
| 198 Cholocystectomy exc lap w/o CDE w/o cc | . | . | | . | | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | | . | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HEALTHSOUTH REHAB. HOSPITAL OF UTAH

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.64

BED SIZE: 63
 AFFILIATION: Rehab. Svcs. Corp.
 % LOS OUTLIER=2.23

PEER GROUP: None (n=11)

UHDBB CASE MIX INDEX = Not calculated for this hospital

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | . | . | . | . | . | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | . | . | . | . | . | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | . | . | . | . | . | . | . | . |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | . | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | . | . | . |
| 370 Cesarean section with cc | . | . | . | . | . | . | . | . | . |
| 371 Cesarean section without cc | . | . | . | . | . | . | . | . | . |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | . | . | . |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | . | . | . |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . | . | . | . | . |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | . | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . | . | . | . | . |
| 389 Full term neonate w major problems | . | . | . | . | . | . | . | . | . |
| 390 Neonate w other significant problems | . | . | . | . | . | . | . | . | . |
| 391 Normal newborn | . | . | . | . | . | . | . | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | . | . | . | . | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | . | . | . | . | . | . | . |
| 430 Psychoses | . | . | . | . | . | . | . | . | . |
| 521 Alc/drug abuse or depnd w cc | . | . | . | . | . | . | . | . | . |
| 462 Rehabilitation | 624 | . | . | 21,208 | . | . | 12.51 | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . | . | . | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | . | . | . | . | . | . |
| 481 Bone marrow transplant | . | . | . | . | . | . | . | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | . | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | . | . | . |
| 470 Ungroupable | . | . | . | . | . | . | . | . | . |
| All Other DRGs | 3 | . | . | 13,666 | . | . | 8.33 | . | . |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HEALTHSOUTH REHAB. HOSPITAL OF UTAH
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 63
 AFFILIATION: Rehab. Svcs. Corp.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|--|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HEALTHSOUTH REHAB. HOSPITAL OF UTAH
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 63
 AFFILIATION: Rehab. Svcs. Corp.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. _____ Average Facility Charges (\$) ** _____ | | | _____ Length of Stay (Day) ** _____ | | |
|--|---|--------|--------|-------------------------------------|------|--------|
| | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| All other APRDRGs | 627 | 21,172 | | 12.53 | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

HEALTHSOUTH REHAB. HOSPITAL OF UTAH
 PEER GROUP: None (n=11)
 AFFILIATION: Rehab. Svcs. Corp.

COUNTY: Salt Lake
 BED SIZE: 63

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 378 | 60.3 | | |
| Male | 249 | 39.7 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | 1 | 0.2 | | |
| 18-19 | . | . | | |
| 20-24 | 3 | 0.5 | | |
| 25-29 | 9 | 1.4 | | |
| 30-34 | 7 | 1.1 | | |
| 35-39 | 6 | 1.0 | | |
| 40-44 | 12 | 1.9 | | |
| 45-49 | 13 | 2.1 | | |
| 50-54 | 52 | 8.3 | | |
| 55-59 | 63 | 10.0 | | |
| 60-64 | 77 | 12.3 | | |
| 65-69 | 70 | 11.2 | | |
| 70-74 | 58 | 9.3 | | |
| 75-79 | 66 | 10.5 | | |
| 80-84 | 82 | 13.1 | | |
| 85-89 | 70 | 11.2 | | |
| 90 + | 38 | 6.1 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | 627 | 100.0 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 11 | 1.8 | | |
| Clinic referral | 2 | 0.3 | | |
| HMO Referral | . | . | | |
| Other hospital | 607 | 96.8 | | |
| Skilled nursing facility | 6 | 1.0 | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

HEALTHSOUTH REHAB. HOSPITAL OF UTAH
 PEER GROUP: None (n=11)
 AFFILIATION: Rehab. Svcs. Corp.

COUNTY: Salt Lake
 BED SIZE: 63

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | 1 | 0.2 | . | . |
| Not reported | . | . | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 131 | 20.9 | . | . |
| Another hospital | 48 | 7.7 | . | . |
| Skilled nursing facility | 124 | 19.8 | . | . |
| Intermediate care | . | . | . | . |
| Another type of institution | 2 | 0.3 | . | . |
| Under care of home service | 321 | 51.2 | . | . |
| Left against medical advice | 1 | 0.2 | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | . | . | . | . |
| Not reported | . | . | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 365 | 58.2 | . | . |
| Medicaid | . | . | . | . |
| Other government | 4 | 0.6 | . | . |
| Blue Cross/Blue Shield | 46 | 7.3 | . | . |
| Other commercial | 48 | 7.7 | . | . |
| Managed care | 151 | 24.1 | . | . |
| Self pay | 2 | 0.3 | . | . |
| Industrial/Worker's Comp | 11 | 1.8 | . | . |
| Charity | . | . | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | . | . | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | . | . |
| Central Utah | 8 | 1.3 | . | . |
| Davis County | 12 | 1.9 | . | . |
| Salt Lake County | 507 | 80.9 | . | . |
| Southeastern Utah | 10 | 1.6 | . | . |
| Southwest Utah | 9 | 1.4 | . | . |
| Summit County | 9 | 1.4 | . | . |
| Tooele County | 11 | 1.8 | . | . |
| Tri-County | 2 | 0.3 | . | . |
| Utah County | 23 | 3.7 | . | . |
| Wasatch County | 3 | 0.5 | . | . |
| Weber/Morgan | 2 | 0.3 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 31 | 4.9 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

THE ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 36
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,824 | 100.0 | | | 58,875,493 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgical (Age 0-17) | 3 | 0.2 | | | 68,743 | 0.1 | | |
| Other Medical | 10 | 0.5 | | | 72,457 | 0.1 | | |
| Other Surgical | 1,811 | 99.3 | | | 58,734,292 | 99.8 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 2 | 0.1 | | | 26,779 | 0.0 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | . | . | | | . | . | | |
| 4 Respiratory System | . | . | | | . | . | | |
| 5 Circulatory System | . | . | | | . | . | | |
| 6 Digestive System | . | . | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | . | . | | | . | . | | |
| 8 Musculoskeletal System & Conn Tissue | 1,805 | 99.0 | | | 58,596,189 | 99.5 | | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | | | . | . | | |
| 10 Endocrine, Nutritional & Metabolic | 2 | 0.1 | | | 19,136 | 0.0 | | |
| 11 Kidney & Urinary Tract | . | . | | | . | . | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | | | . | . | | |
| 18 Infectious and Parasitic Diseases | 8 | 0.4 | | | 119,785 | 0.2 | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 6 | 0.3 | | | 111,039 | 0.2 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | 1 | 0.1 | | | 2,564 | 0.0 | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

| | | |
|---|---------------------------|---------------------------------------|
| THE ORTHOPEDIC SPECIALTY HOSPITAL | COUNTY: Salt Lake | BED SIZE: 36 |
| PEER GROUP: None (n=11) | OWNERSHIP: Not for profit | AFFILIATION: Intermountain Healthcare |
| UHDBB CASE MIX INDEX = Not calculated for this hospital | % CHARGE OUTLIER=0.33 | % LOS OUTLIER=0.22 |

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|-----------------------|------------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 1,824 | 58,875,493 | | 4,298.00 | | | |
| Facility Charges (total) | . | 58,875,493 | | . | | | |
| Facility Charges & LOS (average) | . | 32,278 | | 2.36 | | | |
| Facility Charges & LOS (adjusted average)* | . | 32,129 | | 2.35 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | Average LOS (days)*** | | | |
| 001 Craniotomy age >17 with CC | . | . | | . | | | |
| 003 Craniotomy age 0-17 | . | . | | . | | | |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | | . | | | |
| 075 Major chest procedures | . | . | | . | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | | . | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | | . | | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | | . | | | |
| 104 Cardiac valve/cardi thor w card cath | . | . | | . | | | |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | | . | | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | . | | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | . | | | |
| 108 Other cardiothoracic procedures | . | . | | . | | | |
| 110 Major cardiovascular procedures w cc | . | . | | . | | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | | . | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | | . | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | | . | | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | | . | | | |
| 124 Circ disrd exc AMI w card cath & cmlpx | . | . | | . | | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | | . | | | |
| 127 Heart failure & shock | . | . | | . | | | |
| 140 Angina pectoris | . | . | | . | | | |
| 143 Chest pain | . | . | | . | | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | | . | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | | . | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | | . | | | |
| 174 G.I. hemorrhage w cc | . | . | | . | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | | . | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | | . | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | | . | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | | . | | | |
| 544 Mjr jnt replace/reattach, low extrem | 964 | 34,320 | | 2.78 | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

THE ORTHOPEDIC SPECIALTY HOSPITAL

PEER GROUP: None (n=11)

UHDBB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake

OWNERSHIP: Not for profit

% CHARGE OUTLIER=0.33

BED SIZE: 36

AFFILIATION: Intermountain Healthcare

% LOS OUTLIER=0.22

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 4 | | | 34,647 | | | 3.00 | | |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 15 | | | 20,515 | | | 1.73 | | |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | | | . | | | . | | |
| 358 Uterine & adnexa prcd nonmalig w cc | . | | | . | | | . | | |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | | | . | | | . | | |
| 370 Cesarean section with cc | . | | | . | | | . | | |
| 371 Cesarean section without cc | . | | | . | | | . | | |
| 372 Vaginal delivery w complicating diag | . | | | . | | | . | | |
| 373 Vaginal deliv w/o complicating diag | . | | | . | | | . | | |
| 374 Vaginal delivery w sterilization/D&C | . | | | . | | | . | | |
| 383 Other antepartum diag w med complic | . | | | . | | | . | | |
| 385 Neonates died/transf to acute care fac | . | | | . | | | . | | |
| 386 Extreme immatur/resp dist synd,neonate | . | | | . | | | . | | |
| 387 Prematurity w major problems | . | | | . | | | . | | |
| 389 Full term neonate w major problems | . | | | . | | | . | | |
| 390 Neonate w other significant problems | . | | | . | | | . | | |
| 391 Normal newborn | . | | | . | | | . | | |
| 410 Chemo w/o acute leukemia as sec dia | . | | | . | | | . | | |
| 578 Infect/parasitic diseases with OR proc | . | | | . | | | . | | |
| 430 Psychoses | . | | | . | | | . | | |
| 521 Alc/drug abuse or depnd w cc | . | | | . | | | . | | |
| 462 Rehabilitation | . | | | . | | | . | | |
| 468 Extensive OR proc unrelated to p.d. | . | | | . | | | . | | |
| 565 Resp sys diagnos with vent supp 96+ hr | . | | | . | | | . | | |
| 481 Bone marrow transplant | . | | | . | | | . | | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | | | . | | | . | | |
| 486 Other OR proc for mult signif trauma | . | | | . | | | . | | |
| 499 Back & neck procedures w cc | 16 | | | 11,879 | | | 1.81 | | |
| 500 Back & Neck Procedures w/o CC | 147 | | | 8,112 | | | 1.07 | | |
| 502 Knee procedures w/o cc | 2 | | | 9,181 | | | 1.00 | | |
| 470 Ungroupable | . | | | . | | | . | | |
| All Other DRGs | 676 | | | 35,042 | | | 2.04 | | |

* Adjusted by UHDBB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

THE ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 36
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 780 | 34,316 | | 2.86 | | | |
| Major or Extreme SOI | 22 | 38,548 | | 3.36 | | | |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 31 | 22,866 | | 1.71 | | | |
| Major or Extreme SOI | 2 | 24,237 | | 4.50 | | | |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

THE ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 36
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. _____ Average Facility Charges (\$) ** _____ | | | _____ Length of Stay (Day) ** _____ | | |
|--|---|--------|--------|-------------------------------------|------|--------|
| | _____ Hospital _____ | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | |
| Minor or Moderate SOI | 157 | 8,260 | | 1.11 | | |
| Major or Extreme SOI | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| All other APRDRGs | 832 | 34,793 | | 2.11 | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

THE ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: Intermountain Healthcare

COUNTY: Salt Lake
 BED SIZE: 36

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 1,045 | 57.3 | | |
| Male | 779 | 42.7 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | 3 | 0.2 | | |
| 18-19 | 3 | 0.2 | | |
| 20-24 | 14 | 0.8 | | |
| 25-29 | 19 | 1.0 | | |
| 30-34 | 41 | 2.2 | | |
| 35-39 | 55 | 3.0 | | |
| 40-44 | 53 | 2.9 | | |
| 45-49 | 99 | 5.4 | | |
| 50-54 | 193 | 10.6 | | |
| 55-59 | 259 | 14.2 | | |
| 60-64 | 320 | 17.5 | | |
| 65-69 | 304 | 16.7 | | |
| 70-74 | 213 | 11.7 | | |
| 75-79 | 171 | 9.4 | | |
| 80-84 | 51 | 2.8 | | |
| 85-89 | 21 | 1.2 | | |
| 90 + | 5 | 0.3 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | 20 | 1.1 | | |
| Elective | 1,804 | 98.9 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 105 | 5.8 | | |
| Clinic referral | 1,705 | 93.5 | | |
| HMO Referral | . | . | | |
| Other hospital | 14 | 0.8 | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

THE ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: Intermountain Healthcare

COUNTY: Salt Lake
 BED SIZE: 36

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | . | . | . | . |
| Not reported | . | . | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 328 | 18.0 | . | . |
| Another hospital | 11 | 0.6 | . | . |
| Skilled nursing facility | 218 | 12.0 | . | . |
| Intermediate care | . | . | . | . |
| Another type of institution | 7 | 0.4 | . | . |
| Under care of home service | 375 | 20.6 | . | . |
| Left against medical advice | . | . | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | . | . | . | . |
| Not reported | 885 | 48.5 | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 708 | 38.8 | . | . |
| Medicaid | 22 | 1.2 | . | . |
| Other government | 17 | 0.9 | . | . |
| Blue Cross/Blue Shield | 90 | 4.9 | . | . |
| Other commercial | 53 | 2.9 | . | . |
| Managed care | 893 | 49.0 | . | . |
| Self pay | 5 | 0.3 | . | . |
| Industrial/Worker's Comp | 34 | 1.9 | . | . |
| Charity | 1 | 0.1 | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | 1 | 0.1 | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 25 | 1.4 | . | . |
| Central Utah | 24 | 1.3 | . | . |
| Davis County | 104 | 5.7 | . | . |
| Salt Lake County | 1,309 | 71.8 | . | . |
| Southeastern Utah | 6 | 0.3 | . | . |
| Southwest Utah | 17 | 0.9 | . | . |
| Summit County | 28 | 1.5 | . | . |
| Tooele County | 36 | 2.0 | . | . |
| Tri-County | 14 | 0.8 | . | . |
| Utah County | 169 | 9.3 | . | . |
| Wasatch County | 8 | 0.4 | . | . |
| Weber/Morgan | 19 | 1.0 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 65 | 3.6 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 289
 AFFILIATION: Intermountain Healthcare

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 14,340 | 100.0 | | | 383,311,326 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | 3 | 0.0 | | | 65,864 | 0.0 | | |
| Obstetric (MDC 14) | 2 | 0.0 | | | 25,526 | 0.0 | | |
| Pediatric Medical (Age 0-17) | 8,972 | 62.6 | | | 161,107,790 | 42.0 | | |
| Pediatric Surgical (Age 0-17) | 4,285 | 29.9 | | | 195,925,919 | 51.1 | | |
| Other Medical | 251 | 1.8 | | | 6,488,885 | 1.7 | | |
| Other Surgical | 157 | 1.1 | | | 8,090,503 | 2.1 | | |
| Psychiatric (MDC 19) | 610 | 4.3 | | | 8,731,581 | 2.3 | | |
| Rehabilitation (DRG 462) | 59 | 0.4 | | | 2,864,405 | 0.7 | | |
| Unknown (DRG 469-470) | 1 | 0.0 | | | 10,853 | 0.0 | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 1,652 | 11.5 | | | 36,906,714 | 9.6 | | |
| 2 Eye | 51 | 0.4 | | | 597,550 | 0.2 | | |
| 3 Ear, Nose, Mouth & Throat | 953 | 6.6 | | | 14,847,081 | 3.9 | | |
| 4 Respiratory System | 2,439 | 17.0 | | | 58,207,925 | 15.2 | | |
| 5 Circulatory System | 769 | 5.4 | | | 58,530,188 | 15.3 | | |
| 6 Digestive System | 1,753 | 12.2 | | | 40,654,884 | 10.6 | | |
| 7 Hepatobiliary System & Pancreas | 148 | 1.0 | | | 7,074,750 | 1.8 | | |
| 8 Musculoskeletal System & Conn Tissue | 1,363 | 9.5 | | | 34,246,025 | 8.9 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 334 | 2.3 | | | 3,142,271 | 0.8 | | |
| 10 Endocrine, Nutritional & Metabolic | 818 | 5.7 | | | 9,700,567 | 2.5 | | |
| 11 Kidney & Urinary Tract | 529 | 3.7 | | | 10,344,080 | 2.7 | | |
| 12 Male Reproductive System | 10 | 0.1 | | | 134,013 | 0.0 | | |
| 13 Female Reproductive System | 42 | 0.3 | | | 456,105 | 0.1 | | |
| 14 Pregnancy, Childbirth & Puerperium | 2 | 0.0 | | | 25,526 | 0.0 | | |
| 15 Newborn & Other Neonates | 653 | 4.6 | | | 40,511,456 | 10.6 | | |
| 16 Blood and Blood-Forming Disorders | 361 | 2.5 | | | 8,679,119 | 2.3 | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 678 | 4.7 | | | 24,611,052 | 6.4 | | |
| 18 Infectious and Parasitic Diseases | 496 | 3.5 | | | 11,792,789 | 3.1 | | |
| 19 Mental Diseases and Disorders | 610 | 4.3 | | | 8,731,581 | 2.3 | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 9 | 0.1 | | | 74,738 | 0.0 | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 323 | 2.3 | | | 4,756,157 | 1.2 | | |
| 22 Burns | 1 | 0.0 | | | 10,835 | 0.0 | | |
| 23 Factors Influencing Health Status | 245 | 1.7 | | | 5,300,734 | 1.4 | | |
| 24 Multiple Significant Trauma | 100 | 0.7 | | | 3,964,331 | 1.0 | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | 1 | 0.0 | | | 10,853 | 0.0 | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None (n=11)
 UHDBB CASE MIX INDEX = 1.3451

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.40

BED SIZE: 289
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.99

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 14,340 | 384,944,958 | | | 68622.00 | | |
| Facility Charges (total) | . | 383,311,326 | | | . | | |
| Facility Charges & LOS (average) | . | 26,730 | | | 4.79 | | |
| Facility Charges & LOS (adjusted average)* | . | 17,603 | | | 3.01 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | 1 | 52,446 | | | 8.00 | | |
| 003 Craniotomy age 0-17 | 340 | 43,447 | | | 5.14 | | |
| 014 Intracranial hemorrhage/ cereb infarc | 13 | 19,755 | | | 2.85 | | |
| 075 Major chest procedures | 83 | 37,703 | | | 6.05 | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 4 | 31,311 | | | 6.33 | | |
| 091 Simple pneumonia & pleurisy age 0-17 | 341 | 11,052 | | | 2.75 | | |
| 098 Bronchitis & asthma Age 0-17 | 1,447 | 8,728 | | | 2.36 | | |
| 104 Cardiac valve/cardi thor w card cath | 18 | 95,320 | | | 2.59 | | |
| 105 Cardiac valve/cardi thor w/o card cath | 78 | 72,268 | | | 5.90 | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | | . | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | | . | | |
| 108 Other cardiothoracic procedures | 176 | 97,330 | | | 10.42 | | |
| 110 Major cardiovascular procedures w cc | 81 | 98,436 | | | 12.46 | | |
| 555 Perc. cardiovascular procedures w MCV | 3 | 52,299 | | | 2.33 | | |
| 552 Other cardiac pacemaker implnt w/o MCV | 5 | 211,423 | | | 35.25 | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | | | . | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | | | . | | |
| 124 Circ disrd exc AMI w card cath & cmplx | 3 | 52,598 | | | 6.33 | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | 17 | 23,953 | | | 2.59 | | |
| 127 Heart failure & shock | 16 | 25,159 | | | 4.29 | | |
| 140 Angina pectoris | . | . | | | . | | |
| 143 Chest pain | 6 | 7,015 | | | 1.00 | | |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | 40 | 49,071 | | | 9.66 | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | | | . | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 256 | 7,896 | | | 1.09 | | |
| 174 G.I. hemorrhage w cc | 29 | 14,809 | | | 2.46 | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 15 | 12,148 | | | 2.73 | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 6 | 8,010 | | | 2.00 | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | 3 | 33,789 | | | 3.50 | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 3 | 10,639 | | | 2.00 | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | | | . | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = 1.3451

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.40

BED SIZE: 289
 AFFILIATION: Intermountain Healthcare
 % LOS OUTLIER=2.99

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|---------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 4 | | 20,229 | | 2.25 | | |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 2 | | 33,175 | | 1.00 | | |
| 296 Nutrition/misc metabol disrdr >17 w cc | 4 | | 5,503 | | 1.00 | | |
| 358 Uterine & adnexa prcd nonmalig w cc | 5 | | 19,071 | | 3.60 | | |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 19 | | 10,291 | | 1.58 | | |
| 370 Cesarean section with cc | . | | . | | . | | |
| 371 Cesarean section without cc | . | | . | | . | | |
| 372 Vaginal delivery w complicating diag | . | | . | | . | | |
| 373 Vaginal deliv w/o complicating diag | . | | . | | . | | |
| 374 Vaginal delivery w sterilization/D&C | . | | . | | . | | |
| 383 Other antepartum diag w med complic | 2 | | 12,763 | | 3.50 | | |
| 385 Neonates died/transf to acute care fac | 30 | | 85,777 | | 13.00 | | |
| 386 Extreme immatur/resp dist synd,neonate | 38 | | 306,140 | | 57.11 | | |
| 387 Prematurity w major problems | 47 | | 62,117 | | 13.53 | | |
| 389 Full term neonate w major problems | 328 | | 27,006 | | 5.70 | | |
| 390 Neonate w other significant problems | 124 | | 9,420 | | 2.08 | | |
| 391 Normal newborn | 53 | | 4,342 | | 1.21 | | |
| 410 Chemo w/o acute leukemia as sec dia | 370 | | 13,310 | | 2.85 | | |
| 578 Infect/parasitic diseases with OR proc | 29 | | 71,580 | | 10.76 | | |
| 430 Psychoses | 456 | | 14,991 | | 7.44 | | |
| 521 Alc/drug abuse or depnd w cc | 1 | | 5,715 | | 2.00 | | |
| 462 Rehabilitation | 59 | | 35,678 | | 12.85 | | |
| 468 Extensive OR proc unrelated to p.d. | 61 | | 57,865 | | 9.98 | | |
| 565 Resp sys diagnos with vent supp 96+ hr | 100 | | 85,110 | | 13.52 | | |
| 481 Bone marrow transplant | 30 | | 260,720 | | 31.00 | | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 48 | | 472,303 | | 46.22 | | |
| 486 Other OR proc for mult signif trauma | 19 | | 59,865 | | 9.17 | | |
| 499 Back & neck procedures w cc | 2 | | 25,545 | | 5.50 | | |
| 500 Back & Neck Procedures w/o CC | 4 | | 12,751 | | 1.75 | | |
| 502 Knee procedures w/o cc | 5 | | 16,064 | | 3.20 | | |
| 470 Ungroupable | 1 | | 10,853 | | 1.00 | | |
| All Other DRGs | 9,515 | | 18,874 | | 3.28 | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 289
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$)*** | | | Length of Stay (Day)** | | |
|--|------------|----------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 5 | 15,096 | | | 2.25 | | |
| Major or Extreme SOI | 3 | 31,737 | | | 4.33 | | |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 197 | 7,902 | | | 2.33 | | |
| Major or Extreme SOI | 96 | 23,029 | | | 4.76 | | |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | 461 | 7,749 | | | 2.00 | | |
| Major or Extreme SOI | 56 | 17,403 | | | 4.15 | | |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | 23 | 43,150 | | | 1.31 | | |
| Major or Extreme SOI | 6 | 49,121 | | | 2.17 | | |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | 2 | 19,784 | | | 1.00 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 1 | 15,659 | | | 1.00 | | |
| Major or Extreme SOI | 16 | 22,240 | | | 4.69 | | |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 31 | 8,933 | | | 2.05 | | |
| Major or Extreme SOI | 9 | 8,033 | | | 2.17 | | |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 80 | 26,287 | | | 5.24 | | |
| Major or Extreme SOI | 36 | 65,188 | | | 11.33 | | |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | 436 | 11,126 | | | 2.18 | | |
| Major or Extreme SOI | 11 | 20,479 | | | 4.11 | | |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 157 | 7,296 | | | 1.92 | | |
| Major or Extreme SOI | 80 | 12,580 | | | 3.05 | | |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 2 | 42,798 | | | 4.50 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 84 | 15,363 | | | 1.89 | | |
| Major or Extreme SOI | 8 | 35,931 | | | 5.13 | | |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 75 | 9,375 | | | 2.73 | | |
| Major or Extreme SOI | 83 | 14,971 | | | 3.91 | | |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 289
 AFFILIATION: Intermountain Healthcare

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 23 | 11,728 | | | 1.95 | | |
| Major or Extreme SOI | 1 | 21,152 | | | 5.00 | | |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | 232 | 13,850 | | | 6.95 | | |
| Major or Extreme SOI | 22 | 17,919 | | | 8.64 | | |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | 89 | 4,144 | | | 1.54 | | |
| Major or Extreme SOI | 75 | 7,001 | | | 1.93 | | |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | 4 | 6,062 | | | . | | |
| Major or Extreme SOI | 1 | 15,712 | | | 7.00 | | |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 3 | 13,625 | | | 2.00 | | |
| Major or Extreme SOI | 2 | 10,698 | | | 1.00 | | |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 22 | 12,560 | | | 1.63 | | |
| Major or Extreme SOI | 4 | 11,908 | | | 1.75 | | |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 6 | 11,883 | | | 2.75 | | |
| Major or Extreme SOI | 10 | 15,853 | | | 3.60 | | |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | 1 | 17,175 | | | 1.00 | | |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 281 | 6,273 | | | 1.67 | | |
| Major or Extreme SOI | 45 | 20,428 | | | 4.37 | | |
| All other APRDRGs | 11,561 | 26,406 | | | 4.55 | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None (n=11)
 AFFILIATION: Intermountain Healthcare

COUNTY: Salt Lake
 BED SIZE: 289

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 6,588 | 45.9 | | |
| Male | 7,752 | 54.1 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | 934 | 6.5 | | |
| 29-365 days | 2,802 | 19.5 | | |
| 1-4 years | 3,521 | 24.6 | | |
| 5-9 | 2,567 | 17.9 | | |
| 10-14 | 2,554 | 17.8 | | |
| 15-17 | 1,533 | 10.7 | | |
| 18-19 | 250 | 1.7 | | |
| 20-24 | 128 | 0.9 | | |
| 25-29 | 39 | 0.3 | | |
| 30-34 | 7 | 0.0 | | |
| 35-39 | 3 | 0.0 | | |
| 40-44 | 1 | 0.0 | | |
| 45-49 | . | . | | |
| 50-54 | . | . | | |
| 55-59 | 1 | 0.0 | | |
| 60-64 | . | . | | |
| 65-69 | . | . | | |
| 70-74 | . | . | | |
| 75-79 | . | . | | |
| 80-84 | . | . | | |
| 85-89 | . | . | | |
| 90 + | . | . | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | 650 | 4.5 | | |
| Urgent | 8,633 | 60.2 | | |
| Elective | 4,743 | 33.1 | | |
| Newborn | 2 | 0.0 | | |
| Trauma Center | 312 | 2.2 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 5,983 | 41.7 | | |
| Clinic referral | 6,150 | 42.9 | | |
| HMO Referral | . | . | | |
| Other hospital | 2,181 | 15.2 | | |
| Skilled nursing facility | 7 | 0.0 | | |
| Other health care facility | 14 | 0.1 | | |
| Emergency room | . | . | | |
| Court/law enforcement | 2 | 0.0 | | |
| Normal delivery/Born Inside | 1 | 0.0 | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None (n=11) COUNTY: Salt Lake
 AFFILIATION: Intermountain Healthcare BED SIZE: 289

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | 1 | 0.0 | . | . |
| Unknown | 1 | 0.0 | . | . |
| Not reported | . | . | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 6,500 | 45.3 | . | . |
| Another hospital | 27 | 0.2 | . | . |
| Skilled nursing facility | 9 | 0.1 | . | . |
| Intermediate care | 1 | 0.0 | . | . |
| Another type of institution | 252 | 1.8 | . | . |
| Under care of home service | 749 | 5.2 | . | . |
| Left against medical advice | 3 | 0.0 | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | 111 | 0.8 | . | . |
| Not reported | 6,688 | 46.6 | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 45 | 0.3 | . | . |
| Medicaid | 5,036 | 35.1 | . | . |
| Other government | 295 | 2.1 | . | . |
| Blue Cross/Blue Shield | 2,077 | 14.5 | . | . |
| Other commercial | 1,006 | 7.0 | . | . |
| Managed care | 5,489 | 38.3 | . | . |
| Self pay | 148 | 1.0 | . | . |
| Industrial/Worker's Comp | 1 | 0.0 | . | . |
| Charity | 9 | 0.1 | . | . |
| Children's Health Insurance Plan | 227 | 1.6 | . | . |
| Not reported | 7 | 0.0 | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 505 | 3.5 | . | . |
| Central Utah | 216 | 1.5 | . | . |
| Davis County | 1,504 | 10.5 | . | . |
| Salt Lake County | 6,622 | 46.2 | . | . |
| Southeastern Utah | 170 | 1.2 | . | . |
| Southwest Utah | 308 | 2.1 | . | . |
| Summit County | 163 | 1.1 | . | . |
| Tooele County | 391 | 2.7 | . | . |
| Tri-County | 200 | 1.4 | . | . |
| Utah County | 1,635 | 11.4 | . | . |
| Wasatch County | 80 | 0.6 | . | . |
| Weber/Morgan | 778 | 5.4 | . | . |
| Unknown Utah | 2 | 0.0 | . | . |
| Outside Utah | 1,765 | 12.3 | . | . |
| Unknown | 1 | 0.0 | . | . |

* No comparable hospitals.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

PROMISE HOSPITAL OF SALT LAKE, INC WEST
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 41
 AFFILIATION: Promise Healthcare, Inc.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 416 | 100.0 | | | 64,363,366 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgical (Age 0-17) | . | . | | | . | . | | |
| Other Medical | 290 | 69.7 | | | 39,863,411 | 61.9 | | |
| Other Surgical | 126 | 30.3 | | | 24,499,955 | 38.1 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 13 | 3.1 | | | 1,909,466 | 3.0 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | . | . | | | . | . | | |
| 4 Respiratory System | 147 | 35.3 | | | 27,164,653 | 42.2 | | |
| 5 Circulatory System | 12 | 2.9 | | | 1,383,130 | 2.1 | | |
| 6 Digestive System | 16 | 3.8 | | | 2,445,871 | 3.8 | | |
| 7 Hepatobiliary System & Pancreas | 6 | 1.4 | | | 792,264 | 1.2 | | |
| 8 Musculoskeletal System & Conn Tissue | 72 | 17.3 | | | 8,749,738 | 13.6 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 51 | 12.3 | | | 9,560,922 | 14.9 | | |
| 10 Endocrine, Nutritional & Metabolic | 16 | 3.8 | | | 2,059,879 | 3.2 | | |
| 11 Kidney & Urinary Tract | 18 | 4.3 | | | 1,588,853 | 2.5 | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 1 | 0.2 | | | 12,983 | 0.0 | | |
| 18 Infectious and Parasitic Diseases | 28 | 6.7 | | | 3,851,059 | 6.0 | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 32 | 7.7 | | | 4,613,427 | 7.2 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | 3 | 0.7 | | | 89,362 | 0.1 | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.2 | | | 141,762 | 0.2 | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PROMISE HOSPITAL OF SALT LAKE, INC WEST
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=21.6

BED SIZE: 41
 AFFILIATION: Promise Healthcare, Inc.
 % LOS OUTLIER=24.5

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|------|---------|----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 416 | 64,363,366 | | | 12362.00 | | |
| Facility Charges (total) | . | 64,363,366 | | | . | | |
| Facility Charges & LOS (average) | . | 154,720 | | | 29.72 | | |
| Facility Charges & LOS (adjusted average)* | . | 130,243 | | | 26.08 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | | | . | | |
| 003 Craniotomy age 0-17 | . | . | | | . | | |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | | | . | | |
| 075 Major chest procedures | 1 | 47,625 | | | 8.00 | | |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | | | . | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | | | . | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | | | . | | |
| 104 Cardiac valve/cardi thor w card cath | . | . | | | . | | |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | | | . | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | | . | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | | . | | |
| 108 Other cardiothoracic procedures | . | . | | | . | | |
| 110 Major cardiovascular procedures w cc | . | . | | | . | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | | | . | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | | | . | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 1 | 20,721 | | | 9.00 | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | | | . | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | | | . | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | | | . | | |
| 127 Heart failure & shock | 2 | 53,558 | | | 19.00 | | |
| 140 Angina pectoris | . | . | | | . | | |
| 143 Chest pain | . | . | | | . | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | | | . | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | | | . | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | | | . | | |
| 174 G.I. hemorrhage w cc | . | . | | | . | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | | | . | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | | | . | | |
| 197 Cholocystectomy exc lap w/o CDE w cc | . | . | | | . | | |
| 198 Cholocystectomy exc lap w/o CDE w/o cc | . | . | | | . | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | | | . | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PROMISE HOSPITAL OF SALT LAKE, INC WEST
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=21.6

BED SIZE: 41
 AFFILIATION: Promise Healthcare, Inc.
 % LOS OUTLIER=24.5

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | . | . | . | . | . | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | . | . | . | . | . | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | 4 | | | 98,312 | | | 22.50 | | |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | . | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | . | . | . |
| 370 Cesarean section with cc | . | . | . | . | . | . | . | . | . |
| 371 Cesarean section without cc | . | . | . | . | . | . | . | . | . |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | . | . | . |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | . | . | . |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . | . | . | . | . |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | . | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . | . | . | . | . |
| 389 Full term neonate w major problems | . | . | . | . | . | . | . | . | . |
| 390 Neonate w other significant problems | . | . | . | . | . | . | . | . | . |
| 391 Normal newborn | . | . | . | . | . | . | . | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | . | . | . | . | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | . | . | . | . | . | . | . |
| 430 Psychoses | . | . | . | . | . | . | . | . | . |
| 521 Alc/drug abuse or depnd w cc | . | . | . | . | . | . | . | . | . |
| 462 Rehabilitation | . | . | . | . | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | 4 | | | 170,370 | | | 34.25 | | |
| 565 Resp sys diagnos with vent supp 96+ hr | 66 | | | 193,214 | | | 29.84 | | |
| 481 Bone marrow transplant | 1 | | | 123,504 | | | 33.00 | | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | . | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | . | . | . |
| 470 Ungroupable | . | . | . | . | . | . | . | . | . |
| All Other DRGs | 337 | | | 115,950 | | | 25.18 | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PROMISE HOSPITAL OF SALT LAKE, INC WEST
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 41
 AFFILIATION: Promise Healthcare, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. _____Average Facility Charges (\$)***_____ | | | ____Length of Stay (Day)**_____ | | |
|---|---|---------|--------|---------------------------------|------|--------|
| | _____ Hospital_____ | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 139 OTHER PNEUMONIA | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 141 ASTHMA | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 194 HEART FAILURE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | 3 | 37,140 | . | 14.00 | . | . |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 225 APPENDECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 302 KNEE JOINT REPLACEMENT | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | 3 | 104,640 | . | 22.50 | . | . |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PROMISE HOSPITAL OF SALT LAKE, INC WEST
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 41
 AFFILIATION: Promise Healthcare, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. _____ Average Facility Charges (\$) ** _____ | | | _____ Length of Stay (Day) ** _____ | | |
|--|---|---------|--------|-------------------------------------|------|--------|
| | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | 1 | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | 2 | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | 3 | 101,903 | . | 24.50 | . | . |
| All other APRDRGs | 404 | 131,162 | . | 26.19 | . | . |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PROMISE HOSPITAL OF SALT LAKE, INC WEST
 PEER GROUP: None (n=11)
 AFFILIATION: Promise Healthcare, Inc.

COUNTY: Salt Lake
 BED SIZE: 41

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 198 | 47.6 | | |
| Male | 218 | 52.4 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | . | . | | |
| 18-19 | 2 | 0.5 | | |
| 20-24 | 2 | 0.5 | | |
| 25-29 | 5 | 1.2 | | |
| 30-34 | 8 | 1.9 | | |
| 35-39 | 11 | 2.6 | | |
| 40-44 | 10 | 2.4 | | |
| 45-49 | 25 | 6.0 | | |
| 50-54 | 33 | 7.9 | | |
| 55-59 | 53 | 12.7 | | |
| 60-64 | 53 | 12.7 | | |
| 65-69 | 63 | 15.1 | | |
| 70-74 | 64 | 15.4 | | |
| 75-79 | 45 | 10.8 | | |
| 80-84 | 26 | 6.3 | | |
| 85-89 | 13 | 3.1 | | |
| 90 + | 3 | 0.7 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | 416 | 100.0 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 8 | 1.9 | | |
| Clinic referral | 13 | 3.1 | | |
| HMO Referral | . | . | | |
| Other hospital | 389 | 93.5 | | |
| Skilled nursing facility | 6 | 1.4 | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

PROMISE HOSPITAL OF SALT LAKE, INC WEST
 PEER GROUP: None (n=11) COUNTY: Salt Lake
 AFFILIATION: Promise Healthcare, Inc. BED SIZE: 41

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | . | . | . | . |
| Not reported | . | . | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 10 | 2.4 | . | . |
| Another hospital | 39 | 9.4 | . | . |
| Skilled nursing facility | 199 | 47.8 | . | . |
| Intermediate care | . | . | . | . |
| Another type of institution | 44 | 10.6 | . | . |
| Under care of home service | 77 | 18.5 | . | . |
| Left against medical advice | . | . | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | 47 | 11.3 | . | . |
| Not reported | . | . | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 286 | 68.8 | . | . |
| Medicaid | 8 | 1.9 | . | . |
| Other government | 9 | 2.2 | . | . |
| Blue Cross/Blue Shield | 30 | 7.2 | . | . |
| Other commercial | 14 | 3.4 | . | . |
| Managed care | 66 | 15.9 | . | . |
| Self pay | . | . | . | . |
| Industrial/Worker's Comp | 3 | 0.7 | . | . |
| Charity | . | . | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | . | . | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 13 | 3.1 | . | . |
| Central Utah | . | . | . | . |
| Davis County | 34 | 8.2 | . | . |
| Salt Lake County | 208 | 50.0 | . | . |
| Southeastern Utah | 3 | 0.7 | . | . |
| Southwest Utah | 8 | 1.9 | . | . |
| Summit County | 4 | 1.0 | . | . |
| Tooele County | 19 | 4.6 | . | . |
| Tri-County | 11 | 2.6 | . | . |
| Utah County | 8 | 1.9 | . | . |
| Wasatch County | . | . | . | . |
| Weber/Morgan | 34 | 8.2 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 74 | 17.8 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

SHRINER'S HOSPITAL FOR CHILDREN
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 45
 AFFILIATION: Shriner's

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 440 | 100.0 | | | 12,706,730 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | 153 | 34.8 | | | 2,038,757 | 16.0 | | |
| Pediatric Surgical (Age 0-17) | 259 | 58.9 | | | 9,568,756 | 75.3 | | |
| Other Medical | 7 | 1.6 | | | 76,389 | 0.6 | | |
| Other Surgical | 19 | 4.3 | | | 912,786 | 7.2 | | |
| Psychiatric (MDC 19) | 1 | 0.2 | | | 89,443 | 0.7 | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Unknown (DRG 469-470) | 1 | 0.2 | | | 20,600 | 0.2 | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 4 | 0.9 | | | 119,293 | 0.9 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | 3 | 0.7 | | | 60,443 | 0.5 | | |
| 4 Respiratory System | . | . | | | . | . | | |
| 5 Circulatory System | 1 | 0.2 | | | 146,121 | 1.1 | | |
| 6 Digestive System | . | . | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | . | . | | | . | . | | |
| 8 Musculoskeletal System & Conn Tissue | 416 | 94.5 | | | 11,854,646 | 93.3 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 5 | 1.1 | | | 70,719 | 0.6 | | |
| 10 Endocrine, Nutritional & Metabolic | . | . | | | . | . | | |
| 11 Kidney & Urinary Tract | . | . | | | . | . | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | | | . | . | | |
| 18 Infectious and Parasitic Diseases | 5 | 1.1 | | | 222,878 | 1.8 | | |
| 19 Mental Diseases and Disorders | 1 | 0.2 | | | 89,443 | 0.7 | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 2 | 0.5 | | | 99,530 | 0.8 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | 2 | 0.5 | | | 23,059 | 0.2 | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | 1 | 0.2 | | | 20,600 | 0.2 | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SHRINER'S HOSPITAL FOR CHILDREN
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.05

BED SIZE: 45
 AFFILIATION: Shriner's
 % LOS OUTLIER=2.95

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|---|--------------|---------------------------------|------|---------|----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 440 | 12,706,730 | | | 1,083.00 | | |
| Facility Charges (total) | . | 12,706,730 | | | . | | |
| Facility Charges & LOS (average) | . | 28,879 | | | 2.46 | | |
| Facility Charges & LOS (adjusted average)* | . | 27,662 | | | 2.22 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | | | . | | |
| 003 Craniotomy age 0-17 | . | . | | | . | | |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | | | . | | |
| 075 Major chest procedures | . | . | | | . | | |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | | | . | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | | | . | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | | | . | | |
| 104 Cardiac valve/cardiorthor w card cath | . | . | | | . | | |
| 105 Cardiac valve/cardiorthor w/o card cath | . | . | | | . | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | | . | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | | . | | |
| 108 Other cardiothoracic procedures | . | . | | | . | | |
| 110 Major cardiovascular procedures w cc | . | . | | | . | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | | | . | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | | | . | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | | | . | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | | | . | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | | | . | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | | | . | | |
| 127 Heart failure & shock | . | . | | | . | | |
| 140 Angina pectoris | . | . | | | . | | |
| 143 Chest pain | . | . | | | . | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | | | . | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | | | . | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | | | . | | |
| 174 G.I. hemorrhage w cc | . | . | | | . | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | | | . | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | | | . | | |
| 197 Cholocystectomy exc lap w/o CDE w cc | . | . | | | . | | |
| 198 Cholocystectomy exc lap w/o CDE w/o cc | . | . | | | . | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | | | . | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SHRINER'S HOSPITAL FOR CHILDREN
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.05

BED SIZE: 45
 AFFILIATION: Shriner's
 % LOS OUTLIER=2.95

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | . | . | . | . | . | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 2 | . | . | 24,909 | . | . | 2.50 | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | . | . | . | . | . | . | . | . |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | . | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | . | . | . |
| 370 Cesarean section with cc | . | . | . | . | . | . | . | . | . |
| 371 Cesarean section without cc | . | . | . | . | . | . | . | . | . |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | . | . | . |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | . | . | . |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . | . | . | . | . |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | . | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . | . | . | . | . |
| 389 Full term neonate w major problems | . | . | . | . | . | . | . | . | . |
| 390 Neonate w other significant problems | . | . | . | . | . | . | . | . | . |
| 391 Normal newborn | . | . | . | . | . | . | . | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | . | . | . | . | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | . | . | . | . | . | . | . |
| 430 Psychoses | . | . | . | . | . | . | . | . | . |
| 521 Alc/drug abuse or depnd w cc | . | . | . | . | . | . | . | . | . |
| 462 Rehabilitation | . | . | . | . | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | 1 | . | . | . | . | . | . | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | . | . | . | . | . | . | . | . | . |
| 481 Bone marrow transplant | . | . | . | . | . | . | . | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | . | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | . | . | . |
| 470 Ungroupable | 1 | . | . | 20,600 | . | . | 1.00 | . | . |
| All Other DRGs | 436 | . | . | 27,691 | . | . | 2.22 | . | . |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SHRINER'S HOSPITAL FOR CHILDREN
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 45
 AFFILIATION: Shriner's

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 31 | 29,199 | | 2.47 | | | |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SHRINER'S HOSPITAL FOR CHILDREN
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 45
 AFFILIATION: Shriner's

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | 2 | 19,381 | | 1.00 | | | |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| All other APRDRGs | 407 | 27,592 | | 3.03 | | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SHRINER'S HOSPITAL FOR CHILDREN
 PEER GROUP: None (n=11)
 AFFILIATION: Shriner's

COUNTY: Salt Lake
 BED SIZE: 45

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 218 | 49.5 | | |
| Male | 222 | 50.5 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | 15 | 3.4 | | |
| 1-4 years | 48 | 10.9 | | |
| 5-9 | 85 | 19.3 | | |
| 10-14 | 182 | 41.4 | | |
| 15-17 | 84 | 19.1 | | |
| 18-19 | 21 | 4.8 | | |
| 20-24 | 5 | 1.1 | | |
| 25-29 | . | . | | |
| 30-34 | . | . | | |
| 35-39 | . | . | | |
| 40-44 | . | . | | |
| 45-49 | . | . | | |
| 50-54 | . | . | | |
| 55-59 | . | . | | |
| 60-64 | . | . | | |
| 65-69 | . | . | | |
| 70-74 | . | . | | |
| 75-79 | . | . | | |
| 80-84 | . | . | | |
| 85-89 | . | . | | |
| 90 + | . | . | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | 369 | 83.9 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | 2 | 0.5 | | |
| Not reported | 69 | 15.7 | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 364 | 82.7 | | |
| Clinic referral | 1 | 0.2 | | |
| HMO Referral | . | . | | |
| Other hospital | 3 | 0.7 | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

SHRINER'S HOSPITAL FOR CHILDREN
 PEER GROUP: None (n=11)
 AFFILIATION: Shriner's

COUNTY: Salt Lake
 BED SIZE: 45

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | 1 | 0.2 | . | . |
| Not reported | 71 | 16.1 | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 432 | 98.2 | . | . |
| Another hospital | 2 | 0.5 | . | . |
| Skilled nursing facility | . | . | . | . |
| Intermediate care | 1 | 0.2 | . | . |
| Another type of institution | 3 | 0.7 | . | . |
| Under care of home service | 2 | 0.5 | . | . |
| Left against medical advice | . | . | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | . | . | . | . |
| Not reported | . | . | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 7 | 1.6 | . | . |
| Medicaid | 2 | 0.5 | . | . |
| Other government | 4 | 0.9 | . | . |
| Blue Cross/Blue Shield | 60 | 13.6 | . | . |
| Other commercial | 40 | 9.1 | . | . |
| Managed care | 69 | 15.7 | . | . |
| Self pay | 1 | 0.2 | . | . |
| Industrial/Worker's Comp | . | . | . | . |
| Charity | 257 | 58.4 | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | . | . | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 10 | 2.3 | . | . |
| Central Utah | 3 | 0.7 | . | . |
| Davis County | 33 | 7.5 | . | . |
| Salt Lake County | 93 | 21.1 | . | . |
| Southeastern Utah | 2 | 0.5 | . | . |
| Southwest Utah | 5 | 1.1 | . | . |
| Summit County | 1 | 0.2 | . | . |
| Tooele County | 2 | 0.5 | . | . |
| Tri-County | 10 | 2.3 | . | . |
| Utah County | 41 | 9.3 | . | . |
| Wasatch County | 1 | 0.2 | . | . |
| Weber/Morgan | 16 | 3.6 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 223 | 50.7 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

UHC HUNTSMAN CANCER HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: .
 AFFILIATION: University Health Care

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 3,614 | 100.0 | | | 144,938,311 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | 8 | 0.2 | | | 217,821 | 0.2 | | |
| Pediatric Medical (Age 0-17) | 6 | 0.2 | | | 79,060 | 0.1 | | |
| Pediatric Surgical (Age 0-17) | 5 | 0.1 | | | 118,517 | 0.1 | | |
| Other Medical | 1,902 | 52.6 | | | 58,971,638 | 40.7 | | |
| Other Surgical | 1,692 | 46.8 | | | 85,547,637 | 59.0 | | |
| Psychiatric (MDC 19) | 1 | 0.0 | | | 3,638 | 0.0 | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 111 | 3.1 | | | 3,407,901 | 2.4 | | |
| 2 Eye | 3 | 0.1 | | | 24,123 | 0.0 | | |
| 3 Ear, Nose, Mouth & Throat | 112 | 3.1 | | | 4,911,512 | 3.4 | | |
| 4 Respiratory System | 309 | 8.6 | | | 10,721,396 | 7.4 | | |
| 5 Circulatory System | 93 | 2.6 | | | 3,148,611 | 2.2 | | |
| 6 Digestive System | 503 | 13.9 | | | 14,963,856 | 10.3 | | |
| 7 Hepatobiliary System & Pancreas | 161 | 4.5 | | | 7,108,848 | 4.9 | | |
| 8 Musculoskeletal System & Conn Tissue | 193 | 5.3 | | | 7,347,907 | 5.1 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 166 | 4.6 | | | 5,147,369 | 3.6 | | |
| 10 Endocrine, Nutritional & Metabolic | 117 | 3.2 | | | 2,422,060 | 1.7 | | |
| 11 Kidney & Urinary Tract | 258 | 7.1 | | | 8,158,157 | 5.6 | | |
| 12 Male Reproductive System | 141 | 3.9 | | | 4,050,653 | 2.8 | | |
| 13 Female Reproductive System | 203 | 5.6 | | | 5,350,865 | 3.7 | | |
| 14 Pregnancy, Childbirth & Puerperium | 8 | 0.2 | | | 217,821 | 0.2 | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | 179 | 5.0 | | | 7,467,224 | 5.2 | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 728 | 20.1 | | | 48,339,378 | 33.4 | | |
| 18 Infectious and Parasitic Diseases | 224 | 6.2 | | | 8,473,240 | 5.8 | | |
| 19 Mental Diseases and Disorders | 1 | 0.0 | | | 3,638 | 0.0 | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.1 | | | 63,614 | 0.0 | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 49 | 1.4 | | | 2,631,860 | 1.8 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | 52 | 1.4 | | | 932,211 | 0.6 | | |
| 24 Multiple Significant Trauma | 1 | 0.0 | | | 46,064 | 0.0 | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UHC HUNTSMAN CANCER HOSPITAL
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=2.91

BED SIZE: .
 AFFILIATION: University Health Care
 % LOS OUTLIER=2.46

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|---|--------------|------|---------|----------------------------------|------|---------|-----------------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 3,614 | | | 144,938,311 | | | 20453.00 | | |
| Facility Charges (total) | . | | | 144,938,311 | | | . | | |
| Facility Charges & LOS (average) | . | | | 40,105 | | | 5.66 | | |
| Facility Charges & LOS (adjusted average)* | . | | | 37,476 | | | 5.33 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 001 Craniotomy age >17 with CC | 23 | | | 51,974 | | | 5.10 | | |
| 003 Craniotomy age 0-17 | . | | | . | | | . | | |
| 014 Intracranial hemorrhage/ cereb infarc | 6 | | | 21,339 | | | 3.50 | | |
| 075 Major chest procedures | 116 | | | 43,425 | | | 4.81 | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 34 | | | 19,222 | | | 3.94 | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | | | . | | | . | | |
| 098 Bronchitis & asthma Age 0-17 | . | | | . | | | . | | |
| 104 Cardiac valve/cardiorthor w card cath | . | | | . | | | . | | |
| 105 Cardiac valve/cardiorthor w/o card cath | . | | | . | | | . | | |
| 547 Coronary bypass with card cath w/ MCV | . | | | . | | | . | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | | | . | | | . | | |
| 108 Other cardiothoracic procedures | . | | | . | | | . | | |
| 110 Major cardiovascular procedures w cc | 2 | | | 79,839 | | | 12.00 | | |
| 555 Perc. cardiovascular procedures w MCV | . | | | . | | | . | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | | | . | | | . | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 2 | | | 31,513 | | | 3.50 | | |
| 122 Circ disrd w AMI w/o comp disch alive | 1 | | | 38,961 | | | 7.00 | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | | | . | | | . | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | | | . | | | . | | |
| 127 Heart failure & shock | 6 | | | 14,714 | | | 3.17 | | |
| 140 Angina pectoris | . | | | . | | | . | | |
| 143 Chest pain | 4 | | | 11,124 | | | 2.00 | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 30 | | | 55,577 | | | 12.14 | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | 3 | | | 59,886 | | | 13.67 | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | | | . | | | . | | |
| 174 G.I. hemorrhage w cc | 20 | | | 15,155 | | | 2.80 | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 77 | | | 14,774 | | | 3.47 | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 2 | | | 13,899 | | | 3.00 | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | | | . | | | . | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | | | . | | | . | | |
| 544 Mjr jnt replace/reattach, low extrem | 14 | | | 58,326 | | | 4.69 | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UHC HUNTSMAN CANCER HOSPITAL
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=2.91

BED SIZE: .
 AFFILIATION: University Health Care
 % LOS OUTLIER=2.46

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 11 | 33,108 | | | 3.55 | | |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 3 | 36,314 | | | 3.00 | | |
| 296 Nutrition/misc metabol disrdr >17 w cc | 33 | 14,211 | | | 3.09 | | |
| 358 Uterine & adnexa prcd nonmalig w cc | 20 | 20,011 | | | 3.56 | | |
| 359 Uterine/adnexa prcd nonmalig w/o cc | 37 | 12,081 | | | 2.31 | | |
| 370 Cesarean section with cc | . | . | | | . | | |
| 371 Cesarean section without cc | . | . | | | . | | |
| 372 Vaginal delivery w complicating diag | . | . | | | . | | |
| 373 Vaginal deliv w/o complicating diag | . | . | | | . | | |
| 374 Vaginal delivery w sterilization/D&C | . | . | | | . | | |
| 383 Other antepartum diag w med complic | 5 | 24,436 | | | 5.40 | | |
| 385 Neonates died/transf to acute care fac | . | . | | | . | | |
| 386 Extreme immatur/resp dist synd,neonate | . | . | | | . | | |
| 387 Prematurity w major problems | . | . | | | . | | |
| 389 Full term neonate w major problems | . | . | | | . | | |
| 390 Neonate w other significant problems | . | . | | | . | | |
| 391 Normal newborn | . | . | | | . | | |
| 410 Chemo w/o acute leukemia as sec dia | 268 | 27,764 | | | 3.45 | | |
| 578 Infect/parasitic diseases with OR proc | 18 | 63,407 | | | 9.24 | | |
| 430 Psychoses | . | . | | | . | | |
| 521 Alc/drug abuse or depnd w cc | 2 | 31,807 | | | 4.00 | | |
| 462 Rehabilitation | . | . | | | . | | |
| 468 Extensive OR proc unrelated to p.d. | 18 | 44,358 | | | 6.39 | | |
| 565 Resp sys diagnos with vent supp 96+ hr | 3 | 85,553 | | | 9.00 | | |
| 481 Bone marrow transplant | 83 | 222,671 | | | 26.44 | | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 16 | 228,048 | | | 22.75 | | |
| 486 Other OR proc for mult signif trauma | . | . | | | . | | |
| 499 Back & neck procedures w cc | . | . | | | . | | |
| 500 Back & Neck Procedures w/o CC | . | . | | | . | | |
| 502 Knee procedures w/o cc | . | . | | | . | | |
| 470 Ungroupable | . | . | | | . | | |
| All Other DRGs | 2,757 | 32,560 | | | 4.87 | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UHC HUNTSMAN CANCER HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: .
 AFFILIATION: University Health Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$)*** | | | Length of Stay (Day)** | | |
|--|------------|----------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 1 | 12,035 | | | 2.00 | | |
| Major or Extreme SOI | 2 | 23,223 | | | 5.00 | | |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | 8 | 10,695 | | | 2.88 | | |
| Major or Extreme SOI | 25 | 22,188 | | | 4.21 | | |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | 1 | 25,761 | | | 2.00 | | |
| Major or Extreme SOI | . | . | | | . | | |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | 4 | 14,693 | | | 3.00 | | |
| Major or Extreme SOI | 3 | 22,260 | | | 4.00 | | |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | 4 | 7,835 | | | 2.00 | | |
| Major or Extreme SOI | 8 | 24,866 | | | 4.29 | | |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | 68 | 37,701 | | | 5.98 | | |
| Major or Extreme SOI | 54 | 56,291 | | | 11.23 | | |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | 16 | 9,986 | | | 2.44 | | |
| Major or Extreme SOI | 20 | 18,110 | | | 3.71 | | |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | 3 | 47,399 | | | 4.00 | | |
| Major or Extreme SOI | 1 | 110,453 | | | 7.00 | | |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | 9 | 29,125 | | | 3.33 | | |
| Major or Extreme SOI | 1 | 52,771 | | | 8.00 | | |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | 1 | 6,914 | | | 3.00 | | |
| Major or Extreme SOI | 5 | 19,470 | | | 4.80 | | |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UHC HUNTSMAN CANCER HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: .
 AFFILIATION: University Health Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|--|------------|----------------------------------|------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 43 | 13,556 | | | 2.42 | | |
| Major or Extreme SOI | 5 | 31,489 | | | 5.60 | | |
| 540 CESAREAN DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 560 VAGINAL DELIVERY | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | 1 | 35,276 | | | 4.00 | | |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| Minor or Moderate SOI | 2 | 26,602 | | | 3.00 | | |
| Major or Extreme SOI | 4 | 56,640 | | | 7.75 | | |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| Minor or Moderate SOI | 1 | 10,615 | | | 3.00 | | |
| Major or Extreme SOI | 3 | 14,869 | | | 3.67 | | |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | 3 | 23,398 | | | 4.67 | | |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| Minor or Moderate SOI | . | . | | | . | | |
| Major or Extreme SOI | . | . | | | . | | |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| Minor or Moderate SOI | 19 | 7,814 | | | 2.63 | | |
| Major or Extreme SOI | 16 | 17,301 | | | 4.38 | | |
| All other APRDRGs | 3,283 | 38,366 | | | 5.34 | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UHC HUNTSMAN CANCER HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: University Health Care

COUNTY: Salt Lake
 BED SIZE: .

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 1,732 | 47.9 | | |
| Male | 1,882 | 52.1 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | 11 | 0.3 | | |
| 18-19 | 34 | 0.9 | | |
| 20-24 | 90 | 2.5 | | |
| 25-29 | 99 | 2.7 | | |
| 30-34 | 181 | 5.0 | | |
| 35-39 | 200 | 5.5 | | |
| 40-44 | 212 | 5.9 | | |
| 45-49 | 260 | 7.2 | | |
| 50-54 | 387 | 10.7 | | |
| 55-59 | 503 | 13.9 | | |
| 60-64 | 506 | 14.0 | | |
| 65-69 | 445 | 12.3 | | |
| 70-74 | 302 | 8.4 | | |
| 75-79 | 195 | 5.4 | | |
| 80-84 | 142 | 3.9 | | |
| 85-89 | 42 | 1.2 | | |
| 90 + | 5 | 0.1 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,160 | 32.1 | | |
| Urgent | 2,206 | 61.0 | | |
| Elective | 247 | 6.8 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | 1 | 0.0 | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,065 | 29.5 | | |
| Clinic referral | 2,221 | 61.5 | | |
| HMO Referral | . | . | | |
| Other hospital | 300 | 8.3 | | |
| Skilled nursing facility | 9 | 0.2 | | |
| Other health care facility | 11 | 0.3 | | |
| Emergency room | . | . | | |
| Court/law enforcement | 2 | 0.1 | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UHC HUNTSMAN CANCER HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: University Health Care

COUNTY: Salt Lake
 BED SIZE: .

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | 5 | 0.1 | . | . |
| Not reported | 1 | 0.0 | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 2,226 | 61.6 | . | . |
| Another hospital | 5 | 0.1 | . | . |
| Skilled nursing facility | 227 | 6.3 | . | . |
| Intermediate care | 1 | 0.0 | . | . |
| Another type of institution | 79 | 2.2 | . | . |
| Under care of home service | 968 | 26.8 | . | . |
| Left against medical advice | . | . | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | 99 | 2.7 | . | . |
| Not reported | 9 | 0.2 | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 1,145 | 31.7 | . | . |
| Medicaid | 303 | 8.4 | . | . |
| Other government | 90 | 2.5 | . | . |
| Blue Cross/Blue Shield | 683 | 18.9 | . | . |
| Other commercial | 362 | 10.0 | . | . |
| Managed care | 823 | 22.8 | . | . |
| Self pay | 182 | 5.0 | . | . |
| Industrial/Worker's Comp | 1 | 0.0 | . | . |
| Charity | . | . | . | . |
| Children's Health Insurance Plan | 1 | 0.0 | . | . |
| Not reported | 24 | 0.7 | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 140 | 3.9 | . | . |
| Central Utah | 54 | 1.5 | . | . |
| Davis County | 325 | 9.0 | . | . |
| Salt Lake County | 1,195 | 33.1 | . | . |
| Southeastern Utah | 89 | 2.5 | . | . |
| Southwest Utah | 80 | 2.2 | . | . |
| Summit County | 74 | 2.0 | . | . |
| Tooele County | 109 | 3.0 | . | . |
| Tri-County | 73 | 2.0 | . | . |
| Utah County | 289 | 8.0 | . | . |
| Wasatch County | 39 | 1.1 | . | . |
| Weber/Morgan | 182 | 5.0 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 965 | 26.7 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

UHC UNIVERSITY ORTHOPAEDIC CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: .
 AFFILIATION: University Health Care

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 175 | 100.0 | | | 5,034,679 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgical (Age 0-17) | 1 | 0.6 | | | 33,458 | 0.7 | | |
| Other Medical | 2 | 1.1 | | | 14,151 | 0.3 | | |
| Other Surgical | 172 | 98.3 | | | 4,987,071 | 99.1 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 2 | 1.1 | | | 28,358 | 0.6 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | . | . | | | . | . | | |
| 4 Respiratory System | . | . | | | . | . | | |
| 5 Circulatory System | . | . | | | . | . | | |
| 6 Digestive System | . | . | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | . | . | | | . | . | | |
| 8 Musculoskeletal System & Conn Tissue | 166 | 94.9 | | | 4,942,973 | 98.2 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 1 | 0.6 | | | 9,541 | 0.2 | | |
| 10 Endocrine, Nutritional & Metabolic | 1 | 0.6 | | | 10,874 | 0.2 | | |
| 11 Kidney & Urinary Tract | . | . | | | . | . | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | | | . | . | | |
| 18 Infectious and Parasitic Diseases | 4 | 2.3 | | | 36,568 | 0.7 | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 1 | 0.6 | | | 6,367 | 0.1 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | . | . | | | . | . | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY ORTHOPAEDIC CENTER
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.57

BED SIZE: .
 AFFILIATION: University Health Care
 % LOS OUTLIER=0.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|---------|----------|----------------------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 175 | 5,034,679 | | | 387.00 | | |
| Facility Charges (total) | . | 5,034,679 | | | . | | |
| Facility Charges & LOS (average) | . | 28,770 | | | 2.21 | | |
| Facility Charges & LOS (adjusted average)* | . | 28,586 | | | 2.21 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | | Average LOS (days)** | | |
| 001 Craniotomy age >17 with CC | . | . | | | . | | |
| 003 Craniotomy age 0-17 | . | . | | | . | | |
| 014 Intracranial hemorrhage/ cereb infarc | . | . | | | . | | |
| 075 Major chest procedures | . | . | | | . | | |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | | | . | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | | | . | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | | | . | | |
| 104 Cardiac valve/cardi thor w card cath | . | . | | | . | | |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | | | . | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | | . | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | | . | | |
| 108 Other cardiothoracic procedures | . | . | | | . | | |
| 110 Major cardiovascular procedures w cc | . | . | | | . | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | | | . | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | | | . | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | | | . | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | | | . | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | | | . | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | . | . | | | . | | |
| 127 Heart failure & shock | . | . | | | . | | |
| 140 Angina pectoris | . | . | | | . | | |
| 143 Chest pain | . | . | | | . | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | . | . | | | . | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | | | . | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | | | . | | |
| 174 G.I. hemorrhage w cc | . | . | | | . | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | | | . | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | | | . | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | . | . | | | . | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | . | . | | | . | | |
| 544 Mjr jnt replace/reattach, low extrem | 103 | 31,138 | | | 2.46 | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY ORTHOPAEDIC CENTER
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.57

BED SIZE: .
 AFFILIATION: University Health Care
 % LOS OUTLIER=0.00

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 1 | | | 25,423 | | | 4.00 | | |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 15 | | | 20,605 | | | 1.47 | | |
| 296 Nutrition/misc metabol disrdr >17 w cc | . | | | . | | | . | | |
| 358 Uterine & adnexa prcd nonmalig w cc | . | | | . | | | . | | |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | | | . | | | . | | |
| 370 Cesarean section with cc | . | | | . | | | . | | |
| 371 Cesarean section without cc | . | | | . | | | . | | |
| 372 Vaginal delivery w complicating diag | . | | | . | | | . | | |
| 373 Vaginal deliv w/o complicating diag | . | | | . | | | . | | |
| 374 Vaginal delivery w sterilization/D&C | . | | | . | | | . | | |
| 383 Other antepartum diag w med complic | . | | | . | | | . | | |
| 385 Neonates died/transf to acute care fac | . | | | . | | | . | | |
| 386 Extreme immatur/resp dist synd,neonate | . | | | . | | | . | | |
| 387 Prematurity w major problems | . | | | . | | | . | | |
| 389 Full term neonate w major problems | . | | | . | | | . | | |
| 390 Neonate w other significant problems | . | | | . | | | . | | |
| 391 Normal newborn | . | | | . | | | . | | |
| 410 Chemo w/o acute leukemia as sec dia | . | | | . | | | . | | |
| 578 Infect/parasitic diseases with OR proc | . | | | . | | | . | | |
| 430 Psychoses | . | | | . | | | . | | |
| 521 Alc/drug abuse or depnd w cc | . | | | . | | | . | | |
| 462 Rehabilitation | . | | | . | | | . | | |
| 468 Extensive OR proc unrelated to p.d. | . | | | . | | | . | | |
| 565 Resp sys diagnos with vent supp 96+ hr | . | | | . | | | . | | |
| 481 Bone marrow transplant | . | | | . | | | . | | |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | | | . | | | . | | |
| 486 Other OR proc for mult signif trauma | . | | | . | | | . | | |
| 499 Back & neck procedures w cc | . | | | . | | | . | | |
| 500 Back & Neck Procedures w/o CC | . | | | . | | | . | | |
| 502 Knee procedures w/o cc | . | | | . | | | . | | |
| 470 Ungroupable | . | | | . | | | . | | |
| All Other DRGs | 56 | | | 25,944 | | | 1.93 | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY ORTHOPAEDIC CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: .
 AFFILIATION: University Health Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. _____Average Facility Charges (\$)***_____ | | | ____Length of Stay (Day)**_____ | | |
|--|---|--------|--------|---------------------------------|------|--------|
| | _____ Hospital_____ | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 139 OTHER PNEUMONIA | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 141 ASTHMA | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 194 HEART FAILURE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 225 APPENDECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 302 KNEE JOINT REPLACEMENT | | | | | | |
| Minor or Moderate SOI | 69 | 29,753 | . | 2.58 | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | |
| Minor or Moderate SOI | 30 | 26,788 | . | 1.52 | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UHC UNIVERSITY ORTHOPAEDIC CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: .
 AFFILIATION: University Health Care

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. _____ Average Facility Charges (\$) ** _____ | | | _____ Length of Stay (Day) ** _____ | | |
|--|---|--------|--------|-------------------------------------|------|--------|
| | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| All other APRDRGs | 76 | 28,213 | | 2.16 | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UHC UNIVERSITY ORTHOPAEDIC CENTER
 PEER GROUP: None (n=11)
 AFFILIATION: University Health Care

COUNTY: Salt Lake
 BED SIZE: .

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 102 | 58.3 | | |
| Male | 73 | 41.7 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | 1 | 0.6 | | |
| 18-19 | 1 | 0.6 | | |
| 20-24 | 5 | 2.9 | | |
| 25-29 | 5 | 2.9 | | |
| 30-34 | 2 | 1.1 | | |
| 35-39 | 4 | 2.3 | | |
| 40-44 | 4 | 2.3 | | |
| 45-49 | 14 | 8.0 | | |
| 50-54 | 28 | 16.0 | | |
| 55-59 | 23 | 13.1 | | |
| 60-64 | 29 | 16.6 | | |
| 65-69 | 28 | 16.0 | | |
| 70-74 | 16 | 9.1 | | |
| 75-79 | 11 | 6.3 | | |
| 80-84 | 1 | 0.6 | | |
| 85-89 | 3 | 1.7 | | |
| 90 + | . | . | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | 1 | 0.6 | | |
| Urgent | 32 | 18.3 | | |
| Elective | 142 | 81.1 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 89 | 50.9 | | |
| Clinic referral | 86 | 49.1 | | |
| HMO Referral | . | . | | |
| Other hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UHC UNIVERSITY ORTHOPAEDIC CENTER
 PEER GROUP: None (n=11) COUNTY: Salt Lake
 AFFILIATION: University Health Care BED SIZE: .

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | . | . | . | . |
| Not reported | . | . | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 64 | 36.6 | . | . |
| Another hospital | . | . | . | . |
| Skilled nursing facility | 26 | 14.9 | . | . |
| Intermediate care | . | . | . | . |
| Another type of institution | 1 | 0.6 | . | . |
| Under care of home service | 84 | 48.0 | . | . |
| Left against medical advice | . | . | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | . | . | . | . |
| Not reported | . | . | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 59 | 33.7 | . | . |
| Medicaid | 6 | 3.4 | . | . |
| Other government | 6 | 3.4 | . | . |
| Blue Cross/Blue Shield | 47 | 26.9 | . | . |
| Other commercial | 16 | 9.1 | . | . |
| Managed care | 35 | 20.0 | . | . |
| Self pay | . | . | . | . |
| Industrial/Worker's Comp | 6 | 3.4 | . | . |
| Charity | . | . | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | . | . | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 1.1 | . | . |
| Central Utah | 8 | 4.6 | . | . |
| Davis County | 16 | 9.1 | . | . |
| Salt Lake County | 87 | 49.7 | . | . |
| Southeastern Utah | 1 | 0.6 | . | . |
| Southwest Utah | 1 | 0.6 | . | . |
| Summit County | 7 | 4.0 | . | . |
| Tooele County | 6 | 3.4 | . | . |
| Tri-County | 5 | 2.9 | . | . |
| Utah County | 4 | 2.3 | . | . |
| Wasatch County | . | . | . | . |
| Weber/Morgan | 10 | 5.7 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 28 | 16.0 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.
 SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

UTAH VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 40
 AFFILIATION: Ernest Health, Inc.

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 405 | 100.0 | | | 37,797,336 | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | 2 | 0.5 | | | 153,120 | 0.4 | | |
| Pediatric Surgical (Age 0-17) | . | . | | | . | . | | |
| Other Medical | 357 | 88.1 | | | 31,076,586 | 82.2 | | |
| Other Surgical | 46 | 11.4 | | | 6,567,630 | 17.4 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 19 | 4.7 | | | 1,319,741 | 3.5 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | 2 | 0.5 | | | 252,376 | 0.7 | | |
| 4 Respiratory System | 107 | 26.4 | | | 10,091,971 | 26.7 | | |
| 5 Circulatory System | 31 | 7.7 | | | 2,449,603 | 6.5 | | |
| 6 Digestive System | 15 | 3.7 | | | 1,496,858 | 4.0 | | |
| 7 Hepatobiliary System & Pancreas | 4 | 1.0 | | | 813,691 | 2.2 | | |
| 8 Musculoskeletal System & Conn Tissue | 54 | 13.3 | | | 5,822,354 | 15.4 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 14 | 3.5 | | | 968,051 | 2.6 | | |
| 10 Endocrine, Nutritional & Metabolic | 30 | 7.4 | | | 3,209,355 | 8.5 | | |
| 11 Kidney & Urinary Tract | 22 | 5.4 | | | 1,533,529 | 4.1 | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | 3 | 0.7 | | | 147,532 | 0.4 | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | . | . | | | . | . | | |
| 18 Infectious and Parasitic Diseases | 48 | 11.9 | | | 3,805,742 | 10.1 | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 41 | 10.1 | | | 4,955,356 | 13.1 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | 14 | 3.5 | | | 821,327 | 2.2 | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.2 | | | 109,850 | 0.3 | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=10.4

BED SIZE: 40
 AFFILIATION: Ernest Health, Inc.
 % LOS OUTLIER=20.2

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|---------------------------------|---------|----------------------|------------|---------|--|
| | Hospital | Peer | State** | Hospital | Peer | State** | |
| Total Charges & Length of Stay (total) | 405 | 37,797,336 | | 11311.00 | | | |
| Facility Charges (total) | . | 37,797,336 | | . | | | |
| Facility Charges & LOS (average) | . | 93,327 | | 27.93 | | | |
| Facility Charges & LOS (adjusted average)* | . | 85,807 | | 25.26 | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)** | | Average LOS (days)** | | | |
| 001 Craniotomy age >17 with CC | . | . | | . | | | |
| 003 Craniotomy age 0-17 | . | . | | . | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 4 | 29,131 | | 10.25 | | | |
| 075 Major chest procedures | . | . | | . | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | . | . | | . | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | | . | | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | | . | | | |
| 104 Cardiac valve/cardi thor w card cath | . | . | | . | | | |
| 105 Cardiac valve/cardi thor w/o card cath | . | . | | . | | | |
| 547 Coronary bypass with card cath w/ MCV | . | . | | . | | | |
| 549 Coronary bypass w/o card cath w/ MCV | . | . | | . | | | |
| 108 Other cardiothoracic procedures | . | . | | . | | | |
| 110 Major cardiovascular procedures w cc | . | . | | . | | | |
| 555 Perc. cardiovascular procedures w MCV | . | . | | . | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | . | . | | . | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | . | . | | . | | | |
| 122 Circ disrd w AMI w/o comp disch alive | . | . | | . | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | . | . | | . | | | |
| 125 Circ disrd exc AMI w card cath w/o cx | . | . | | . | | | |
| 127 Heart failure & shock | 4 | 56,194 | | 20.00 | | | |
| 140 Angina pectoris | . | . | | . | | | |
| 143 Chest pain | . | . | | . | | | |
| 569 Mjr sm & lg bowel procds w cc w mjr gi | . | . | | . | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | | . | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | . | . | | . | | | |
| 174 G.I. hemorrhage w cc | . | . | | . | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | . | . | | . | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | . | . | | . | | | |
| 197 Cholocystectomy exc lap w/o CDE w cc | . | . | | . | | | |
| 198 Cholocystectomy exc lap w/o CDE w/o cc | . | . | | . | | | |
| 544 Mjr jnt replace/reattach, low extrem | . | . | | . | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=10.4

BED SIZE: 40
 AFFILIATION: Ernest Health, Inc.
 % LOS OUTLIER=20.2

| | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 210 Hip & fem proc exc maj joint >17 w cc | . | . | . | . | . | . | . | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | . | . | . | . | . | . | . | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | 5 | | | 46,973 | | | 14.33 | | |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | . | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | . | . | . |
| 370 Cesarean section with cc | . | . | . | . | . | . | . | . | . |
| 371 Cesarean section without cc | . | . | . | . | . | . | . | . | . |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | . | . | . |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | . | . | . |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . | . | . | . | . |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | . | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . | . | . | . | . |
| 389 Full term neonate w major problems | . | . | . | . | . | . | . | . | . |
| 390 Neonate w other significant problems | . | . | . | . | . | . | . | . | . |
| 391 Normal newborn | . | . | . | . | . | . | . | . | . |
| 410 Chemo w/o acute leukemia as sec dia | . | . | . | . | . | . | . | . | . |
| 578 Infect/parasitic diseases with OR proc | . | . | . | . | . | . | . | . | . |
| 430 Psychoses | . | . | . | . | . | . | . | . | . |
| 521 Alc/drug abuse or depnd w cc | . | . | . | . | . | . | . | . | . |
| 462 Rehabilitation | . | . | . | . | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . | . | . | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | 38 | | | 136,237 | | | 34.00 | | |
| 481 Bone marrow transplant | . | . | . | . | . | . | . | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | . | . | . | . | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | . | . | . |
| 470 Ungroupable | . | . | . | . | . | . | . | . | . |
| All Other DRGs | 354 | | | 81,458 | | | 24.51 | | |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 40
 AFFILIATION: Ernest Health, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|--|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 139 OTHER PNEUMONIA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 141 ASTHMA | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 194 HEART FAILURE | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | 4 | 56,194 | . | 20.00 | . | . | . |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 225 APPENDECTOMY | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 302 KNEE JOINT REPLACEMENT | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . | . |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | 2 | . | . | . | . | . | . |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . | . |
| Major or Extreme SOI | 4 | 46,973 | . | 14.33 | . | . | . |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 40
 AFFILIATION: Ernest Health, Inc.

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG V20+) | # of Disc. _____ Average Facility Charges (\$) ** _____ | | | _____ Length of Stay (Day) ** _____ | | |
|--|---|---------|--------|-------------------------------------|------|--------|
| | Hospital | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | 2 | 106,612 | . | . | . | . |
| All other APRDRGs | 393 | 86,521 | | 25.41 | | |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UTAH VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: Ernest Health, Inc.

COUNTY: Utah
 BED SIZE: 40

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 193 | 47.7 | | |
| Male | 212 | 52.3 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | 1 | 0.2 | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | 1 | 0.2 | | |
| 18-19 | 3 | 0.7 | | |
| 20-24 | 6 | 1.5 | | |
| 25-29 | 9 | 2.2 | | |
| 30-34 | 9 | 2.2 | | |
| 35-39 | 19 | 4.7 | | |
| 40-44 | 19 | 4.7 | | |
| 45-49 | 14 | 3.5 | | |
| 50-54 | 31 | 7.7 | | |
| 55-59 | 38 | 9.4 | | |
| 60-64 | 40 | 9.9 | | |
| 65-69 | 53 | 13.1 | | |
| 70-74 | 51 | 12.6 | | |
| 75-79 | 47 | 11.6 | | |
| 80-84 | 39 | 9.6 | | |
| 85-89 | 20 | 4.9 | | |
| 90 + | 5 | 1.2 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | 405 | 100.0 | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | . | . | | |
| Clinic referral | 1 | 0.2 | | |
| HMO Referral | . | . | | |
| Other hospital | 401 | 99.0 | | |
| Skilled nursing facility | 2 | 0.5 | | |
| Other health care facility | 1 | 0.2 | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

UTAH VALLEY SPECIALTY HOSPITAL
 PEER GROUP: None (n=11)
 AFFILIATION: Ernest Health, Inc.

COUNTY: Utah
 BED SIZE: 40

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | . | . | . | . |
| Not reported | . | . | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 56 | 13.8 | . | . |
| Another hospital | 44 | 10.9 | . | . |
| Skilled nursing facility | 128 | 31.6 | . | . |
| Intermediate care | 1 | 0.2 | . | . |
| Another type of institution | 17 | 4.2 | . | . |
| Under care of home service | 124 | 30.6 | . | . |
| Left against medical advice | 2 | 0.5 | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | 33 | 8.1 | . | . |
| Not reported | . | . | . | . |
| PRIMARY PAYER | | | | |
| Medicare | 272 | 67.2 | . | . |
| Medicaid | 50 | 12.3 | . | . |
| Other government | . | . | . | . |
| Blue Cross/Blue Shield | 20 | 4.9 | . | . |
| Other commercial | 15 | 3.7 | . | . |
| Managed care | 47 | 11.6 | . | . |
| Self pay | . | . | . | . |
| Industrial/Worker's Comp | 1 | 0.2 | . | . |
| Charity | . | . | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | . | . | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | . | . |
| Central Utah | 35 | 8.6 | . | . |
| Davis County | . | . | . | . |
| Salt Lake County | 46 | 11.4 | . | . |
| Southeastern Utah | 28 | 6.9 | . | . |
| Southwest Utah | 28 | 6.9 | . | . |
| Summit County | . | . | . | . |
| Tooele County | 1 | 0.2 | . | . |
| Tri-County | 14 | 3.5 | . | . |
| Utah County | 222 | 54.8 | . | . |
| Wasatch County | 5 | 1.2 | . | . |
| Weber/Morgan | 3 | 0.7 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 23 | 5.7 | . | . |
| Unknown | . | . | . | . |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(NUMBER OF DISCHARGES AND TOTAL FACILITY CHARGES BY TYPE OF SERVICE AND MDC)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 121
 AFFILIATION: Freestanding

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4,181 | 100.0 | | | . | 100.0 | | |
| Liveborn infants (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgical (Age 0-17) | . | . | | | . | . | | |
| Other Medical | 2,681 | 64.1 | | | . | . | | |
| Other Surgical | 1,082 | 25.9 | | | . | . | | |
| Psychiatric (MDC 19) | 402 | 9.6 | | | . | . | | |
| Rehabilitation (DRG 462) | 16 | 0.4 | | | . | . | | |
| Unknown (DRG 469-470) | . | . | | | . | . | | |
| Major Diagnostic Categories (MDC) | | | | | | | | |
| 1 Nervous System | 203 | 4.9 | | | . | . | | |
| 2 Eye | 15 | 0.4 | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | 60 | 1.4 | | | . | . | | |
| 4 Respiratory System | 424 | 10.1 | | | . | . | | |
| 5 Circulatory System | 1,085 | 26.0 | | | . | . | | |
| 6 Digestive System | 336 | 8.0 | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | 120 | 2.9 | | | . | . | | |
| 8 Musculoskeletal System & Conn Tissue | 359 | 8.6 | | | . | . | | |
| 9 Skin, Subcutaneous Tissue & Breast | 76 | 1.8 | | | . | . | | |
| 10 Endocrine, Nutritional & Metabolic | 112 | 2.7 | | | . | . | | |
| 11 Kidney & Urinary Tract | 245 | 5.9 | | | . | . | | |
| 12 Male Reproductive System | 61 | 1.5 | | | . | . | | |
| 13 Female Reproductive System | 2 | 0.0 | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | 36 | 0.9 | | | . | . | | |
| 17 Myeloproliferative; Poorly Diff. Neoplasm | 81 | 1.9 | | | . | . | | |
| 18 Infectious and Parasitic Diseases | 104 | 2.5 | | | . | . | | |
| 19 Mental Diseases and Disorders | 402 | 9.6 | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 289 | 6.9 | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 88 | 2.1 | | | . | . | | |
| 22 Burns | 1 | 0.0 | | | . | . | | |
| 23 Factors Influencing Health Status | 77 | 1.8 | | | . | . | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | 5 | 0.1 | | | . | . | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 121
 AFFILIATION: Freestanding
 % LOS OUTLIER=5.48

| SUMMARY OF CHARGES AND LENGTH OF STAY | # Discharges | | | Charges (\$) | | | LOS (days) | | |
|--|---------------------------------|------|---------|----------------------|------|---------|------------|------|---------|
| | Hospital | Peer | State** | Hospital | Peer | State** | Hospital | Peer | State** |
| Total Charges & Length of Stay (total) | 4,181 | . | . | 23313.00 | . | . | | | |
| Facility Charges (total) | . | . | . | . | . | . | | | |
| Facility Charges & LOS (average) | . | . | . | 5.58 | . | . | | | |
| Facility Charges & LOS (adjusted average)* | . | . | . | 4.62 | . | . | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average Facility Charges (\$)** | | | Average LOS (days)** | | | | | |
| 001 Craniotomy age >17 with CC | 4 | . | . | 4.25 | . | . | | | |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . | | | |
| 014 Intracranial hemorrhage/ cereb infarc | 43 | . | . | 3.61 | . | . | | | |
| 075 Major chest procedures | 25 | . | . | 12.29 | . | . | | | |
| 089 Simple pneumonia & pleurisy >17 w CC | 88 | . | . | 3.44 | . | . | | | |
| 091 Simple pneumonia & pleurisy age 0-17 | . | . | . | . | . | . | | | |
| 098 Bronchitis & asthma Age 0-17 | . | . | . | . | . | . | | | |
| 104 Cardiac valve/cardi thor w card cath | 1 | . | . | 10.00 | . | . | | | |
| 105 Cardiac valve/cardi thor w/o card cath | 17 | . | . | 10.00 | . | . | | | |
| 547 Coronary bypass with card cath w/ MCV | 1 | . | . | 38.00 | . | . | | | |
| 549 Coronary bypass w/o card cath w/ MCV | 6 | . | . | 15.33 | . | . | | | |
| 108 Other cardiothoracic procedures | 1 | . | . | 10.00 | . | . | | | |
| 110 Major cardiovascular procedures w cc | 28 | . | . | 6.67 | . | . | | | |
| 555 Perc. cardiovascular procedures w MCV | 36 | . | . | 3.12 | . | . | | | |
| 552 Other cardiac pacemaker implnt w/o MCV | 20 | . | . | 2.26 | . | . | | | |
| 121 Circ disrd w AMI & maj comp disch aliv | 19 | . | . | 4.89 | . | . | | | |
| 122 Circ disrd w AMI w/o comp disch alive | 12 | . | . | 2.75 | . | . | | | |
| 124 Circ disrd exc AMI w card cath & cmplx | 67 | . | . | 5.02 | . | . | | | |
| 125 Circ disrdr exc AMI w card cath w/o cx | 20 | . | . | 2.15 | . | . | | | |
| 127 Heart failure & shock | 129 | . | . | 4.27 | . | . | | | |
| 140 Angina pectoris | 14 | . | . | 1.14 | . | . | | | |
| 143 Chest pain | 136 | . | . | 1.35 | . | . | | | |
| 569 Mjr sm & lg bowel prcdrs w cc w mjr gi | 10 | . | . | 13.00 | . | . | | | |
| 567 Stomach/esoph/duod age>17 w cc w mjr g | . | . | . | . | . | . | | | |
| 167 Appendectomy w/o compl dxl & w/o cc | 2 | . | . | 1.00 | . | . | | | |
| 174 G.I. hemorrhage w cc | 40 | . | . | 2.79 | . | . | | | |
| 182 Esoph,gastro,misc dig disrd>17 w cc | 72 | . | . | 2.17 | . | . | | | |
| 183 Esoph,gastr,misc dig disrd>17 w/o cc | 22 | . | . | 1.73 | . | . | | | |
| 197 Cholecystectomy exc lap w/o CDE w cc | 1 | . | . | 5.00 | . | . | | | |
| 198 Cholecystectomy exc lap w/o CDE w/o cc | 2 | . | . | 3.50 | . | . | | | |
| 544 Mjr jnt replace/reattach, low extrem | 95 | . | . | 3.44 | . | . | | | |

ST 1-2
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None (n=11)
 UHDDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 121
 AFFILIATION: Freestanding
 % LOS OUTLIER=5.48

| | # Discharges | Charges (\$) | | | LOS (days) | | |
|--|--------------|----------------------------------|------|---------|-----------------------|------|---------|
| | | Hospital | Peer | State** | Hospital | Peer | State** |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average Facility Charges (\$)*** | | | Average LOS (days)*** | | |
| 210 Hip & fem proc exc maj joint >17 w cc | 12 | . | . | . | 5.45 | . | . |
| 219 Lo ext/hum pr exc hip/ft/fem>17 w/o cc | 10 | . | . | . | 1.90 | . | . |
| 296 Nutrition/misc metabol disrdr >17 w cc | 54 | . | . | . | 3.33 | . | . |
| 358 Uterine & adnexa prcd nonmalig w cc | . | . | . | . | . | . | . |
| 359 Uterine/adnexa prcd nonmalig w/o cc | . | . | . | . | . | . | . |
| 370 Cesarean section with cc | . | . | . | . | . | . | . |
| 371 Cesarean section without cc | . | . | . | . | . | . | . |
| 372 Vaginal delivery w complicating diag | . | . | . | . | . | . | . |
| 373 Vaginal deliv w/o complicating diag | . | . | . | . | . | . | . |
| 374 Vaginal delivery w sterilization/D&C | . | . | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . | . | . |
| 385 Neonates died/transf to acute care fac | . | . | . | . | . | . | . |
| 386 Extreme immatur/resp dist synd,neonate | . | . | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . | . | . |
| 389 Full term neonate w major problems | . | . | . | . | . | . | . |
| 390 Neonate w other significant problems | . | . | . | . | . | . | . |
| 391 Normal newborn | . | . | . | . | . | . | . |
| 410 Chemo w/o acute leukemia as sec dia | 47 | . | . | . | 2.04 | . | . |
| 578 Infect/parasitic diseases with OR proc | 10 | . | . | . | 12.30 | . | . |
| 430 Psychoses | 286 | . | . | . | 8.15 | . | . |
| 521 Alc/drug abuse or depnd w cc | 122 | . | . | . | 12.31 | . | . |
| 462 Rehabilitation | 16 | . | . | . | 13.00 | . | . |
| 468 Extensive OR proc unrelated to p.d. | 11 | . | . | . | 6.30 | . | . |
| 565 Resp sys diagnos with vent supp 96+ hr | 5 | . | . | . | 14.20 | . | . |
| 481 Bone marrow transplant | . | . | . | . | . | . | . |
| 541 ECMO/Tracheostomy exc face/mouth/neck | 1 | . | . | . | 6.00 | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . | . | . |
| 499 Back & neck procedures w cc | 15 | . | . | . | 3.64 | . | . |
| 500 Back & Neck Procedures w/o CC | 45 | . | . | . | 2.02 | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . | . | . |
| 470 Ungroupable | . | . | . | . | . | . | . |
| All Other DRGs | 2,636 | . | . | . | 4.18 | . | . |

* Adjusted by UHDDDB Case Mix Index and excluding outliers.

** No comparable hospitals.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 121
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. _____Average Facility Charges (\$)***_____ | | | ____Length of Stay (Day)**_____ | | |
|---|---|------|--------|---------------------------------|------|--------|
| | _____Hospital_____ | Peer | State* | Hospital | Peer | State* |
| 045 CVA & PRECEREBRAL OCCLUSION W INFARCT | | | | | | |
| Minor or Mod Severity of Illness (SOI) | 23 | . | | 2.45 | | |
| Major or Extreme SOI | 14 | . | | 5.45 | | |
| 139 OTHER PNEUMONIA | | | | | | |
| Minor or Moderate SOI | 41 | . | | 2.78 | | |
| Major or Extreme SOI | 49 | . | | 4.02 | | |
| 141 ASTHMA | | | | | | |
| Minor or Moderate SOI | 8 | . | | 2.00 | | |
| Major or Extreme SOI | 1 | . | | 4.00 | | |
| 175 PERCUTANEOUS CARDIOVASCULAR W/O AMI | | | | | | |
| Minor or Moderate SOI | 122 | . | | 1.78 | | |
| Major or Extreme SOI | 37 | . | | 3.76 | | |
| 190 ACUTE MYOCARDIAL INFARCTION | | | | | | |
| Minor or Moderate SOI | 15 | . | | 2.93 | | |
| Major or Extreme SOI | 14 | . | | 5.58 | | |
| 192 CARD CATH FOR ISCHEMIC HEART DISEASE | | | | | | |
| Minor or Moderate SOI | 36 | . | | 2.19 | | |
| Major or Extreme SOI | 8 | . | | 2.88 | | |
| 194 HEART FAILURE | | | | | | |
| Minor or Moderate SOI | 65 | . | | 3.28 | | |
| Major or Extreme SOI | 65 | . | | 5.33 | | |
| 201 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | |
| Minor or Moderate SOI | 78 | . | | 2.41 | | |
| Major or Extreme SOI | 29 | . | | 3.75 | | |
| 221 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | |
| Minor or Moderate SOI | 26 | . | | 6.24 | | |
| Major or Extreme SOI | 9 | . | | 14.33 | | |
| 225 APPENDECTOMY | | | | | | |
| Minor or Moderate SOI | 4 | . | | 1.00 | | |
| Major or Extreme SOI | . | . | | . | | |
| 249 NONBACTERIAL GASTROENTERITIS, NAUSEA, VOMITING | | | | | | |
| Minor or Moderate SOI | 22 | . | | 2.29 | | |
| Major or Extreme SOI | 10 | . | | 2.88 | | |
| 302 KNEE JOINT REPLACEMENT | | | | | | |
| Minor or Moderate SOI | 62 | . | | 3.17 | | |
| Major or Extreme SOI | 3 | . | | 6.50 | | |
| 313 KNEE & LOWER LEG PROCEDURES EXCEPT FOOT | | | | | | |
| Minor or Moderate SOI | 15 | . | | 3.07 | | |
| Major or Extreme SOI | 1 | . | | 6.00 | | |
| 421 MALNUTRITION, FAILURE TO THRIVE, OTH NUTR DIS | | | | | | |
| Minor or Moderate SOI | 4 | . | | 3.00 | | |
| Major or Extreme SOI | 15 | . | | 4.33 | | |

ST 1-3
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(APRDRG V20+ BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None (n=11)

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 121
 AFFILIATION: Freestanding

| SELECTED 27 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG V20+) | # of Disc. _____Average Facility Charges (\$)*** _____ | | | ____Length of Stay (Day)**_____ | | |
|---|--|------|--------|---------------------------------|------|--------|
| | _____ Hospital_____ | Peer | State* | Hospital | Peer | State* |
| 513 UTERINE & ADNEXA PROC FOR NON-MAL EXC LEIOMYOMA | | | | | | |
| Minor or Mod Severity of Illness (SOI) | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 540 CESAREAN DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 560 VAGINAL DELIVERY | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 541 VAGINAL DELIV W STERILIZATION AND/OR D&C | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 751 MAJ DEPRESSIVE DISORDERS & OTH/UNSP PSYCHOSES | | | | | | |
| Minor or Moderate SOI | 123 | . | . | 6.29 | . | . |
| Major or Extreme SOI | 5 | . | . | 5.00 | . | . |
| 640 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | |
| Minor or Moderate SOI | . | . | . | . | . | . |
| Major or Extreme SOI | . | . | . | . | . | . |
| 775 ALCOHOL ABUSE OR DEPENDENCE | | | | | | |
| Minor or Moderate SOI | 109 | . | . | 5.49 | . | . |
| Major or Extreme SOI | 25 | . | . | 5.88 | . | . |
| 310 INTERVERT DISC EXCISION & DECOMPRESSION | | | | | | |
| Minor or Moderate SOI | 50 | . | . | 2.19 | . | . |
| Major or Extreme SOI | 4 | . | . | 5.33 | . | . |
| 263 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | |
| Minor or Moderate SOI | 11 | . | . | 2.90 | . | . |
| Major or Extreme SOI | 5 | . | . | 6.20 | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | |
| Minor or Moderate SOI | 15 | . | . | 2.36 | . | . |
| Major or Extreme SOI | 8 | . | . | 3.83 | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | |
| Minor or Moderate SOI | 5 | . | . | 1.00 | . | . |
| Major or Extreme SOI | 4 | . | . | 3.75 | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | |
| Minor or Moderate SOI | 12 | . | . | 2.27 | . | . |
| Major or Extreme SOI | 2 | . | . | 2.50 | . | . |
| 254 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | |
| Minor or Moderate SOI | 36 | . | . | 2.48 | . | . |
| Major or Extreme SOI | 17 | . | . | 3.56 | . | . |
| All other APRDRGs | 2,974 | . | . | 5.06 | . | . |

* No comparable hospitals.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Database, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None (n=11)
 AFFILIATION: Freestanding

COUNTY: Salt Lake
 BED SIZE: 121

| Patient Profile | Discharges | | | |
|-----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 216 | 5.2 | | |
| Male | 3,965 | 94.8 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | . | . | | |
| 18-19 | 1 | 0.0 | | |
| 20-24 | 17 | 0.4 | | |
| 25-29 | 99 | 2.4 | | |
| 30-34 | 113 | 2.7 | | |
| 35-39 | 87 | 2.1 | | |
| 40-44 | 103 | 2.5 | | |
| 45-49 | 153 | 3.7 | | |
| 50-54 | 275 | 6.6 | | |
| 55-59 | 522 | 12.5 | | |
| 60-64 | 890 | 21.3 | | |
| 65-69 | 611 | 14.6 | | |
| 70-74 | 314 | 7.5 | | |
| 75-79 | 314 | 7.5 | | |
| 80-84 | 323 | 7.7 | | |
| 85-89 | 257 | 6.1 | | |
| 90 + | 102 | 2.4 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | . | . | | |
| Newborn | . | . | | |
| Trauma Center | . | . | | |
| Unknown | . | . | | |
| Not reported | 4,181 | 100.0 | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | . | . | | |
| Clinic referral | . | . | | |
| HMO Referral | . | . | | |
| Other hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery/Born Inside | . | . | | |
| Premature delivery | . | . | | |

(Continued)

ST 1-4
UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE, 2012
INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 2012
(PATIENT PROFILE)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None (n=11)
 AFFILIATION: Freestanding

COUNTY: Salt Lake
 BED SIZE: 121

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Sick baby | . | . | . | . |
| Extramural birth/Born Outside | . | . | . | . |
| Unknown | . | . | . | . |
| Not reported | 4,181 | 100.0 | . | . |
| DISCHARGE STATUS | | | | |
| Home self care | 4,021 | 96.2 | . | . |
| Another hospital | . | . | . | . |
| Skilled nursing facility | . | . | . | . |
| Intermediate care | . | . | . | . |
| Another type of institution | 63 | 1.5 | . | . |
| Under care of home service | . | . | . | . |
| Left against medical advice | 36 | 0.9 | . | . |
| Under care of a home iv provider | . | . | . | . |
| Expired | 61 | 1.5 | . | . |
| Not reported | . | . | . | . |
| PRIMARY PAYER | | | | |
| Medicare | . | . | . | . |
| Medicaid | . | . | . | . |
| Other government | 4,181 | 100.0 | . | . |
| Blue Cross/Blue Shield | . | . | . | . |
| Other commercial | . | . | . | . |
| Managed care | . | . | . | . |
| Self pay | . | . | . | . |
| Industrial/Worker's Comp | . | . | . | . |
| Charity | . | . | . | . |
| Children's Health Insurance Plan | . | . | . | . |
| Not reported | . | . | . | . |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 85 | 2.0 | . | . |
| Central Utah | 61 | 1.5 | . | . |
| Davis County | 279 | 6.7 | . | . |
| Salt Lake County | 2,122 | 50.8 | . | . |
| Southeastern Utah | 66 | 1.6 | . | . |
| Southwest Utah | 96 | 2.3 | . | . |
| Summit County | 52 | 1.2 | . | . |
| Tooele County | 104 | 2.5 | . | . |
| Tri-County | 51 | 1.2 | . | . |
| Utah County | 197 | 4.7 | . | . |
| Wasatch County | 17 | 0.4 | . | . |
| Weber/Morgan | 236 | 5.6 | . | . |
| Unknown Utah | . | . | . | . |
| Outside Utah | 814 | 19.5 | . | . |
| Unknown | 1 | 0.0 | . | . |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Database,
 Utah Health Data Committee/Office of Health Care Statistics.